

**NHTSA
BIOMECHANICS DATABASE
REPORT
TEST# 3820**

U.S. DEPARTMENT OF TRANSPORTATION
NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION
CRASH AUTOMOBILE RESEARCH SYSTEM
DYNAMIC CRASH FILE CATALOG

SELECTION CRITERION
BIODB

VERSION 4 DATA

TABLE OF CONTENTS

<i>REFERENCE NUMBER</i>	<i>CONTRACT NUMBER</i>	<i>TEST PERFORMER</i>	<i>TEST TITLE</i>
<u>3820</u>		<u>AUTOLIV AUSTRALIA P/L</u>	<u>OUT OF POSITION PASS AIRBAG DEPLOYMENT</u> <u>3YR HIII ISO POSITION 2</u>

**TEST INFORMATION
FOR TEST 3820**

Test Title:	<u>OUT OF POSITION PASS AIRBAG DEPLOYMENT 3YR HIII ISO POSITION 2</u>		
Test Date:	<u>03-OCT-97</u>	Entry Date:	<u>10-SEP-98</u>
Test Number:	<u>3820</u>	Contract Number:	
Test Performer:	<u>AUTOLIV AUSTRALIA P/L</u>	Test Reference Number:	<u>TG7LP001</u>
Test Configuration:	<u>SLED WITHOUT VEHICLE BODY</u>		
Test Objectives:			
Closing Speed:	<u>0</u>	Impact Angle:	<u>0</u>
Recorder Type:	<u>OTHER</u>	Data Link To Recorder:	<u>OTHER</u>
Ambient Temperature:	<u>0</u>		
Total Curves:	<u>16</u>		
Test Comments:	<u>SAE-J211 POLARITY APPLIES</u>		

DUMMY OCCUPANT INFORMATION FOR TEST 3820

Test Number:	<u>3820</u>
Occupant Location:	<u>RIGHT FRONT SEAT</u>
Occupant Type:	<u>HYBRID III DUMMY</u>
Occupant Sex:	<u>NOT APPLICABLE</u>
Seat Position:	<u>NON-ADJUSTABLE SEAT</u>
Head Injury Criterion:	<u>0</u>
Lower Boundary of HIC Time Interval:	<u>0</u>
Upper Boundary of HIC Time Interval:	<u>0</u>
Thorax Region Peak Acceleration:	<u>0</u>
Left Femur Peak Load:	<u>0</u>
Right Femur Peak Load:	<u>0</u>
Chest Severity Index:	<u>0</u>
Lap Belt Peak Load:	<u>0</u>
Shoulder Belt Peak Load:	<u>0</u>
Thoracic Trauma Index:	<u>0</u>
Pelvic G's:	<u>0</u>
Method of Calibration:	<u>HYBRID III</u>
Dummy Size Percentile:	<u>3 YEAR OLD CHILD</u>
Dummy Manufacturer and Serial#:	
Dummy Modification:	
Dummy Description:	<u>SUPPLIED BY NHTSA</u>
Occupant Commentary:	

RESTRAINT INFORMATION
FOR TEST 3820

Restraint Number: 1

Restraint Type: AIR BAG

Restraint Mount Position: DASH PANEL -
UNSPECI

Restraint Deployment: DEPLOYED PROPERLY

Restraint Comments:

INSTRUMENTATION INFORMATION

FOR TEST 3820

<i>Curve Number</i>	<i>Sensor Type</i>	<i>Sensor Location</i>	<i>Sensor Attachment</i>	<i>Units</i>	<i>Axis</i>	<i>Instrumentation Comments</i>
<u>1</u>	<u>ACCELEROMETER</u>	<u>02</u>	<u>HEAD CG</u>	<u>G'S</u>	<u>XL</u>	<u>AXHEAD - ANALOG, NA32-3/01/</u>
<u>2</u>	<u>ACCELEROMETER</u>	<u>02</u>	<u>HEAD CG</u>	<u>G'S</u>	<u>YL</u>	<u>AYHEAD - ANALOG, NA32-3/01/</u>
<u>3</u>	<u>ACCELEROMETER</u>	<u>02</u>	<u>HEAD CG</u>	<u>G'S</u>	<u>ZL</u>	<u>AZHEAD - ANALOG, NA32-3/01/</u>
<u>4</u>	<u>ACCELEROMETER</u>	<u>02</u>	<u>CHEST</u>	<u>G'S</u>	<u>XL</u>	<u>AXCHED - ANALOG, NA32-3/01/</u>
<u>5</u>	<u>ACCELEROMETER</u>	<u>02</u>	<u>CHEST</u>	<u>G'S</u>	<u>YL</u>	<u>AYCHED - ANALOG, NA32-3/01/</u>
<u>6</u>	<u>ACCELEROMETER</u>	<u>02</u>	<u>CHEST</u>	<u>G'S</u>	<u>ZL</u>	<u>AZCHED - ANALOG, NA32-3/01/</u>
<u>7</u>	<u>DISPLACEMENT TRANSDU</u>	<u>02</u>	<u>CHEST</u>	<u>MM</u>	<u>XL</u>	<u>SCHED - ANALOG, NA32-3/01/0</u>
<u>8</u>	<u>LOAD CELL</u>	<u>02</u>	<u>NECK - UPPER</u>	<u>NWT</u>	<u>XL</u>	<u>FXNEUD - ANALOG, NA32-3/03/</u>
<u>9</u>	<u>LOAD CELL</u>	<u>02</u>	<u>NECK - UPPER</u>	<u>NWT</u>	<u>YL</u>	<u>FYNEUD - ANALOG, NA32-3/03/</u>
<u>10</u>	<u>LOAD CELL</u>	<u>02</u>	<u>NECK - UPPER</u>	<u>NWT</u>	<u>ZL</u>	<u>FZNEUD - ANALOG, NA32-3/03/</u>
<u>11</u>	<u>LOAD CELL</u>	<u>02</u>	<u>NECK - UPPER</u>	<u>NWM</u>	<u>XL</u>	<u>MXNEUD - ANALOG, NA32-3/04/</u>
<u>12</u>	<u>LOAD CELL</u>	<u>02</u>	<u>NECK - UPPER</u>	<u>NWM</u>	<u>YL</u>	<u>MYNEUD - ANALOG, NA32-3/04/</u>
<u>13</u>	<u>LOAD CELL</u>	<u>02</u>	<u>NECK - UPPER</u>	<u>NWM</u>	<u>ZL</u>	<u>MZNEUD - ANALOG, NA32-3/04/</u>
<u>14</u>	<u>ACCELEROMETER</u>	<u>02</u>	<u>HEAD OTHER</u>	<u>G'S</u>	<u>ZL</u>	<u>AZANGD - ANALOG, NA32-3/04/</u>
<u>15</u>	<u>ACCELEROMETER</u>	<u>02</u>	<u>STERNUM - UPPER</u>	<u>G'S</u>	<u>XL</u>	<u>AXSTUD - ANALOG, NA32-3/04/</u>
<u>16</u>	<u>ACCELEROMETER</u>	<u>02</u>	<u>STERNUM - LOWER</u>	<u>G'S</u>	<u>XL</u>	<u>AXSTLD - ANALOG, NA32-3/04/</u>

**END
of
NHTSA
BIOMECHANICS DATABASE
REPORT**