



Characterization of ADS Performance by Pre-Crash Movement and Crash Type Using the SGO Data

Christopher J. Wiacek

SAE Government Industry Meeting

January, 22 2026

Background

- June 2021: NHTSA issued a Standing General Order (Revised April 2025)
 - Requires identified manufacturers and operators to report certain crashes involving vehicles equipped with SAE Levels 3 through 5 Automated Driving Systems (ADS).
 - Also covers vehicles equipped with SAE Level 2 Advanced Driver Assistance Systems (ADAS).

Analysis - Methodology


- Analysis of crashes when vehicle had ADS engaged in the 30-second window prior to the crash.
- Includes 1493 unique crashes from July 2021 through June 2025.
- Multidisciplinary team of analysts reviewed the crash data.
 - Crash types determined.
 - Pre-crash movement (i.e., stopped, turning, slowing, etc).
 - Traffic control device - ADS right of way.
 - Crash location (i.e., intersection, street, etc).
 - Vehicle type.

Analysis - Crash Types


- Based upon narrative and coded data:
 - A crash type was assigned.
 - Identified if safety driver was present or driverless.
 - If the ADS was engaged at time of crash.

Category	Configuration	CRASH TYPES (includes intent)					
I Single Driver	A Right Roadside Departure	01 DRIVE OFF ROAD	02 CONTROL/ TRACTION LOSS	03 AVOID COLLISION WITH VEH., PED., ANIM.	04 SPECIFICS OTHER	05 SPECIFICS UNKNOWN	
	B Left Roadside Departure	06 DRIVE OFF ROAD	07 CONTROL/ TRACTION LOSS	08 AVOID COLLISION WITH VEH., PED., ANIM.	09 SPECIFICS OTHER	10 SPECIFICS UNKNOWN	
	C Forward Impact	11 PARKED VEH.	12 STA. OBJECT	13 PEDESTRIAN/ ANIMAL	14 END DEPARTURE	15 SPECIFICS OTHER	16 SPECIFICS UNKNOWN
II Same Trafficway Same Direction	D Rear End	20 STOPPED 21, 22, 23	24 SLOWER 25, 26, 27	28 DECEL. 29, 30, 31	(EACH - 32) SPECIFICS OTHER	(EACH - 33) SPECIFICS UNKNOWN	
	E Forward Impact	34 CONTROL/ TRACTION LOSS	36 CONTROL/ TRACTION LOSS	38 AVOID COLLISION WITH VEH.	40 AVOID COLLISION WITH OBJECT	(EACH - 42) SPECIFICS OTHER	(EACH - 43) SPECIFICS UNKNOWN
	F Angle, Sideswipe	44 45	46 47	(EACH - 48) SPECIFICS OTHER	(EACH - 49) SPECIFICS UNKNOWN		
III Same Trafficway Opposite Direction	G Head-On	50 51	(EACH - 52) SPECIFICS OTHER	(EACH - 53) SPECIFICS UNKNOWN			
	H Forward Impact	54 CONTROL/ TRACTION LOSS	56 CONTROL/ TRACTION LOSS	58 AVOID COLLISION WITH VEH.	60 AVOID COLLISION WITH OBJECT	(EACH - 62) SPECIFICS OTHER	(EACH - 63) SPECIFICS UNKNOWN
	I Angle, Sideswipe	64 65 Lateral Moves	(EACH - 66) SPECIFICS OTHER	(EACH - 67) SPECIFICS UNKNOWN			
IV Change Trafficway Vehicle Turning	J Turn Across Path	68 Initial Opposite Directions	70 Initial Same Directions	(EACH - 74) SPECIFICS OTHER	(EACH - 75) SPECIFICS UNKNOWN		
	K Turn Into Path	76 Turn Into Same Direction	80 Turn Into Opposite Direction	(EACH - 84) SPECIFICS OTHER	(EACH - 85) SPECIFICS UNKNOWN		
V Intersect Paths	L Straight Paths	86 Striking from the Right	88 Striking from the Left	(EACH - 90) SPECIFICS OTHER	(EACH - 91) SPECIFICS UNKNOWN		
VI Misc. Etc.	M Backing, Etc.	92 Backing Veh.	93 Other Veh. or Object	98 Other Accident Type 99 Unknown Accident Type 00 No Impact			

Results - Aggregate of SGO Data by Vehicle Type



Results - Light Vehicle Crash Types (N=1437)




Same Direction - Rear End Crashes


	No Safety Driver	Safety Driver, ADS Engaged	Safety Driver, ADS Disengaged Intentionally	Safety Driver, ADS Not Engaged	Total
ADS Struck	256	156	15	8	97%
ADS Striking	6	0	6	0	3%
Total (Striking or Struck)	262	156	21	7	446 (100%)

Object and Event Detection (ADS Engaged and being Struck, N=412)

Percent of Rearend Crashes (ADS Struck)




ADS Equipped Vehicle Pre-crash Movement as a Lead Vehicle (ADS Engaged and being Struck, N = 411)



Same Direction – Angle, Sideswipe

	No Safety Driver	Safety Driver, ADS Engaged	Safety Driver, ADS Disengaged Intentionally	Safety Driver, ADS Not Engaged	Total
ADS Struck	234	29	16	6	94%
ADS Striking	8	1	8	1	6%
Total (Striking or Struck)	242	30	24	7	303 (100%)




Misc. – Backing, Etc.

Misc. Backing Crash Type	No Safety Driver	Safety Driver, ADS Engaged	Safety Driver, ADS Disengaged Intentionally	Safety Driver, ADS Not Engaged	Total
93 - Other Vehicle or Object “Backing into ADS”	163	18	6	4	67%
98 - Other Accident Type	60	8	2	1	25%
00 - No Impact	10	2	0	0	4%
92 - Backing “ADS” Vehicle “into another Vehicle”	5	1	2	2	3%
99 - Unknown Accident Type	3	0	0	0	1%
Total	241	29	10	7	287 (100%)



Single Driver – Forward Impact

Forward Impact Crash Type	No Safety Driver	Safety Driver, ADS Engaged	Safety Driver, ADS Disengaged Intentionally	Safety Driver, ADS Not Engaged	Total
12/15 – Stationary Object/Other	88	14	5	4	77%
13 - Pedestrian / Animal	15	4	1	1	15%
11 - Parked Vehicle	3	3	4	2	8%
Total	106	21	10	7	144 (100%)

Crash Trends by ADS Engagement at Impact




No Safety Driver Vs. Safety Driver, ADS Engaged at Impact: Trends by Crash Type, 2021–2025



Vehicle Speed at Impact Vs. Speed Limit, 2021–2025

(N = 1426)



Conclusions

- Rear end and angle, side-swipe crashes while stopped or slowing were the most frequent crash type when ADS engaged.
- Another vehicle backing into an ADS vehicle was the third most frequent crash type.
- As deployment changed, almost all crashes in recent years involve a vehicle without a safety driver.
- Approximately 60% of crashes with the ADS engaged, the vehicle was stopped.

Questions?

Chris Wiacek: chris.wiacek@dot.gov

Sierra Espeland: sierra.espeland@dot.gov

Emily Shull: emily.shull@dot.gov

Mubassira Khan: mubassira.khan@dot.gov

Gunyoung Lee: gunyoung.lee@dot.gov

Jesus Valentin-Ruiz: jesus.valentin-ruiz@dot.gov

