



Kawasaki Motors Corp., U.S.A.

July 14, 2005

01-022-N11B-10661

K06-06SH

4pgs.

Administrator
National Highway Traffic Safety Administration
400 Seventh Street, SW.
Washington, DC 20590

Attention: VIN Coordinator

Subject: 2006 Model Year Motorcycle VIN Information

Dear Sir / Madam:

In accordance with the requirements of 49 CFR 565.5 (b), Kawasaki Motors Corp., herein submits the following information applicable to our 2006 model year motor vehicle.

- 1) VIN information and vehicle horsepower figures for the following model within the 2006 model year:

Model	EX650A
Model Year	2006
VIN	JKAEXEA1()6A
Number of Cylinders	2
Description	Street
Max. Power (kW)	53
Production Start	October 1, 2005

- 2) Kawasaki's VIN coding description.

Sincerely,

KAWASAKI MOTORS CORP., U.S.A.

Spencer Hosokawa
Government Relations Product Specialist

EXECUTIVE SECRETARIAT
2005 JUL 19 10:15
NATIONAL HIGHWAY
TRAFFIC SAFETY ADM.

P.O. Box 25252
Santa Ana, California
92799-5252

949/770-0400
Fax 949/460-5600
www.kawasaki.com

9950 Jeronimo Road
Irvine, California
92618-2084

ES05-006280

KAWASAKI VIN CODING DESCRIPTION Continued - Pg. 2

6 Nominal Engine Displacement

Within "JKA" (M/C and ATV)		Within "JKB" (M/C and ATV)		Within "JKS" (M/C and ATV for Suzuki Alliance Model)		Within "MH4" (M/C manufactured by P. T. Kawasaki Motor Indonesia)		Within "MKS" (M/C for Suzuki Alliance models manufactured by P. T. Kawasaki Motor Indonesia)	
CODE	NOMINAL DISPLACEMENT	CODE	NOMINAL DISPLACEMENT	CODE	NOMINAL DISPLACEMENT	CODE	NOMINAL DISPLACEMENT	CODE	NOMINAL DISPLACEMENT
A	1300 cc	A	1500 cc	A	2000 cc	A	Reserved	A	Reserved
B	1100	B	220	B	1600	B	"	B	"
C	1000	C	800	C	250	C	"	C	"
D	750	D	90	D	112	D	"	D	"
E	650	E	65	E	110	E	"	E	"
F	550	F	85	F	100	F	"	F	"
G	450	G	79	G	65	G	"	G	"
H	440	H	360	H	60	H	"	H	"
J	420	J	636	J	700	J	"	J	"
K	400	K	1600	K	Reserved	K	"	K	"
L	305	L	112	L	"	L	"	L	"
M	250	M	2000	M	"	M	"	M	"
N	200	N	Reserved	N	"	N	"	N	"
P	175	P	"	P	"	P	"	P	"
R	125	R	"	R	"	R	"	R	"
S	110	S	"	S	"	S	110 cc	S	110 cc
T	100	T	"	T	"	T	Reserved	T	Reserved
V	500	V	"	V	"	V	"	V	"
W	80	W	"	W	"	W	"	W	"
X	60	X	"	X	"	X	"	X	"
Y	50	Y	"	Y	"	Y	"	Y	"
1	560	1	"	1	"	1	"	1	"
2	900	2	"	2	"	2	"	2	"
3	150	3	"	3	"	3	"	3	"
4	600	4	"	4	"	4	"	4	"
5	160	5	"	5	"	5	"	5	"
6	700	6	"	6	"	6	"	6	"
7	185	7	"	7	"	7	"	7	"
8	300	8	"	8	"	8	"	8	"
9	1200	9	"	9	"	9	"	9	"

KAWASAKI VIN CODING DESCRIPTION Continued - Pg. 3

Characters (s)

Description

7 Model Variation and Engine Characteristics.

This code is used to indicate styling or feature differences between models or similar specifications as represented by characters 4,5 and 6

(model line, basic engine type, and nominal engine displacement) .

8 Net brake horsepower

Each model will use the number 1 to indicate the net brake engine horsepower.

Any changes in this specification exceeding 10 % without requiring changes to any other character of the VIN, will be coded " 2 ".

9 Check digit

The check digit will be calculated in accordance with the requirements of 49 CFR Sec. 565.4 (c).

10 Model Year

The model year will be designated in accordance with 49 CFR Sec. 565.4 (d).

1996	-----	T	2001	-----	1
1997	-----	V	2002	-----	2
1998	-----	W	2003	-----	3
1999	-----	X	2004	-----	4
2000	-----	Y	2005	-----	5

11 Plant of manufacturer

Kawasaki motorcycles are manufactured in the following locations and are coded accordingly.

A : manufactured by Kawasaki Heavy industries, at Akashi, Japan

B : manufactured by Kawasaki Motors Manufacturing Corp., U.S.A.

C : manufactured by Kawasaki Motors (PHILS.) Corp.

D : manufactured by Kawasaki Motors Enterprise (Thailand) Co., Ltd.

K : manufactured by P.T. Kawasaki Motor Indonesia (Jakarta)

12-17 Production Sequence

These numbers will be assigned sequentially within a model as defined by characters 4, 5, 6, 7, 8, 10 and 11. Not all models will begin with 000001.