



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



PEDESTRIAN CASE SUMMARY

NATIONAL ACCIDENT SAMPLING SYSTEM
PEDESTRIAN CRASH DATA STUDY

PSU 49

CASE NO. 611P

TYPE OF ACCIDENT Car/Pedestrian/Crossing road straight

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. <u>Do not include any personal identifiers.</u>)


VI was traveling east on a six-lane divided concrete urban street in the center eastbound travel lane. Pl was crossing the street from north to south. The driver of VI stated that she observed Pl crossing the street and braked and steered right in an attempt to avoid Pl. VI was unable to avoid Pl and the front-left of VI struck Pl in the right side near the north edge of the first eastbound lane. Pl was thrown forward and to the right and came to rest a short distance south of the south road edge. Pl was transported to a local hospital where she was treated and released. VI was driven.


			B. PED	ESTRIAN PRO	OFILE				
Pedestrian			Treatment/	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)					
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source		
01	13	Female	Treat & Rel	upper Extremities	Skin- other	_	Ground		

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severi

		C. VEH	C. VEHICLE PROFILE				
	Class		Most Severe Damage Based on Vehicle Inspection				
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description			
01	Compact car	95 / Dodge / Spirit	Front	Light, except moderate to wind-shield.			

DO NOT SANITIZE THIS FORM







PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

a at

16			PEDESTRIAN CHASH DATA STUDY
Primary Sampling Unit Number 4 7		Case Nu	mber-Stratum 6 1 P
PEDESTRIAN ACCIDENT COLLI	ISION DATA (COLLECTION	SCALED DIAGRAM
document reference point and reference line relative to physical features	Surface Type	CONC.	north arrow placed on diagram
documentation of all accident induced physical sevidence including (if applicable):	Surface Conditio	on <u>WET</u>	grade measurements for all applicable roadways
a) vehicle skid marks	Coefficient of Fri	iction <u>+ 55</u>	scaled representations of the physical plant including:
b) pedestrian contacts with ground or object G	Grade (v/h) Mea		 a) all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)
c) vehicle/pedestrian point of impact (POI)	a) at impa	act 0/122 For 1800	b) all traffic controls (e.g., lights, signs)
d) location of pedestrian separation point from vehicle f) final resting points (FRP) for pedestrian and P		4	scaled representations of the vehicle and pedestrian at pre-impact, impact, and final rest based upon either:
vehicle		E E	a) physical evidence, or
all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles,		2 17.	b) reconstructed accident dynamics
		· · · · · · · · · · · · · · · · · · ·	
Item	·	Distance and Direction from Reference Point	Distance and Direction from Reference Line
RP TORL		111.5 5	
Poss MARK REVIBERU	N	0.15	1.1,0
11 11 " " END)	1.26	٥.٩٨
·			
	rehicle skid marks Pedestrian contacts with ground or object Prehicle/pedestrian point of impact (POI) Prehicle/pedestrian separation point from rehicle Insert resting points (FRP) for pedestrian and rehicle insert markings, parked vehicles, poles, igns, etc.) Item Pistance Condition Surface Condition Coefficient of Friction Surface Condition Coefficient of Friction Surface Condition Coefficient of Friction Friction Coefficient of Friction At impact O/121 For Ped b) all traffic coefficient of Friction Fried rest Fried r		
			- 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

Item	Distance and Direction from Reference Point	Distance and Direction from Reference Line
		4.
	•	
·		
		
		
·		

• •



National Highway Traffic Safety

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

0

1. 18 P. 18

Administration		PEDESTRIAN CRASH DATA	STUE
Primary Sampling Unit Number	49	SPECIAL STUDIES - INDICATORS	
2. Case Number - Stratum	6 P	Check (✓) each special study (SS15-SS19 below) thas been completed; code 1 for the checked special study (SS15-SS19 below) that is the checked special study (SS15-SS19 below	hat cial
IDENTIFICATI	ON	studies and 0 for the special studies not checked.	
Number of General Vehicle Forms Submitted	_0_1_	6SS15 Administrative Use	0
		7SS16 Pedestrian Crash Data Study	1
4. Date of Accident (Month, Day, Year)	96	8SS17 Impact Fires	<u> </u>
5. Time of Accident	2105	9SS18	0
Code reported military time	of accident.		
NOTE: Midnight = 2400		10SS19	_0
Unknown = 9999		NUMBER OF EVENTS	
		11. Number of Recorded Events	

PEDESTRIAN STUDY CRITERIA

in This Accident

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A <u>forward moving,</u> late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS									
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage			
12. <u>0 1</u>	13. <u>0</u> <u>1</u>	14. <u>02</u>	15. <u>F</u>	16. <u>7_2</u>	17. <u>0 0</u>	180_			

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian



U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1.	Primary Sampling Unit Number 49	10. Pedestrian's Weight Code actual weight to the nearest
2.	Case Number - Stratum 6 1 P	kilogram. (999) Unknown
3.	Pedestrian Number <u>0 1</u>	135 pounds X .4536 = 61 kilograms
	PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4.	Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month):	11. Pedestrian Attitude (1) Standing (2) Crouching
	(97) 97 years and older (99) Unknown	(3) Kneeling (4) Bending at waist (8) Other (specify):
5.	Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping
6.	Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown	(6) Jumping (7) Falling/stumbling or rising (8) Other (specify): (9) Unknown
7.	Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknowninches X 2.54 = Acentimeters	13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road
	Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	(07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify): (99) Unknown
	inches X 2.54 = centimeters Pedestrian's Height - Ground to Shoulder Code to the nearest centimeter. (999) Unknowninches X 2.54 = 2 centimeters	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

DEDECTRIANIC AVGIDANCE A CONTRA	1.490
PEDESTRIAN'S AVOIDANCE ACTIONS	18. Pedestrian's Arm Orientation
	at Initial Impact
15. Pedestrian's First Avoidance Actions	(01) At sides
(00) No avoidance actions	(02) Folded across chest
· · ·	(03) Hands clasped behind back
	(04) Hands on hips
(02) Accelerated pace	(05) Hands in pockets
(03) Ran away (along vehicle path)	
(04) Jumped	One or both arms:
(05) Turned toward vehicle	(06) Extended upward
(06) Turned away from vehicle	(07) Extended to side
(07) Dove or fell away	(08) Extended forward bracing
	(09) Extended, holding object
Used hand(s) to:	(09) Extended followard bracing (09) Extended, holding object (briefcase, suitcase, etc.) (10) Holding object (young child, grocery bag, etc.) in arm(s) (11) Holding object (young child, grocery
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(, , , , , , , , , , , , , , , , , , ,
(14) Crouched and braced hands against vehicle	bag, etc.) on shoulder(s) or head
(98) Other (specify):	(98) Other (specify):
(99) Unknown	(99) Unknown
·	, 5
	19. Pedestrian's Leg Orientation
	at Initial Impact
PEDESTRIAN'S ORIENTATION AT IMPACT	(01) Together
T EBESTRIAN S ORIENTATION AT IMPACT	(02) Apart-laterally
	(03) Apart-right leg forward
	(04) Apart-left leg forward
46 Badastriania Hand Orientation	(05) Apart- forward leg unknown
16. Pedestrian's Head Orientation	(06) Left foot off the ground
at Initial Impact	(07) Right foot off the ground
(1) To front	(08) Both feet off the ground
(2) To left	(98) Other (specify):
(3) To right	(99) Unknown
(4) Up	(66) 6.11.11.61.11
(5) Down	20. Vehicle/Pedestrian's Interaction
(8) Other (specify):	(01) Carried by vehicle, wrapped position
(9) Unknown	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
	(04) Passed over vehicle top
17. Pedestrian's Body (Chest) Orientation	(05) Thrown straight forward
at Initial Impact	(06) Thrown forward and left of vehicle
(1) Facing vehicle	(07) Thrown forward and right of vehicle
(2) Facing away	(08) Knocked to pavement, forward
(3) Left side to vehicle	(09) Knocked to pavement, left of vehicle
(4) Right side to vehicle	
(8) Other (specify):	(10) Knocked to pavement, right of vehicle
(9) Unknown	(11) Knocked to pavement, run over or
	dragged by vehicle (12) Shunted to left (corner impacts only)
	(13) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside
	(15) Snagged, rotated
	(16) Snagged, dragged by vehicle
	(17) Foot or legs run over
	(98) Other (specify):
·	(99) Unknown

OFFICIAL RECORDS		INJURY CONSEQUENCES	
21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown	<u>O</u> 25	5. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown	2
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	26	(6) Died prior to accident (9) Unknown 6. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):	<u></u>
Source: PM.		Nonfatal (3) Hospitalization	
 23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown 	0	 (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown 	
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	<u></u>	 7. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify):	
	28.	Hospital Stay (00) Not Hospitalized	2
		Code the number of days (up through 60 that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown)
	29.	Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown	.7
	ŀ	And the second s	* 1 1 1 1 1 1 1 1

STOP - VARIABLES 30 THROUGH 37 AR	E COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given 32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported, HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORD NO [] UPDATE CANDIDATE?	YES[]

Administration

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Pedestrian Number

2. Case Number - Stratum

4. Blank

INJURY DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.


				AIS-90				Injury						
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth	
1st	s. <u>7</u>	6. <u>8</u>	7. <u>-</u> 9	8. <u>04</u>	9. <u>0</u> 2	10. <u>/</u>	11.2_	12. <u>947</u>	13. 2	14	15. <u>(</u>	16.0	17Q	
2nd	18.3	197	20. 🤦	21.02	22 <u>0</u> 2	⁻ 23. <u> </u>	24. 2	_{25.} 947	26. 2	27. <u>/</u>	28. <u>O</u>	29.0	30.0_	
3rd	31	32. 7	33. <u>9</u>	34. <u>0</u> Z	35. <u>0 </u> 2	- _{36.} <u>/</u>	37	38. <u>947</u>	39 <u>2</u>	40. <u>/</u>	41. <u>0</u>	42. <u>O</u>	43 <u>(D</u>	
4th	44	45	46	47.	48.	49	50	51	52	53	54	55	56	
5th	57	58	59	60	61	62	63	64	65	66	67	68	69	
6th	70	71	72	73	74	75	76	77,	78	79	80	81	B2:	
7th	83	84	85	86	87	88	89	90	91	92	93	94	95	
8th	96	97	98	991	100	101	102	103	104	105	106	107	108	
9th	109	110	111:	1121	13	114	115	116:	117	118	119	120	121	
lOth	122	123	124	1251	26	127	128	129	130	131.	132	133	134	

HS Form 0435I (10/95)

This report is authorized by P.L. 89-563, Title 1, Section 106, 108, and 112. While you are not required to respond, your cooperation is needed to make the results of this data collection effort comprehensive, accurate, and timely.

	PEDESTRIAN INJURY DATA														
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect		Injury Source	So Cont	njury ource fidence evel	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Dan De
11th							_	_			_		_	—	_
12th							_	_			_		_		_
13th								-							
											,				
14th			-				_	-		•				-	
15th															
16th								, 14 ft - 14 ft							_
										•					
17th								_					_		_
18th						<u></u>								_	
10aL															
19th										영화 · 1111년 1111년					
20th	ng die vir 4 v. – 1. – 1. – 1. j. 1 v. <u>– 1. –</u> 1. – 1. j.														
21st			_					_			_	_			_
22nd	_	_				_	_	_		-	_	-	_	_	_
200															
23rd								- 13 -		•					
24th								_							
25th															

The state of the s



SOURCE OF INJURY DATA INJURY SOURCE CONFIDENCE LEVEL TYPE OF DAMAGE Certain Injury not from vehicle contact **OFFICIAL** Probable No damage/contact (1) Autopsy records with or without hospital/ Scratch (Scuff, Cloth Transfer, Smear) 131 Possible medical records (9) Unknown (3) Dent (2) Hospital/medical records other than Large deformation emergency room (e.g., discharge DIRECT/INDIRECT INJURY Cracked, fractured, shattered (5) Direct contact injury Indirect contact injury summary) Separated from vehicle (6) (3) Emergency room records only (including Noncontact injury Noncontact injury associated X-rays or other lab reports) Other specify: Injured, unknown source (4) Private physician, walk-in or emergency Unknown STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) (0) Injury not from vehicle contact UNOFFICIAL No residual damage Surface only damage (5) Lay coroner report Rounded (contoured) (6) E.M.S. personnel Crush depth >0 to 2 centimeters Crush depth >2 to 5 centimeters Rounded edge (3) (7) Interviewee Sharp edge Other (specify): (8) Other source (specify): Crush depth >5 to 10 centimeters Other specify:_ (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION Abbreviated Injury Scale **Body Region** Specific Anatomic Structure Spine (02) Cervical (04) Thoracic Whole Area (02) Skin - Abrasion (04) Skin - Contusion (06) Skin - Laceration Minor injury Head (2) Moderate injury (06) Lumbar Face (3) (4) Serious injury Severe injury (3) Neck Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02 Thorax (08) Skin - Avulsion (5) Critical injury Abdomen (5) (10) Amputation (6) (7) Maximum (untreatable) Spine (6)**Upper Extremity** (20) Burn (30) Crush (40) Degloving Injured, unknown severity Level of Injury Lower Extremity Unspecified Aspect Injury - NFS Specific injuries consecutive two (50) assigned consecutive two-digit beginning with 02. Right Left (1) Type of Anatomic Structure (90) Trauma, other than mechanical numbers (3) (4) (5) Bilateral Whole Area Head -LOC To the extent possible, within the organizational framework of the AIS, 00 (02) Length of LOC (04, 06, 08) Level of Consciousness Vessels Central Anterior (3) Nerves (10) Concussion is assigned to an injury NFS as to (6) **Posterior** Organs (includes muscles/ (4)severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity. ligaments) (7) (8) Superior Inferior Skeletal (includes joints) Head - LOC (9) (6) Whole region **INJURY SOURCE** Wheels / tires 790 Left front wheel / tire 700 Front bumper 744 B pillar 791 Right front wheel / tire 745 C pillar 701 Front lower valance/spoiler 792 Left rear wheel / tire 746 D pillar 702 Front grille 793 Right rear wheel /tire 748 Other pillar (specify):_ 703 Hood edge and/or trim 798 Other wheel / tire (specify): 704 Hood ornament (fixed) 749 Right side roof rail 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 718 Other front or add on object 802 Oil pan 755 Right side glazing rearward of B pillar (specify): 803 Exhaust system pipe 719 Unknown front object 756 Rear antenna 804 Transmission 757 Rear fender or quarter panel 805 Drive shaft 758 Other right side object Left Side Components 720 Front fender side surface (specify): 806 Catalytic converter 759 Unknown right side component 807 Muffler 721 Front antenna 808 Floor pan 722 A1 pillar Back Components 760 Rear (back) bumper 723 A2 pillar 809 Fuel tank 724 B pillar 810 Rear suspension 761 Tailgate 818 Other undercarriage component 725 C pillar 762 Hatchback, vertical surface (specify): 726 D pillar 819 Unknown undercarriage component 768 Other back component 728 Other pillar (specify): (specify): 729 Left side roof rail 769 Unknown back component Accessories 820 Air scoop, deflector 730 Left side door surface 821 Cellular or CB radio antenna 731 Left side door handle Top Components 770 Hood surface 822 Emergency lights or bar 732 Left side mirror fixed housing 771 Hood surface reinforced by under hood 823 Fog lights 733 Left side folding mirror 734 Left side glazing forward of B pillar 824 Luggage, ski, or bike rack component 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):_ 773 Cowl area 826 Spare tire 736 Left side back fender or quarter panel 774 Wiper blade & mountings 827 Spotlight 737 Rear antenna 775 Windshield glazing 828 Other accessory (specify):_ 738 Other left side object 776 Front header (specify): 777 Roof surface Other Object or Vehicle in Environment 739 Unknown left side component 778 Backlight glazing 947 Ground 948 Other object (specify): 779 Rear header Right Side Components

780 Hatchback

781 Rear trunk lid

788 Other top component (specify): __

789 Unknown top component

740 Front fender side surface

741 Front antenna

742 A1 pillar

743 A2 pillar

949 Unknown object in environment

997 Noncontact injury source

999 Unknown injury source

959 Unknown object on contacting vehicle

OFFICIAL INJURY DATA — SKELETAL INJURIES

R	e	S	tr	a	in	е	d	

__ No

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

_ ^{Yes} unavailable.)

Blood Alcohol Level (mg/dl)

BAL = ____

Glasgow Coma Scale Score

GCSS = ____

Units of Blood Given

Units =


Arterial Blood Gases


''' - _.<u>'</u>_

PO₂= ____

PCO₂

HCO3 ____







rage

OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





DEDESTRIAN GENERA	CENEDAL	VEHICLE FORM	NATIONAL ACCIDENT SAMPLING SYSTEM
PEDES I DIAIN	GENERAL	A FLICEL I OLIVA	PEDESTRIAN CRASH DATA STUDY

Administration PEDE	SINIAN GENE	RAL VEHICLE FURIVI PEDESTRIAN CRASH DATA STUDY
Primary Sampling Unit Number	49	OFFICIAL RECORDS
2. Case Number - Stratum	6 1 P	9. Police Reported Travel Speed 9999
3. Vehicle Number	0 1	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above
VEHICLE IDENTIFICAT	ION	(999) Unknown
4. Vehicle Model Year Code the last two digits of the mod (99) Unknown	del year	mph X 1.6093 = kmph 10. Speed Limit (000) No statutory limit Code posted or statutory speed limit
5. Vehicle Make (specify): Applicable codes are found in your NASS PCDS Data Collection, Codir Editing Manual. (99) Unknown	ong and	in kmph (999) Unknown 35mph x 1.6093 = 56kmph 11. Police Reported Alcohol Presence For Driver (0) No alcohol present
6. Vehicle Model (specify): Applicable codes are found in your NASS PCDS Data Collection, Codin Editing Manual. (999) Unknown 7. Body Type Note: Applicable codes may be founthe back of this page.	ng and $\bigcirc \mathcal{L}$	(1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown 12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number B	13 14 15 16 17 Z (Ø and Z)	Source: 13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
		14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500.)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):_____
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest	Nearest kmph Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown 19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates PRECRASH DATA
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

23. Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	ng
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(02) Braking (no lockup)
(16) Turning right at intersection	(03) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle	(99) Unknown
in lane	25. Precrash Stability After Avoidance Maneuver
Other Motor Vehicle Encroaching Into Lane	(0) No driver present
(60) From adjacent lane (same direction) - over left	(1) No avoidance maneuver
lane line	(2) Tracking
(61) From adjacent lane (same direction)—over right lane line	(3) Skidding longitudinally—rotation less than 30
(62) From opposite direction—over left lane line	degrees
(63) From opposite direction—over right lane line	(4) Skidding laterally—clockwise rotation
(64) From parking lane	(5) Skidding laterally - counterclockwise rotation
(65) From crossing street, turning into same direction	(8) Other vehicle loss-of-control (specify):
(66) From crossing street, across path	(O) December to the History of the court
(67) From crossing street, turning into opposite	(9) Precrash stability unknown
direction	26. Precrash Directional Consequences of
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(0) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(73) From driveway, intended path not known	maneuver was initiated
(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane
(78) Encroachment by other vehicle—details	where avoidance maneuver was initiated
unknown	(4) Vehicle stayed on roadway, not known if left
Pedestrian or Pedalcyclist, or Other Nonmotorist	travel lane where avoidance maneuver was
(80) Pedestrian in roadway	initiated
100/ I cuestilai ili Todavvay	(5) Vehicle departed roadway

(6) Avoidance maneuver initiated off roadway

(9) Directional consequences unknown

(81) Pedestrian approaching roadway

(82) Pedestrian-unknown location

	ENVIRO	NME	NTAL DATA
	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	0	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
28.	(6) Unknown type of non-interchange (9) Unknown if interchange Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway	2	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing) Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign
29.	Number of Travel Lanes (1) One (2) Two (3) Three	3	(7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR controls (specify): (9) Unknown
	 (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown 		35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown		36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk
31	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown	2	(9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet (4) Snow
32	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):	1	 (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown

	49-61/ BEST	AVAILABLE COPY	0/0/90	A CONTRACTOR OF THE PROPERTY O
		-		**************************************
	95 Dady Spirit			
/	34 YOF		13405	
:		4	12"	* 1
		ر	13 yo F 1,2" 35#	₩ T.C.U
	35 prio-		-ckpock	
	25 1mp. 7.			**
	bruking		vedeum 5,	
	n. 7			
	blerring right			i di T
:	POI to FRP = 8	4m = 27,6	<i>f</i> +	
	f=0,55			
	V = 7 (2)(22.6) (0	15-5- 132,2		
	= 31,2 fPs =			
	34K			
	•			~
				e diamento
- r				
		to the second		
		in grant Control		

U.S. Department of Transportation **National Highway Traffic Safety** Administration

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

1. Primary Sampling Unit Number

3. Vehicle Number

2. Case Number - Stratum

VEHICLE IDENTIFICATION

VIN 1 B 3 A A 4 6 K 45 F

Model Year 95_

Vehicle Model (specify): SURIT 4DR

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

cm

cm

cm

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

cm

cm

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening 140+5しつ

PEV23 Ground to Base of Windshield 1407612

PEV24 Ground to Top of Windshield 140 + 132

PEV25 Ground to Head Contact 140 +76 =


cm

cm cm

cm

HS Form 0435K (Rev. 10/95)

Page 2



Location of the origin (intercept point of the centerline and the front axles) from the ground:

PEDESTRIA	AN SIDE CONTACT WORK SH		
PEV06 Hood Material			
PEV08 Hood Length			
PEV09 Hood Width-Forward Opening	3	cm	
PEV10 Hood Width-Midway		cm	
PEV11 Hood Width-Rear Opening		cm	
,	VERTICAL MEASUREMENTS		
PEV26 Ground Clearance		cm	
PEV27 Side Bumper-Bottom Height		<u>/ cm</u>	
PEV28 Side Bumper-Top Height		/ cm	
PEV29 Centerline of Wheel		cm	
PEV30 Top of Tire		cm	
PEV31 Top of Wheel Well Opening		cm	
PEV32 Bottom of A-Pillar at Windshield		cm	
PEV33 Top of A-Pillar at Windshield		cm	
PEV34 Top of Side View Mirror		cm	
	LATERAL MEASUREMENTS		
$\bigwedge \bigcirc \bigcirc \bigcirc$, 		
PEV35 C, to A-Pillar at Bottom of Wind	dshield	cm	
PEV36 C _L to A Pillar at Top of Windshi	eld /	cm	
PEV37 C _L to Maximum Side View Mirro	or Protrusion	cm	
	WRAP DISTANCES		
PEV38 Ground to Side/Top/Transition		cm	
PEV39 Ground to Hood Edge		cm	
PEV40 Ground to Centerline of Hood (ORIGIN)	cm	
PEV41 Ground to Head Contact		cm	I
PEV40 Ground to Centerline of Hood (ORIGIN)	cm	


Wheelbase inches $\times 2.54$ Overall Length inches $\times 2.54$ Maximum Width inches $\times 2.54$ Curb Weight pounds x .4536 =Average Track inches $\times 2.54$ Front Overhang inches \times 2.54 inches x 2.54Rear Overhang Undeformed End Width inches x 2.54 Engine Size: cyl./displ. x .001 CC CID x .0164 =**INJURY SOURCE FRONT** Wheels / tires 790 Left front wheel / tire 700 Front bumper 744 B pillar 745 C pillar 791 Right front wheel / tire 701 Front lower valance/spoiler 792 Left rear wheel / tire 746 D pillar 702 Front grille 703 Hood edge and/or trim 748 Other pillar (specify):_ 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front cross member 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 718 Other front or add on object 755 Right side glazing rearward of B pillar 802 Oil pan (specify):_ 756 Rear antenna 803 Exhaust system pipe 719 Unknown front object 757 Rear fender or quarter panel 804 Transmission 758 Other right side object 805 Drive shaft Left Side Components 806 Catalytic converter 720 Front fender side surface (specify): _ 721 Front antenna 759 Unknown right side component 807 Muffler 808 Floor pan 722 A1 pillar 809 Fuel tank 723 A2 pillar **Back Components** 760 Rear (back) bumper 724 B pillar 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): _ 819 Unknown undercarriage component 728 Other pillar 768 Other back component (specify): (specify): 729 Left side roof rail 769 Unknown back component Accessories 820 Air scoop, deflector 730 Left side door surface 821 Cellular or CB radio antenna 731 Left side door handle Top Components 822 Emergency lights or bar 732 Left side mirror fixed housing 770 Hood surface 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 824 Luggage, ski, or bike rack 734 Left side glazing forward of B pillar component 772 Front fender top surface 735 Left side glazing rearward of B pillar 825 Cargo (specify):_ 826 Spare tire 736 Left side back fender or quarter panel 773 Cowl area 774 Wiper blade & mountings 827 Spotlight 737 Rear antenna 828 Other accessory (specify):_ 775 Windshield glazing 738 Other left side object (specify): 776 Front header Other Object or Vehicle in Environment 739 Unknown left side component 777 Roof surface 947 Ground 778 Backlight glazing 948 Other object (specify): 779 Rear header Right Side Components 949 Unknown object in environment 740 Front fender side surface 780 Hatchback 781 Rear trunk lid 959 Unknown object on contacting vehicle 741 Front antenna 997 Noncontact injury source 742 A1 pillar 788 Other top component (specify): _ 999 Unknown injury source

789 Unknown top component

743 A2 pillar

ORIGINAL SPECIFICATIONS

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

	POINTS OF PEDESTRIAN CONTACT PEDESTRIAN CONTACT WORKSHEET							
CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)	SEQUENCE #
Δ	BUMPER	+95 +110 wr	~ 29	0	LEN	PAINT CHIPPED	1 2 3 9	
		H49vent H89Horiz			1	4 4	1 2 3 9	2
B	Coven	-100 WRIP	-4770-57	- 0	LEL	CLOTH SCUPE	1 2 3 8	ی
C	BUMPEN	19748EQ		0	1.EL	Scupes	ī@ 3 9	3
		He To Assert	-410 -6		,	, , , ,	1 2 3 9	
D	4000	tl4to456	-41	0	UNIC	SLRAPE:	(1) 2 3 9	4
			_				1 2 3 8	~
E	Hoop	134	-2940-3		UNL	SCRAPE	1 2 3 5	5
F	HOOD	1410132	-40	6	UNIC	SCRATCH	©2 3 9	6
	11.00.12	· [1(0()-		_	VAL	00 01	1 2 3 9	
6	1000	13670+31	-1970-14	0	UNK	SCRNTCH	1 2 3 9	7
							1 2 1 9	0
14	H000	-1370-15	-6570-75	0	UNIC	SCRUTCH	1 2 3 9	8
	1/20-	-1970-20	-9170-64	0	UHK	SCRUTCH	1 2 3 9	9
	4000	100-20	7170-64	٥	CAL	DEIGNICA	1 2 3 9	Ì
AZ	Hoop	-15	-44	0	OHIC	SCRATCH	2 3 9	19
							1 2 3 8	ΙC
CZ	Hoos	-2670-29	-4670-52	9	UNK	SCRATCH	1 2 3 9	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Dr	·WIS	-54	-57	3cn	Itako on ABOW	Shoerwers	(1) 2 3 9	17
7	1: 27(7	24	-7(SCM	5470W	Clark	1 2 3 9	
		÷					1 2 3 3 9 9	*

	POINTS OF PEDESTRIAN CONTACT							
	CHRONOLOGICAL ORDER OF CONTACTS							
CONTACT	COMPONENT Contacted Code	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN Centimeters	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)	
E2	SEX	-6076-65	-70	Ø	UNIC	Score	(7) 2) 3 9	
2		Alog ver					1 2 3 9	
FZ	SPA	-10770	-58	0/	UNU	Scupe	① 2 3 9	
4							1 2 3 9	
62	Door	-154	-71 Hary7 -93 WA		DNC	SCRATCH	1 2 3 9	
G	That.	FLOT VENT				001	1 2 3 8	
Hr	Grnie	49246~ 4887WR40	-38	٥	UNIC	SWIFF	2 3 9	
8		HC8 WOM					1 2 3 9	
9							1 2 3 8	
10							y 2 3 9	
11							1 2 3 9	
12			7.3	کر			1 2 3 9	
13			1~ Sul	2	الن	Shirt	1 2 3 9	
14		N		Z10V*	W		1 2 3 9	
15		ĺ	, 5	T 4	poli , x		1 2 3 9	
16			\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	ν'	1 1 /		1 2 3 9	
17		b	or V				1 2 3 9	
18							1 2 3 9	
19							1 2 3 9	
20							1 2 3 9	
21							1 2 3 9	
22							1 2 3 9	
23							1 2 3 9	
24			\				1 2 3 9	
25	1		<u> </u>	<u> </u>	<u></u>	1		

VELUCI E DIMENSIONS	, 1 A
4. Original Wheelbase Code to the nearest centimeter (999) Unknown	11. Hood Width Rear Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown
5. Original Average Track Width Code to the nearest centimeter (185) 185 centimeters or more (999) Unknown 157 4 inches x 2.54 = 146 centimeters	12. Hood/Fender Vertical/Lateral Crush From Pedestrian (0) Not damaged (1) Surface scratching only, no residual crush (2) Minor crush (1-3 centimeters) (3) Moderate crush (4-7 centimeters) (4) Severe crush (>7 centimeters) (8) Damage present, unknown if damage is from pedestrian impact
6. Hood Material (1) Plastic (2) Fiberglass (3) Steel (4) Aluminum (5) Stainless Steel (8) Other (specify): (9) Unknown 7. Hood Original Equipment Manufacturer (OEM) (1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement	(9) Unknown 13. Windshield Contact Damage From Pedestrian Contact (0) Not contacted by pedestrian (1) Contacted by pedestrian - not damaged (2) Contacted by pedestrian - damaged (3) Unknown if contacted by pedestrian - not damaged (4) Unknown if contacted by pedestrian - damaged (9) Unknown if contacted by pedestrian - unknown if damaged
(9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown
nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 =centimeters 10. Hood Width MidwayCode to thenearest centimeter (210) 210 centimeters or more (999) Unknowninches X 2.54 =centimeters	15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown . inches X 2.54 = centimeters

3 - / - · · · · · · · · · · · · · · · · ·	
17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown inches X 2.54 = centimeters
18. Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	inches X 2.54 =centimeters 25. Ground To Head Contact
inches X 2.54 = centimeters	Inches X 2.54 = Centimeters
Erock Misson Distance Managements	SIDE CONTACT DAMAGE
Front Wrap Distance Measurements	SIDE CONTACT DAMAGE Side Vertical Measurements
Front Wrap Distance Measurements 20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters	
20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters 21. Ground to Front/Top Transition Point 279 Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more

all with

	Side Lateral Measurements
29. Centerline of Wheel	— Side Lateral Heasurements
Code to the	·
nearest centimeter	35. Centerline to A-Pillar
(000) No side contact	at Bottom of Windshield
(150) 150 centimeters or more	
(999) Unknown	(000) No side contact
(2.2.2)	Code to the
inches X 2.54 = centimeters	nearest centimeter
centimeters	(250) 250 centimeters or more
	(999) Unknown
30. Top of Tire	
	inches X 2.54 = centimeters
Code to the	
nearest centimeter	
(000) No side contact	36. Centerline to A-Pillar
(200) 200 centimeters or more	
(999) Unknown	at Top of Windshield
	Code to the
inches X 2.54 = centimeters	nearest centimeter
Inches X 2.04 = continuotors	(000) No side contact
	(250) 250 centimeters or more
31 Top of Wheel Well Opening	(999) Unknown
OI. Top of Wilcol Woll Opening	<u>'-</u>
Code to the	inches X 2.54 = centimeter
nearest centimeter	
(000) No side contact	
(250) 250 centimeters or more	37. Centerline to Maximum Side
(999) Unknown	
[(600, 600, 600, 600, 600, 600, 600, 600	View Mirror Protrusion
inches X 2.54 = centimeters	Code to the
Centimeters	nearest centimeter
32. Bottom of A-Pillar at Windshield	(000) No side contact
	(300) 300 centimeters or more
Code to the	(999) Unknown
nearest centimeter	
(000) No side contact	inches X 2.54 = centimeter
(250) 250 centimeters or more	
(999) Unknown	
	Side Wrap Distance Measurements
inches X 2.54 = centimeters	
$\sim \sim$	38. Ground to Side/Top Transition
33. Top of A-Pillar at Windshield	
Code to the	Code to the
nearest centimeter	nearest centimeter
	(000) No side contact
(000) No side contact	(400) 400 centimeters or more
(300) 300 centimeters or more	(999) Unknown
(999) Unknown	•
	. inches X 2.54 = centimeters
inches X 2.54 = centimeters	
	39. Ground to Hood Edge
34. Top of Side View Mirror	Code to the
Code to the	code to the
nearest centimeter	nearest centimeter
	(000) No side contact
(000) No side contact	(500) 500 centimeters or more
(300) 300 centimeters or more	(999) Unknown
(999) Unknown	
	inches X 2.54 = centimeters
inches X 2.54 = centimeters	1.00 miles
* · · · * * ·	
(A)	

			 	 	
40.	Ground to Centerline of Hood Code to the	000			
	nearest centimeter				
	(000) No side contact				
	(700) 700 centimeters or more (999) Unknown				
					See A.A. Cer
	inches X 2.54 =	centimeters			
41.	Ground to Head Contact	000			
	Code to the				
	nearest centimeter (000) No side contact				
	(800) 800 centimeters or more				, , , , , , , , , , , , , , , , , , ,
	(998) No head contact (999) Unknown				
	inches X 2.54 =	centimeters			
					•
					•
					·
				,	
			:		
					•
					and the second s



49611P00010012 969.001000000000102F72000

49611P00010021 9.00 0000000001321574108613006113014043411030209600241009715

1010000000003

49611P00010131 9.00 00000000078904021294721000

49611P00010231 9.00 00000000037902021294721000

49611P00010331 9.00 0000000037902021194721000

49611P01000041 9.00 0000000009507019041B3AA46K4SF 99905609600106000000

43110180093302312120032

49611P01000051 9.00 0000000002631463110813313914412110350510761208307919220

PSU49 CASE 611P

CURRENT VERSION: 9.00

ERROR SUMMARY SCREEN PEDESTRIAN STUDY



• •	UMBER OF OLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	0	0	Υ
Pedestrian Assessment	Ö	Ö	Ö	Ý
Pedestrian Injury	0	O	0	Υ Υ
Pedestrian General Vehicle	0	0	0	Υ
Pedestrian Exterior Vehicl	e O	o	0	Υ
Total Inter Errors		0	0	
Total Case Errors	0	o	0	