400 Seventh Street, S.W. Washington, D.C. 20590



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***





National Highway Traffic Safety Administration

PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1.22

PSU 82

CASE NO. 610P

TYPE OF ACCIDENTCAR/PEDESTRIAN-CROSSING ROAD STRAIGHT

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

roy Vehicle 1-was traveling west on the road as and Pedestrian 1 was crossong the roadway in a easterly direction. Vehicle 1 turned left and the front of Vehicle 1 contacted the pedestrian on his left side. The pedestrian rotated onto the hood and rolled off the left side of the vehicle. The vehicle came to rest almost immediately after impact.

	B. PEDESTRIAN PROFILE											
Pedestrian	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)							
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source					
01	28	М	Treated/ Released	knee	sprain	a	bumper surface					

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity

Most Severe Damage Based on Vehicle Inspection Class Vehicle of Year/Make/Model Damage Damage No. Vehicle Description Plane Subcompact 94/Toyota/Corolla Front Light 01

C. VEHICLE PROFILE

DO NOT SANITIZE THIS FORM



ACCIDENT COLLISION DIAGRAM

ional Highw ninistration											CRA	ACCIDI SHWOR		S DATA	SYSTE
PSU No.	8	2	Case	Numbe	er—Stratum	6	_/_	0	P			Indi Nor	cate th)
															2
•															
••••••						•••••				<u>.</u>					
						*** ** ** **								\$ \$ *	
				cu	RB	***************************************		1	-	·····		<u>.</u>			
												* * * · · · · · · · · · · · · · · · · ·			
				*	5					[<u></u>]	· · · · · · · · · · · · · · · · · · ·	••••	•••	• -	
				-											
		\		[]								· · · · · · · · · · · · · · · · · · ·			
		9	ଚ ଚ	LAME!	•	:									
				VI D					:						
												•			
		C 4 8 8					U R B					• • • • • • • • • • • • • • • • • • •		······································	
					,							ВІТІ	am I N	ous <	Tank
													:	LE	:



ACCIDENT COLLISION DIAGRAM

National Highway Traffic Safety
Administration

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

PSU No. 8 2	Case Number—Str	atum <u>(</u> / (<u> </u>	Indicate North	
			1		1
			: : : :	: : : :	
			,		
			3m	9 -	; ; ; ; ; ;
				, 9 -	: :
		8	84	8-5.9	
			,	2 - 8′ 8	
1.4 7362 12		3,0	2.0€)	9.6	
	→	0 13:65	5. W 9.16		
				<i>J</i>	
Level G Bituminou Smooth	rade				
	1				
				-	

PSU NUMBER CASE NUMBER YEAR

82	
(10P	
1994	

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

THE FOLLOWING DATA IS NOT INCLUDED IN THIS CASE:

- [

 ✓ ENTIRE FORM
- [] PAGE NUMBER (S)



National Highway Traffic Safety Administration

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

2. Case Number - Stratum

6 / <u>O P</u>

82

IDENTIFICATION

3. Number of General Vehicle Forms Submitted

<u>0 1</u>

4. Date of Accident (Month, Day, Year)



5. Time of Accident

1550

Code reported military time of accident.

NOTE: Midnight = 2400

Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (1) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. SS15 Administrative Use

0

7. ______SS16 Pedestrian Crash Data Study

8. _SS17 Impact Fires

0

1

9. ___ SS18

0

10. SS19

0

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

0 1

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

		PEDESTRIAN	ACCIDEN	T EVENTS		
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
	•					2.
12. <u>0 1</u>	13. <u>0 1</u>	14. 0	15. 📙	16. <u>7</u> <u>2</u>	17. <u>0 0</u>	18. <u>0</u>

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian



PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPLING SYSTEM
PEDESTRIAN CRASH DATA STUDY

the second secon	
1. Primary Sampling Unit Number 82	10. Pedestrian's Weight Code actual weight to the nearest
2. Case Number - Stratum 6 P	kilogram. (999) Unknown
3. Pedestrian Number01	175 pounds X .4536 = 79 kilograms
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age 28	11. Pedestrian Attitude
Code actual age at time of accident. (OO) Less than one year old (specify by month):	(1) Standing (2) Crouching
	(3) Kneeling
(97) 97 years and older (99) Unknown	(4) Bending at waist
(33) GIIGIGWII	(8) Other (specify):(9) Unknown
5. Pedestrian's Sex	
(1) Male	12. Pedestrian Motion
(2) Female - not reported pregnant	(0) Not moving (1) Walking slowly
(3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month)	(2) Walking slowly
(5) Female - pregnant-3rd trimester (7th-9th month)	(3) Running or jogging
(6) Female - pregnant-term unknown (9) Unknown	(4) Hopping (5) Skipping
	(5) Skipping (6) Jumping
6. Pedestrian's Overall Height 183	(7) Falling/stumbling or rising
Code actual height to the nearest centimeter.	(8) Other (specify):
(999) Unknown	(9) Unknown
$\frac{7}{2}$ inches X 2.54 = $\frac{18}{3}$ centimeters	13. Pedestrian's Action Relative to Vehicle
52	(00) Stopped
7. Pedestrian's Height - Ground to Knee	(01) Crossing road, straight (02) Crossing road, diagonally
Code to the nearest	(03) Moving in road, with traffic
centimeter. (999) Unknown	(04) Moving in road, against traffic
${m u}$	(05) Off road, approaching road (06) Off road, going away from road
inches X 2.54 = $\frac{5^{2}}{2}$ centimeters	(07) Off road, moving parallel
097	(08) Off road, crossing driveway
8. Pedestrian's Height - Ground to Hip Code to the nearest	(09) Off road, moving along driveway (98) Other (specify):
centimeter.	(99) Unknown
(999) Unknown	b
inches X 2.54 = 4 centimeters	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to
	Avoidance Actions
9. Pedestrian's Height - Ground to Shoulder	(1) Facing vehicle
Code to the nearest	(2) Facing away
centimeter. (999) Unknown	(3) Left side to vehicle (4) Right side to vehicle
(000) Chalowii	(8) Other (specify):
inches X 2.54 =centimeters	(9) Unknown
used guar	
I	

PEDESTRIAN'S AVOIDANCE ACTIONS 18. Pedestrian's Arm Orientation at Initial Impact (01) At sides 15. Pedestrian's First Avoidance Actions (02) Folded across chest (00) No avoidance actions (03) Hands clasped behind back (01) Stopped (04) Hands on hips (02) Accelerated pace (05) Hands in pockets (03) Ran away (along vehicle path) (04) Jumped One or both arms: (05) Turned toward vehicle (06) Extended upward (06) Turned away from vehicle (07) Extended to side (07) Dove or fell away (08) Extended forward bracing (09) Extended, holding object Used hand(s) to: (briefcase, suitcase, etc.) (11) Vault corner of vehicle (10) Holding object (young child, (12) Vault onto vehicle grocery bag, etc.) in arm(s) (13) Brace against vehicle (11) Holding object (young child, grocery (14) Crouched and braced hands against bag, etc.) on shoulder(s) or head vehicle (98) Other (specify): (98) Other (specify): (99) Unknown (99) Unknown 19. Pedestrian's Leg Orientation at Initial Impact (01) Together PEDESTRIAN'S ORIENTATION AT IMPACT (02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart- forward leg unknown (06) Left foot off the ground 16. Pedestrian's Head Orientation (07) Right foot off the ground at Initial Impact (08) Both feet off the ground (1) To front (98) Other (specify):____ (2) To left (99) Unknown (3) To right (4) Up 20. Vehicle/Pedestrian's Interaction (5) Down (01) Carried by vehicle, wrapped position (8) Other (specify): (02) Carried by vehicle, slid to windshield (9) Unknown (03) Carried by vehicle, position unknown (04) Passed over vehicle top (05) Thrown straight forward 17. Pedestrian's Body (Chest) Orientation (06) Thrown forward and left of vehicle at Initial Impact (07) Thrown forward and right of vehicle (1) Facing vehicle (08) Knocked to pavement, forward (2) Facing away (09) Knocked to pavement, left of vehicle (3) Left side to vehicle (10) Knocked to pavement, right of vehicle (4) Right side to vehicle (11) Knocked to pavement, run over or (8) Other (specify): dragged by vehicle (9) Unknown (12) Shunted to left (corner impacts only) (13) Shunted to right (corner impacts only) (14) Bumped or pushed aside (15) Snagged, rotated (16) Snagged, dragged by vehicle (17) Foot or legs run over

(98) Other (specify):

(99) Unknown

	, and a second responsibility of the rage
OFFICIAL RECORDS	INJURY CONSEQUENCES
21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source: 23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present	Nonfatal (3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify):
 (7) Not reported (9) Unknown 24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown 	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
	28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
	29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

OTOP WAR	Tage
STOP - VARIABLES 30 THROUGH 37	ARE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death 36. 3rd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death: (specify):
32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported, HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured	(97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries
Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 + n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	(97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORDS NO []	S INCLUDED WITH INITIAL SUBMISSION? YES [X]
UPDATE CANDIDATE?	NO [X] YES []

PEDESTRIAN INJURY FORM

Form NOT Approved O.M.B. No. ###########

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

. Primary Sampling Unit Number

82

3. Pedestrian Number

0 1

2. Case Number - Stratum

6100

4. Blank

INJURY DATA


Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

	Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. <u>3</u>	6. 8	7. <u>5</u>	в. <u>08</u>	9. <u>26</u>	10. <u>2</u>	11. 2	12. 700	13. <u> -</u>	14	15.2	16. 2	17.2
2nd	18	19. 8	20. 9	21. <u>04</u>	22.02	23	24. 2	25. 700	26	27	28. 2	29. 2	30. 2
3rd	31	32.	33. <u>9</u>	34. <u>0 2</u>	35.07	36	37.	38. <u>700</u>	з <u>э</u> . <u>/</u>	40. /	41. 2	42. <u>J</u>	43.
4th	44. <u>3</u>	45.	46. 9	47. 02	48. <u>0</u> 2	49	50. <u>/</u>	51. <u>700</u>	52	53	54. <u>J</u>	55. <u>2</u>	56. 2
5th	· 57. <u>3</u>	58. <u>8</u>	59. <u>9</u>	60. 02	61. <u>0 2</u>	62	63	64. 701	65	66	67	68	69.
Oth	70	71. 8	72.9	73. <u>04</u>	74. <u>02</u>	75	76. <u>2</u>	77. 771	78	79	80. 3	81. <u>3</u>	82. 3
7th	83	84. <u>4</u>	85. 9	86. <u>0 4</u>	37. <u>0</u> 2	88	89. 2	90. 771	91	92	<u>S</u> .se	94. 3	95. <u>3</u>
8th	96. 3	97. 6	98. 4	99. <u>02</u> 1	oo. <u>7</u> 8	101	102. 6	103. <u>997</u>	104.	105. 3	106	107. 🔿	108.
9th	109	110	111	1121	13	114	115	116	117	118	119	120	121:
10th	122	123	124	1251	26	127	128	129	130	131	132	133	134

					PEDES	STRIA	JUNI N	IRY DAT	Α				
	Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	• Damage Depth
11th												-	
12th	_					_			_				
13th						_	_						· .
14th			_				_			_			_
15th					******	_	_				**********	***************************************	_
16th	_	•											_
ı /th			antigranija.				-		_				_
18th		- .	<u></u>			 ,							NAMES OF THE PERSON NAMES OF T
19th			******										_
20th			_						<u> </u>	_			
21st							_			_			
22nd													
23rd			_							<u>.</u>			
_th .	_						_		· —			_	
25th ₋					<u> </u>								·

.

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



. for ground 21 . - objesin

SOURCE OF INJURY DATA INJURY SOURCE CONFIDENCE LEVEL TYPE OF DAMAGE 101 Injury not from vehicle contact (1) Autopsy records with or without hospital/ Probable No damage/contact 13) Possible medical records Scratch Unknown Hospital/medical records other than Dent emergency room (e.g., discharge Large deformation DIRECT/INDIRECT INJURY summary) Cracked, fractured, shattered Direct contact injury 161 Separated from vehicle Emergency room records only (including Indirect contact injury (2) associated X-rays or other lab reports) Noncontact injury Noncontact injury Other specify: injured, unknown source Private physician, walk-in or emergency Unknown STRIKING PROFILE Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) DAMAGE DEPTH UNOFFICIAL Injury not from vehicle contact (5) Lay coroner report No residual damage (6) E.M.S. personnel Surface only damage Crush depth >0 to 2 centimeters Rounded (contoured) Interviewee Rounded edge Sharp edge Other (specify): Other source (specify): (5) Crush depth > 2 to 5 centimeters Crush depth >5 to 10 centimeters (9) Police Other specify: (8) (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region** Specific Anatomic Structure Abbreviated Injury Scale (02) Cervical (04) Thoracic Whole Area (02) Skin - Abrasion (04) Skin - Contusion Minor injury Face (06) Lumbar (2) (3) Moderate injury Neck (3) Senous injury Thorax (06) Skin - Laceration Vessels, Nerves, Organs, Bones, Joints Abdomen (5) Severe injury (08) Skin - Avulsion are assigned consecutive two digit numbers beginning with 02 Critical injury (6) Spine Amputation (6) Upper Extremity Maximum (untreatable) (20) (8) Lower Extremity Injured, unknown seventy (30) Crush Level of injury Unspecified (9) (40) Degloving epecific injuries are assigned consecutive two-digit numbers beginning with 02. Aspect (50) Injury - NFS Type of Anatomic Structure Trauma, other than mechanical (90) Right Whole Area Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness (10) Concussion (3) (4) Bilateral Vessels To the extent possible, within the (3) (4) Nerves Central organizational framework of the AIS, 00 Anterior Organs (includes muscles/ is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic (6) (7) **Posterior** ligaments) (5) Skeletal (includes joints) Superior Inferior (6) Head - LOC structure. 99 is assigned to any injury (9) (9) Unknown NFS as to lesion or severity. Whole region INJURY SOURCE **FRONT** Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify): 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 705 Hood ornament (spring loaded). 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify): 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar Back Components 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component Accessories 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle Top Components 821 Cellular or CB radio antenna 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar component 735 Left side glazing rearward of B pillar 824 Luggage, ski, or bike rack 772 Front fender top surface 825 Cargo (specify):_ 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify): (specify): 776 Front header Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 948 Other object in environment Right Side Components 779 Rear header (specify): 740 Front fender side surface 780 Hatchback 949 Unknown object in environment 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting vehicle 742 A1 piller 788 Other top component (specify):

789 Unknown top component

743 A2 pillar

997 Noncontact injury source

999 Unknown injury source

No Yes

Blood Alcohol Level (mg/dl)

BAL = 3

Glasgow Coma Scale Score

gcss = 15

Units of Blood Given


Units =


Arterial Blood Gases

Ph = _--


PO₂=


Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





National Highway Traffic Safety PEDESTRIAN (GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYST
1. Primary Sampling Unit Number	OFFICIAL RECORDS
2. Case Number - Stratum 6 / C	
3. Vehicle Number <u>0</u>	Code to the nearest kmph (NOTE: 000
VEHICLE IDENTIFICATION	(160)159.5 kmph and above
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown	mph X 1.6093 = kmph
5. Vehicle Make (specify).	10. Speed Limit (000) No statutory limit Code posted or statutory speed limit in kmph (999) Unknown
Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual.	30 mph X 1.6093 = 48 kmph
(99) Unknown	11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported
6. Vehicle Model (specify): Oncolla	(8) No driver present (9) Unknown
Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown 7. Body Type	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test
Note: Applicable codes may be found on the back of this page.	performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number	Source: PAR
T 2 A E 0 9 B 7 R 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 18 1	(0) No other drug(s) present
Left justify; Slash zeros and letter Z (@ and 본) No VIN—Code all zeros Unknown—Code all nines	(1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify):
	(3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- 5-door/4-door hatchback (05)
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto hased pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- Step van or walk-in van (≤ 4,500 kgs GVWR)
- Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWRI

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41)Truck based panel
- Light truck based motorhome (chassis mounted) (42)
- (45)Other light conventional truck type
- (48)Unknown light truck type
- Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- Single unit straight truck (8,850 kgs < GVWR \le 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68)Truck-tractor pulling one trailer
- Truck-tractor pulling two or more trailers (69)
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- Other motored cycle (minibike, motorscooter) (88) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92)Farm equipment other than trucks
- Construction equipment other than trucks (93)
- (97)Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight	19 James Count
16. Vehicle Cargo Weight O	 (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
	PRECRASH DATA 21. Driver's Attention to Driving
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	(Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio (specify): (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify):
	(98) No driver present (99) Unknown

23. Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause or control loss (specify):	(91) Object approaching roadway
	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	(eposity)
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	·
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(02) Braking (no lockup)
(16) Turning right at intersection	(03) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle	(99) Unknown
in lane	
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction)—over left	(0) No driver present
lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction)—over right	(2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30 degrees
(62) From opposite direction—over left lane line	(4) Skidding laterally—clockwise rotation
(63) From opposite direction—over right lane line	(5) Skidding laterally—counterclockwise rotation
(64) From parking lane	(8) Other vehicle loss-of-control (specify):
(65) From crossing street, turning into same direction	the state of solution topouny).
(66) From crossing street, across path	(9) Precrash stability unknown
(67) From crossing street, turning into opposite direction	,
	26. Precrash Directional Consequences of
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(0) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(73) From driveway, intended path not known (74) From entrance to limited access highway	maneuver was initiated
(78) Encroachment by other vehicle—details	(3) Vehicle stayed on roadway but left travel lane where avoidance maneuver was initiated
unknown	(4) Vehicle stayed on roadway, not known if left
Pedestrian or Pedalcyclist, or Other Nonmotorist	travel lane where avoidance maneuver was
(80) Pedestrian in roadway	initiated
(81) Pedestrian approaching roadway	(5) Vehicle departed roadway
(82) Pedestrian—unknown location	(6) Avoidance maneuver initiated off roadway
10-, 1 0000 CRIT GERMINATE INCALINE	(9) Directional consequences unknown

	ENVIRO	NME	NTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	3	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify):
28.	 (6) Unknown type of non-interchange (9) Unknown if interchange Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier 	1	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing) Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign
29.	 (1) One (2) Two (3) Three (4) Four (5) Five (6) Six 	3	(5) Other sign (specify): (6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR controls (specify): (9) Unknown 35. Traffic Control Device Functioning
	 (7) Seven or more (9) Unknown Roadway Alignment (1) Straight (2) Curve right (3) Curve left 		(0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown 36. Light Conditions (1) Daylight
31.	(9) Unknown Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown		(2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk (9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving
32.	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):)_	conditions (2) Rain (3) Sleet (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown




<u>O O C</u> cm -

Vational Highway Traffic Safety Administration	PEDESTRIAN EXTER	RIOR VEHICLE FORM N	ATIONAL ACCIDEN PEDESTRIAN	T SAMPLING SYSTI CRASH DATA STU
1. Primary Sampling Unit No	umber <u>82</u>	3. Vehicle Number		_0_1
2. Case Number - Stratum	<u>6 O P</u>			
	VEHICLE IDE	NTIFICATION		
VIN JTZAE	09B7R		Model	Year <u>9 4</u>
Vehicle Make (specify):	jota	Vehicle Model (specify)	110100	٩
PE	DESTRIAN FRONT C	ONTACT WORK SH	EET	
PEV06 Hood Material		Metal		
PEV08 Hood Length			099	cm
PEV09 Hood Width-Forw	·		128	cm /
PEV10 Hood Width-Midw	vay		129	cm
PEV11 Hood Width-Rear	Opening		136	cm /
PEV14 Front Bumper Cov	ver Material	Plastic		
PEV15 Front Bumper Rei	nforcement Material	StyroFoar	m Pad/	
	VERTICAL ME		٠ و ا	
PEV16 Front Bumper-Bot	tom Height		0 27	
PEV17 Front Bumper-Top	-		0 5 0	cm
PEV18 Forward Hood Op	_		0 6 5	cm
PEV19 Front Bumper Lea	-		009	cm :
	_		<u> </u>	cm
	WRAP DIS	STANCES		
PEV20 Ground to Forward	d Hood Opening			cm -
PEV21 Ground to Front/T	op Transition Point		76	cm U
PEV22 Ground to Rear Ho	ood Opening		173	cm ·
PEV23 Ground to Base of	· Windshield		180	cm

PEV24 Ground to Top of Windshield


PEV25 Ground to Head Contact


VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axies (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axies) from the ground: 149 cm





Location of the origin (intercept point of the centerline and the front exies) from the ground:

ı,

PSU NUMBER CASE NUMBER YEAR

82
6107
1994

PEDESTRIAN EXTERIOR VEHICLE FORM

THE FOLLOWING DATA IS NOT INCLUDED IN THIS CASE:

ORIGINAL SPECIFICATIONS

Wheelbase	97.0	inches	x 2.54	=	2 4 6 cm
Overall Length	172.0	inches	x 2.54	=	<u>437</u> cm
Maximum Width	66.3	inches	x 2.54	=	<u> </u>
Curb Weight	2,315	pounds	x .4536	5 =	1,050kg
Average Track	<u>57.3</u>	inches	x 2.54	=	<u> 1 4 6 cm</u>
Front Overhang		inches	x 2.54	=	_ & _ cm > 190
Rear Overhang		inches	x 2.54	=	
Undeformed End Width	<u> </u>	inches	x 2.54	=	cm
Engine Size: cyl./displ. $\mathcal{L} + 1 \cdot 0$		сс	x .001	=	L
111.0		CID	x .0164	=	L

				PO	INTS	OF PEDES	TRIAN CONTACT						
							RONOLOGICAL O	**************************************					
:#3		COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION ON 105	UAJEAT LORAT (Y)	RAL TION	CRUSH	BODY REGION		andre Perrollinas Errocance	Constitution (Circ	2	EL OF	
	1	700	790	-18		0	Leg	30	5 u C F	(1) 2	3	9	
	3	703	+73	-16		1	Knee	B	ent Penin		3.	. 9	
-	4	770	+ 18 + 22	-17		9		3 W.	ear, Scratch	⊕ 2	3	8	
-	5	700	+22	- 50			Hip		<u>n</u> +	\bigcirc^2	3	9	
	6	720	- 42	- 79		0	RLeg	15m	ear .	\bigcirc^2	3	9	
	7	730	- 122	-8		<u>ට</u>	_	124	reak	① 2	3	9	
	8		-/		_			 		1 2	3	9	
	9							 		1 2	3	9	
	10									1 2	3	9	
					CODE	S FOR COMPON	ENTS CONTACTED						
FRONT				743	A2 pi	iller		Wheels	/ tirpe				
700	Front bum	iner		744 745	B pill:	lar		790	Left front wheel/tire				
701	Front Low	er valance/spoiler		745 748	D pills	ler		791 792					
702 703		e and/or trim		748		r pillar (specify):		793	Right rear wheel/tire	•.			
704	_	ment (fixed)		749 750	-	t side roof rail t side door surface		798	Other wheel/tire (specify)	r			
705	Hood oma	ment (spring loaded)		750 751		handle handle		799	Unknown wheel/tire				
706 707		*- t altaba dana 10		752	Right	side mirror fixed ho	ousing	<u>Underca</u>	erriage components				
707	Turn signs	le headlight door (Ope eVparking lights	m/Closed)	753 754		side folding mirror	4 6 M M	800	Front crossmember				
718	Other front	t or add on object		75 4 755	Right	side glazing forwar side glazing rearwa	d of B piller ard of B piller	801 802	Steering assembly/Front : Oil pan	suspension			
719	(specify):	forma abioma		756	Rear	antenna	·	803	Exhaust system pipe				
/ 10	UNKNOWNI	front object		757 758	Rear f	fender or quarter pa	anel 'e.a.	804	Transmission				
Left Sid	ie Componen	<u>its</u>		758 759		r right side object (s _i own right side comp		805 806	Drive shaft Catalytic converter				
720	C+ fand					·		807	Muffler				
720 721	Front tende	er side surface nna		Back Co	<u> Imponer</u>	<u>nts</u>		808	Floor pan				
722	A1 pillar			760	Rear /	(back) bumper		809 810	Fuel tank				
723	A2 pillar				Tailgat			818	Rear suspension Other undercarriage comp	ionent			
724 725	B pillar C pillar			782		back, vertical surfac		_	(specify):				
726	D pillar			768 769	Uther	back component (sp wn back component	ecify):	819	Unknown undercarriage c	omponent			
728		(specify):						Accessor	rice				
	Left side ro Left side do			Top Con	<u>nponent</u>	<u>.s</u>		820	Air scoop, deflector				
731	Door handle			770	Head .	surface	•	821	Cellular or CB radio anter	nna			
732	Left side m	nirror fixed housing		770 771			y underhood component	822 823	Emergency lights or bar				
	Left side fo			772	Front 1	fender top surface	A quantitoe combanes.		Fog lights Luggage, ski, or bike rack	e e			
734 735	Left side of	lazing forward of B p lazing rearward of B	iller 	773	Cowi a			825	Carge (specify):				
738	Left side be	ack fender or quarter	pmur r nanel	774 775		blade & mountings hield glazing			Spare tire				
737	Rear antenn	na	•	776	Front h			827 828	Spotlight Other accessory (specify):				
		side object (specify):		777	Roof st	turface			Other accessory toherway.			—	
/30	Unknown to	oft side component		778 779	_	ght glazing			ject or Vehicle in Environm				
Right Sid	de Componen	<u>its</u>		779 780	Rear ho Hatchb				Other object in environment (specify):	nt			
740	Forme Sanda	.64			Rear tr	runk lid			Unknown object in enviror				
	Front tender	r side surface ma		788 700		top component (spec	cify):	959	Unknown object on contac				
	A1 pillar			789	Unknov	wn top component	•	997	Nencontact injury source				

VEHICLE DIMENSIONS	Page
4. Original Wheelbase 2 4 6 Code to the nearest centimeter (999) Unknown	11. Hood Width Rear Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown
(999) Unknown 97. O inches X 2.54 = 24 O centimeters	inches X 2.54 = centimeters
5. Original Average Track Width Code to the nearest centimeter (185) 185 centimeters or more (999) Unknown 57 . 3 inches X 2.54 = 14 6 centimeters	12. Hood/Fender Vertical/Lateral Crush From Pedestrian (0) Not damaged (1) Surface scratching only, no residual crush (2) Minor crush (1-3 centimeters) (3) Moderate crush (4-7 centimeters) (4) Severe crush (>7 centimeters) (8) Damage present, unknown if damage is from pedestrian impact
6. Hood Material (1) Plastic (2) Fiberglass (3) Steel (4) Aluminum (5) Stainless Steel (8) Other (specify): (9) Unknown	(9) Unknown 13. Windshield Contact Damage From Pedestrian Contact (0) Not contacted by pedestrian (1) Contacted by pedestrian - not damaged (2) Contacted by pedestrian - damaged (3) Unknown if contacted by pedestrian - not damaged
7. Hood Original Equipment Manufacturer (OEM) (1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown	 (4) Unknown if contacted by pedestrian - damaged (9) Unknown if contacted by pedestrian - unknown if damaged FRONT CONTACT DAMAGE
8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown
Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum
10. Hood Width Midway Code to the	(4) Other (specify):(9) Unknown
nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters	16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown
	inches X 2 54 — contimeters

	0.0311401010111033	Data System: Pedestrian Exterior Vehicle Form Page 1
20. Centerline of Wheel	000	
Code to the	200	Side Lateral Measurements
nearest centimeter		
(000) No side contact		25 0
(150) 150 centimeters or more	_	35. Centerline to A-Pillar at Bottom of Windshield
(9,99) Unknown		
, , , , , , , , , , , , , , , , , , , ,		(000) No side contact
		Code to the
inches X 2.54 =	centimeters	nearest centimeter
		(250) 250 centimeters or more
30. Top of Tire		I 1999 UNKNOWA
	<u>000</u>)
Code to the		ind. Van
nearest centimeter		inches X 2.54 = centimeters
(000) No side contact		
(200) 200 centimeters or more		36. Centerline to A-Pillar
(999) Unknown		at Top of Windowind
		- OP OF WINDSHIELD
inches X 2.54 =		Code to the
	centimeters	nearest centimeter
		(000) No side contact
31. Top of Wheel Well Opening	~ ^ ·	1 (250) 250 continues
Code to the	000	(999) Unknown
		-
nearest centimeter		inches V.a.m.
(000) No side contact		· inches X 2.54 = centimeter
(250) 250 centimeters or more		
(999) Unknown		37 Contading to the
	•	37. Centerline to Maximum Side View Mirror Protrusion
		1
		Code to the
2. Bottom of A-Pillar at Windshield	A () ()	nearest centimeter
Code to the	999	(000) No side contact
nearest centimeter		(300) 300 centimeters or more
(000) No side contact		(999) Unknown
(250) 250 continues		
(250) 250 centimeters or more (999) Unknown	•	inches X 2.54 = centimeter
(000) OHKHOWN		centimeter
	•	
inches X 2.54 =	Centimeters	Side Wrap Distance Measurements
. Ton it a min		
. Top of A-Pillar at Windshield	O(C)	38. Ground to Side/Top Transition
Code to the	222	Code to the
nearest centimeter		nearest centimeter
(000) No side contact		(000) No side contact
(300) 300 centimeters or more		(400) 400 parti
(999) Unknown		(400) 400 centimeters or more
		(999) Unknown
inches V a Es		
· inches X 2.54 =	_ centimeters	inches X 2.54 = centimeters
	1	
Top of Side View Mirror	. 1	
Code view Mirror	0001	39. Ground to Hood Edge
Code to the		Code to the
nearest centimeter	1	nearest centimeter
(000) No side contact	1	(000) No side contact
(300) 300 centimeters or more	į.	(500) 500 centimeters or more
(999) Unknown	1	(999) Unknown
•		(33) OURHOWH
inches X 2.54 =		
	centimeters	inches X 2.54 = centimeters
•		
•	į	
		· · · · · · · · · · · · · · · · · · ·

		a Cystem: 1 cacsulan Extenor Venicle Form	Page S
	ing grade Artist of the Control of	ACQ.	
40.	Ground to Centerline of Hood (Origin)		
	Code to the	(
	nearest centimeter (000) No side contact		
	(700) 700 centimeters or more		
	(999) Unknown		
	inches X 2.54 = centimeters		
41.	Ground to Head Contact		
	Code to the nearest centimeter		
	(000) No side contact		
	(800) 800 centimeters or more (999) Unknown		
	(800) GIRIOWII		
	inches X 2.54 = centimeters		
		•	
	·		
		•	
	·		
	·		
		•	
		· · · · · · · · · · · · · · · · · · ·	
	•		
	•		f

P82 -6/0
Vahula maken laft tunn
Vehicle making L-ff turn upon hood - off L-ff side no common vilority
he we will still
To common the g
vihile trovilled = 6m-les after import
6m-1> x 3.28/= 19.7 ft
$V_{\nu}^{2} = V_{f}^{2} - 25fg$
Vi = 8 - 25 /1-9)
$V_{i}^{2} = 25fg$
Vi = 7(2) (9-2) (0.4) (32-2)
,
= V761 = 27,6 fPs = 18,7 mph = 30 kmph,

82610P00000011 947.040000000000115500100001 82610P00010012 947.041000000000101F72000 82610P00010021 7.04 0000000028118352097150079120130023010301096001410099151010000000008 82610P00010131 7.04 0000000038508262270011222 82610P00010231 7.04 0000000078904021270011222 82610P00010331 7.04 00000000078902021270011222 82610P00010431 7.04 0000000038902021170011222 7.04 0000000038902021170111411 82610P00010531 82610P00010631 7.04 00000000078904021277111333 82610P00010731 7.04 00000000074904021277111333

PSU82 CASE 610P

82610P00010831

ERROR SUMMARY SCREEN
PEDESTRIAN STUDY

7.04 0000000036402781699713000

CURRENT VERSION: 7.04



	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION Number Consistent
Pedestrian Accident	0	0	0	N
Pedestrian Assessment	0	0	0	N
Pedestrian Injury	0	0	0	N
Pedestrian General Vehicl	e 0	0	0	N
Pedestrian Exterior Vehic	le 0	0	0	N
Total Inter Errors		0	0	
Total Case Errors	0	0	0	



National Highway Traffic Safety Administration

SLIDE INDEX

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

Primary S	ampling U	Init Number <u></u>	S 2 Case Number – Stratum 6	10P
Slide No.	Vehicle No.	Direction of Picture	Description of Slide Subject Matter	
1-5	1	₩/5	Approach	:
6-10	1	N/E	Looking Back	
11-13	E		Pedestrian Approach	1
14	ω		Pedestrian Approach Looking Back	
				:
15-38			Exterior	
				·
				:
			•	
				· ·
S Form 434B			·	· · · · · · · · · · · · · · · · · · ·

Direction Vehicle Slide Description of Slide Subject Matter of No. No. Picture

PERSONAL THEY SE































Post Available



Best Available



















Available





Up (1994) #2. Available



10p (1994) #2



PSU 82-610p (1994) #7

















