



U.S. Department of Transportation

National Highway Traffic Safety Administration

#### Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

\*\*\* \*\*\* \*\*\*





### PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

PSU 82 CASE NO. 650 P TYPE OF ACCIDENT CAR TURN LEFT/PEDESTRIAN WALKING

### A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

Vehicle #1 was southbound in lane 3 of a 4-lane, 1-way street with lane turn closed for contruction. Vehicle #1 approached an intersection with a flagman controlling the intersection with large machines operating in the street and the northeast area of the intersection. Vehicle #1 began a left turn with the attention directed to the machinery as a pedestrian began to cross the street from the southeast corner in a northeast angled cross walk. The pedestrian, also distracted by the construction, saw Vehicle #1 and tried to jump backwards and turned toward Vehicle #1 and extended his left arm and then was impacted by Vehicle #1 which braked to a short stop. The pedestrian remained sitting on the hood of Vehicle #1.

B. PEDESTRIAN PROFILE									
Pedestrian			Treatment/	njury ZONE CENTER)					
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source		
01	43	Male	Treated & released	Lower Extranity	skin- other	1	Bumper		

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	<ul> <li>(1) Minor injury</li> <li>(2) Moderate injury</li> <li>(3) Serious injury</li> <li>(4) Severe injury</li> <li>(5) Critical injury</li> <li>(6) Maximum (untreatable)</li> <li>(7) Injured, unknown severity</li> </ul>

	Class		Most Severe Damage Based on Vehicle Inspection				
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description			
01	Subcompact	94/Ford/Escort	Front	Minor scuffs, dents and smears			

#### DO NOT SANITIZE THIS FORM

**ACCIDENT COLLISION DIAGRAM** U.S. Department of Transportation National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMP PEDESTRIAN CRASH PSU No. Indicate 050 p North Case Number - Stratum 5 idewalk Parkino Lane (9) sidewalk

Scale: 1 centimeter

HS Form 431B (8/95)



U.S. Department of Transportation

### **ACCIDENT COLLISION DIAGRAM**

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM National Highway Traffic Safety Administration Indicate Case Number-Stratum 0 PSU No. North 1.0 3,2 ٨ p'01 Ø. ø 5.00 S 266 HS Form 431B (1/93) Scale: 1 centimeter = 1 meter - (1/100)



U.S. Department of Transportation National Highway Traffic Safety

# PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Administration				PEDESTRIAN CRASH DATA STUDY				
Primary Sampling Unit Number <u> 2</u>		Case	Number-	Stratum <u>6</u> <u>5</u> <u>P</u>				
PEDESTRIAN ACCIDENT CO	LLISION DATA C	OLLECTION		SCALED DIAGRAM				
<ul> <li>document reference point and reference line relative to physical features</li> </ul>	Surface Type	Sphere	* nor	th arrow placed on diagram				
<ul> <li>documentation of all accident induced physical evidence including (if applicable):</li> </ul>	Surface Condition			de measurements for all applicable dways				
a) vehicle skid marks:	Coefficient of Frid	new/sprip/1		led representations of the physical plant uding:				
b) pedestrian contacts with ground or object	Grade (v/h) Mear	surement + 4	a)	all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)				
c) vehicle/pedestrian point of impact (POI)	a) at impa	d /122	b)	all traffic controls (e.g., lights, signs)				
d) location of pedestrian separation point from vehicle.	b) between	n impact and	pec	led representations of the vehicle and lestrian at pre-impact, impact, and final based upon either:				
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Trave		a)	physical evidence, or				
documentation of the physical plant including:	Vehicle Travel Di	irection Sto E	b)	reconstructed accident dynamics				
all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)	Number of Trave	due to the way	tin	anel.				
b) all traffic controls (e.g., lights, signs)		Clo	ייין אַ					
Reference Point: Light of all Reference Line: South Lines Royal  S.E. Comand Intersection								
ltem		Distance and Direction from Reference Point	1	Distance and Direction from Reference Line				
font of Impact to	Final	2.5 W	)>	1.0+31.5M				
(ppoxmoted)	A-OI	( to 1,0 W		Po 50001				
				~3-4'mp				
Pedeskin & to 3 as	was str	reeb		= 3-4 mp				
		·						
•		1						

PEDESTRIAN ACCIDENT FORM

NACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

lational Highway Traffic Safety Administration	PEDESTRIA

83

### **IDENTIFICATION**

Number of General Vehicle
 Forms Submitted

Primary Sampling Unit Number

2. Case Number - Stratum

0\_1

4. Date of Accident (Month, Day, Year)



5. Time of Accident

0925

Code reported military time of accident.

NOTE: Midnight = 2400

Unknown = 9999

### **SPECIAL STUDIES - INDICATORS**

Check ( ) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. \_\_\_\_SS15 Administrative Use

7. <u>✓</u>SS16 Pedestrian Crash Data Study <u>1</u>

8. \_\_\_\_SS17 Impact Fires

9. \_\_\_SS18 \_\_\_\_\_\_\_<u>0</u>

10. \_\_\_SS19 \_\_\_\_\_\_\_<u>0</u>

### **NUMBER OF EVENTS**

11. Number of Recorded Events in This Accident

0\_1

\_0\_

0

### PEDESTRIAN STUDY CRITERIA

#### **Pedestrian Definition:**

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are <u>not</u> pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

#### Case Selection Criteria:

A <u>forward moving</u>, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's <u>only</u> impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS									
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage			
12. <u>0</u> <u>1</u>	13. <u>0 1</u>	14. 0	15. <u>F</u>	16. <u>7 2</u>	17. <u>0 0</u>	18. <u>0</u>			

## CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

## CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

### CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian



### PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

National Highway Traffic Safety Administration	NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY
1. Primary Sampling Unit Number  2. Case Number - Stratum  3. Pedestrian Number  0 1	10. Pedestrian's Weight Code actual weight to the nearest kilogram. (999) Unknown  210 pounds X .4536 = kilograms
PEDESTRIAN'S CHARACTERISTICS	
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month):  (97) 97 years and older (99) Unknown  5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month)	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS  11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify): (9) Unknown  12. Pedestrian Motion (0) Not moving (1) Walking slowly
(3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown  6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown  1 O inches X 2.54 = centimeters	(1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify): (9) Unknown
7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown inches X 2.54 =centimeters  8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	(00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify):
9. Pedestrian's Height - Ground to Shoulder Code to the nearest centimeter. (999) Unknowninches X 2.54 = centimeters	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify):

## PEDESTRIAN'S AVOIDANCE ACTIONS



- (00) No avoidance actions
- (01) Stopped
- (02) Accelerated pace
- (03) Ran away (along vehicle path)
- (04) Jumped
- (05) Turned toward vehicle
- (06) Turned away from vehicle
- (07) Dove or fell away

#### Used hand(s) to:

- (11) Vault corner of vehicle
- (12) Vault onto vehicle
- (13) Brace against vehicle
- (14) Crouched and braced hands against vehicle
- (99) Unknown

# fund boward ve

### PEDESTRIAN'S ORIENTATION AT IMPACT

- 16. Pedestrian's Head Orientation at Initial Impact
  - (1) To front
  - (2) To left
  - (3) To right
  - (4) Up
  - (5) Down
  - (8) Other (specify):\_\_\_
  - (9) Unknown
- 17. Pedestrian's Body (Chest) Orientation at Initial Impact
  - (1) Facing vehicle
  - (2) Facing away
  - (3) Left side to vehicle
  - (4) Right side to vehicle
  - (8) Other (specify):
  - (9) Unknown

- 18. Pedestrian's Arm Orientation at Initial Impact
  - (01) At sides
  - (02) Folded across chest
  - (03) Hands clasped behind back
  - (04) Hands on hips
  - (05) Hands in pockets

#### One or both arms:

- (06) Extended upward
- (07) Extended to side
- (08) Extended forward bracing
- (09) Extended, holding object (briefcase, suitcase, etc.)
- (10) Holding object (young child, grocery bag, etc.) in arm(s)
- (11) Holding object (young child, grocery bag, etc.) on shoulder(s) or head
- (98) Other (specify):\_
  - (99) Unknown
  - 19. Pedestrian's Leg Orientation at Initial Impact
    - (01) Together
    - (02) Apart-laterally
    - (03) Apart-right leg forward
    - (04) Apart-left leg forward
    - (05) Apart- forward leg unknown
    - (06) Left foot off the ground
    - (07) Right foot off the ground
    - (08) Both feet off the ground
    - (98) Other (specify):\_\_\_\_\_
    - (99) Unknown
  - 20. Vehicle/Pedestrian's Interaction
    - (01) Carried by vehicle, wrapped position-
    - (02) Carried by vehicle, slid to windshield
    - (03) Carried by vehicle, position unknown
    - (04) Passed over vehicle top
    - (05) Thrown straight forward
    - (06) Thrown forward and left of vehicle
    - (07) Thrown forward and right of vehicle
    - (08) Knocked to pavement, forward
    - (09) Knocked to pavement, left of vehicle
    - (10) Knocked to pavement, right of vehicle
    - (11) Knocked to pavement, run over or dragged by vehicle
    - (12) Shunted to left (corner impacts only)
    - (13) Shunted to right (corner impacts only)
    - (14) Bumped or pushed aside
    - (15) Snagged, rotated
    - (16) Snagged, dragged by vehicle
    - (17) Foot or legs run over
    - (98) Other (specify):\_\_\_
    - (99) Unknown



OFFICIAL RECORDS		INJURY CONSEQUENCES
<ul> <li>21. Police Reported Alcohol Presence For Pedestrian <ul> <li>(0) No alcohol present</li> <li>(1) Yes alcohol present</li> <li>(7) Not reported</li> <li>(9) Unknown</li> </ul> </li> </ul>	9(	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if lest given  Source:	<u> </u>	(6) Died prior to accident (9) Unknown  26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):  Nonfatal (3) Hospitalization (4) Transported and released
<ul> <li>23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown</li> </ul>	<u> </u>	(5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify):  (9) Unknown  27. Type Of Medical Facility
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	<u>@</u> -	(for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
		29. Working Days Lost  Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOP - VARIABLES 30 THROUGH 37 AR	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured  31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given  32. Arterial Blood Gases (ABG) – HCO3 (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO3 (96) ABGs reported, HCO3 unknown (97) Injured, details unknown (99) Unknown if injured  33. Time to Death  Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	34. 1st Medically Reported Cause of Death  35. 2nd Medically Reported Cause of Death  Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death  (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify):  (97) Other result (includes fatal ruled disease) (specify): (99) Unknown  37. Number of Recorded Injuries for This Pedestrian  Code the actual number of injuries recorded for this pedestrian.  (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORD  NO [ ]  UPDATE CANDIDATE	OS INCLUDED WITH INITIAL SUBMISSION?  YES [V]  POR NO [V] YES [ ]

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

National Highway Traffic Safety Administration

89

3. Pedestrian Number

0 1

2. Case Number - Stratum

1. Primary Sampling Unit Number

<u>650</u> P

4. Blank

<u>X</u> <u>X</u>

### **INJURY DATA**

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90				_	Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
lst	5. <u>7</u>	6. <u>8</u>	7. <b>9</b>	8 <u>02</u>	9. <u>02</u>	- 10. <u>/</u>	11. 🗸	12. 700	13. 🖊	14, 1	15. 2	16. 2	2.2
2nd	18. 7	18. 8	20. <u>9</u>	21.04	22.02	- <sub>23.</sub> <u>/</u>	24, <u>/</u>	<sub>25.</sub> 700	26. /	27	28	-29.2	30
Srd	a1. <u>7</u>	32. <u>X</u>	s3. <u>9</u>	34	35.02	36	37. <b>2</b>	- <sub>38,</sub> <u>700</u>	39	40	41. <u>Z</u>	42	<u>ک</u>
4th	44.7	45. <u>×</u>	46. 9	47. 04	48. <u>02</u>	49	<sub>50.</sub> <u>2</u>	51. <u>700</u>	52	53	542	<b>2</b>	2 56
5th	57	58	59	60	61	62	63	64	65	66	67. <u> </u>	68	69
6th	70	71	72	73	74	75	78	77	78	79	80	81	82
7 <b>t</b> h	83	84	85	B6	87	88	89	90	91	92	93	94	95
8th	96	97	98	99	100	101	102	103	104	105	106	107	108
9th	109	110	111	112	113	114	115,	116	117	118	119	120	121
10th	122	123	124	125	126.	127	128	129	130	131	132	133	134

				PEDES	STRIA	LNI N	JRY DAT					
Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1th	_				_						<del></del>	
2th												
3th	_	_				_			_	_	_	_
4th						_						
5th												
 6th	—							_	<del></del>			
7th		<del></del>		——								
	—	_			—	—		_	—	—		_
8th			<del></del>			_			_	-		
9th	—				_	—	<del></del> -		_	_	_	—
!Oth		_						—	-		<del></del>	_
21st			——		_							_
2nd	—				_	_			_	_		_
23rd		-						-		—		_
?4th	-		——		_			_				—
!5th												


was a special contraction of the contraction of the

and the construction of the property of the pr

---

en eg a sociologica i months i man est a company a months i months

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



#### **OFFICIAL** Certain (0) Injury not from vehicle contact Probable No damage/contact (1) Autopsy records with or without hospital/ (3) Possible (9) Unknown Scratch (Scuff, Cloth Transfer, Smear) medical records Dent Hospital/medical records other than (3) Large deformation emergency room (e.g., discharge **DIRECT/INDIRECT INJURY** Cracked, fractured, shattered (5) summary) Direct contact injury Separated from vehicle Emergency room records only (including Indirect contact injury (7) Noncontact injury Noncontact injury associated X-rays or other lab reports) (8) Other specify: Injured, unknown source (4) Private physician, walk-in or emergency Unknown clinic STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) **UNOFFICIAL** Injury not from vehicle contact No residual damage (5) Lay coroner report Rounded (contoured) Surface only damage (6) E.M.S. personnel (2) Crush depth >0 to 2 centimeters Crush depth >2 to 5 centimeters Crush depth >5 to 10 centimeters (7) Interviewee Rounded edge (3) (5) (8) Sharp edge Other (specify): (4) (8) Other source (specify): (5) Other specify: (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region Specific Anatomic Structure** Abbreviated Injury Scale <u>Spine</u> (02) Cervical (04) Thoracic Whole Area (02) Skin - Abrasion (04) Skin - Contusion (06) Skin - Laceration (08) Skin - Avulsion Head Minor injury (06) Lumbar Moderate injury (3) (4) Neck Serious injury Thorax (4) (5) Severe injury Vessels, Nerves, Organs, Bones, Joints (5) Abdomen are assigned consecutive two digit numbers beginning with 02 Critical injury Maximum (untreatable) (10) Amputation (6) (6) Spine Upper Extremity (20) Burn (7) Injured, unknown severity (8) Lower Extremity (30) Crush Level of Injury Unspecified (40) Degloving **Aspect** (50) Injury - NFS injuries assigned are Type of Anatomic Structure consecutive two-digit beginning with 02. Trauma, other than mechanical Right Left Bilateral (2) Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness Whole Area (3) Vessels To the extent possible, within the Central (3) Nerves organizational framework of the AIS, 00 Anterior Organs (includes muscles/ (10) Concussion is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic (6) (7) **Posterior** ligaments) Superior Skeletal (includes joints) Head - LOC (5) structure. 99 is assigned to any injury NFS as to lesion or severity. (6) (9) (0) Unknown Whole region **INJURY SOURCE FRONT** Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify): 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 750 Right side door surface 705 Hood ornament (spring loaded) 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 753 Right side folding mirror 708 Turn signal/parking lights 800 Front crossmember 754 Right side glazing forward of B pillar 718 Other front or add on object 801 Steering assembly/Front suspension (specify): 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission 758 Other right side object Left Side Components 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar Back Components 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 769 Unknown back component 729 Left side roof rail Accessories 820 Air scoop, deflector 821 Cellular or CB radio antenna 730 Left side door surface 731 Left side door handle Top Components 770 Hood surface 822 Emergency lights or bar 732 Left side mirror fixed housing 823 Fog lights 733 Left side folding mirror 771 Hood surface reinforced by under hood 734 Left side glazing forward of B pillar component 824 Luggage, ski, or bike rack 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):\_ 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 775 Windshield glazing 828 Other accessory (specify):\_ 738 Other left side object (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 947 Ground 778 Backlight glazing 948 Other object (specify): 779 Rear header Right Side Components 780 Hatchback 949 Unknown object in environment 740 Front fender side surface 959 Unknown object on contacting vehicle 781 Rear trunk lid 741 Front antenna 997 Noncontact injury source 742 A1 pillar 788 Other top component (specify): \_ 743 A2 pillar 789 Unknown top component 999 Unknown injury source

INJURY SOURCE CONFIDENCE LEVEL

**TYPE OF DAMAGE** 

**SOURCE OF INJURY DATA** 

### OFFICIAL INJURY DATA - SKELETAL INJURIES

<b>P</b>	00	tra	ine	.47

\_\_\_ No

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

\_\_\_ Yes

Blood Alcohol Level (mg/dl)

BAL =

Glasgow Coma Scale Score

GCSS = \_\_\_\_

Units of Blood Given

Units = \_\_\_\_


#### **Arterial Blood Gases**


Ph = \_\_.\_

PO<sub>2</sub>= \_\_\_

PCO<sub>2</sub> \_\_\_\_


HCO3 \_\_\_\_






### OFFICIAL INJURY DATA -- INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





RAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

.S. Department of Transportation lational Highway Traffic Safety dministration	PEDESTRIAN GENER
1. Primary Sampling Unit Numl	ber $82$
2. Case Number - Stratum	<u>650</u> P
3. Vehicle Number	_0_1
VEHICLE IDENTII	FICATION
4. Vehicle Model Year Code the last two digits of t (99) Unknown	the model year
5. Vehicle Make (specify):  Applicable codes are found in NASS PCDS Data Collection Editing Manual.  (99) Unknown	in your , Coding and
6. Vehicle Model (specify):  Applicable codes are found i NASS PCDS Data Collection Editing Manual. (999) Unknown	in your , Coding and
7. Body Type Note: Applicable codes may the back of this page.	be found on
8. Vehicle Identification Number  3 FAR P 1 3 7 1 R  1 2 3 4 5 6 7 8 9 10  Left justify; Slash zeros and	11 12 13 14 15 16 17

	PEDESTRIAN	CRASH DATA STU
	OFFICIAL RECORDS	
9.	Police Reported Travel Speed	999
	Code to the nearest kmph (NOTE: (less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown	000 means
	mph X 1.6093 = kmph	
10.	Speed Limit (000) No statutory limit Code posted or statutory speed limi in kmph (999) Unknown	048 it
	30 mph X 1.6093 = kmph	
11.	Police Reported Alcohol Presence For (0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown	or Driver <u> </u>
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	01
12.	Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test	40
	performed, results unknown (98) No driver present (99) Unknown	
4.0	Source:	- O
13.	Police Reported Other Drug Presenc For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown	e <u>Y</u>
14	Other Drug Specimen Test Result	3
	For Driver	$\mathbf{\Sigma}$

(8) No driver present

(0) No specimen test given
(1) Drug not found in specimen
(2) Drug found in specimen
(specify):
(3) Specimen test given, results
unknown or not obtained
(8) No driver present

Unknown—Code all nines

### CODES FOR BODY TYPE

#### CDS APPLICABLE VEHICLES

#### **Automobiles**

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

#### Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

#### Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II. Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

#### Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

#### Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

#### Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41)Truck based panel
- (42)Light truck based motorhome (chassis mounted)
- (45)Other light conventional truck type
- (48)Unknown light truck type
- (49)Unknown light vehicle type (automobile, utility, van, or light truck)

#### OTHER VEHICLES

### Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

#### Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62)Single unit straight truck (8.850 kgs < GVWR s 12,000 kgs)
- Single unit straight truck (> 12,000 kgs GVWR)
- Single unit straight truck, GVWR unknown
- (65)Medium/heavy truck based motorhome
- (67)Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69)Truck-tractor pulling two or more trailers
- (70)Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

#### Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88)Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

#### Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight  Code weight to nearest 10 kilograms. (045) Less than 450 kilograms	18. Impact Speed  Nearest kmph
(610) 6,100 kilograms or more (999) Unknown <u>→ ,3 →  </u> lbs x .4536 = <u>  ,0 → 5</u> kgs	(NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source:  16. Vehicle Cargo Weight  Code weight to nearest 10 kilograms.  (000) Less than 5 kilograms  (450) 4,500 kilograms or more  (999) Unknown  Ibs X .4536 =, kgs	19. Accuracy Range of Impact Speed Estimate  (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown  20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation
	(3) Driver/witness/police estimates  PRECRASH DATA
	PRECHASH DATA
OTHER DATA  17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown  STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown  22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

	•
23. Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(O2) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
, , , , , , , , , , , , , , , , , , , ,	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	(00) Other childs preclash event (specify).
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	(SS) SHRIBWH
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(O1) No avoidance actions
(15) Turning left at intersection	(02) Braking (no lockup)
(16) Turning right at intersection	•
(17) Crossing over (passing through) intersection	(03) Braking (lockup)
(19) Unknown travel direction	(04) Braking (lockup unknown)
Other Motor Vehicle In Lane	(05) Releasing brakes
	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle in lane	(99) Unknown
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction)—over left	25. Precrash Stability After Avoidance Maneuver (0) No driver present
lane line	(1) No avoidance maneuver
· · · · · · · · · · · · · · · · · · ·	(2) Tracking
(61) From adjacent lane (same direction) – over right	(3) Skidding longitudinally—rotation less than 30
lane line	degrees
(62) From opposite direction—over left lane line	(4) Skidding laterally—clockwise rotation
(63) From opposite direction—over right lane line	(5) Skidding laterally—counterclockwise rotation
(64) From parking lane	(8) Other vehicle loss-of-control (specify):
(65) From crossing street, turning into same direction	
(66) From crossing street, across path	(9) Precrash stability unknown
(67) From crossing street, turning into opposite	
direction	26. Precrash Directional Consequences of
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(0) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance maneuver was initiated
(73) From driveway, intended path not known	
(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane where avoidance maneuver was initiated
(78) Encroachment by other vehicle—details	(4) Vehicle stayed on roadway, not known if left
unknown	travel lane where avoidance maneuver was
Pedestrian or Pedalcyclist, or Other Nonmotorist	initiated
(80) Pedestrian in roadway	(5) Vehicle departed roadway
(81) Pedestrian approaching roadway	(6) Avoidance maneuver initiated off roadway
(82) Pedestrian—unknown location	(9) Directional consequences unknown

	ENVIRO	NME	NTAL	AL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area  Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	3	33. Rd (1 (2 (3 (4 (5	Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify):
	(6) Unknown type of non-interchange (9) Unknown if interchange	4	(0	Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)
28.	<ul> <li>Trafficway Flow</li> <li>(1) Not physically divided (two way traffic)</li> <li>(2) Divided trafficway - median strip without positive barrier</li> <li>(3) Divided trafficway - median strip with positive barrier</li> <li>(4) One way trafficway</li> <li>(9) Unknown</li> </ul>	<u> </u>	(2 (3 (4 (5	Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify):  (6) Unknown sign (7) Warning sign (not RR crossing)
29.	Number of Travel Lanes (1) One (2) Two (3) Three 12/1me 4 cheed for	3	(8	(8) Miscellaneous/other controls including RR controls (specify):  (9) Unknown
	(3) Three When I cheed for (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown	Zan	(C (1 (2	Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown	1	(1 (2 (3 (4	Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk
31.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown	6	37. A (1 (2 (3	(9) Unknown  Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet
32.	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):	2	(5 (6 (7 (8	<ul> <li>(4) Snow</li> <li>(5) Fog</li> <li>(6) Rain and fog</li> <li>(7) Sleet and fog</li> <li>(8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify):</li> <li>(9) Unknown</li> </ul>



J.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Vehicle Number

2. Case Number - Stratum


VEHICLE IDENTIFICATION

**Model Year** 

cm

Vehicle Make (specify):

Vehicle Model (specify):



### PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

cm

cm

cm

### **VERTICAL MEASUREMENTS**

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

030	cm
051	cm
06+	cm
$Q \perp Q$	cm

#### WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact


cm cm cm cm

cm

cm

HS Form 0435K (Rev. 10/95)


### **VEHICLE DAMAGE SKETCH**




NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:








IOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axise (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of structions, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: I

PEDESTRIAN SIDE CONTACT WORK SHE	ET	
PEV06 Hood Material		
PEV08 Hood Length		cm
PEV09 Hood Width-Forward Opening		cm
PEV10 Hood Width-Midway		cm
PEV11 Hood Width-Rear Opening		cm
		•
VERTICAL MEASUREMENTS		
PEV26 Ground Clearance		cm
PEV27 Side Bumper-Bottom Height	<del></del>	cm
PEV28 Side Bumper-Top Height		cm
PEV29 Centerline of Wheel		cm
PEV30 Top of Tire		cm
PEV31 Top of Wheel Well Opening		cm
PEV32 Bottom of A-Pillar at Windshield	<del></del>	cm
PEV33 Top of A-Pillar at Windshield		cm
PEV34 Top of Side View Mirror		cm
LATERAL MEAGUREMENTO		
LATERAL MEASUREMENTS		
PEV35 C <sub>L</sub> to A-Pillar at Bottom of Windshield	<u> </u>	cm
PEV36 C <sub>L</sub> to A-Pillar at Top of Windshield	7	cm
PEV37 C <sub>L</sub> to Maximum Side View Mirror Protrusion		cm
WRAP DISTANCES	1	
PEV38 Ground to Side/Top Transition	M.	
PEV39 Ground to Hood Edge		cm
PEV40 Ground to Centerline of Hood (ORIGIN)		cm
PEV40 Ground to Centerline of Hood (ORIGIN)  PEV41 Ground to Head Contact		cm
FEV41 Glound to Head Contact		cm

### **VEHICLE DAMAGE SKETCH**



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: \_\_\_\_\_ cm

	ORIGINAL SPECIFICATION	ONS
Wheelbase Overall Length Maximum Width Curb Weight Average Track Front Overhang Rear Overhang Undeformed End Width Engine Size: cyl./displ.	$\frac{1709}{400}$ inches inches	$\times .4536 = 1.075 \text{ kg}$ $\times 2.54 = 1.43 \text{ cm}$
724 B pillar 725 C pillar 726 D pillar 728 Other pillar (specify): 729 Left side roof rail 730 Left side door surface	INJURY SOURCE  744 B pillar 745 C pillar 746 D pillar 748 Other pillar (specify): 749 Right side roof rail 750 Right side door surface 751 Right side door handle 752 Right side door handle 753 Right side folding mirror 754 Right side glazing forward of B pillar 755 Right side glazing rearward of B pillar 756 Rear antenna 757 Rear fender or quarter panel 758 Other right side object (specify): 759 Unknown right side component  Back Components 760 Rear (back) bumper 761 Tailgate 762 Hatchback, vertical surface 768 Other back component (specify): 769 Unknown back component 760 Components 770 Hood surface 771 Hood surface reinforced by under hood component	824 Luggage, ski, or bike rack
735 Left side glazing rearward of B pillar 736 Left side back fender or quarter panel 737 Rear antenna 738 Other left side object (specify): 739 Unknown left side component  Right Side Components 740 Front fender side surface 741 Front antenna 742 A1 pillar 743 A2 pillar	772 Front fender top surface 773 Cowl area 774 Wiper blade & mountings 775 Windshield glazing 776 Front header 777 Roof surface 778 Backlight glazing 779 Rear header 780 Hatchback 781 Rear trunk lid 788 Other top component (specify):	825 Cargo (specify):

	POINTS OF PEDESTRIAN CONTACT PEDESTRIAN CONTACT WORKSHEET							
CONTACT ID Label	COMPONENT CONTACTED	LOUGHTUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	SEQUENCE #
D	Bunker	99	24	Q	Dley	meaned	1 2 3 9	(
6	High	99	-8	<b>©</b>	Brog.	Smul 188	2 3 9	9
H	South	001	-22	@ (	B) Lag	Smeared	1 2 3 9	3
•	79.14	117	-24	Ø	n J	Smeared	(i) 2 3 4	3
L '	Com	77	-27	' Q (	Pface	200/10-00/	2 3 9	4
J	4228	عاعا	<del>ーナ</del>	0	4,4	Love surely	Ø2 1.1	Ø
8	Hood	59	25	0	High SI	unvel smulge	2 3 9	
<u>U</u>	Heary	49	5	041	Q0 <b>b</b>	Devicto _	(T)2-1-1	9
2	Hood	33	Q	051/	Down X	porte most fill	1 2 3 9	2
44	Morel	44	-9	0		3200 11157	\J2 3 B	4
K	Hazl	50	-20	soutch	W Colons	deckscraftch	1 👌 3 9	
M	/t+eh	<b>\</b> 07	- 15	9	Kilos .	that you had	7 (1) 2 2 3 4	8
E	Hood	-20	<i>−</i> 8	D'	Hand	smaan	1 2 🕞	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 8	
							1 2 3 9	
							1 2 8 9	
							1 2 3 9	
							1 2 3 8	
	·						1 2 3 9	

# POINTS OF PEDESTRIAN CONTACT CHRONOLOGICAL ORDER OF CONTACTS

CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN Centimeters	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	
1							1 2	2 3 9
2							1.7	19
3							1 2	2. 3 9
							1 2	2.9
5							1 2	2 3 9
ŧ							1 2	3.8
7							1 2	3 9
t							1 2	3.9
9							1 2	3 9
10							1 2	2.9
11							1 2	3 9
12							1 2	3.9
13							1 2	3 9
14							1 2	3.9
15							1 2	3 9
16							1 2	3.9
17							1 2	3 9
18							1 2	1 9
19							1 2	3 9
20							1 2	3 9
21								3 9
22							1 2	3 9
23							1 2	3 9
24							1 2	3 9
25							1 2	3 9

### POINTS OF PEDESTRIAN CONTACT -- PEDESTRIAN # 1

### PEDESTRIAN CONTACT WORKSHEET PAGE

CONTACT I D LABEL	COMPONENT CONTACTED (CODE or OBJECT)	LONGITUDINAL LOCATION	LATERAL LOCATION	CRUSH IN CM	SUSPECTED BODY REGION	SUPPORTING PHYSIPAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT
	Bunker	B-57	24		(L) Les	Spened	7 2 3 9
6	- reark this	(I-5)	-81		(R) lea	smyel Barb	1 2 3 9
1/2	Burger/John	I-50	-92			meined but	1 2 3 9
w	Spolin	(I-33)	-24				1 2 3 9
· 1/	Sall Com	773	-27		D Ver KN	Kombac snear	1 2 3 9
5	1000	7-84	· (-)		Hupsu	V	1 2 3 9
-	Hood	59	25		•	served soundar	1 2 3 9
- <del>\</del>	Hood	49	5	051	<b>Q</b>	Gent her	1 2 3 9
, , ,	Hord	33	<u>À</u>	0 < 1	Jetmo	Dent / (hay) suffe	1 2 3 9
j.	1900	44	-9		0 1	insometh	1 2 3 9
	1000	50 10-7	-20 -13		foote	Scratch Print	<u>51 2(3) 9</u>
M	4000	720			1400	Strank/omby	1 2 3 9
18	14000	7 00	-8		1 and	8mines 0	1 2 (3)9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
at .							1 2 3 9
W						· ·	1 2 3 9
2							1 2 3 9

VEHICLE DIMENSIONS	129
250	11. Hood Width Rear Opening
4. Original Wheelbase	nearest centimeter
Code to the nearest centimeter	(210) 210 centimeters or more
(999) Unknown	(999) Unknown
98 4 inches X 2.54 250 centimeters	inches X 2.54 = centimeters
	12. Hood/Fender Vertical/Lateral Crush From
5. Original Average Track Width 177	Pedestrian
nearest centimeter	(0) Not damaged
(185) 185 centimeters or more	(1) Surface scratching only, no residual crush
(999) Unknown	(2) Minor crush (1-3 centimeters) (3) Moderate crush (4-7 centimeters)
$\underline{56.5}_{\text{inches X 2.54}} = \underline{(43)}_{\text{centimeters}}$	(4) Severe crush (>7 centimeters)
inches X 2.54 = centimeters	(8) Damage present, unknown if damage is from O
*	pedestrian impact
6. Hood Material	(9) Unknown
(1) Plastic	13. Windshield Contact Damage
(2) Fiberglass	From Pedestrian Contact
(3) Steel (4) Aluminum	(0) Not contacted by pedestrian
(5) Stainless Steel	(1) Contacted by pedestrian - not damaged
(8) Other (specify):	(2) Contacted by pedestrian - damaged
(9) Unknown	(3) Unknown if contacted by pedestrian - not damaged
<b>1</b>	(4) Unknown if contacted by pedestrian -
7. Hood Original	damaged
Equipment Manufacturer (OEM) (1) OEM factory installed hood	(9) Unknown if contacted by pedestrian -
(2) OEM replacement	unknown if damaged
(3) Non-OEM replacement	
(9) Unknown	FRONT CONTACT DAMAGE
8. Hood Length	Front Vertical Measurements
Code to the	
nearest centimeter	14. Front Bumper Cover Material (0) No front contact
(180) 180 centimeters or more	(1) Plastic
(999) Unknown	(2) Fiberglass
. inches X 2.54 = centimeter	(3) Rubber
7 2 3	(4) Other (specify):
9. Hood Width Forward Opening \( \sum_{\text{\tinit}}}}}} \ext{\tinit}\\ \text{\texi}\text{\text{\text{\text{\text{\text{\text{\text{\text{\texi}\titt{\text{\text{\texi}\text{\text{\texi{\text{\text{\texi}\text{\titt{\text{\text{\text{\text{\texit{\text{\text{\text{\tet	(9) Unknown
Code to the	15. Front Bumper Reinforcement Material
nearest centimeter (210) 210 centimeters or more	(0) No front contact
(999) Unknown	(1) Steel
(600)	(2) Aluminum
inches X 2.54 = centimeters	(3) Stainless Steel (4) Other (specify):
10 Hard Middle Middle	(9) Unknown
10. Hood Width Midway  Code to the	036
nearest centimeter	16. Front Bumper-Bottom Height
(210) 210 centimeters or more	Code to the nearest centimeter
(999) Unknown	(000) No front contact
inghes V 0 EA —	(150) 150 centimeters or more
inches X 2.54 = centimeters	(999) Unknown
	inches X 2 54 = centimeters

17. Front Bumper-Top Height  Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown	23. Ground to Base of Windshield  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown
18. Forward Hood Opening  Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown  inches X 2.54 = centimeters	24. Ground to Top of Windshield  Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown  inches X 2.54 =
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknowninches X 2.54 =centimeters	25. Ground To Head Contact  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown  inches X 2.54 = centimeters
	SIDE CONTACT DAMACE
Front Wrap Distance Measurements	SIDE CONTACT DAMAGE Side Versical Measurements
Front Wrap Distance Measurements  20. Ground to Forward Hood Opening  Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown  inches X 2.54 = centimeters  21. Ground to Front/Top Transition Point  Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown	

00		Side Lateral Measurements
29.	Centerline of Wheel	<b>∠</b>
	Code to the	800
	nearest centimeter	35. Centerline to A-Pillar
	(000) No side contact	at Bottom of Windshield
	(150) 150 centimeters or more	(000) No side contact
	(999) Unknown	Code to the
		nearest centimeter
	inches X 2.54 = centimeters	(250) 250 centimeters or more
	_	(999) Unknown
		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
30.	Top of Tire	inches X 2.54 = centimeters
	Code to the	Centilleters
	nearest centimeter	
	(000) No side contact	36. Centerline to A-Pillar
	(200) 200 centimeters or more	at Top of Windshield
	(999) Unknown	Code to the
		nearest centimeter
	inches X 2.54 = centimeters	
		(000) No side contact
	( ) かっ	(250) 250 centimeters or more
31.	Top of Wheel Well Opening	<u>D</u> (999) Unknown
	Code to the	inches V 2 54
	nearest centimeter	inches X 2.54 = centimeter
	(000) No side contact	Ab >
	(250) 250 centimeters or more	37. Centerline to Maximum Side
	(999) Unknown	View Mirror Protrusion
		Code to the
	inches X 2.54 = centimeters	nearest centimeter
		(000) No side contact
32.	Bottom of A-Pillar at Windshield	(300) 300 centimeters or more
	Code to the	(999) Unknown
	nearest centimeter	
	(000) No side contact (250) 250 centimeters or more	inches X 2.54 = centimeter
	(999) Unknown	
	(300) Chilliann	St. 10. St. 10.
	inches X 2.54 = centimeters	Side Wrap Distance Measurements
	5.50	38. Ground to Side/Top Transition
33.	Top of A-Pillar at Windshield	Code to the
	Code to the	nearest centimeter
	nearest centimeter	(000) No side contact
	(000) No side contact	(400) 400 centimeters or more
	(300) 300 centimeters or more	(999) Unknown
	(999) Unknown	(000) 011111101111
		inches X 2.54 = centimeters
	inches X 2.54 = centimeters	
	<b>&gt;</b> ~	$\mathcal{N} \mathcal{O} \mathcal{O}$
	$\mathcal{S}(\mathcal{O})$	39. Ground to Hood Edge
34.	Top of Side View Mirror	Code to the
	Code to the	nearest centimeter
	nearest centimeter	(000) No side contact
	(000) No side contact	(500) 500 centimeters or more
	(300) 300 centimeters or more	(999) Unknown
	(999) Unknown	
	. inches X 2.54 = centimeters	inches X 2.54 = centimeters

. ,		 i ugo i o
40. Ground to Centerline of Hood  Code to the nearest centimeter (000) No side contact (700) 700 centimeters or more (999) Unknown	<u>Oog</u>	
41. Ground to Head Contact Code to the nearest centimeter (000) No side contact (800) 800 centimeters or more (998) No head contact (999) Unknown	centimeters	
inches X 2.54 =	centimeters	
		3
		:

Ginal

82650P00010012 969.001000000000101F72000

82650P00010021 9.00 0000000004311935510215809511023981108020109600142000201

1010000000004

82650P00010131 9.00 0000000078902021170011222

82650P00010231 9.00 00000000078904021170011222

82650P00010331 9.00 00000000078902021270011222

82650P00010431 9.00 00000000078904021270011222

82650P01000041 9.00 0000000009412013043FARP13J1RR 99904809600108000000

91141015022234312211211

82650P01000051 9.00 000000000250143310941331381391011036051067100750781701

PEDESTRIAN ASSESSMENT Occupant: 1

11

**INTRA ERRORS** 

OHH1091 2 If TREATMENT PAS26 equals 0, 4 or 5, then

HH1092 WORKING DAYS LOST PAS29 should equal 00, 01, 97 or 99.

0

PSUB2 CASE 650P CURRENT VERSION: 9.00 ERROR SUMMARY SCREEN PEDESTRIAN STUDY

	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	o	0	Υ
Pedestrian Assessment	Ö	Ö	1	Ý
Pedestrian Injury	0	Ö	Õ	Y
Pedestrian General Vehicle	<b>∍</b> 0	0	0	Υ
Pedestrian Exterior Vehic	le O	0	0	Y
Total Inter Errors		0	0	
Total Case Errors	0	o	1	