



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 40

CASE NO. 6 341

TYPE OF ACCIDENT CAR PELESTRIAN ShouldER

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.) VEHICLE EXITING EXPRESSIVAY TO MERGE WITH ANOTHER EXPRESSIVAY MADE THE TURN TOO WIDE AND STRUCK PEDESTRIAN Who was STANDING OFF TO THE SIDE, LARRIED PEDESTRIAN AND KNOCKED HIM TO THE GROUND. VEHICLE #1 PROCEEDED FURTHUR STRIKING A POLE AND LEAVING THE SCENE, VEHICLE WAS SUBSEQUENTLY FOUND AND IMPOUNDED. PEDESTRIAN WAS TRANSPORTED TO MEDICAL CENTER AND HOSPITALIZED

	Pedestrian No. Age Say Treatment/ (TO BE COMPLETED BY ZONE CENTER)								
Pedestrian No.	Age	Sex	Treatment/ Mortality		Most (TO BE COMPLE	Severe	Injury ZONE CENTER)		
	, igo	OCX	Wortality	Body Region	Region Ana. Struc. AIS Injury Source	Injury Source			
01	28	/	3	LEG	FRACTURE	3	Front Bumper.		

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity

		C. VEH	ICLE PROFIL	E
	Class		В	Most Severe Damage ased on Vehicle Inspection
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description
01	INTERMEDIATE	SGPONTIAC GRAN PRIX	KONT	SEVERE

DO NOT SANITIZE THIS FORM

ACCIDENT COLLISION DIAGRAM U.S. Department of Transportation National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM Case Number-Stratum 634ρ Indicate PSU No. North A 10 A 9 101 i 4 2 8 ij. ١خ

HS Form 431B (1/95)


0

Scale: 1 centimeter = /250 meters

ACCIDENT COLLISION DIAGRAM U.S. Department of Transportation National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM Indicate PSU No. North 1,0

Scale: 1 centimeter =

HS Form 431B (1/95)





PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM
PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number <u>4</u> <u>0</u> Case Number-Stratum <u>6</u> <u>3</u> <u>4</u> <u>P</u>								
PEDESTRIAN ACCIDENT CO	LLISION DATA	COLLECTION	SCALED DIAGRAM					
document reference point and reference line relative to physical features	Surface Type		* north arrow placed on diagram					
documentation of all accident induced physical evidence including (if applicable):	Surface Condition	on	grade measurements for all applicable roadways					
a) vehicle skid marks	Coefficient of Fr	iction	scaled representations of the physical plant including:					
b) pedestrian contacts with ground or object c) vehicle/pedestrian point of impact (POI)	Grade (v/h) Mea		all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.) all traffic controls (e.g., lights, signs)					
d) location of pedestrian separation point from vehicle	b) between final re	en impact and st						
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Trav	el Direction	a) physical evidence, or					
documentation of the physical plant including:	Vehicle Travel D		b) reconstructed accident dynamics					
 all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs; etc.) 	Number of Trave	el Lanes						
b) all traffic controls (e.g., lights, signs)								
Reference Point: POUE		Reference Line: WE	ST Shoulder Line					
Item		Distance and Direction	Distance and Direction					
4		from Reference Point	from Reference Line					
R, P		0.0	3.35					
POI		34.5W	16.05					
FRP PEd =	11	74.0 W	12.55					
SCUFF #1		36,0 W	15.95					
EAR PLUG #2		40.4 W	16.05					
PAINT #3		40.4 W	17.45					
PIECE CONE #4		41.3W	1655					
2NEPAINT \$5		41.8 W	16.45					
INCOME PIECE #6		44.3u	18.85					
3 ed Paynt #7		49.7 u						
2Nd Scuff #8		55.8 W	20.05					

Item	Distance and Direction from Reference Point	Distance and Direction from Reference Line
SRECONE PIECE #10	41.2W	19.95
7,000	7310	3///3
•		

Administration

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

0 1

NUMBER OF EVENTS

11. Number of Recorded Events

in This Accident

		FEDESTRIAN CRASH DATA ST	U
1. Primary Sampling Unit Number	40	SPECIAL STUDIES - INDICATORS	
2. Case Number - Stratum	634P	Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special	at al
IDENTIFICAT	ION	studies and 0 for the special studies not checked.	
Number of General Vehicle Forms Submitted	0 1	6SS15 Administrative Use(<u>)</u>
1 oms oublined	0 1	7. <u>✓</u> SS16 Pedestrian Crash Data Study	1_
4. Date of Accident (Month, Day, Year)	1 971	8SS17 Impact Fires	<u>)</u>
5. Time of Accident	0527	9SS18	<u>)</u>
Code reported military time	of accident.		
NOTE: Midnight = 2400		10SS19	<u>)</u>

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Unknown = 9999

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS									
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage			
12. <u>0</u> <u>1</u>	13. <u>0 1</u>	14. <u>0 3</u>	15. <u></u>	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>			

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1.	Primary Sampling Unit Number 4	10. Pedestrian's Weight Code actual weight to the nearest
2.	Case Number - Stratum 6 34 P	kilogram. (999) Unknown
3.	Pedestrian Number <u>0 1</u>	pounds X .4536 = kilograms
	PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4.	Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist
5.	Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown	(8) Other (specify):
6.	Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknowninches X 2.54 = centimeters	(6) Jumping (7) Falling/stumbling or rising (8) Other (specify):
7.	Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknowninches X 2.54 =centimeters	 (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road
8.	Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	 (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify):
9.	Pedestrian's Height - Ground to Shoulder	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

DEDECTRIANG AVOIDANCE A CEICUR	rage ,
PEDESTRIAN'S AVOIDANCE ACTIONS 15. Pedestrian's First Avoidance Actions (00) No avoidance actions (01) Stopped (02) Accelerated pace (03) Ran away (along vehicle path) (04) Jumped (05) Turned toward vehicle (06) Turned away from vehicle (07) Dove or fell away Used hand(s) to: (11) Vault corner of vehicle (12) Vault onto vehicle (13) Brace against vehicle (14) Crouched and braced hands against vehicle (98) Other (specify): (99) Unknown	18. Pedestrian's Arm Orientation at Initial Impact (01) At sides (02) Folded across chest (03) Hands clasped behind back (04) Hands on hips (05) Hands in pockets One or both arms: (06) Extended upward (07) Extended to side (08) Extended forward bracing (09) Extended, holding object (briefcase, suitcase, etc.) (10) Holding object (young child, grocery bag, etc.) in arm(s) (11) Holding object (young child, grocery bag, etc.) on shoulder(s) or head (98) Other (specify):
PEDESTRIAN'S ORIENTATION AT IMPACT 16. Pedestrian's Head Orientation at Initial Impact (1) To front (2) To left (3) To right (4) Up (5) Down (8) Other (specify):	19. Pedestrian's Leg Orientation at Initial Impact (01) Together (02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart- forward leg unknown (06) Left foot off the ground (07) Right foot off the ground (08) Both feet off the ground (98) Other (specify): (99) Unknown
(9) Unknown 17. Pedestrian's Body (Chest) Orientation at Initial Impact (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify):	 (01) Carried by vehicle, wrapped position (02) Carried by vehicle, slid to windshield (03) Carried by vehicle, position unknown (04) Passed over vehicle top (05) Thrown straight forward (06) Thrown forward and left of vehicle (07) Thrown forward and right of vehicle (08) Knocked to pavement, forward (09) Knocked to pavement, left of vehicle (10) Knocked to pavement, right of vehicle (11) Knocked to pavement, run over or dragged by vehicle (12) Shunted to left (corner impacts only) (13) Shunted to right (corner impacts only) (14) Bumped or pushed aside (15) Snagged, rotated (16) Snagged, dragged by vehicle (17) Foot or legs run over (98) Other (specify): (99) Unknown

OFFICIAL RECORDS	INJURY CONSEQUENCES
21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown (6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source:	Nonfatal
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown	 (3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen,	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
	28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
	29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOR - VARIABILES 30 THROUGH 37 AR	E GOMERENERS THE ZONE GENNER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood?	34. 1st Medically Reported Cause of Death 200 35. 2nd Medically Reported Cause of Death 200 36. 3rd Medically Reported Cause of Death 200 Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death
(1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given	(00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify):
32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported, HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured	(97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries
Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	(97) Injured, details unknown (99) Unknown if injured
	OS INCLUDED WITH INITIAL SUBMISSION? YES [1/2]
UPDATE CANDIDATES	

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

- 1. Primary Sampling Unit Number
- 3. Pedestrian Number

2. Case Number - Stratum

- - 4. Blank

INJURY DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury


		***									•
Source of Injury Body Data Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
entist 5 2 6. 1	7. 9	<u>.02</u>	9. <u>02</u>	10. 🔼	11.2	12. <u>77</u> 5	13. 4	14. 🖊	15. 2		
2nd 12/18 = 19 L 2nd 12/18 = 19 L 3nd 31=2 32.6	20.9_	21. <u>04</u>	22. <u>0</u> 2	23. 🖊	24	25. <u>77</u> 5	26	27. 🔼	28.	-29. 5	30. 🖍
M Charles			*·· <u>=</u> =	36. 1	37. 4	38. <u>/ / (</u>)	39. 🗸	40/	41.2	42. 2	43 2
44. <u>2</u> 45. 7	465	47. 26	0 <u>4</u>	<u>3. و</u> 4	50	51. <u>770</u>	52	53. <u>/</u>	54. 🔼	55. 2	56. <u>2</u>
Mark Mark 1	₅₉ <u>5</u>	60. <u>/ 6</u> 6	1. <u>0 6</u>	62. <u>2</u>	63. 2	700 9 775	65	66. <u>/</u>	67	0 10 2 (0	کی کرو
6K 70 2 71 8 W W P 7th B3. 2 84 8	72	73. <u>34</u> 7 - 1	<u>د</u> ر.	<u>ي</u>	76.2.	7. <u>700</u>	78, <u> </u>	79.Z	2 ®£	81. 2 .	32. 2
more than y	85.2	86 <u>34</u> 87	,20	88.2	89 -3 9	o. <u>700</u>	91. 🗾	92/(92	94. 2	. <u>2</u>
Strucker (mul)	98. 🕰	99. <u>3 </u>	·24:	01 .3 1	02. 🖊 10	3. <u>70 0</u>	1041	05/_ ((a) (2) 1	07. <mark>. 2</mark> . 1	2
200 2 110. 6 1	11.2 1	12. <u>/ ()</u> 11;	1 <u>0 b</u> ,	142 1	15 11	6. <u>700</u>	1171	18. 🟒 🤅)2.	20.2 1:	يد
Obul 122. 2 123. 8 1	1 ك.24	25. <u>/ U</u> 126	. <u>06</u> 1	27. 2-1:	28. 1 12	<u>700</u> .	130. 🧘 1:	ام $m{I}$ کار $m{I}$	32) Q 1	33. 📤 13	3 .

HS Form 04351 (10/95)

This report is authorized by P.L. 89-563, Title 1, Section 106, 108, and 112. While you are not required to respond, your cooperation is needed to make the results of this data collection effort comprehensive, accurate, and

Source	-	Type of Specific			EDESTRIAN INJU			Injury				
of Injury Data	Body Region	Anatomic Structure	Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
14 2	L	<u>4</u>	04	99	1	d	722		۷	,	2	-
					£	Ŧ	144	L	_	2	J	3
2th					_				_			_
8th						_			_	_		_
th												
			_		_	_		_				
th	—									_		
th	_	_			_	_			_	_		
th	_					_						
th												
ui	_				—	_		_	_		_	
th		_			_			_		1	_	
th					_	_		_				
st												
					_			_		-	_	
nd						_		_	_	_	_	
rd		_			_	_		_		_	_	
th												
						_		—	_		—	
th											—	—

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



Injury not from vehicle contact Probable (1) Autopsy records with or without hospital/ No damage/contact Possible medical records (2) Scratch (Scuff, Cloth Transfer, Smear) (9) Unknown Hospital/medical records other than (3) Dent emergency room (e.g., discharge **DIRECT/INDIRECT INJURY** Large deformation Cracked, fractured, shattered Separated from vehicle summary) Direct contact injury (3) Emergency room records only (including (2) Indirect contact injury associated X-rays or other lab reports) Noncontact injury Noncontact injury (7) Injured, unknown source Other specify: Private physician, walk-in or emergency (9) Unknown clinic STRIKING PROFILE **DAMAGE DEPTH** Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) UNOFFICIAL Injury not from vehicle contact No residual damage (5) Lay coroner report (1) (6) E.M.S. personnel Surface only damage Crush depth > 0 to 2 centimeters Crush depth > 2 to 5 centimeters Rounded (contoured) (3) (7) Interviewee (4) Rounded edge (8) Other source (specify): Sharp edge (8) Other (specify): Crush depth >5 to 10 centimeters Other specify:_ (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region Specific Anatomic Structure** Spine (02) Cervical (04) Thoracic Abbreviated Injury Scale Whole Area (02) Skin - Abrasion (04) Skin - Contusion (06) Skin - Laceration Head Minor injury Moderate injury Face (06) Lumbar (3) (4) (5) Neck Thorax (3) Serious injury Vessels, Nerves, Organs, Bones, Joints Severe injury Critical injury Maximum (untreatable) Abdomen (08) Skin - Avulsion (4)are assigned consecutive two digit numbers beginning with 02 (6) (7) (8) Spine (5) (10) Amputation Upper Extremity (6) (20) Burn Lower Extremity Injured, unknown severity (30) Crush Level of Injury Unspecified (40) Degloving **Aspect** opecific injuries consecutive two Injury - NFS (50) Type of Anatomic Structure are assigned (90) Trauma, other than mechanical consecutive two-digit beginning with 02. numbers Right Left Whole Area Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness (3) (4) Vessels Bilateral To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity. (3) Nerves Central Organs (includes muscles/ Anterior Concussion ligaments) Skeletal (includes joints) (6) Posterior (5) (7)Superior (8) Head - LOC Inferior (9) (9) Unknown Whole region **INJURY SOURCE** FRONT Wheels / tires 700 Front bumper 744 B pillar 701 Front lower valance/spoiler 790 Left front wheel / tire 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 703 Hood edge and/or trim 792 Left rear wheel / tire 748 Other pillar (specify):_ 704 Hood ornament (fixed) 793 Right rear wheel /tire 749 Right side roof rail 798 Other wheel / tire (specify): 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify): 755 Right side glazing rearward of B pillar 719 Unknown front object 802 Oil pan 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel Left Side Components 804 Transmission 758 Other right side object 720 Front fender side surface 805 Drive shaft (specify): 721 Front antenna 806 Catalytic converter 759 Unknown right side component 722 A1 pillar 807 Muffler 723 A2 pillar 808 Floor pan **Back Components** 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface 728 Other pillar (specify): 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component **Accessories** 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle Top Components 732 Left side mirror fixed housing 821 Cellular or CB radio antenna 770 Hood surface 733 Left side folding mirror 822 Emergency lights or bar 771 Hood surface reinforced by under hood 734 Left side glazing forward of B pillar 823 Fog lights 735 Left side glazing rearward of B pillar 736 Left side back fender or quarter panel component 824 Luggage, ski, or bike rack 772 Front fender top surface 825 Cargo (specify): 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 738 Other left side object 827 Spotlight 775 Windshield glazing 828 Other accessory (specify): (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 947 Ground 778 Backlight glazing Right Side Components 779 Rear header 948 Other object (specify): 740 Front fender side surface 780 Hatchback 949 Unknown object in environment 741 Front antenna ∠781 Rear trunk lid 959 Unknown object on contacting vehicle 742 A1 pillar 788 Other top component (specify): ___ 997 Noncontact injury source 743 A2 pillar 789 Unknown top component 999 Unknown injury source

INJURY SOURCE CONFIDENCE LEVEL

Certain

TYPE OF DAMAGE

BEST AVAILABLE

SOURCE OF INJURY DATA

OFFICIAL

OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

Blood Alcohol Level

BAL =

Glasgow Coma Scale Score

> Units of Blood Given

Units = ____

Arterial Blood Gases

Ph = 7.36

PO2 = 40

PCO, 29

HCO, 22

TWO FRACTURES

OF MID PORTION

OF RIGHT FIBULA &

COMMINUTED FX

MID RT TIBIA LA

MEDIAL ANGULATION

DS/KAD COMMINUTED LET MID HUMERUS FX


DS/RAD

LET FIBULAR HEAD FX;

COMMINUTED FX PROXIMAL

LET TIBA (SHAFT), &


FX MID-TIBIA SHAFT (TWO FX'S)




aye

OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)







PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

ummstration	PEDESTRIAN CRASH DATA STUDY
1. Primary Sampling Unit Number 40	OFFICIAL RECORDS
2. Case Number - Stratum 6 7 P	9. Police Reported Travel Speed 99. 91
3. Vehicle Number VEHICLE IDENTIFICATION	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown	mph X 1.6093 =kmph 10. Speed Limit (000) No statutory limit Code posted or statutory speed limit
5. Vehicle Make (specify): ON 17 A C Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual.	in kmph (999) Unknown <u>55 mph X 1.6093 = 088,5</u> kmph
6. Vehicle Model (specify): 6. Vehicle Model (specify):	11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown
Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown 7. Body Type Note: Applicable codes may be found on the back of this page.	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number	Source:
Left justify; Slash zeros and letter Z (0 and Z) No VIN—Code all zeros Unknown—Code all nines	13., Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (< 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)</p>
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):_____
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest 10 kilograms.	18. Impact Speed + 999
(045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown	Nearest kmph
30.18.4 lbs x .4536 = 1.372 kgs	(NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source: 16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown
(450) 4,500 kilograms or more (999) Unknown lbs X .4536 =, kgs	20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
	PRECRASH DATA
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOR - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present
	(99) Unknown

	Page 3
3) Critical Precrash Event This Vehicle Loss of Control Due To: (01) Blow out or flat tire (02) Stalled engine (03) Disabling vehicle failure (e.g., wheel fell off)	(83) Pedalcyclist or other nonmotorist in roadway (specify):
(specify): (04) Non-disabling vehicle problem (e.g., hood flew up) (specify): (05) Poor road conditions (puddle, pot hole, ice, etc.) (specify): (06) Traveling too fast for conditions (08) Other cause of control loss (specify): (09) Unknown cause of control loss	location (specify):
This Vehicle Traveling (10) Over the lane line on left side of travel lane (11) Over the lane line on right side of travel lane (12) Off the edge of the road on the left side	(98) Other critical precrash event (specify): (99) Unknown 24. Attempted Avoidance Maneuver
 (13) Off the edge of the road on the right side (14) End departure (15) Turning left at intersection (16) Turning right at intersection (17) Crossing over (passing through) intersection (19) Unknown travel direction Other Motor Vehicle In Lane (50) Stopped (51) Traveling in same direction with lower speed (i.e., lower steady speed or decelerating) (52) Traveling in same direction with higher speed (53) Traveling in opposite direction (54) In crossover (55) Backing (59) Unknown travel direction of other motor vehicle in lane 	(00) No driver present (01) No avoidance actions (02) Braking (no lockup) (03) Braking (lockup) (04) Braking (lockup unknown) (05) Releasing brakes (06) Steering left (07) Steering right (08) Braking and steering left (09) Braking and steering right (10) Accelerating (11) Accelerating and steering left (12) Accelerating and steering right (98) Other action (specify): (99) Unknown
Other Motor Vehicle Encroaching Into Lane (60) From adjacent lane (same direction)—over left lane line (61) From adjacent lane (same direction)—over right lane line (62) From opposite direction—over left lane line (63) From opposite direction—over right lane line (64) From parking lane (65) From crossing street, turning into same direction (66) From crossing street, across path (67) From crossing street, turning into opposite	25. Precrash Stability After Avoidance Maneuver (0) No driver present (1) No avoidance maneuver (2) Tracking (3) Skidding longitudinally—rotation less than 30 degrees (4) Skidding laterally—clockwise rotation (5) Skidding laterally—counterclockwise rotation (8) Other vehicle loss-of-control (specify): (9) Precrash stability unknown
direction (68) From crossing street, intended path not known (70) From driveway, turning into same direction (71) From driveway, across path (72) From driveway, turning into opposite direction (73) From driveway, intended path not known (74) From entrance to limited access highway (78) Encroachment by other vehicle—details unknown Pedestrian or Pedalcyclist, or Other Nonmotorist (80) Pedestrian in roadway (81) Pedestrian—unknown location	 26. Precrash Directional Consequences of Avoidance Maneuver (Corrective Action) (0) No driver present (1) No avoidance maneuver (2) Vehicle stayed in travel lane where avoidance maneuver was initiated (3) Vehicle stayed on roadway but left travel lane where avoidance maneuver was initiated (4) Vehicle stayed on roadway, not known if left travel lane where avoidance maneuver was initiated (5) Vehicle departed roadway (6) Avoidance maneuver initiated off roadway (9) Directional consequences unknown

	ENVIRO	NIVIE	NTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):		33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
28.	 (6) Unknown type of non-interchange (9) Unknown if interchange Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown 	<u>4</u>	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing) Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign
29.	Number of Travel Lanes (1) One (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown		(7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR controls (specify): (9) Unknown 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown	2	36) Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk
	(1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block	<u></u>	(9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog
	(4) Slag, gravel or stone (5) Dirt (8) Other (specify): (9) Unknown		(8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify):(9) Unknown



PEDESTRIAN EXTERIOR VEHICLE FORM

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1	Primary	Sami	olina	Unit	Number
ι.	Fillially	Jaiii	ymng.	Ollit	Maining

634P

3. Vehicle Number

0_1

2. ¢ase Number - Stratum

VEHICLE IDENTIFICATION

VN LGZINJ+4TOKE

Model Year 8

Vehicle Make (specify):

: PONTIAC

PEV15 Front Bumper Reinforcement Material

Vehicle Model (specify) GR4Nd

Id PRIV

PEDESTRIAN FRONT CONTACT WORK SHEET


PEV06 Hood Material	STEEL	_
PEV08 Hood Length		n
PEV09 Hood Width-Forward Opening	<u> 145</u> cn	n
PEV10 Hood Width-Midway	<u>148</u> cn	n
PEV11 Hood Width-Rear Opening		n
PEV14 Front Bumper Cover Material	PLASTIC	_

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height	_34	cm
PEV17 Front Bumper-Top Height	_54	cm
PEV18 Forward Hood Opening	_71	cm
PEV19 Front Bumper Lead		cm

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening	cm
PEV21 Ground to Front/Top Transition Point	
PEV22 Ground to Rear Hood Opening	<u> 202</u> cm
PEV23 Ground to Base of Windshield	208 cm
PEV24 Ground to Top of Windshield	<u> 289</u> cm
PEV25 Ground to Head Contact	260 cm




NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: 1272 cm

PEDESTRIAN SIDE CONTACT	WORK SHEET
PEV06 Hood Material	
PEV08 Hood Length	cn
PEV09 Hood Width-Forward Opening	cn
PEV10 Hood Width-Midway	cn
PEV11 Hood Width-Rear Opening	cn
. VERTICAL MEASUREM	ENTS
PEV26 Ground Clearance	cn
PEV27 Side Bumper-Bottom Height	cn
PEV28 Side Bumper-Top Height	cn
PEV29 Centerline of Wheel	cn
PEV30 Top of Tire	cn
PEV31 Top of Wheel Well Opening	cn
PEV32 Bottom of A-Pillar at Windshield	cn
PEV33 Top of A-Pillar at Windshield	cn
PEV34 Top of Side View Mirror	cn
LATERAL MEASUREME	NTS
PEV35 C _L to A-Pillar at Bottom of Windshield	cn
PEV36 C _L to A-Pillar at Top of Windshield	cn
PEV37 C _L to Maximum Side View Mirror Protrusion	cm
WRAP DISTANCES	
PEV38 Ground to Side/Top Transition	cm
PEV39 Ground to Hood Edge	cm
PEV40 Ground to Centerline of Hood (ORIGIN)	cn
PEV41 Ground to Head Contact	cn

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

ORIGINAL SPECIFICATIONS 107.5 inches x 2.54 = Wheelbase Overall Length inches x 2.54 =Maximum Width inches x 2.54 =pounds x .4536 = /, 3 / 2 kgCurb Weight Average Track MVMA inches x = 2.54 =Front Overhang inches x = 2.54 =Rear Overhang 105 cm inches x = 2.54 =Undeformed End Width inches x = 2.54 =CM Engine Size: cyl./displ. x .001 =CC CID x .0164 =**INJURY SOURCE**

1110111
700 Front bumper
701 Front lower valance/spoiler
702 Front grille
703 Hood edge and/or trim
704 Hood ornament (fixed)
705 Hood ornament (spring loaded)
706 Headlight
707 Retractable headlight door (Open/Closed
708 Turn signal/parking lights
718 Other front or add on object
(specify):
719 Unknown front object
Left Side Components
720 Front fender side surface
721 Front antenna
722 A1 pillar
723 A2 pillar
724 B pillar
725 C pillar
726 D pillar
728 Other pillar
(specify):
729 Left side roof rail
730 Left side door surface
731 Left side door handle
732 Left side mirror fixed housing
733 Left side folding mirror
734 Left side glazing forward of B pillar
735 Left side glazing rearward of B pillar
736 Left side back fender or quarter panel
737 Rear antenna
738 Other left side object
(enecify):

Right Side Components
740 Front fender side surface
741 Front antenna

739 Unknown left side component

742 A1 pillar 743 A2 pillar

EPONT

744	B pillar
745	C pillar
746	D pillar
748	Other pillar (specify):
749	Right side roof rail
750	Right side door surface
751	Right side door handle
752	Right side mirror fixed housing
753	Right side folding mirror
754	Right side glazing forward of B pillar
755	Right side glazing rearward of B pillar
756	Rear antenna
757	Rear fender or quarter panel
758	Other right side object
	(specify):
759	Unknown right side component
Back Co	omponents
760	Rear (back) bumper
761	Tailgate
762	Hatchback, vertical surface
768	Other back component

	(specify):
759	Unknown right side component
Back C	omponents
	Rear (back) bumper
	Tailgate
	9
	Hatchback, vertical surface
768	Other back component
	(specify):
769	Unknown back component
Ton Co	emponents
	Hood surface
//1	Hood surface reinforced by under hoo-
	component
	Front fender top surface
773	Cowl area
774	Wiper blade & mountings
775	Windshield glazing
776	Front header
777	Roof surface
778	Backlight glazing
779	Rear header
780	Hatchback
781	Rear trunk lid
788	Other top component (specify):
	Unknown top component

Wheels	/ tires
790	Left front wheel / tire
791	Right front wheel / tire
792	Left rear wheel / tire
793	Right rear wheel /tire
798	Other wheel / tire (specify):
	Unknown wheel / tire
Linderc	arriage components
	Front cross member
	Steering assembly/Front suspension
	Oil pan
	Exhaust system pipe
	Transmission
•••	Drive shaft
	Catalytic converter
	Muffler
	Floor pan
	Fuel tank
	Rear suspension
	Other undercarriage component
0.0	(specify):
819	Unknown undercarriage component
	-
Access	<u>ories</u>
	Air scoop, deflector
821	Cellular or CB radio antenna

822 Emergency lights or bar	
823 Fog lights	
824 Luggage, ski, or bike rack	
825 Cargo (specify):	
826 Spare tire	
827 Spotlight	
828 Other accessory (specify):	
Other Object or Vehicle in Environment	
947 Ground	
948 Other object (specify):	

070	Chance with Object an environment
959	Unknown object on contacting vehicle
997	Noncontact injury source
999	Unknown injury source

	POINTS OF PEDESTRIAN CONTACT							
			PEDEST	RIAN CONTA	CT WORKSH	EET		
CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)	SEQUENCE
WY	Bumpen	53	17		LEG	Chipped	1 ② 3 9	15
MD.	GRILL	66	12		LEG	SCLAPE	7) 2 3 9	13
70	1	64	22		LEG	CLOTATRANS	2 3 9	12
70	1)	63	32		LEG	Chippeá Paint Smudar	Ø 2 3 9	11
WR	,!!	81	18		LEG	SMUCLAR LLOTATRANS	1 2 3 9	10
WK	Hood	90	16		HP	SMUJGE	9	3
JE	Hood	115	48		TORSO	SMULGE	① 2 3 9	4
Wb	Hond	167	54		TORSO	SMU84E	D 2 3 3	ţŋ
45	W5	260	40	8088 - 800 800 800 800 800 800 800 800 8	HEAD		2 3 9	(
YL	POOF	300	63	3.7	HEAD	**************************************	()2 3 9	ď
45	<u> </u>	314	63		TORSO	CLOTH TRANSFER	2 3 9	9
we	* 1	305	38		Fost	SCUFF	O ^{2 3 8}	8
WH	10	313	48	21 ×25	TORSO	DENT	(1) 2 3 9	6
WU	1.	402	29	ZZ ČM	TO(150	DENT	O2 2 2	7
WV	1,	403	52	,	torso	SMEAR	1 3 9	14
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1239	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	

POINTS OF PEDESTRIAN CONTACT								
	CHRONOLOGICAL ORDER OF CONTACTS							
CONTACT #	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	
1	175	260	40		HEAL	Shattered	(1) 2 3 9	
2	777	300	63	0.5	HEAd	DENT	1 2 1 9	
3	770	90	16		HIP	SMULGE	2 3 9	
4	770	115	48		70150	Smudge	1 2 3 9	
5	770	167	54		TORSO	Smudge	2 3 9	
- E	777	373	48	D-4	70 2 50	DENT	<u> </u>	
7	777	402	29	2	TORSU	DENT	2 3 9	
8	777	362			FOOT	SCUFF	⊘ 2 3 9	
9	777	314	63	-	TORSO	CLOTA TRANSFER	2 3 9	
10	702	81	18		LEG	Smudge MOTE TRANSFER	<u>()</u> 2 3 9	
11	702	63	32		LEG	ChiPPES PAINT	2 3 9	
12	702	64	72		LEG	CLOTA TRAUSFER	D 2 1 9	
13	702	66	12		LEG	SCRAPE	1)2 3 9	
14	777	403	52		70RS0	SMEAR	D 2 3 9	
15	700	53	17		LEG	Ch IPPEd	1 ② 3 9	
16							1 2 3 9	
17							1 2 3 9	
18							1 2 3 9	
19							1 2 3 9	
20							1 2 3 9	
21							1 2 3 9	
23							1 2 3 9	
23							1 2 3 9	
25							1 2 3 9	
29				ì			1 2 3 9	

VEHICLE DIMENSIONS	11. Hood Width Rear Opening) 56
4. Original Wheelbase 273	Code to the
Code to the	nearest centimeter
nearest centimeter	(210) 210 centimeters or more (999) Unknown
(999) Unknown	
107.5 inches X 2.54 = 273 centimeters	
5. Original Average Track Width / Code to the	12. Hood/Fender Vertical/Lateral Crush From Pedestrian (0) Not damaged
nearest centimeter (185) 185 centimeters or more	(1) Surface scratching only, no residual crush
(999) Unknown	(2) Minor crush (1-3 centimeters) (3) Moderate crush (4-7 centimeters)
58.9 inches X 2.54 = 50 centimeters	(4) Severe crush (>7 centimeters) (8) Damage present, unknown if damage is from pedestrian impact
6. Hood Material 3	(9) Unknown
(1) Plastic (2) Fiberglass	13. Windshield Contact Damage
(3) Steel	From Pedestrian Contact (0) Not contacted by pedestrian
(4) Aluminum (5) Stainless Steel	(1) Contacted by pedestrian - not damaged
(8) Other (specify):	(2) Contacted by pedestrian - damaged
(9) Unknown	(3) Unknown if contacted by pedestrian - not damaged
7 Hood Original	(4) Unknown if contacted by pedestrian -
7. Hood Original	damaged
(1) OEM factory installed hood	(9) Unknown if contacted by pedestrian -
· · · · · · · · · · · · · · · · · · ·	l unknown it damaged
(2) OEM replacement	unknown if damaged
(2) OEM replacement(3) Non-OEM replacement(9) Unknown	-
(3) Non-OEM replacement	FRONT CONTACT DAMAGE Front Vertical Measurements
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the	FRONT CONTACT DAMAGE Front Vertical Measurements
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter	FRONT CONTACT DAMAGE
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown Hull of inches X 2.54 = 114 centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown HU. Inches X 2.54 = Head centimeter 9. Hood Width Forward Opening Code to the nearest centimeter	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown HU. I inches X 2.54 = // centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown HU. I inches X 2.54 = // centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown HU. I inches X 2.54 = // centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown Hull of inches x 2.54 = Hull centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown Solution Solution Code to the centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown HU. I inches X 2.54 = // centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown Hule of inches X 2.54 = Hule centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown Solution Solution 1 4 8 1 8 1 8 1 8 1 8 1 8 1 8 1 8 1 8 1	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown Hule of inches X 2.54 = Inche	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown Solution Toda to the nearest centimeter (210) 210 centimeters or more (210) 210 centimeter (210) 210 centimeter (210) 210 centimeters or more	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown Hule of inches X 2.54 = Inche	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter

17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown 21.3 inches X 2.54 = 054 centimeters	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown St. 9 inches X 2.54 = 20 8 centimeters
18. Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown Inches X 2.54 = 7 / centimeters 19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown Inches X 2.54 = 0 / / centimeters	
F W B: H	SIDE CONTACT DAMAGE
Front Wrap Distance Measurements	Side Vertical Measurements
20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown 323 inches X 2.54 = 082 centimeters	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more

29.	Centerline of Wheel	000	Side Lateral Mea	surements
	Code to the			
1	nearest centimeter			•
	(000) No side contact		35. Centerline to A-Pillar	$\mathcal{O}\mathcal{D}\mathcal{O}$
1	(150) 150 centimeters or more		at Bottom of Windshield	
	(999) Unknown		(000) No side contact	
			Code to the	
	inches X 2.54 = ce	entimeters	nearest centimeter	
			(250) 250 centimeters or	more
		^ ^	(999) Unknown	
30.	Top of Tire	$\mathcal{D} = \mathcal{D}$		
İ	Code to the		inches X 2.54 =	= centimeters
l	nearest centimeter		•	
	(000) No side contact		36. Centerline to A-Pillar	$\mathcal{O} \wedge \mathcal{O}$
	(200) 200 centimeters or more	-	at Top of Windshield	<u> </u>
	(999) Unknown		Code to the	
			nearest centimeter	
	inches X 2.54 = ce	entimeters	(000) No side contact	
			(250) 250 centimeters or i	more
31	Top of Wheel Well Opening	$\gamma \wedge \gamma$	(999) Unknown	11016
01.	Code to the	200	(,	
	nearest centimeter		inches X 2.54 =	centimeter
	(000) No side contact			
	(250) 250 centimeters or more			
	(999) Unknown		37. Centerline to Maximum Sic	$de \qquad \bigcirc $
			View Mirror Protrusion	
	inches X 2.54 = ce	ntimeters	Code to the	
			nearest centimeter	
32.	Bottom of A-Pillar at Windshield	2 <u>0</u>	(000) No side contact	
	Code to the		(300) 300 centimeters or a (999) Unknown	nore
	nearest centimeter		(999) Olikilowii	
	(000) No side contact		inches V 2 E4 —	
	(250) 250 centimeters or more (999) Unknown		inches X 2.54 =	centimeter
	(555) OHKHOWH			
	inches X 2.54 = ce	ntimetere	Side Wrap Distance N	Aeasurements
		intimoters.		
		2	39 Ground to Sido/Ton Tongois	
33.	Top of A-Pillar at Windshield	3 CO ()	38. Ground to Side/Top Transit Code to the	$\frac{100}{2}$
	Code to the		nearest centimeter	_
	nearest centimeter	-	(000) No side contact	
	(000) No side contact		(400) 400 centimeters or r	more
	(300) 300 centimeters or more		(999) Unknown	no e
	(999) Unknown		(555, 51111151111	
	to the Ward		inches X 2.54 =	centimeters
	inches X 2.54 = cel	ntimeters		
34.	Top of Side View Mirror	300	39. Ground to Hood Edge	<u> </u>
	Code to the	/ C/ 1/	Code to the	
	nearest centimeter		nearest centimeter	
	(000) No side contact	·	(000) No side contact	
	(300) 300 centimeters or more		(500) 500 centimeters or r	nore
	(999) Unknown	İ	(999) Unknown	
			inches V 2 E4	
	inches X 2.54 = cer	ntimeters	inches X 2.54 =	centimeters

40. Ground to Centerline of Hood Code to the nearest centimeter (000) No side contact (700) 700 centimeters or more (999) Unknown	000	
41. Ground to Head Contact Code to the nearest centimeter (000) No side contact (800) 800 centimeters or more (998) No head contact (999) Unknown	_ centimeters	·
inches X 2.54 =	_ centimeters	

PSU40 CASE 634F

1997 PEDESTRIAN ACCIDENT FORM

IDENTIFICATION

3. Number of General Vehicle Forms Submitted

4. Date of Accident (Month, Day, Year) 5. Time of Accident (military time)

3/**3**/97

0527

SPECIAL STUDIES - INDICATORS

6. **5515** 0 7. 5516 1 8. 5517 0 9. 5518 0 10. **55**19 0

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident 01

01

PSU40 CASE 634P

1997 PEDESTRIAN ACCIDENT FORM

PEDESTRIAN ACCIDENT EVENTS

Accident			General	Veh. Num.		General
Sequence Number	Vehicle Number	Class of Vehicle	Area of Damage	or Obj. Cont.	Class of Vehicle	Area of Damage
12. 01	13. 01	14. 03	15. F	16. 72	17. 00	18. 0

01

PSU40 1997 PEDESTRIAN ASSESSMENT FORM CASE 634F VEHICLE 01 PEDESTRIAN 01

PEDESTRIAN'S CHAR	RACTERISTICS	
4. Pedestrian's	Age	28
5. Pedestrian's	Sex	1
6. Pedestrian's	Overall Height	999
7. Pedestrian's	Height - Ground to Knee	99
	Height - Ground to Hip	999
9. Pedestrian's	Height - Ground to Shoulder	999
10. Pedestrian's	Weight	999
PEDESTRIAN'S PRE-	-AVOIDANCE ACTIONS	
11. Pedestrian's	Attitude	1
12. Pedestrian's	Motion	0
13. Pedestrian's	Actions Relative to Vehicle	00
14. Pedestrian's	Body (Chest) Orientation Relative	
	/ehicle Prior to Avoidance Actions	9

PEDESTRIAN'S AVOIDANCE ACTIONS 15. Pedestrian's First Avoidance Actions	99
PEDESTRIAN'S ORIENTATION AT IMPACT	
16. Pedestrian's Head Orientation at Initial Impact	9
17. Pedestrian's Body (Chest) Orientation at Initial Impact	9
18. Pedestrian's Arm Orientation at Initial Impact	99
19. Pedestrian's Leg Orientation at Initial Impact	99
20. Vehicle/Pedestrian's Interaction	02
OFFICIAL RECORDS	
21. Police Reported Alcohol Presence For Fedestrian	()
22. Alcohol Test Result For Pedestrian	96
23. Police Reported Other Drug Presence For Pedestrian	0
24. Other Drug Specimen Test Result For Pedestrian	()

INJURY CONSEQUENCES	
25. Injury Severity (Police Rating)	3
26. Treatment - Mortality	3
27. Type of Medical Facility (for Initial Treatment)	<u>.</u>
28. Hospital Stay	18
29. Working Days Lost	99
(COMPLETED BY THE ZONE CENTER)	
	02
31. Was the Pedestrian Given Blood?	9
32. Arterial Blood Gases	01
	00
	00
	00
	00
37. Number of Recorded Injuries for This Pedestrian	11
01	

PSU40 CASE 634P 1997 PEDESTRIAN INJURY FORM

VEHICLE 01 PEDESTRIAN 01

PEDE	STR	IAN	INJURY	DATA

	Source of Inj. Data	Body Reg.		Spec. Anat.	Lev. of	AIS		Inj. Source	Inj. Source Conf. Level	Dir./ Indir. Inj.		Type of Dmg.	Dmg. Dep.
01.	2	1.	9	02	02	1	2	775	1	1	2		5
02.	3	1	9	04	02	1	2	775	1	1	2	5	5
OB.	2	6	9	02	02	1	\circ	770	1	1	,	9	2,
() 4 ⁴ .	2	7	5	26	()4	3	2	770	1	4	2	7	
05.	2	8	5	16	06	2	2	700	-1	*	2	2	2
06.	2	8	5	34	22	3	2	700	1	i	2	2	2
07.	2	8	5	34	20	2	2	700	1	1	2	2	2
08.	2	8	5	34	22	3	1	700	1	1	5	2	
09.	2	8	5	16	06	2	1	700	1	4	2	2	2
10.	. 2	8	5	16	06	2	1	700	1	1	2	2	2
11.	2	1.	6	04	99	1	Ō	777	1	1	2	3	3

1997 PEDESTRIAN GENERAL VEHICLE FORM

VEHICLE IDENTIFICATION	
4. Vehicle Model Year	89
5. Vehicle Make	emy em; alia alia
6. Vehicle Model	020
7. Body Type	02
8. Vehicle Identification Number	1G2WJ14TOK
OFFICIAL RECORDS 9. Folice Reported Travel Speed	999
·	
10. Speed Limit	089
11. Police Reported Alcohol Presence For Driver	9
12. Alcohol Test Result For Driver	99
13. Police Reported Other Drug Presence	9
14. Other Drug Specimen Test Result for Driver	9

VEHICLE WEIGHT ITEMS	
15. Vehicle Curb Weight	1,370
16. Vehicle Cargo Weight	9,990
<u> </u>	y
OTHER DATA	
17. Vehicle Special Use (This Trip)	0
RECONSTRUCTION DATA (COMPLETED BY THE ZONE CE	NTER)
18. Impact Speed	+999
19. Accuracy Range of Impact Speed Estimate	
20. Data Source of Impact Speed	ő
Tot hard online of tubact obser	V
DDCCOACU BATA	
PRECRASH DATA	
21. Driver's Attention to Driving	9
22. Pre-Event Vehicle Movement	13

PRECRASH DATA (continued) 23. Critical Precrash Event 24. Attempted Avoidance Maneuver 25. Precrash Stability After Avoidance Maneuver 26. Precrash Directional Consequences of Avoidance Manuver (Corrective Action) 9

ENVIRONMENTAL DATA 27. Relation to Junction 1 28. Trafficway Flow 29. Number of Travel Lanes 30. Roadway Alignment 31. Roadway Profile 32. Roadway Surface Type 33. Roadway Surface Condition 34. Traffic Control Device 35. Traffic Control Device Functioning () 36. Light Conditions 37. Atmospheric Conditions 011 INTRA ERRORS

OGG6171 2 MODEL YEAR PGV04 should not be less than 90.

1997 PEDESTRIAN EXTERIOR VEHICLE FORM

VEH:	CLE D	IMENSIONS	
4 <u>1</u>	Origi	nal Wheelbase	273
S.	Origi	nal Average Track Width	150
6.	Hood	Material	3
7.	Hood	Original Equip. Manufacturer	ų.
8 :	Hood	Length	114
9.	Hood	Width Forward Opening	140
10.	Hood	Width Midway	148

11. Hood Width Rear Opening 156
12. Hood/Fender Vertical/Lateral
Crush From Pedestrian 2

13. Windshield Contact Damage From Pedestrian Contact

FRONT CONTACT DAMAGE

16. Front Bumper-Bottom Height	034	17.	Front Bumper Reinforcement Mat. Front Bumper-Top Height Front Bumper Lead	1 054 11
FRONT WRAP DISTANCE MEASUREMENTS 20. Ground to Fwd. Hood Opening 22. Ground to Rear Hood Opening	082 202	21. 29.	Ground to Front/Top Transition Pt Ground to Base of Windshield	100 208
24. Ground to Top of Windshield	289	25.	Ground to Head Contact	260

SIDE CONTACT DAMAGE

SIDE VERTICAL MEASUREMENTS	
26. Ground Clearance	000
27. Side Bumper-Bottom Height	000
28. Side Bumper-Top Height	000
29. Centerline of Wheel	000
30. Top of Tire	000
31. Top of Wheel Well Opening	000
32. Bottom of A-Pillar at Windshield	000
33. Top of A-Pillar at Windshield	000
34. Top of Side View Mirror	000

SIDE CONTACT DAMAGE (continued)

SIDE LATERAL MEASUREMENTS

35.	Centerline	to	A-Pillar	at	Bottom	of	Windshield	000
36.	Centerline	to	A-Pillar	at	Top of	Wir	ndshield	000
37.	Centerline	to	Maximum (Side	e View h	Mirr	or Protrusion	000

SIDE WRAP DISTANCE MEASUREMENTS

38.	Ground	to	Side/Top Transition	000
39.	Ground	to	Hood Edge	000
40.	Ground	to	Centerline of Hood (Origin)	000
d1,	Graund	t e	Head Contact	$\cap\cap\cap$

40634F0000001	19/10.0000000000001052/010000
0000000000000 <u>0</u>	<u>01</u>
40634P0001001 2	9710.01000000000103F72000
40634P00010021	10.0 000000000281999999999999999999999999990209600331189902
9010000000011	
40 6 34P00010131	10.0 00000000021902021277511255
40634P00010231	10.0 00000000031904021277511255
40634P00010 33 1	10.0 00000000026902021077011222
40634P00010431	10.0 00000000027526043277011222
40 6 34P00010 5 31	10.0 00000000028516062270011222
40634P00010631	10.0 00000000028534223270011222
40634P00010731	10.0 00000000028534202270011222
40634P00010831	10.0 0000000028534223170011222
40 6 34P00010931	10.0 00000000028516062170011222
40634P00011031	10.0 00000000028516062170011222
40634P00011131	10.0 00000000021604991077711233
40634P010 00041	10.0 0000000008922020021G2WJ14T0KF 9990899999 999099
9909131299991412	220031
40 6 34P01000051	10.0 0000000002731503111414014815622110340540711108210020220
8289260000000000	000000000000000000000000000000000000000
40 634P99999999 900	000000000000000000000000000000000000000
00001000000000	

PEDESTRIAN GENERAL VEHICLE Vehicle: 1

11

INTRA ERRORS

OGG6171 2 MODEL YEAR PGV04

should not be less than 90.

0

PSU40 CASE 634P

CURRENT VERSION: 10.0

ERROR SUMMARY SCREEN PEDESTRIAN STUDY

6/**8**/98

	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	n	0	, ⁻ ,	V
Pedestrian Assessment	Ö	Ó	Ö	, V
Pedestrian Injury	Ō	Ö	Ö	Ý
Pedestrian General Vehicl	e 0	Ö	1	Ý
Pedestrian Exterior Vehic	le O	0	0	Y
Total Inter Errors		0	0	
Total Case Errors	α	0	4	,