



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***





PEDESTRIAN CASE SUMMARY

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 82

CASE NO. 645P

TYPE OF ACCIDENT

Van/Pedestrian Running

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. <u>Do not include any personal identifiers.</u>)

Vehicle 1 turned left northbound into the center merge/turn lane of a six-lane, two-way street. A pedestrian began to run southwesterly across the street from the east curb. The front of vehicle 1 impacted the left side of the pedestrian who wrapped to the hood and slid forward to the ground as vehicle 1 came to a stop.

	B. PEDESTRIAN PROFILE										
	Pedestrian			Treatment/	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)						
No.		Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source			
	01	41	Male	Treated and Released	Back	Contusion	1	Windshield Cowl area			

Body Region	Type of Anatomic Struct
Head	14/b=1- A

Type of Anatomic Structure

Abbreviated Injury Scale

Whole Area

(1) Minor injury

Vessels

(2) Moderate injury

Nerves

(3) Serious injury

Organs

(4) Severe injury

Skeletal

Head-LOC

(5) Critical injury

(6) Maximum (untreatable)

Skin-Burn

Skin-Burn

Skin-Other

Chest
Abdomen/Pelvis
Spine
Upper Extremity
Lower Extremity

Face

Throat

External


	Class		Most Severe Damage Based on Vehicle Inspection				
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description			
01	Van	96/Dodge/Grand Caravan	Front	Minor - smears, scratches			

DO NOT SANITIZE THIS FORM



ACCIDENT COLLISION DIAGRAM U.S. Department of Transportation NATIONAL ACCIDENT SAMPL PEDESTRIAN CRASH SYSTEM A STUDY National Highway Traffic Safety Administration Indicate PSU No. Od Case Number – Stratum 645 P North 2 0 0 0 0 RP RL 127

U.S. Department of Transportation National Highway Traffic Safety Administration





PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number 2			Case N	Number-	-Stratum <u>6 45 P</u>
PEDESTRIAN ACCIDENT CO	LLISION DATA CO	LLECTION			SCALED DIAGRAM
document reference point and reference line relative to physical features	Surface Type	Fred	hatch	• nor	th arrow placed on diagram
documentation of all accident induced physical evidence including (if applicable):	Surface Condition	()-e	3		de measurements for all applicable dways
a) vehicle skid merks	Coefficient of Friction	n	00		led representations of the physical plant uding:
b) pedestrian contacts with ground or object	Grade (v/h) Measur	ement O			all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)
c) vehicle/pedestrian point of impact (POI)	a) at impact	15	15	b)	all traffic controls (e.g., lights, signs)
d) location of pedestrian separation point from vehicle	b) between ir final rest				ed representations of the vehicle and estrian at pre-impact, impact, and final based upon either:
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Travel D	irection Sath	to b	a)	physical evidence, or
documentation of the physical plant including:	Vehicle Travel Direc	tion 1704	777	b)	reconstructed accident dynamics
all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)	Number of Travel Li	anes <u> </u>			
b) all traffic controls (e.g., lights, signs)			·		
Reference Point	#	Reference	Line: E	۷ می	mp Fage
Witness on Scans	2		nd Direction rence Point		Distance and Direction from Reference Line
Moser ROT		3.0	7		
Approx. Final Rost For	+W)	3.8	7		
144					
,					

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

2. Case Number - Stratum




IDENTIFICATION

3. Number of General Vehicle Forms Submitted

0 1

4. Date of Accident (Month, Day, Year)



5. Time of Accident

Code reported military time of accident.

NOTE: Midnight = 2400

Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. ____SS15 Administrative Use

0

1

7. ____SS16 Pedestrian Crash Data Study

8. SS17 Impact Fires <u>0</u>

9. SS18 <u>0</u>

10. ____SS19 ________<u>0</u>

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

0 1

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are <u>not</u> pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's <u>only</u> impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS								
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage		
12. <u>0</u> <u>1</u>	13. <u>0</u> <u>1</u>	14	15.	16. <u>7</u> <u>2</u>	17. <u>0 0</u>	18. <u>0</u>		

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM

National Highway Traffic Safety

Administration PEDESTRIAN CRASH DATA STUDY 1. Primary Sampling Unit Number 10. Pedestrian's Weight Code actual weight to the nearest kilogram. 2. Case Number - Stratum (999) Unknown pounds X .4536 = kilograms 3. Pedestrian Number 0 1 PEDESTRIAN'S CHARACTERISTICS PEDESTRIAN'S PRE-AVOIDANCE ACTIONS 4. Pedestrian's Age 11. Pedestrian Attitude Code actual age at time of accident. (1) Standing (00) Less than one year old (specify by month): (2) Crouching (3) Kneeling (97) 97 years and older (4) Bending at waist (99) Unknown (8) Other (specify): (9) Unknown 5. Pedestrian's Sex 12. Pedestrian Motion (1) Male (2) Female - not reported pregnant (0) Not moving (3) Female - pregnant-1st trimester (1st-3rd month) (1) Walking slowly (4) Female - pregnant-2nd trimester (4th-6th month) (2) Walking rapidly (5) Female - pregnant-3rd trimester (7th-9th month) (3) Running or jogging (6) Female - pregnant-term unknown (4) Hopping (9) Unknown (5) Skipping (6) Jumping 6. Pedestrian's Overall Height (7) Falling/stumbling or rising Code actual height to the nearest (8) Other (specify):_____ centimeter. (9) Unknown (999) Unknown inches X 2.54 = _____ centimeters 13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight 7. Pedestrian's Height - Ground to Knee (02) Crossing road, diagonally Code to the nearest (03) Moving in road, with traffic centimeter. (999) Unknown (04) Moving in road, against traffic (05) Off road, approaching road inches X 2.54 = ____ centimeters (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway 8. Pedestrian's Height - Ground to Hip (09) Off road, moving along driveway Code to the nearest (98) Other (specify): _____ centimeter. (99) Unknown (999) Unknown ____ inches X 2.54 = _____ centimeters () 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to **Avoidance Actions** 9. Pedestrian's Height - Ground to Shoulder (1) Facing vehicle Code to the nearest (2) Facing away centimeter. Left side to vehicle (999) Unknown (3) Right side to vehicle (4)

(8)

Unknown

Other (specify):

inches X 2.54 = ____ centimeters

PEDESTRIAN'S AVOIDANCE ACTIONS



- 15. Pedestrian's First Avoidance Actions
 - (00) No avoidance actions
 - (01) Stopped
 - (02) Accelerated pace
 - (03) Ran away (along vehicle path)
 - (04) Jumped
 - (05) Turned toward vehicle
 - (06) Turned away from vehicle
 - (07) Dove or fell away

Used hand(s) to:

- (11) Vault corner of vehicle
- (12) Vault onto vehicle
- (13) Brace against vehicle
- (14) Crouched and braced hands against vehicle
- (98) Other (specify): _____
- (99) Unknown

PEDESTRIAN'S ORIENTATION AT IMPACT

- 16. Pedestrian's Head Orientation at Initial Impact
 - (1) To front
 - (2) To left
 - (3) To right
 - (4) Up
 - (5) Down
 - (8) Other (specify):_
 - (9) Unknown
- 17. Pedestrian's Body (Chest) Orientation at Initial Impact
 - (1) Facing vehicle
 - (2) Facing away
 - (3) Left side to vehicle
 - (4) Right side to vehicle
 - (8) Other (specify):_____
 - (9) Unknown


- 18. Pedestrian's Arm Orientation at Initial Impact
 - (01) At sides
 - (02) Folded across chest
 - (03) Hands clasped behind back
 - (04) Hands on hips
 - (05) Hands in pockets


One or both arms:

- (06) Extended upward
- (07) Extended to side
- (08) Extended forward bracing
- (09) Extended, holding object (briefcase, suitcase, etc.)
- (10) Holding object (young child, grocery bag, etc.) in arm(s)
- (11) Holding object (young child, grocery bag, etc.) on shoulder(s) or head
- (98) Other (specify):_____
- (99) Unknown
- Pedestrian's Leg Orientation at Initial Impact



- (01) Together
- (02) Apart-laterally
- (03) Apart-right leg forward
- (04) Apart-left leg forward
- (05) Apart- forward leg unknown
- (06) Left foot off the ground
- (07) Right foot off the ground
- (08) Both feet off the ground
- (98) Other (specify):
- (99) Unknown
- 20. Vehicle/Pedestrian's Interaction





- (03) Carried by vehicle, position unknown
- (04) Passed over vehicle top
- (05) Thrown straight forward
- (06) Thrown forward and left of vehicle
- (07) Thrown forward and right of vehicle
- (08) Knocked to pavement, forward
- (09) Knocked to pavement, left of vehicle
- (10) Knocked to pavement, right of vehicle
- (11) Knocked to pavement, run over or dragged by vehicle
- (12) Shunted to left (corner impacts only)
- (13) Shunted to right (corner impacts only)
- (14) Bumped or pushed aside
- (15) Snagged, rotated
- (16) Snagged, dragged by vehicle
- (17) Foot or legs run over
- (98) Other (specify):_____
- (99) Unknown



OFFICIAL RECORDS		INJURY CONSEQUENCES	
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 		25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown	
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	70	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):	<u>4</u>
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown	4	(3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown)
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	@	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify):	6
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 6 that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown	0)
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown	7 neg

STOP - VARIABLES 30 THROUGH 37 AF	RE COMPLETED BY THE ZONE CENTER
	$\mathcal{D}\mathcal{D}$
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death
(02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility.	36. 3rd Medically Reported Cause of Death Code the Pedestrian Injury from line
(97) Injured, details unknown (99) Unknown if injured	number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death
31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units):	(00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify):
(9) Unknown if blood given 32. Arterial Blood Gases (ABG) – HCO ₃	(97) Other result (includes fatal ruled disease) (specify):
(00) Not injured(01) Injured, ABGs not measured or reported(02-50) Code the actual value of the HCO₃	(99) Unknown
(96) ABGs reported , HCO3 unknown (97) Injured, details unknown (99) Unknown if injured	37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian.
33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	(00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
	OS INCLUDED WITH INITIAL SUBMISSION?
UPDATE CANDIDATE	? NO[Y YES[]

U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

82 645 p

3. Pedestrian Number

0_1

2. Case Number - Stratum

4. Blank

INJURY DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.


	Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. 💆	6.7	7. <u>9</u>	8. <u>0 4</u>	9. <u>0</u> 2	10. 1	11.2	12. <u>77</u> C) _{13.} <u>/</u>	14	15. <u>2</u>	16. 2	- _{17.} 2
2nd	18. 7	197	20.9	21.04	22. <u>0</u> <u>2</u>	-2 3. <u>(</u>	24. <u>Z</u>	-25. <u>77</u> 0	26. <u>(</u>	27. <u> </u>	28. 2	- _{29.} <u>2</u>	- _{30.} <u>2</u> -
3rd	31.7	32. 6	33. <u> </u>	34. <u>04</u>	35. <u>O</u>	-36, <u>/</u>	37. <u> </u>	зв. 17	3 _{9.} <u>/</u>	40	41. 2	42. 2	43. 2
4th	44.7	45	7 46	47.04	(_{48.} <u>D</u> Z	49/	50. <u>∼</u>	51. <u>77 (</u>) _{52.} <u>/</u>	53	_{54.} _Z	- _{55.} _2	16.2 16.2
5th	57. 2	58	59.2	60. <u>0</u> <u>0</u>	61. <u>02</u>	- _{62.} <u> </u>	63. <u>2</u>	64. 77	ク _{65.} <u>(</u>	66	2 67	ر 8	2 2 69
6th	70. <u> </u>	71	72	73,	74	75	76	77	78	79	80	81	82
7th	83	84	85	86	87	88	89	90	91	92	93	94	95
8th	96	97	98	99	100	101	102	103	104	105	106	107	108
9th	109	110	111,	112	113	114	115	116	_ 117	118	119	120	121
10th	122	123	124	125	126	127	128	129	130	131	132	133	134

,		-			PEDES	STRIA	N INJU	IRY DAT	Α				
	Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th	·		_								_	—	
12th	ı <u> </u>												
13tł	·	_	_			_	_		_	_	_	—	—
141	ı <u></u>		_									—	
15tl	1												_
16 tl	ı	—	_	——		_	_		_	_	_		
17tl	ı		_			—	_		—	—	_		—
181	ı	—	—			_	_		—	—	_	_	_
191			-			—	_	<u></u>		—		—	_
20tl													
215		_	_						<u></u> -				
22nd			<u> </u>				_						_
24tl						-			_	-		— —	-
25 tt	ı								_			_	_

.

OFFICIAL INJURY DATA - SOFT TISSUE INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



SOURCE OF INJURY DATA INJURY SOURCE CONFIDENCE LEVEL TYPE OF DAMAGE Certain (0) Injury not from vehicle contact **OFFICIAL** Probable No damage/contact (1) Autopsy records with or without hospital/ Scratch (Scuff, Cloth Transfer, Smear) Possible (2) medical records Unknown (3) Dent (2) Hospital/medical records other than (4) Large deformation **DIRECT/INDIRECT INJURY** emergency room (e.g., discharge Cracked, fractured, shattered Direct contact injury summary) Separated from vehicle (3) Emergency room records only (including Indirect contact injury Noncontact injury associated X-rays or other lab reports) Noncontact injury (8) Other specify: Injured, unknown source Private physician, walk-in or emergency Unknown clinic STRIKING PROFILE **DAMAGE DEPTH** Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) Rounded (contoured) Injury not from vehicle contact UNOFFICIAL No residual damage (5) Lay coroner report Surface only damage (6) E.M.S. personnel Crush depth > 0 to 2 centimeters Crush depth > 2 to 5 centimeters Crush depth > 5 to 10 centimeters Rounded edge (3) Interviewee Sharp edge Other source (specify): Other (specify): (8) (5)Other specify: (9) Police Unknown (9) Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region Specific Anatomic Structure** Spine (02) Cervical (04) Thoracic (06) Lumbar Abbreviated Injury Scale Whole Area (02) Skin - Abrasion (04) Skin - Contusion (1)Minor injury Head (2) (3) (4) (5) Moderate injury (2) Face Neck Serious injury (3) (4) (5) (6) Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit Severe injury Critical injury Thorax (06) Skin - Laceration (08) Skin - Avulsion Abdomen (10) Amputation numbers beginning with 02 Maximum (untreatable) Spine Burn **Upper Extremity** (20) Injured, unknown severity Level of Injury (8) Lower Extremity (30) Crush **Aspect** Degloving Injury - NFS (9) Unspecified (40) (50) Specific injuries assigned consecutive two-digit beginning with 02. Type of Anatomic Structure (90) Trauma, other than mechanical numbers (1) Right (2) (3) Left Bilateral Whole Area Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity. Vessels (4) (5) (6) (7) (8) (9) Central Nerves Anterior Posterior (4) Organs (includes muscles/ (10) Concussion Superior ligaments) Skeletal (includes joints) Inferior Unknown (6) (9) Head - LOC Whole region Skin **INJURY SOURCE FRONT** Wheels / tires 790 Left front wheel / tire 744 B pillar 700 Front bumper 791 Right front wheel / tire 701 Front lower valance/spoiler 745 C pillar 792 Left rear wheel / tire 702 Front grille 746 D pillar 703 Hood edge and/or trim 748 Other pillar (specify):_ 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 750 Right side door surface 799 Unknown wheel / tire 705 Hood ornament (spring loaded) 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 800 Front crossmember 753 Right side folding mirror 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 718 Other front or add on object 755 Right side glazing rearward of B pillar 802 Oil pan 803 Exhaust system pipe 756 Rear antenna 804 Transmission 757 Rear fender or quarter panel 805 Drive shaft 758 Other right side object Left Side Components 806 Catalytic converter 720 Front fender side surface (specify): 759 Unknown right side component 721 Front antenna 807 Muffler 722 A1 pillar 808 Floor pan 809 Fuel tank 723 A2 pillar Back Components 760 Rear (back) bumper 810 Rear suspension 724 B pillar 761 Tailgate 818 Other undercarriage component 725 C pillar 762 Hatchback, vertical surface (specify): 726 D pillar 819 Unknown undercarriage component 728 Other pillar 768 Other back component (specify): (specify): 729 Left side roof rail 769 Unknown back component <u>Accessories</u> 820 Air scoop, deflector 730 Left side door surface 821 Cellular or CB radio antenna 731 Left side door handle Top Components 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 771 Hood surface reinforced by under hood 823 Fog lights 733 Left side folding mirror 824 Luggage, ski, or bike rack 734 Left side glazing forward of B pillar component 825 Cargo (specify):_ 772 Front fender top surface 735 Left side glazing rearward of B pillar 826 Spare tire 773 Cowl area 736 Left side back fender or quarter panel 774 Wiper blade & mountings 827 Spotlight 737 Rear antenna 775 Windshield glazing 828 Other accessory (specify):_ 738 Other left side object 776 Front header (specify): Other Object or Vehicle in Environment 947 Ground 777 Roof surface 739 Unknown left side component

778 Backlight glazing

788 Other top component (specify): _ 789 Unknown top component

779 Rear header

780 Hatchback

781 Rear trunk lid

Right Side Components

741 Front antenna

742 A1 pillar

743 A2 pillar

740 Front fender side surface

948 Other object (specify):

997 Noncontact injury source

999 Unknown injury source

949 Unknown object in environment

959 Unknown object on contacting vehicle

OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

__ No

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

Yes

unavailable.)

Blood Alcohol Level

(mg/dl)

BAL = ____

Glasgow Coma Scale Score

gcss = 15

Units of Blood Given

Units = ____


Arterial Blood Gases


Ph = __.__

PO₂ = ____

PCO₂ ____


HCO₃ ____






OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)







S. Department of Transportation ational Highway Traffic Safety Imministration	PEDESTRIAN GENE	RAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYS
1. Primary Sampling Unit Num	ther 83	OFFICIAL RECORDS
2. Case Number - Stratum	645 P	9. Police Reported Travel Speed 9
3. Vehicle Number	0 1	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph)
VEHICLE IDENTI	FICATION	(160) 159.5 kmph and above (999) Unknown
4. Vehicle Model Year Code the last two digits of (99) Unknown	the model year	10. Speed Limit (000) No statutory limit Code posted or statutory speed limit
Applicable codes are found NASS PCDS Data Collectio Editing Manual.	n, Coding and	in kmph (999) Unknown Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present
6. Vehicle Model (specify): Applicable codes are found NASS PCDS Data Collectio Editing Manual. (999) Unknown	in your	(7) Not reported (8) No driver present (9) Unknown 12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused
7. Body Type Note: Applicable codes mathe back of this page.	y be found on $\frac{20}{20}$	(96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number 1 2 4 4 5 7 8 9 10 10 10 10 10 10 10 10 10 10 10 10 10	R: 11 12 13 14 15 16 17	Source: 13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
		14. Other Drug Specimen Test Result For Driver

(0) No specimen test given
(1) Drug not found in specimen
(2) Drug found in specimen
(specify):
(3) Specimen test given, results

unknown or not obtained

(8) No driver present

(9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (US) 5-door/4-door natchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):_____
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest	18. Impact Speed
10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Upknown	Nearest kmph
3956 3956 6 6 6 6 6 6 6 6 6	(NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source:	 19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph
16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms	(3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown
(450) 4,500 kilograms or more (999) Unknown, lbs X .4536 =, kgs	20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
	PRECRASH DATA
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify:
	previous critical event (97) Other (specify):

23. Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(O3) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(O4) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
(00) 04:10: 04400 0: 05:14:01 (000 (0000));	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	(00) Other orthodr problem over (specify).
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	(99) 9111119111
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(02) Braking (no lockup)
(16) Turning right at intersection	(03) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle	(99) Unknown
in lane	
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction) - over left	(0) No driver present
lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction) - over right	(2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30

(62) From opposite direction—over left lane line

(67) From crossing street, turning into opposite

(70) From driveway, turning into same direction

(73) From driveway, intended path not known

(74) From entrance to limited access highway

Pedestrian or Pedalcyclist, or Other Nonmotorist

(78) Encroachment by other vehicle—details

(81) Pedestrian approaching roadway

(82) Pedestrian-unknown location

(66) From crossing street, across path

(71) From driveway, across path

(64) From parking lane

direction

unknown

(80) Pedestrian in roadway

(63) From opposite direction—over right lane line

(65) From crossing street, turning into same direction

(68) From crossing street, intended path not known

(72) From driveway, turning into opposite direction

- less than 30
- Skidding laterally—clockwise rotation (4)
- Skidding laterally—counterclockwise rotation
- Other vehicle loss-of-control (specify):
- (9) Precrash stability unknown
- 26. Precrash Directional Consequences of Avoidance Maneuver (Corrective Action)
 - (0) No driver present
 - (1) No avoidance maneuver
 - Vehicle stayed in travel lane where avoidance maneuver was initiated
 - Vehicle stayed on roadway but left travel lane where avoidance maneuver was initiated
 - Vehicle stayed on roadway, not known if left travel lane where avoidance maneuver was initiated
 - Vehicle departed roadway
 - (6) Avoidance maneuver initiated off roadway
 - (9) Directional consequences unknown

	ENVIRO	NME	NTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange	()	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice
	 (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify): 		(5) Sand, dirt or oil (8) Other (specify): (9) Unknown
20	(6) Unknown type of non-interchange (9) Unknown if interchange	1	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)
28.	 Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown 	<u> </u>	Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify):
29.	Number of Travel Lanes (1) One	6	 (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR controls (specify):
	 (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown 	1	(9) Unknown 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown	<u> </u>	36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk
31.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown		(9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet
32.	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):	K	 (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown
	(9) Unknown		

P.I.

82-645

42 ¥6 F

1/Yom

POIt FRP = 1.2m = 9ft

f = 0,6

 $V = \sqrt{25 + g}$ $V = \sqrt{(2)(4)(0.6)(32.2)}$

V=12,4 fPS = 8,45 mph = 13,6KPh

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Vehicle Number

0 1

2. Case Number - Stratum

VEHICLE IDENTIFICATION

VIN 2 B 4 G P 4 4

Model Year

Vehicle Make (specify):

Vehicle Model (specify):

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

cm

cm

cm cm

VERTICAL MEASUREMENTS

PEV16	Front	Bumper-Bottom	Height
-------	-------	----------------------	--------

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

<u>099</u>	cm
051	cm

m

cm

cm

WRAP DISTANCES

PEV20 Groun	d to	Forward	Hood	Opening
-------------	------	---------	------	---------

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact

cm

cm


cm

cm

cm

cm

VEHICLE DAMAGE SKETCH




NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

<u>63 cm</u>

PEDESTRIAN SIDE CONTAC	T WORK SHEET
PEV06 Hood Material	
PEV08 Hood Length	cm
PEV09 Hood Width-Forward Opening	cm
PEV10 Hood Width Midway	cm
PEV11 Hood Width-Rear Opening	cm
VERTICAL MEASURE	MENTS
PEV26 Ground Clearance	cm
PEV27 Side Bumper-Bottom Height	cm
PEV28 Side Bumper-Top Height	
PEV29 Centerline of Wheel	<u> </u>
PEV30 Top of Tire	cm
PEV31 Top of Wheel Well Opening	cm
PEV32 Bottom of A-Pillar at Windshield	
PEV33 Top of A-Pillar at Windshield	cm
PEV34 Top of Side View Mirror	cm
LATERAL MEASUREM	IENTS
PEV35 C _L to A-Pillar at Bottom of Windshield	cm
PEV36 C _L to A-Pillar at Top of Windshield	cm
PEV37 C _L to Maximum Side View Mirror Protrusion	cm
WRAP DISTANCE	s
PEV38 Ground to Side/Top Transition	cm
PEV39 Ground to Hood Edge	cm
PEV40 Ground to Centerline of Hood (ORIGIN)	cm
PEV41 Ground to Head Contact	cm

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

ORIGINAL SPECIFICATIONS Whee1base inches x 2.54 =Overall Length inches x = 2.54Maximum Width inches $\times 2.54$ Curb Weight pounds \times .4536 = Average Track inches $\times 2.54$ Front Overhang inches $\times 2.54$ CM Rear Overhang inches $\times 2.54$ CM Undeformed End Width inches $\times 2.54$ Engine Size: cyl./displ. CC \times .001 CID x .0164 =**INJURY SOURCE FRONT** Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify):_ 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front cross member 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify):_ 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar **Back Components** 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component Accessories 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle Top Components 821 Cellular or CB radio antenna 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar component 824 Luggage, ski, or bike rack 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):_ 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):___ (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground Right Side Components 779 Rear header 948 Other object (specify):_ 740 Front fender side surface 780 Hatchback 949 Unknown object in environment 741 Front antenna 959 Unknown object on contacting vehicle 781 Rear trunk lid 742 A1 pillar 997 Noncontact injury source 788 Other top component (specify):

789 Unknown top component

999 Unknown injury source

743 A2 pillar

POINTS OF PEDESTRIAN CONTACT									
PEDESTRIAN CONTACT WORKSHEET									
CONTACT ID Label	COMPONENT Contacted	LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Cirele</i>)	SEQUENCE #	
K	bumber	115	65	0	(R) Log	8 means	2 3 9	1	
S	40.6776	80	49	0	n ,,	Smuna	Q2 3 9	3	
1)	Bringer	115	46	Q	Oleg	Termo Street	e s(1) 2 3 9	3	
1	40 Flee	.8	39	Q	11 15	\ \ \	D 2 3 9	3	
U	Book	70	4° 78	0	1 Had	Forger Strew	3 1 2 3 9	,	
9	4008	30	3	O	D)Hip	Scrotch Sheard	M2 1 9	14	
F	Corl	5	25	0	111	Shatch staff	1 2 3 9	5	
H	Mika	-10	-28	0	Aprile	Shere	1 2 3 9	Q	
1	Cowl	9	-30	\mathbb{Q}	Arrock	suited clean	1 2 3 9	7	
Q	Hook	16	44	0	Q.	skn,	M2 3 9	8	
<u>ا</u>	Book	0	-53	0	Elan	Transper	1 2 3 9	8	
E	K8	58	770	0	Smil	or sprono	1 2 3 9	ď	
							1 2 3 9		
*	10 hahad	d not	ly We	ely cor	(actes)	tropping by	1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
					<u></u>		1 2 3 9		

·	POINTS OF PEDESTRIAN CONTACT								
	CHRONOLOGICAL ORDER OF CONTACTS								
CONTACT #	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle)</i>		
14	110	70	-25to +24	0	L. Hord + wrist	hard Priside Large Islice Scatterial Scatterial Contains	1 2 3 9		
2)	170	30	128 35	0	erstonler	Lord H	D 2 1 9		
3 f	773	2	-30	Ò	Beak	scufferiel trosser	<u>(1)</u> 2 3 9		
PRL	170	60	-30 -52 -52	0	L. elbor	contessor	0233		
€ 5 C	170	60	-57	0	()	& presion	1 2 3 9		
E							1 2 3 9		
7							1 2 3 9		
a							1 2 3 9		
9							1 2 3 9		
10							1 2 3 9		
11							1 2 3 9		
12							1 2 3 9		
13							1 2 3 9		
14							1 2 3 9		
15							1 2 3 9		
16							1 2 3 9		
17							1 2 3 9		
18							1 2 3 9		
19							1 2 3 9		
20							1 2 3 9		
21							1 2 3 9		
22							1 2 3 8		
23							1 2 3 9		
24							1 2 3 8		
25							1 2 3 9		

But we


VEHICLE DIMENSIONS	11 Head Width Boar Opening 15 7
2.2	11. Hood Width Rear Opening J 7 Code to the
4. Original Wheelbase <u>3</u> 0 3	nearest centimeter
Code to the	(210) 210 centimeters or more
nearest centimeter (999) Unknown	(999) Unknown
1193 inches X 2.54 = centimeters	inches X 2.54 = centimeters
	12. Hood/Fender Vertical/Lateral Crush From
5. Original Average Track Width	Pedestrian
Code to the	(O) Not damaged
nearest centimeter (185) 185 centimeters or more	(1) Surface scratching only, no residual crush
(999) Unknown	(2) Minor crush (1-3 centimeters)
(000) Shribwii	(3) Moderate crush (4-7 centimeters)
inches X 2.54 = centimeters	(4) Severe crush (>7 centimeters)(8) Damage present, unknown if damage is from
	pedestrian impact
	(9) Unknown
6. Hood Material	l 1
(1) Plastic (2) Fiberglass	13. Windshield Contact Damage
(3) Steel	From Pedestrian Contact
(4) Aluminum	(0) Not contacted by pedestrian (1) Contacted by pedestrian - not damaged
(5) Stainless Steel	
(8) Other (specify): Stell w/ Platic Contr	(3) Unknown if contacted by pedestrian - not
(9) Unknown	damaged
7. Hood Original	(4) Unknown if contacted by pedestrian -
Equipment Manufacturer (OEM)	damaged
(1) OEM factory installed hood	(9) Unknown if contacted by pedestrian - unknown if damaged
(2) OEM replacement	unknown ir damaged
(3) Non-OEM replacement	EDONT CONTACT DAMAGE
(9) Unknown	FRONT CONTACT DAMAGE
8. Hood Length	Front Vertical Measurements
Code to the	14. Front Bumper Cover Material
nearest centimeter	(0) No front contact
(180) 180 centimeters or more	(1) Plastic
(999) Unknown	(2) Fiberglass
inches X 2.54 = centimeter	(3) Rubber
	(4) Other (specify):
9. Hood Width Forward Opening 19	(9) Unknown
Code to the	15. Front Bumper Reinforcement Material
nearest centimeter	(0) No front contact
(210) 210 centimeters or more (999) Unknown	(1) Steel
(999) CHKHOWH	(2) Aluminum
inches X 2.54 = centimeters	(3) Stainless Steel
==== = === (S1	(4) Other (specify): (9) Unknown
10. Hood Width Midway	
Code to the	16. Front Bumper-Bottom Height
nearest centimeter (210) 210 centimeters or more	Code to the
(999) Unknown	nearest centimeter
	(000) No front contact (150) 150 centimeters or more
inches X 2.54 = centimeters	(999) Unknown
	,,

17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 18. Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters 19. Front Bumper Lead (00) No front contact Code to the	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown inches X 2.54 =
nearest centimeter (30) 30 centimeters or more (99) Unknown inches X 2.54 = centimeters	(400) 400 centimeters or more (998) No head contact (999) Unknown inches X 2.54 = centimeters
Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
	Side Vertical Measurements
20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters	Side Vertical Measurements 26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more

	Side Lateral Measurements
29. Centerline of Wheel	
Code to the	
nearest centimeter	35. Centerline to A-Pillar
(000) No side contact	at Bottom of Windshield
(150) 150 centimeters or more	(000) No side contact
(999) Unknown	Code to the
	nearest centimeter
inches X 2.54 = centimeters	(250) 250 centimeters or more
	(999) Unknown
Jun	(333) Olikilowii
30. Top of Tire	inches X 2.54 = centimeters
Code to the	· inches x 2.54 = certainleters
nearest centimeter	000
(000) No side contact	
(200) 200 centimeters or more	36. Centerline to A-Pillar
(999) Unknown	at Top of Windshield
(JOS) GIRIOTHI	Code to the
inches X 2.54 = centimeters	nearest centimeter
inches ^ 2.54 = Centimeters	(000) No side contact
	(250) 250 centimeters or more
24 Tax of Wheel Well Opening (300	(999) Unknown
31. Top of Wheel Well Opening	
Code to the	inches X 2.54 = centimeter
nearest centimeter	
(000) No side contact	(70)
(250) 250 centimeters or more	37. Centerline to Maximum Side
(999) Unknown	View Mirror Protrusion
	Code to the
inches X 2.54 = centimeters	nearest centimeter
(10)	(000) No side contact
32. Bottom of A-Pillar at Windshield $\underline{\underbrace{000}}$	(300) 300 centimeters or more
Code to the	(999) Unknown
nearest centimeter	1000/ Olikilowii
(000) No side contact	inches X 2.54 = centimeter
(250) 250 centimeters or more	
(999) Unknown	
	Side Wrap Distance Measurements
. inches X 2.54 = centimeters	
	3
	Acie
	38. Ground to Side/Top Transition
33. Top of A-Pillar at Windshield Code to the	38. Ground to Side/Top Transition
33. Top of A-Pillar at Windshield Ocde to the	38. Ground to Side/Top Transition Code to the nearest centimeter
33. Top of A-Pillar at Windshield Code to the nearest centimeter	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact
33. Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more
33. Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact
33. Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown
33. Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more
33. Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown
33. Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown inches X 2.54 = centimeters
33. Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown inches X 2.54 = centimeters	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown inches X 2.54 = centimeters Ground to Hood Edge
33. Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown inches X 2.54 = centimeters 34. Top of Side View Mirror	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown inches X 2.54 =centimeters 39. Ground to Hood Edge Code to the
33. Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown inches X 2.54 = centimeters 34. Top of Side View Mirror Code to the	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown inches X 2.54 =centimeters 39. Ground to Hood Edge Code to the nearest centimeter
33. Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown inches X 2.54 = centimeters 34. Top of Side View Mirror Code to the nearest centimeter	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown inches X 2.54 =centimeters 39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact
33. Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown inches X 2.54 = centimeters 34. Top of Side View Mirror Code to the nearest centimeter (000) No side contact	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown inches X 2.54 = centimeters 39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more
33. Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown inches X 2.54 = centimeters 34. Top of Side View Mirror Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown inches X 2.54 =centimeters 39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact
33. Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown inches X 2.54 = centimeters 34. Top of Side View Mirror Code to the nearest centimeter (000) No side contact	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown inches X 2.54 =centimeters 39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown
33. Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown inches X 2.54 = centimeters 34. Top of Side View Mirror Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown inches X 2.54 = centimeters 39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more
33. Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown inches X 2.54 = centimeters 34. Top of Side View Mirror Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown inches X 2.54 = centimeters 39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown
33. Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown inches X 2.54 = centimeters 34. Top of Side View Mirror Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown inches X 2.54 = centimeters 39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown

40. Ground to Centerline of Hood	000		
Code to the nearest centimeter			
(000) No side contact (700) 700 centimeters or more (999) Unknown			
inches X 2.54 =	centimeters		
41. Ground to Head Contact	000		
Code to the nearest centimeter			
(000) No side contact (800) 800 centimeters or more			
(998) No head contact (999) Unknown			
inches X 2.54 =	centimeters		
		·	
		`	

VEHICLE DAMAGE SKETCH VIN 2B4GP44R5TRI Year 9 **Hood Material** Ded y Plastic Cont Make Dolge **Bumper Cover Type** Model Grand Carava **Bumper Reinforcement** Material **Hood Widths** Rear Opening 157 Midway 157 **Hood Length** Front Opening 143 Bumper lead **Wraps** Top Windshield Vertical Heights Bottom Windshield 140+23 Forward Hood Opening Rear Hood **Bumper Top** Transition 38 **Bumper Bottom** Front Hood 35 Location of Origin (Intercept) $\frac{\mathcal{W}(r)}{2}$ **Head Wrap Measurement**



:

.

.

POINTS OF PEDESTRIAN CONTACT -- PEDESTRIAN # 1

PEDESTRIAN CONTACT WORKSHEET PAGE

CONTACT ID LABEL	COMPONENT CONTACTED (CODE or OBJECT)	LONGITUDINAL LOCATION	LATERAL LOCATION	CRUSH IN CM	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT
S	And Elas	248	49	3	Pac	She.	1 2 3 9
12	Bruker	1-48	46			1 day	1 2 3 9
F-	Howledge	21	29	0	() ay	Voins Such	1 2 3 9
U	Wood o	70	-25 1. 28	\overline{O}			1 2 3 9
2	Hood	02	25	→	1 1/2	Sounded	1 2 3 9
F	@ Coul	5	25	0	C/M	will omen	1 2 3 9
A	Wike	~10	75	80	Smen Am	Bren	1 2 3 9
1	and	2	-30			men	1 2 3 9
P	How	15	-q)	<u> </u>	() (In)	5kin demoke	1 2 3 9
<u>L</u>	11 0	(00	-52		CIO OIN	10 1/3/1 19	1 2 3 9
E	Grox	32	77-0	2	Shoulder		1 2 3 9
							1 2 3 9
							1 2 3 9
						***************************************	1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9