



U.S. Department of Transportation


National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.







PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 90

CASE NO. 645P

TYPE OF ACCIDENT

Car/Pedestrian/Straight path

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES


(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)


Vehicle 1 was traveling southbound on a roadway. The pedestrian was running in an easterly direction. As vehicle 1 passed a parked school bus (with no active warning lights), the pedestrian ran from the curb, in front of the bus and into the road. Vehicle 1's front struck the pedestrian who then was rotated onto the hood and slid to the windshield. The pedestrian was carried approximately 2-meters. Vehicle 1 stopped just prior to the pedestrian's final rest.

	B. PEDESTRIAN PROFILE										
Pedestrian			Treatment/				Injury ZONE CENTER)				
No.	Age	Sex	Mortality	Body Region	Region Ana. Struc.		Injury Source				
01	16	Male	Transported & Released	Forehead	Abrasion	1	Windshield				

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity

ection
eld, scratches, dents
i






HS Form 431B (8/95)

ACCIDENT COLLISION DIAGRAM

National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Scale: 1 centimeter = _

meters



U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number		Case Nu	mber-Stratum <u>6</u>	45 P
PEDESTRIAN ACCIDENT CO	ELISION DATA (COLLECTION ,	SCALED DIAGRA	AM
* document reference point and reference line prelative to physical features	Surface Type	1317/Asphall	north arrow placed on diagra	am
documentation of all accident induced physical evidence including (if applicable):	Surface Condition	on DRY	grade measurements for all roadways	applicable
a) vehicle skid marks	Coefficient of Fr	iction <u>, 63</u>	scaled representations of the including:	e physical plant
b) pedestrian contacts with ground or object			 all road/roadway delinea crosswalks, curb/edge li markings, medians, pav markings, parked vehicl 	ines, lane ement
Night in destroy as interference (POI)	Grade (v/h) Mea		etc.) b) all traffic controls (e.g., l	
c) vehicle/pedestrian point of impact (POI) d) location of pedestrian separation point from		en impact and	scaled representations of the	e vehicle and
vehicle	final re	FAST	pedestrian at pre-impact, im rest based upon either:	pact, and imai
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Trav	el Direction	a) physical evidence, or	
documentation of the physical plant including: a) all road/roadway delineation (e.g.,	Vehicle Travel D Number of Trave	D D	b) reconstructed accident of	dynamics
crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)				
b) all fraffic controls (e.g., lights, signs)				
Reference Point: Bus STOP S	Sian	Reference Line:	estcurr	<u> </u>
And Pole		<u>L'ine</u>		
ltem 		Distance and Direction from Reference Point	Distance and from Referer	
Orcin		0.0 m	0.8m	Nest.
Pedestrian#1 Po) <u>T</u>	4. Com Sou	n 4,5m	EAST
vehicle#1 Pos	I	4.6m Sout	- 4,5~ E	AST
Pedestr, AN#1 FR	2P	11.7m SouT	5,0m	SAST
Vehicle#1 FRT	P	9.2m South	4.6m	EAST
				-

ltem	Distance and Direction from Reference Point	Distance and Direction from Reference Line

Administration

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

2. Case Number - Stratum

IDENTIFICATION

Number of General Vehicle Forms Submitted

4. Date of Accident (Month, Day, Year)



5. Time of Accident

61

Code reported military time of accident.

NOTE: Midnight = 2400

Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. SS15 Administrative Use

0

7. SS16 Pedestrian Crash Data Study

SS17 Impact Fires

0

1

SS18

0

10. SS19 0

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

<u>0 1</u>

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS										
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage				
12. <u>0</u> <u>1</u>	13. <u>0</u> <u>1</u>	14. 02	15. <u>F</u>	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>				

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

			*		
J.S. Department	of T	ran	spo	ortatio	วท

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

	tional Highway Traffic Safety Iministration	NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY
	1. Primary Sampling Unit Number 90	10. Pedestrian's Weight Code actual weight to the nearest
	2. Case Number - Stratum 6 4 5 P	kilogram. (999) Unknown ()
	3. Pedestrian Number <u>0 1</u>	148 pounds X .4536 = 316 kilograms
	PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
-	4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
•	5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping
	6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown	(6) Jumping (7) Falling/stumbling or rising (8) Other (specify):
	inches X 2.54 = \(\frac{7}{2} \) centimeters 7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown inches X 2.54 =centimeters 8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify): (99) Unknown
	inches X 2.54 =centimeters / 4 9. Pedestrian's Height - Ground to Shoulder Code to the nearest centimeter. (999) Unknowninches X 2.54 =centimeters	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

PEDESTRIAN'S AVOIDANCE ACTIONS

- 15. Pedestrian's First Avoidance Actions
 - (00) No avoidance actions
 - (01) Stopped

1

- (02) Accelerated pace
- (03) Ran away (along vehicle path)
- (04) Jumped
- (05) Turned toward vehicle
- (06) Turned away from vehicle
- (07) Dove or fell away

Used hand(s) to:

- (11) Vault corner of vehicle
- (12) Vault onto vehicle
- (13) Brace against vehicle
- (14) Crouched and braced hands against vehicle
- (98) Other (specify):
- (99) Unknown

PEDESTRIAN'S ORIENTATION AT IMPACT

- 16. Pedestrian's Head Orientation at Initial Impact
 - (1) To front
 - (2) To left
 - (3) To right
 - (4) ·Up
 - (5) Down
 - (8) Other (specify):
 - (9) Unknown
- 17. Pedestrian's Body (Chest) Orientation at Initial Impact
 - (1) Facing vehicle
 - (2) Facing away
 - (3) Left side to vehicle
 - (4) Right side to vehicle
 - (8) Other (specify):_____
 - (9) Unknown

- 18. Pedestrian's Arm Orientation at Initial Impact
 - (01) At sides
 - (02) Folded across chest
 - (03) Hands clasped behind back
 - (04) Hands on hips
 - (05) Hands in pockets

One or both arms:

- (06) Extended upward
- (07) Extended to side -
- (08) Extended forward bracing
- (09) Extended, holding object (briefcase, suitcase, etc.)
- (10) Holding object (young child, grocery bag, etc.) in arm(s)
- (11) Holding object (young child, grocery bag, etc.) on shoulder(s) or head
- (98) Other (specify):____
- (99) Unknown
- 19. Pedestrian's Leg Orientation at Initial Impact
 - (01) Together
 - (02) Apart-laterally
 - (03) Apart-right leg forward
 - (04) Apart-left leg forward
 - (05) Apart- forward leg unknown
 - (06) Left foot off the ground
 - (07) Right foot off the ground
 - (08) Both feet off the ground
 - (98) Other (specify):
 - (99) Unknown
- 20. Vehicle/Pedestrian's Interaction
 - (01) Carried by vehicle, wrapped position
 - (02) Carried by vehicle, slid to windshield
 - (03) Carried by vehicle, position unknown
 - (04) Passed over vehicle top
 - (05) Thrown straight forward
 - (06) Thrown forward and left of vehicle
 - (07) Thrown forward and right of vehicle
 - (08) Knocked to pavement, forward
 - (09) Knocked to pavement, left of vehicle
 - (10) Knocked to pavement, right of vehicle
 - (11) Knocked to pavement, run over or dragged by vehicle
 - (12) Shunted to left (corner impacts only)
 - (13) Shunted to right (corner impacts only)
 - (14) Bumped or pushed aside
 - (15) Snagged, rotated
 - (16) Snagged, dragged by vehicle
 - (17) Foot or legs run over
 - (98) Other (specify):_____
 - (99) Unknown

OFFICIAL RECORDS		INJURY CONSEQUENCES
21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	<u>0</u> 96	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown (6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown	<u>7</u>	Nonfatal (3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify):	0	(for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify):
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown
		·

STOP - VARIABLES 30 THROUGH 37 AF	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given 32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported , HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORDS NO [] UPDATE CANDIDATE?	YES[]

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PEDESTRIAN INJURY FORM

National Highway Traffic Safety Administration

1. Primary Sampling Unit Number

2. Case Number - Stratum

3. Pedestrian Number

0 1

4. Blank


INJURY DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

-				AIS-90					Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. <u>3</u>	6. <u>8</u>	, <u>9</u>	8. <u>0 2</u>	<u>و ٥ ي</u>	10. 1	11.2	12.701	13	14	15. 2	- _{16.} 2	Z 17
.2nd	18.7	19.	20. 9	21.04	22.02	-23. <u>/</u>	24. 2	25. 700	26	27	28	29. <u>_</u>	30
3rd	31. 2	32	33	34. <u>D</u> <u>Z</u>	35. <u>0</u> 2	- 36. <u>/</u>	37	38. <u>73</u>	39	40.	Z-41	Z 42	43
4th	44. 7	45	46.	47.04	48. <u>0</u> <u>2</u>	49. 1	50	51.700	52.	53	2 54	55. 2	56Z
5th	57.	58.	59.	60. <u>0</u> 2	61.02	62. 1	63. <u>2</u>	64. 718	65.	66	67. 2	- _{68.} _2	- _{69.}
6th	70. 7	71	72. 4	73. <u>0 4</u>	74. <u>0</u> 2	- _{75.} <u>[</u>	76. <u>~</u>	77. <u>71 </u>	78.	79	80. <u>2</u>	81. <u>2</u>	82.
7th	83. 3	84.2	85.9	86.0 2	87. <u>DZ</u>	88	89. 7	90. <u>774</u>	91. 2	92. 1	93. <u></u>	94	95.2
Bth	96. 3	97. 7	98. 9	99.02	100. <u>D</u> 2	101.	102.	103. 17	104.	105. /	106. 2	107.	108.2
9th	109	110.	111. 4	112.0	13.02	114.	115	116. 94	7 117	118/	119. 💆	120.	1210_
10th	122	123	124	125 1	26	127	128	129	130	131	132	133	134

					PEDES	STRIA	URY DATA						
0	Source f Injury Data	Body Region	Type of Anatomic Structure	AIS.90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th	_					_							
12th	_					· 	-					-	
13th	_									-	_	-	_
14th	_							. 				-	est Poli <mark>tar</mark> st
:15th						•				-	-		
16th												·	
17th	: -										-		
18th	_								·	_		ongradure.	
19th	_	_	_				_					*********	
20th		—	·				_		_		 -		
21st							_			_		_	
22nd	_		. —			_			_			 -	
23rd		_	_			_	_	-					
24th	· <u>—</u>					_	_		_				
25th			_				_		warener-				

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



Page

SOURCE OF INJURY DATA INJURY SOURCE CONFIDENCE LEVEL TYPE OF DAMAGE Injury not from vehicle contact Probable No damage/contact (1) Autopsy records with or without hospital/ (3) Possible Scratch (Scuff, Cloth Transfer, Smear) medical records (9) Unknown (2) Hospital/medical records other than Large deformation (4)DIRECT/INDIRECT INJURY emergency room (e.g., discharge (5) Cracked, fractured, shattered summary) Direct contact injury (6) Separated from vehicle Emergency room records only (including (2) Indirect contact injury (7) Noncontact injury associated X-rays or other lab reports) Noncontact injury (8) Other specify: Injured, unknown source (4) Private physician, walk-in or emergency Unknown STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) LINOFFICIAL (0) Injury not from vehicle contact (1) No residual damage (5) Lay coroner report Flat-Wide (≥ 15 centimeters) Surface only damage (6) E.M.S. personnel Rounded (contoured) (3)(4) Rounded edge (3) Crush depth >0 to 2 centimeters (7) Interviewee (5) Crush depth > 2 to 5 centimeters Crush depth > 5 to 10 centimeters Sharp edge (8) Other source (specify): (5) (8) Other (specify): Other specify: (9) Police Unknown (9) Unknown PEDESTRIAN INJURY CLASSIFICATION Specific Anatomic Structure **Body Region** Abbreviated Injury Scale Spine (02) Cervical (04) Thoracic Whole Area (02) Skin - Abrasion (04) Skin - Contusion Head Minor injury Face (06) Lumbar (2) Moderate injury (2) (3) Neck (3) Serious injury Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02 (4) (5) Thorax (06) Skin - Laceration (4) (5) Severe injury Abdomen (08) Skin - Avulsion Critical injury Spine (10) Amoutation Maximum (untreatable) (6) (20) Burn (30) Crush (7)**Upper Extremity** Injured, unknown severity Lower Extremity Level of Injury (8) (40) Degloving (9) Unspecified **Aspect** (50) Injury - NFS Specific injuries assigned Type of Anatomic Structure Trauma, other than mechanical (1) consecutive two-digit numbers Right beginning with 02. (2) Left (3) (4) (5) Whole Area Bilateral (02) Length of LOC (04, 06, 08) Level of Consciousness To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to (2) Vessels Central (3) Nerves Anterior (6) (7) (8) (4) Organs (includes muscles/ (10) Concussion Posterior severity or where only one injury is given in the dictionary for that anatomic ligaments) Superior Skeletal (includes joints) (5)Inferior Head - LOC structure. 99 is assigned to any injury Unknown Skin (9) NFS as to lesion or severity. Whole region **INJURY SOURCE** FRONT Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify): 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify): 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 piltar Back Components 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 769 Unknown back component 729 Left side roof rail <u>Accessories</u> 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle Top Components 821 Cellular or CB radio antenna 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under nood 823 Fog lights 734 Lett side glazing forward of B pillar component 824 Luggage, ski, or bike rack 735 Left side glazing rearward of B piliar 772 Front fender top surface 825 Cargo (specify):_ 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):_ (specify): _ 776 Front neader 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 947 Ground 778 Backlight glazing Right Side Components 779 Rear header 948 Other object (specify): 740 Front fender side surface 780 Hatchback 949 Unknown object in environment 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting venicle 742 A1 pillar 788 Other top component (specify): _ 997 Noncontact injury source 743 A2 pillar 789 Unknown ton component 999 Unknown injury source

Restrained?

No Yes Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

Blood Alcohol Level

BAL =

(mg/dl)

Glasgow Coma Scale Score

GCSS = ___

Units of Blood Given

Units =


Arterial Blood Gases


Ph = ___.__

PO, =

PCO,

HCO₁







- 996

OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





(99) Unknown

6. Vehicle Model (specify):

PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Administration 1. Primary Sampling Unit Number 2. Case Number - Stratum 3. Vehicle Number

VEHICLE IDENTIFICATION

- 4. Vehicle Model Year Code the last two digits of the model year (99) Unknown
- Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual.
 - 019 CORSICA Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown
- 7. Body Type Note: Applicable codes may be found on the back of this page.
- 8. Vehicle Identification Number



Left justify; Slash zeros and letter Z (Ø and Z) No VIN-Code all zeros Unknown-Code all nines

OFFICIAL RECORDS

9. Police Reported Travel Speed

Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown

30 mph X 1.6093 = 049 kmph

10. Speed Limit (000) No statutory limit Code posted or statutory speed limit in kmph (999) Unknown

mph X 1.6093 =

- 11. Police Reported Alcohol Presence For Driver
 - (0) No alcohol present
 - (1) Yes alcohol present
 - (7) Not reported
 - (8) No driver present
 - (9) Unknown
- 12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit - 0.xx)

(95) Test refused

(96) None given

- (97) AC (Alcohol Content) test performed, results unknown
- (98) No driver present
- (99) Unknown

Source: PAK

- 13. Police Reported Other Drug Presence For Driver
 - (0) No other drug(s) present (1) Yes other drug(s) present
 - Not reported
 - No driver present
 - (9) Unknown
- 14. Other Drug Specimen Test Result For Driver

(0) No specimen test given

- (1) Drug not found in specimen
- (2) Drug found in specimen (specify):_
- Specimen test given, results unknown or not obtained
- No driver present
- (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)</p>
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer(68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):____
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

	VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15.	Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown D1,65 lbs x .4536 = 1,209 kgs	18. Impact Speed Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
16.	Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown ibs X .4536 =kgs	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
		PRECRASH DATA
	Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve
		 (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify):

	0 1			
23.	Critical Precrash Event	1	(83	Pedalcyclist or other nonmotorist in roadway
	This Vehicle Loss of Control Due To:	ļ		(specify):
	(01) Blow out or flat tire	İ	(84	Pedalcyclist or other nonmotorist approaching
	(02) Stalled engine			roadway (specify):
	(03) Disabling vehicle failure (e.g., wheel fell off)	Ì	(85) Pedalcyclist or other nonmotorist—unknown
	(specify):			location (specify):
	(04) Non-disabling vehicle problem (e.g., hood flew		Obj	ect or Animal
	up) (specify):	1	-) Animal in roadway
	(05) Poor road conditions (puddle, pot hole, ice, etc.)) Animal approaching roadway
	(specify):) Animal—unknown location
	(06) Traveling too fast for conditions) Object in roadway
	(08) Other cause of control loss (specify):			Object approaching roadway
	(-2, -3) Object—unknown location
	(09) Unknown cause of control loss) Other critical precrash event (specify):
	This Vehicle Traveling		,00	, other difficult problems of other topochity.
	(10) Over the lane line on left side of travel lane		199) Unknown
	(11) Over the lane line on right side of travel lane	1	(00	CHRIDWII
	(12) Off the edge of the road on the left side	24	Δ++	empted Avoidance Maneuver ${\cal O}{\cal Q}$
	(13) Off the edge of the road on the right side	~		No driver present
	(14) End departure			•
	(15) Turning left at intersection			No avoidance actions
) Braking (no lockup)
	(16) Turning right at intersection) Braking (lockup)
	(17) Crossing over (passing through) intersection) Braking (lockup unknown)
	(19) Unknown travel direction			Releasing brakes
	Other Motor Vehicle In Lane			Steering left
	(50) Stopped			Steering right
	(51) Traveling in same direction with lower speed			Braking and steering left
	(i.e., lower steady speed or decelerating)			Braking and steering right
	(52) Traveling in same direction with higher speed) Accelerating
	(53) Traveling in opposite direction	İ		Accelerating and steering left
	(54) In crossover	l		Accelerating and steering right
	(55) Backing	1		Other action (specify):
	(59) Unknown travel direction of other motor vehicle	ł	(99)) Unknown
	in lane	١	_	7
	Other Motor Vehicle Encroaching Into Lane	25.		crash Stability After Avoidance Maneuver
	(60) From adjacent lane (same direction)—over left			No driver present
	lane line		(1)	No avoidance maneuver
	(61) From adjacent lane (same direction)—over right		(2) (3)	Tracking
	lane line		(3)	Skidding longitudinally—rotation less than 30 degrees
	(62) From opposite direction—over left lane line		(4)	Skidding laterally—clockwise rotation
	(63) From opposite direction—over right lane line		(5)	Skidding laterally—counterclockwise rotation
	(64) From parking lane	1	(8)	Other vehicle loss-of-control (specify):
	(65) From crossing street, turning into same direction		1-7	The vertical lead of definition (appearly).
	(66) From crossing street, across path		(9)	Precrash stability unknown
	(67) From crossing street, turning into opposite			7
	direction	26.	Prec	crash Directional Consequences of
	(68) From crossing street, intended path not known			idance Maneuver (Corrective Action)
	(70) From driveway, turning into same direction		(0)	No driver present
	(71) From driveway, across path			No avoidance maneuver
	(72) From driveway, turning into opposite direction		(2)	Vehicle stayed in travel lane where avoidance
	(73) From driveway, intended path not known			maneuver was initiated
	(74) From entrance to limited access highway		(3)	Vehicle stayed on roadway but left travel lane
	(78) Encroachment by other vehicle—details			where avoidance maneuver was initiated
	unknown		(4)	
	Pedestrian or Pedalcyclist, or Other Nonmotorist			travel lane where avoidance maneuver was
	(80) Pedestrian in roadway		, .	initiated
	(81) Pedestrian approaching roadway			Vehicle departed roadway
	(82) Pedestrian—unknown location			Avoidance maneuver initiated off roadway
			(9)	Directional consequences unknown

		ENVIRONME	ENTAL D	ATA
27	Polotion to lunction	3	22 Deed	Confess Conflict
27.	Relation to Junction (0) Non-junction	<u> </u>		way Surface Condition Dry
	(1) Interchange area			Wet
			(3)	Snow and slush
	Non-Interchange		, , ,	lce
	(2) Intersection (3) Intersection-related			Sand, dirt or oil Other (specify):
	(4) Drive, alley access relate	d ·		Unknown
	(5) Other non-interchange (s			
	(0)		0.4 - "	4
	(6) Unknown type of non-int(9) Unknown if interchange	ercnange		ic Control Device No traffic control(s)
-	(b) Chichovan in interestange			Trafficway traffic control signal (not RR
		1		crossing)
28.	Trafficway Flow			
	(1) Not physically divided (tv(2) Divided trafficway - med	vo way trattic)		latory or School Zone Sign (Not RR Crossing) Stop sign
	positive barrier	ian strip without		Yield sign
	(3) Divided trafficway - med	ian strip with	(4)	School zone sign
	positive barrier		(5)	Other sign (specify):
	(4) One way trafficway (9) Unknown		(6)	Unknown sign
	(5) CHRIOWII			Warning sign (not RR crossing)
		ລ	(8)	Miscellaneous/other controls including RR
29.	Number of Travel Lanes	<u>J</u>	(controls (specify):
	(1) One (2) Two		(9) i	Unknown
	(3) Three		(0)	Onknown
	(4) Four			7.
	(5) Five			ic Control Device Functioning
	(6) Six (7) Seven or more			No traffic control Not Functioning
:	(9) Unknown			Functioning
	•			Unknown
30	Roadway Alignment	. /		
50.	(1) Straight		36. Light	Conditions
	(2) Curve right			Daylight
	(3) Curve left		, , , ,	Dark
	(9) Unknown			Dark, but lighted Dawn
		• •		Dusk
31.	Roadway Profile		1	Unknown
	(1) Level			
	(2) Uphill Grade (>2%)(3) Downhill Grade (>2%)		37 Atmo	spheric Conditions
	(4) Hillcrest			No adverse atmospheric related driving
	(5) Sag		(conditions
	(9) Unknown			Rain
		7		Sleet Snow
32.	Roadway Surface Type			Fog
	(1) Concrete		(6) F	Rain and fog
	(2) Bituminous (asphalt)(3) Brick or Block			Sleet and fog
	(4) Slag, gravel or stone			Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify):
	(5) Dirt			Jnknown
	(8) Other (specify):			
	(9) Unknown			
	io, omnomi			

90-646 94 Corusa

POI to FRP = 9m = 29.5ft = 30ft.

Braking at import. f=0.60

V= 1[2][30)(0.60)(82.2)

= 34 +PS = 23 mph = 37 KPh

3) KPh

. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Vehicle Number

2. Case Number - Stratum

VEHICLE IDENTIFICATION

VIN 1 GILDS 5 MBRY

Model Year 94

Vehicle Model (specify):

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

5	CE	2/			
		1	1	1	

VERTICAL MEASUREMENTS

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

0	3	8	cm	U

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact

cm

cm

cm

cm -

cm

VEHICLE DAMAGE SKETCH

NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

2 / 60

PEDESTRIAN SIDE CONTACT WORK SH	EET
PEV06 Hood Material	
PEV08 Hood Length	сря
PEV09 Hood Width-Forward Opening	cm
PEV10 Hood Width-Midway	cm
PEV11 Hood Width-Rear Opening	cm
VEDTIOAL MEAGUIDEMENTO	
VERTICAL MEASUREMENTS	
PEV26 Ground Clearance	cm
PEV27 Side Bumper-Bottom Height	cm
PEV28 Side Bumper-Top Height	cm
PEV29 Centerline of Wheel	cm
PEV30 Top of Tire	cm
PEV31 Top of Wheel Well Opening	cm
PEV32 Bottom of A-Pillar at Windshield	cm
PEV33 Top of A-Pillar at Windshield	cm
PEV34 Top of Side View Mirror	cm
LATERAL MEASUREMENTS	
PEV35 C _L to A-Pillar at Bottom of Windshield	cm
PEV36 C _L to A-Pillar at Top of Windshield	cm
	cm
PEV37 C _L to Maximum Side View Mirror Protrusion	cm
AMBAB BIOTANIOTO	
WRAP DISTANCES	
PEV38 Ground to Side/Top Transition	cm
PEV39 Ground to Hood Edge	cm
PEV40 Ground to Centerline of Hood (ORIGIN)	cm
PEV41 Ground to Head Contact	cm


ORIGINAL SPECIFICATIONS

Whee1base	103.4 inches	x 2.54 =	263 cm
Overall Length	/ 83.5 inches	x 2.54 =	466 cm
Maximum Width	D68.1 inches	x 2.54 =	$113 \mathrm{cm}$
Curb Weight $\underline{\mathcal{D}}$	2.665 pounds	x .4536 = <u>/</u>	.209kg
Average Track	0514 inches	x 2.54 =	146 cm
Front Overhang	0.31.1 inches	x 2.54 =	096cm
Rear Overhang	0413 inches	x 2.54 =	105 cm
Undeformed End Width	0.55.1 inches	x 2.54 =	140 cm
Engine Size: cyl./displ.	,	x .001 =	3.1.
	189 cid	x .0164 =	3.1.

•
FRONT
700 Front bumper
701 Front lower valance/spoiler
702 Front grille
703 Hood edge and/or trim
704 Hood ornament (fixed)
705 Hood ornament (spring loaded)
706 Headlight
707 Retractable headlight door (Open/Closed)
708 Turn signal/parking lights
718 Other front or add on object
(specify):
719 Unknown front object
Left Side Components
720 Front fender side surface
721 Front antenna
722 A1 pillar
723 A2 pillar
724 B pillar
725 C pillar
726 D pillar
728 Other pillar
(specify):
729 Left side roof rail
730 Left side door surface
731 Left side door handle
732 Left side mirror fixed housing
733 Left side folding mirror
734 Left side glazing forward of B pillar
735 Left side glazing rearward of B pillar
736 Left side back fender or quarter panel
737 Rear antenna
738 Other left side object
(specify):
739 Unknown left side component
Right Side Components
740 Front fender side surface
7.41 Front antenna

741 Front antenna 742 A1 pillar 743 A2 pillar

INJURY SOURCE	
	Wheels / tires
744 B pillar	790 Left front wheel / tire
745 C pillar	791 Right front wheel / tire
746 D pillar	792 Left rear wheel / tire
748 Other pillar (specify):	793 Right rear wheel /tire
749 Right side roof rail	798 Other wheel / tire (specify):
750 Right side door surface	799 Unknown wheel / tire
751 Right side door handle	to outlieve tribally the
752 Right side mirror fixed housing	Undercarriage components
753 Right side folding mirror	800 Front cross member
754 Right side glazing forward of B pillar	801 Steering assembly/Front suspension
755 Right side glazing rearward of B pillar	802 Oil pan
756 Rear antenna	803 Exhaust system pipe
757 Rear fender or quarter panel	804 Transmission
758 Other right side object	805 Drive shaft
(specify):	806 Catalytic converter
759 Unknown right side component	807 Muffler
	808 Floor pan
Back Components	809 Fuel tank
760 Rear (back) bumper	810 Rear suspension
761 Tailgate	818 Other undercarriage component
762 Hatchback, vertical surface	(specify):
768 Other back component	819 Unknown undercarriage component
(specify):	o to this time and a dampe to important
769 Unknown back component	Accessories
. *	820 Air scoop, deflector
Top Components	821 Cellular or CB radio antenna
770 Hood surface	822 Emergency lights or bar
771 Hood surface reinforced by under hood	823 Fog lights
component	824 Luggage, ski, or bike rack
772 Front fender top surface	825 Cargo (specify):
773 Cowl area	826 Spare tire
774 Wiper blade & mountings	827 Spotlight
775 Windshield glazing	828 Other accessory (specify):
776 Front header	(5000)
777 Roof surface	Other Object or Vehicle in Environment
778 Backlight glazing	947 Ground
779 Rear header	948 Other object (specify):
780 Hatchback	949 Unknown object in environment
781 Rear trunk lid	959 Unknown object on contacting vehicle
788 Other top component (specify):	997 Noncontact injury source
789 Unknown top component	999 Unknown injury source
• •	



	POINTS OF PEDESTRIAN CONTACT								
			PEDEST	RIAN CONTA	CT WORKSH	EET			
CONTACT ID LABEL	ID CONTACTED LOCATION		LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)	SEQUENCE #	
A	Bumper	+111	+29	0	Leg	Snudge	2 3 9	1	
17	Hood	461	73/	0	Elbow	STENT	D2 3 3	2	
1			///	///	///		12/0/	//	
E	SUFFAIR	'+ 51	- 19	,	HAND	Smindge Smerk	D2 3 8	3	
1=	Surface	7 65	- 53	Jan	1tip	dent	2 3 9	4	
2	200	ω_{37}	_ 40			BENT	O 219	5	
B	Windstield	438	- 43	0	HANd	Spider web	2 3 9	6	
							1 2 3 9		
							1 2 3 9		
							1 2 3 g		
							1239		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		

POINTS OF PEDESTRIAN CONTACT CHRONOLOGICAL ORDER OF CONTACTS							
CONTACT #	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)
1 A	700	111	+29	0	L. Knes	scutt	O 2 3 9
2/4	700	111	124	0	4 hour	scalt	J 219
3	700	17/	+ 10	> 0	6	let.	1 2 3 9
1	700	111	1/0	10		Jynon 3/	7)233
4	718	13/3	1190	1,0	none	4	2 3 9
67	718	1314	1 13.	10		47	()2.3.3
T	774	-37	-40	0	Fores	sust	2 3 9
1/7	775	-4/	-43	Ø	styles-	eroh!	<i>O</i> 2 3 8
9	947	(nov	4)		1 2 3 9
10				-			1 2 2 9
11							1 2 3 9
12							1 2 3 9
13	,						1 2 3 9
14							1 2 3 9
15							1 2 3 9
16							1 2 3 9
17							1 2 3 9
18							1 2 3 9
19							1 2 3 9
20							1 2 3 9
21							1 2 3 9
22							1 2 3 9
23							1 2 3 9
24							1 2 3 9
25						-	1 2 3 9

VEHICLE DIMENSIONS	11. Hood Width Rear Opening 144
4. Original Wheelbase 263	Code to the
Code to the	nearest centimeter (210) 210 centimeters or more
nearest centimeter	(999) Unknown
(999) Unknown	056 . Ginches $\times 2.54 = 144$ centimeters
103.4 inches $\times 2.54 = 263$ centimeters	
5. Original Average Track Width 146	12. Hood/Fender Vertical/Lateral Crush From Pedestrian
Code to the	(0) Not damaged
nearest centimeter (185) 185 centimeters or more	(1) Surface scratching only, no residual crush
(999) Unknown	(2) Minor crush (1-3 centimeters)(3) Moderate crush (4-7 centimeters)
051.4 inches $\times 2.54 = 146$ centimeters	(4) Severe crush (>7 centimeters)
centimeters	(8) Damage present, unknown if damage is from
3	pedestrian impact (9) Unknown
6. Hood Material	(i) (ii) (ii) (ii) (ii) (ii) (ii) (ii)
(1) Plastic (2) Fiberglass	13. Windshield Contact Damage
(3) Steel	From Pedestrian Contact (0) Not contacted by pedestrian
(4) Aluminum (5) Stainless Steel	(1) Contacted by pedestrian - not damaged
(8) Other (specify):	(2) Contacted by pedestrian - damaged
(9) Unknown	(3) Unknown if contacted by pedestrian - not damaged
7. Head Original	(4) Unknown if contacted by pedestrian -
7. Hood Original Equipment Manufacturer (OEM)	damaged
(1) OEM factory installed hood	(9) Unknown if contacted by pedestrian - unknown if damaged
(2) OEM replacement	amate in a damaged
(2) OEM replacement(3) Non-OEM replacement(9) Unknown	FRONT CONTACT DAMAGE
(3) Non-OEM replacement (9) Unknown	
(3) Non-OEM replacement	FRONT CONTACT DAMAGE Front Vertical Measurements
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more	FRONT CONTACT DAMAGE Front Vertical Measurements
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown CH3.1 inches X 2.54 = LLL centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown CH3.1 inches X 2.54 = LLL centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown OH3.1 inches x 2.54 = LLL centimeter 9. Hood Width Forward Opening Code to the nearest centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown OH3.1 inches x 2.54 = LLL centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown OH3.1 inches × 2.54 = LLL centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown OH3.1 inches x 2.54 = LLL centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown OH3.1 inches × 2.54 = III centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown OH3.5 inches × 2.54 = I30 centimeters	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown OH3.1 inches × 2.54 = LLL centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown OH3.1 inches × 2.54 = 1 centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown OH3.5 inches × 2.54 = 13 centimeters 10. Hood Width Midway Code to the nearest centimeter	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown OH3.1 inches X 2.54 = L centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown OH3.5 inches X 2.54 = L30 centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown OH3.1 inches × 2.54 = LL centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown OH3.2 centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown OH3.1 inches X 2.54 = L centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown OH3.5 inches X 2.54 = L3 centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown OH3.1 inches × 2.54 = III centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown OH3.5 inches × 2.54 = III centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more

17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown Ool one inches X 2.54 = 055 centimeters 18. Forward Hood Opening Code to the nearest centimeter (000) No front contact	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown 27 8.1 inches X 2.54 = 200 centimeters 24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more
(200) 200 centimeters or more (999) Unknown 002.1 inches x 2.54 = 06.1 centimeters	(999) Unknown
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown inches X 2.54 = 0 7 centimeters	Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown ORD 1 inches X 2.54 = 205 centimeters
	SIDE CONTACT DAMAGE
Front Wrap Distance Weasurements	Side Vertical Measurements
20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown Older Solution Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact
Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown 21. Ground to Front/Top Transition Point Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 27. Side Bumper-Bottom Height Code to the nearest centimeter

29.	Centerline of Wheel	000	Side Lateral Measurements
	Code to the		
	nearest centimeter		35. Centerline to A-Pillar 000
	(000) No side contact		
	(150) 150 centimeters or more		at Bottom of Windshield
	(999) Unknown		(000) No side contact
			Code to the
	inches X 2.54 =	centimeters	nearest centimeter
			(250) 250 centimeters or more
		000	(999) Unknown
30.	Top of Tire	000	Vor.
	Code to the		inches X 2.54 = centimeters
	nearest centimeter		
	(000) No side contact		36. Centerline to A-Pillar
	(200) 200 centimeters or more		at Top of Windshield
	(999) Unknown		Code to the
			· — ·
	inches X 2.54 =	centimeters	nearest centimeter (000) No side contact
			(250) 250 centimeters or more
		000	(999) Unknown
31.	Top of Wheel Well Opening	000	(935) OHKHOWII
	Code to the		inches X 2.54 = centimeter
	nearest centimeter		centimeter
	(000) No side contact		
	(250) 250 centimeters or more		37. Centerline to Maximum Side O O O
	(999) Unknown		View Mirror Protrusion
	e e e e e e e e e e e e e e e e e e e		Code to the
	inches X 2.54 =	_ centimeters	nearest centimeter
00	D. A. D. C. A. D. C. C. A. D. C.	000	(000) No side contact
32.	Bottom of A-Pillar at Windshield	000	(300) 300 centimeters or more
	Code to the		(999) Unknown
	nearest centimeter		(555)
	(000) No side contact (250) 250 centimeters or more		inches X 2.54 = centimeter
	(999) Unknown		
	(000) Olikilowii		
	inches X 2.54 =	centimeters	Side Wrap Distance Measurements
		_ continueters	
		0 0 0	20 Commend to Cido (Town Township)
33.	Top of A-Pillar at Windshield	000	38. Ground to Side/Top Transition
	Code to the		Code to the
	nearest centimeter		nearest centimeter
	(000) No side contact		(000) No side contact (400) 400 centimeters or more
	(300) 300 centimeters or more	•	(999) Unknown
	(999) Unknown		(999) CHRIOWII
			inches X 2.54 = centimeters
	inches X 2.54 =	centimeters	Certumeters
		$\alpha \wedge \alpha$	39. Ground to Hood Edge $\mathcal{O} \mathcal{O} \mathcal{O}$
34.	Top of Side View Mirror	000	Code to the
	Code to the		nearest centimeter
	nearest centimeter		(000) No side contact
	(000) No side contact		(500) 500 centimeters or more
	(300) 300 centimeters or more		(999) Unknown
	(999) Unknown		
	inch a V O F A		inches X 2.54 = centimeters
	inches X 2.54 =	_ centimeters	

40.	Groun	d to Centerline of Hood Code to the nearest centimeter	000	
	(700)	No side contact 700 centimeters or more Unknown	• •	
		inches X 2.54 =	centimeters	
41.	Groun	d to Head Contact Code to the nearest centimeter	000	
	(800)	No side contact 800 centimeters or more No head contact	4 T	
	(999)	Unknown		
		inches X 2.54 =	centimeters	
		•		
		•		
	·			
			·	
				,