



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



AUTO SAFETY HOTLINE (800) 424-9393 Wash. D.C. Area 366-0123



PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 82 **CASE NO.** 658 P

TYPE OF ACCIDENT CAR TURNING LEFT/PEDESTRIAN WALKING

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

> Vehicle was westbound on a 5-lane, 2-way street and entered an intersection to turn left. A pedestrian was walking westbound in a crosswalk. Vehicle waited for approaching traffic and began left turn. Another pedestrian alerted this pedestrian of Vehicle 1. This pedestrian turned away to the left and was struck on the left side and flipped onto her back to the hood in a sitting position.


B. PEDESTRIAN PROFILE										
Pedestrian			Treatment/		Most (TO BE COMPLE	Most Severe Injury TO BE COMPLETED BY ZONE CENTER)				
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source			
01	30	Female	Treated & released	Spine	SM e letel	/	Hood			

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity

C. VEHICLE PROFILE								
	Class		. 8	Most Severe Damage assed on Vehicle Inspection				
Vehicle No.		of Year/Make/Model		Damage Description				
01	Subcompact	94/Ford/Escort	Front	Minor - smears, dents				



ACCIDENT COLLISION DIAGRAM U.S. Department of Transportation National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPL PEDESTRIAN CRASH Indicate. PSU No. PSU No. 8 2 Case Number - Stratum 6 5 P North & Idenal K Po Sidewalk Sidewalk 10 0 ❸ €





U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Administration					
Primary Sampling Unit Number 8	_		C	Case Numb	er-Stratum 6 5 P
PEDESTRIAN ACCIDENT COL	LISION DATA C	OLLECTION	٧		SCALED DIAGRAM
document reference point and reference line relative to physical features	Surface Type		Aspha		north arrow placed on diagram
documentation of all accident induced physical evidence including (if applicable):	Surface Conditio	n	Dans		grade measurements for all applicable roadways
a) vehicle skid marks	Coefficient of Fri	ction	.60	-	scaled representations of the physical plant including:
b) pedestrian contacts with ground or object	Grade (v/h) Mea	surement			all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)
c) vehicle/pedestrian point of impact (POI)	a) at impa	ct '	\(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\)	-	b) all traffic controls (e.g., lights, signs)
d) location of pedestrian separation point from vehicle	b) betwee final re	n impact and It	193	_	scaled representations of the vehicle and pedestrian at pre-impact, impact, and final rest based upon either:
final resting points (FRP) for pedestrian and vehicle	Pedestrian Trave	el Direction	took	_ a) physical evidence, or
documentation of the physical plant including:	Vehicle Travel D	irection:	South	ո ե	reconstructed accident dynamics
all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)	Number of Trave	i Lanes	5	-	
b) all traffic controls (e.g., lights, signs)					
Reference Point: Light to Co 5. W comes of I	bersee	_	erence Line:	West	Fur Elge
Item			tance and Di m Reference		Distance and Direction from Reference Line
Associate P.O.I.	to			•	
40	rel Ro	£ ()	5 %	.5 1	\mathcal{N}
					7

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

 Primary 	Sampling	Unit Nu	ımber
-----------------------------	----------	---------	-------



2. Case Number - Stratum


IDENTIFICATION

3. Number of General Vehicle Forms Submitted

4. Date of Accident (Month, Day, Year)



5. Time of Accident



Code reported military time of accident.

NOTE: Midnight = 2400

Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. ____SS15 Administrative Use

7. ____SS16 Pedestrian Crash Data Study _1

8. SS17 Impact Fires

9. SS18 0

10. SS19 0

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

0 1

0

0

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS									
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage			
12. <u>0 1</u>	13. <u>0</u> <u>1</u>	14. 0	15. <u>F</u>	16. <u>7 2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>			

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

National Highway Traffic Safety Administration

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 2. Case Number - Stratum 3. Pedestrian Number 0 1	10. Pedestrian's Weight Code actual weight to the nearest kilogram. (999) Unknown Down Down
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify): (9) Unknown
5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping
6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown inches X 2.54 = centimeters	(6) Jumping (7) Falling/stumbling or rising (8) Other (specify): (9) Unknown
7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknowninches X 2.54 =centimeters	13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel
8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	(08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify): (99) Unknown
9. Pedestrian's Height - Ground to Shoulder Code to the nearest centimeter. (999) Unknowninches X 2.54 = centimeters	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify):

PEDESTRIAN'S AVOIDANCE ACTIONS 18. Pedestrian's Arm Orientation at Initial Impact (01) At sides 15. Pedestrian's First Avoidance Actions (02) Folded across chest (03) Hands clasped behind back (00) No avoidance actions (01) Stopped (04) Hands on hips (02) Accelerated pace (05) Hands in pockets (03) Ran away (along vehicle path) (04) Jumped One or both arms: (05) Turned toward vehicle (06) Extended upward (06) Turned away from vehicle (07) Extended to side (07) Dove or fell away (08) Extended forward bracing (09) Extended, holding object (briefcase, suitcase, etc.) Used hand(s) to: (11) Vault corner of vehicle (10) Holding object (young child, (12) Vault onto vehicle grocery bag, etc.) in arm(s) (13) Brace against vehicle (11) Holding object (young child, grocery (14) Crouched and braced hands against vehicle bag, etc.) on shoulder(s) or head (98) Other (specify): _____ (98) Other (specify):___ (99) Unknown (99) Unknown 19. Pedestrian's Leg Orientation at Initial Impact (01) Together PEDESTRIAN'S ORIENTATION AT IMPACT (02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart- forward leg unknown 16. Pedestrian's Head Orientation (06) Left foot off the ground at Initial Impact (07) Right foot off the ground (1) To front (08) Both feet off the ground (2) To left (98) Other (specify):_____ (3) To right (99) Unknown (4) Up (5) Down 20. Vehicle/Pedestrian's Interaction (8) Other (specify):_____ (01) Carried by vehicle, wrapped position (9) Unknown (02) Carried by vehicle, slid to windshield (03) Carried by vehicle, position unknown (04) Passed over vehicle top 17. Pedestrian's Body (Chest) Orientation yand still slightly (05) Thrown straight forward at Initial Impact (06) Thrown forward and left of vehicle (1) Facing vehicle (07) Thrown forward and right of vehicle (2) Facing away (08) Knocked to pavement, forward (3) Left side to vehicle (09) Knocked to pavement, left of vehicle (4) Right side to vehicle (10) Knocked to pavement, right of vehicle (8) Other (specify):___ (11) Knocked to pavement, run over or (9) Unknown dragged by vehicle (12) Shunted to left (corner impacts only) (13) Shunted to right (corner impacts only) (14) Bumped or pushed aside (15) Snagged, rotated (16) Snagged, dragged by vehicle (17) Foot or legs run over (98) Other (specify):_____ (99) Unknown

OFFICIAL RECORDS		INJURY CONSEQUENCES	
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 		25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown	+
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown intest given		(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):	4
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported	- Ф	Nonfatal (3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify):	
 (9) Unknown 24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown 	<u>Ø</u>	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown	
(e) Gillatollii		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown	D
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown	

STOP- VARIABLES 30 THROUGH 37 AF	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (3) Unknown if blood given (3) Unknown if blood given (3) Unknown if blood given (3) Arterial Blood Gases (ABG) – HCO3 (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO3 (96) ABGs reported, HCO3 unknown (97) Injured, details unknown (99) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death up through 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
	OS INCLUDED WITH INITIAL SUBMISSION? YES [] NO [U YES []

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

National Highway Traffic Safety Administration

1. Primary Sampling Unit Number

65<u>8</u> P

3. Pedestrian Number

0_1

2. Case Number - Stratum 6 2 P 4.

4. Blank

<u>_X _X</u>

INJURY DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.


				AIS-90	 				Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	s. <u>3</u>	6. <u>8</u>	7. <u>9</u>	8.0 <u>4</u>	9, <u>0</u> 2	- _{10.} _/_	11	12.700	13. <u>/</u>	14./	15	- <u>2</u> 16. <u> </u>	17.2
2nd	18. 7	19. 8	_{20.} <u>9</u>	21. <u>0 4</u>	22. <u>0</u> <u>}</u>	23. <u>/</u>	242	- 25. <u>700</u>	26	27	28	- <u>29. </u>	30
3rd	31. <u>3</u>	32. <u>6</u>	33. <u> </u>	34.0 2	- 35. 7 8	36. <u>/</u>	37. <u>8</u>	38. <u>7 D 3</u>	39. <u>/</u>	40.2	41. <u>3</u>	42. 2	43. <u>~</u>
4th	44	45	46	47.	48	49	50	51:	52	53	54	55	56
5th	57	58	59	60:	61.	62	63	64	65. <u> </u>	66	67	68	69
6th	70	71	72	73	74	75	76	77	78	79	80	81	82
7th	83	84	85	86	87	88	89	90	91	92	93	94	95. 🛖
8th	96	97	98	99	100	101	102	103	104	105	106	107	108
9th	109	110	111	112	113	114	115	116	117	118	119	120	121
10th	122	123	124	125	126	127	128	129	130	131	132	133	134

				PEDES	STRIA	ULNI N	RY DA	ΓΑ				
Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1.1 th												
12th											_	_
13th						_		_			_	
14th						_		_			-	_
15th						_			_		_	_
16th	_				_	_		_		_	_	_
17th								_		<u>. </u>		—
18th					<u></u>				——————————————————————————————————————	<u></u>	_	
19th						-		_		—	-	_
20th								_		_		_
21st	-	—			_	—		-	_	_	-	_
22nd	-	-			-	-				—		_
23rd 24th	_				_	—		_	-	_		_
25th						_		_			— —	_

The state of the s

OFFICIAL INJURY DATA — SOFT TISSUE INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



Probable (2) (1) Autopsy records with or without hospital/ No damage/contact (3) Possible Scratch (Scuff, Cloth Transfer, Smear) medical records Unknown Hospital/medical records other than Large deformation **DIRECT/INDIRECT INJURY** emergency room (e.g., discharge Cracked, fractured, shattered summary) Direct contact injury Separated from vehicle Emergency room records only (including Indirect contact injury 171 Noncontact injury associated X-rays or other lab reports) Noncontact injury Other specify: (8) Injured, unknown source Private physician, walk-in or emergency Unknown clinic STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) UNOFFICIAL Injury not from vehicle contact (5) Lay coroner report (1) No residual damage (3) (4) (5) Surface only damage Crush depth >0 to 2 centimeters Crush depth >2 to 5 centimeters (6) E.M.S. personnel Rounded (contoured) Rounded edge (7) Interviewee Sharp edge (8) Other source (specify): Other (specify): Crush depth > 5 to 10 centimeters Other specify:_ (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region Specific Anatomic Structure** Spine (02) Cervical (04) Thoracic **Abbreviated Injury Scale** Whole Area (02) Skin - Abrasion (04) Skin - Contusion Head Minor injury (2) Face (06) Lumbar Moderate injury (3) Neck (3) Serious injury (4) (5) (6) Thorax (06) Skin - Laceration Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02 (4) Severe injury Abdomen (08) Skin - Avulsion (5) Critical injury Spine (10)Amputation Maximum (untreatable) **Upper Extremity** (20) Burn Injured, unknown severity (8) **Lower Extremity** (30) Crush Level of Injury Unspecified (40) Degloving (50) Injury - NFS **Aspect** Specific injuries are consecutive two-digit beginning with 02. assigned Type of Anatomic Structure (90) Trauma, other than mechanical Right Left numbers (2) Whole Area (3) Bilateral (02) Length of LOC (04, 06, 08) Level of Consciousness To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to Vessels (4) Central Nerves (5) Anterior (4) Organs (includes muscles/ (10) Concussion Posterior (6)is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity. ligaments) Skeletal (includes joints) (7) Superior (8) Inferior (6) (9) Head - LOC (9) Unknown Skin Whole region **INJURY SOURCE FRONT** Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 748 Other pillar (specify):_ 703 Hood edge and/or trim 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): _ 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) Undercarriage components 800 Front crossmember 752 Right side mirror fixed housing 708 Turn signal/parking lights 753 Right side folding mirror 718 Other front or add on object 801 Steering assembly/Front suspension 754 Right side glazing forward of B pillar 755 Right side glazing rearward of B pillar (specify):_ 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 808 Floor pan 722 A1 pillar 723 A2 pillar **Back Components** 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 762 Hatchback, vertical surface 726 D pillar (specify): 768 Other back component 728 Other pillar 819 Unknown undercarriage component (specify): (specify): 769 Unknown back component 729 Left side roof rail <u>Accessories</u> 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle Top Components 821 Cellular or CB radio antenna 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 824 Luggage, ski, or bike rack 825 Cargo (specify):____ 734 Left side glazing forward of B pillar component 735 Left side glazing rearward of B pillar 772 Front fender top surface 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 774 Wiper blade & mountings 737 Rear antenna 827 Spotlight 775 Windshield glazing 738 Other left side object 828 Other accessory (specify):_ 776 Front header (specify): 739 Unknown left side component 777 Roof surface

778 Backlight glazing

788 Other top component (specify): _

789 Unknown top component

779 Rear header

781 Rear trunk lid

780 Hatchback

INJURY SOURCE CONFIDENCE LEVEL

SOURCE OF INJURY DATA

OFFICIAL.

Right Side Components

741 Front antenna

742 A1 pillar

743 A2 pillar

740 Front fender side surface

TYPE OF DAMAGE

Injury not from vehicle contact

Other Object or Vehicle in Environment

949 Unknown object in environment

959 Unknown object on contacting vehicle

948 Other object (specify):

997 Noncontact injury source

999 Unknown injury source

Restrained?

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

Blood Alcohol Level

(mg/dl)

BAL =

Glasgow Coma Scale Score


gcss = 15


Units of Blood Given

Units $\frac{1}{4}$ _

Arterial Blood Gases


PCO₂






OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

$X \rightarrow$	OFFICIAL RECORDS
1. Primary Sampling Unit Number	Q a O
2. Case Number - Stratum 6 P	9. Police Reported Travel Speed
3. Vehicle Number01_	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above
VEHICLE IDENTIFICATION	(999) Unknown
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown	10. Speed Limit (000) No statutory limit Code posted or statutory speed limit
5. Vehicle Make (specify): Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (99) Unknown	in kmph (999) Unknown mph x 1.6093 = kmph 11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present
6. Vehicle Model (specify): Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown	(7) Not reported (8) No driver present (9) Unknown 12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx)
7. Body Type Note: Applicable codes may be found on the back of this page. 8. Vehicle Identification Number	(95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
Left justify; Slash zeros and letter Z (Ø and Z) No VIN—Code all zeros Unknown—Code all nines	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

	VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15.	Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown Box 4536 = 675 kgs	18. Impact Speed Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
16.	Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown Ibs X .4536 =, kgs	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
		PRECRASH DATA
17.	Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left
	STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	 (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

	1 尺	1		
23.	Critical Precrash Event		(83)	Pedalcyclist or other nonmotorist in roadway
	This Vehicle Loss of Control Due To:			(specify):
	(01) Blow out or flat tire		(84)	Pedalcyclist or other nonmotorist approaching
	(02) Stalled engine			roadway (specify):
	(03) Disabling vehicle failure (e.g., wheel fell off)		(85)	Pedalcyclist or other nonmotorist—unknown
	(specify):			location (specify):
	(04) Non-disabling vehicle problem (e.g., hood flew			ect or Animal
	up) (specify):		(87)	Animal in roadway
	(05) Poor road conditions (puddle, pot hole, ice, etc.)		(88)	Animal approaching roadway
	(specify):		(89)	Animal—unknown location
	(06) Traveling too fast for conditions		(90)	Object in roadway
	(08) Other cause of control loss (specify):		(91)	Object approaching roadway
			(92)	Object—unknown location
	(09) Unknown cause of control loss		(98)	Other critical precrash event (specify):
	This Vehicle Traveling			
	(10) Over the lane line on left side of travel lane		(99)	Unknown
	(11) Over the lane line on right side of travel lane			$\bigcap \Lambda$
	(12) Off the edge of the road on the left side	24.	Atte	empted Avoidance Maneuver
	(13) Off the edge of the road on the right side			No driver present
	(14) End departure			No avoidance actions
	(15) Turning left at intersection			Braking (no lockup)
	(16) Turning right at intersection			Braking (lockup)
	(17) Crossing over (passing through) intersection			Braking (lockup unknown)
	(19) Unknown travel direction	İ		Releasing brakes
	Other Motor Vehicle In Lane			Steering left
	(50) Stopped			Steering right
	(51) Traveling in same direction with lower speed			Braking and steering left
	(i.e., lower steady speed or decelerating)	ŀ		Braking and steering right
	(52) Traveling in same direction with higher speed			Accelerating
	(53) Traveling in opposite direction	l		Accelerating and steering left
	(54) In crossover			Accelerating and steering right
	(55) Backing	ł		Other action (specify):
	(59) Unknown travel direction of other motor vehicle	1		Unknown
	in lane	1	,,	<u> </u>
	Other Motor Vehicle Encroaching Into Lane	25.	Prec	rash Stability After Avoidance Maneuver
	(60) From adjacent lane (same direction) - over left			No driver present
	lane line		(1)	No avoidance maneuver
	(61) From adjacent lane (same direction) - over right		(2)	Tracking
	lane line		(3)	Skidding longitudinally—rotation less than 30
	(62) From opposite direction—over left lane line			degrees
	(63) From opposite direction—over right lane line	İ	(4)	Skidding laterally—clockwise rotation
	(64) From parking lane	İ	(5)	Skidding laterally—counterclockwise rotation
	(65) From crossing street, turning into same direction		(8)	Other vehicle loss-of-control (specify):
	(66) From crossing street, across path	1	(0)	D 1 1 1 22
	(67) From crossing street, turning into opposite	l	(9)	Precrash stability unknown
	direction	26	Droo	rash Directional Consequences of
	(68) From crossing street, intended path not known	20.		idance Maneuver (Corrective Action)
	(70) From driveway, turning into same direction		(0)	No driver present
	(71) From driveway, across path		(1)	No avoidance maneuver
	(72) From driveway, turning into opposite direction		(2)	Vehicle stayed in travel lane where avoidance
	(73) From driveway, intended path not known		_,	maneuver was initiated
	(74) From entrance to limited access highway		(3)	Vehicle stayed on roadway but left travel lane
	(78) Encroachment by other vehicle—details	1		where avoidance maneuver was initiated
	unknown		(4)	Vehicle stayed on roadway, not known if left
	Pedestrian or Pedalcyclist, or Other Nonmotorist		•	travel lane where avoidance maneuver was
	(80) Pedestrian in roadway	ı		initiated
	· · · · · · · · · · · · · · · · · · ·		(5)	Vehicle departed roadway
	(81) Pedestrian approaching roadway		(6)	Avoidance maneuver initiated off roadway
	(82) Pedestrian—unknown location	l	101	Directional consequences unknown

	ENVIRONME	NTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area	33. Roadway Surface Condition (1) Dry (2) Wet
	Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	(3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
	(6) Unknown type of non-interchange (9) Unknown if interchange	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)
	Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown	Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR
29.	Number of Travel Lanes (1) One (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown	controls (specify): (9) Unknown 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown	36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn
31.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown	(5) Dusk (9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet
32.	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):	 (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown
	(9) Unknown	



U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN EXTERIOR VEHICLE FORM

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

<u>68</u>2

3. Vehicle Number

0 1

2. Case Number - Stratum

VEHICLE IDENTIFICATION

VIN LEARBILLISRW

Model Year

cm

cm

cm

cm

Vehicle Make (specify):

1989

Vehicle Model (specify)

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

Steel 094 134 135

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

279		/
$\overline{03}$	cm	
053	cm	1
<u>069</u>	cm	/
<u>010</u>	cm	

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point


PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact

VEHICLE DAMAGE SKETCH




NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:


15Qm

VEHICLE DAMAGE SKETCH VIN IFARP 14 TERM Hood Material Year of Make For Model Eswo **Bumper Cover Type** 40on AB **Bumper Reinforcement** Material **Hood Widths** Rear Opening 3146 Midway 132 **Hood Length** Front Opening 134 Bumper lead **Wraps** 1402/16 Top Windshield Vertical Heights **Bottom Windshield** Forward Hood Opening Rear Hood **Bumper Top** 39 **Transition Bumper Bottom** Front Hood Location of Origin (Intercept) Head Wrap Measurement



	PEDESTRIAN SIDE CONTACT WORK SHE		
PEV06	Hood Material		
PEV08	Hood Length		cm
PEV09	Hood Width-Forward Opening		cm
PEV10	Hood Width-Midway		cm
PEV11	Hood Width-Rear Opening		cm
	VERTICAL MEASUREMENTS		
	Ground Clearance		cm
	Side Bumper-Bottom Height		cm
	Side Bumper-Top Height		cm
	Centerline of Wheel		cm
PEV30	Top of Tire		cm
PEV31	Top of Wheel Well Opening		cm
PEV32	Bottom of A-Pillar at Windshield		cm
PEV33	Top of A-Pillar at Windshield		cm
PEV34	Top of Side View Mirror		cm
	LATERAL MEASUREMENTS		
PEV35	C _L to A-Pillar at Bottom of Windshield		cm
PEV36	C_L to A-Pillar at Top of Windshield	\	cm
	C _L to Maximum Side View Mirror Protrusion		cm
	WRAP DISTANCES		
PEV38	Ground to Side/Top Transition	\	cm
PEV39	Ground to Hood Edge		cm
PEV40	Ground to Centerline of Hood (ORIGIN)		cm
PEV41	Ground to Head Contact		cm

VEHICLE DAMAGE SKETCH



Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: _____ cm

, AR	ORIGINAL SPECIFICATION	ONS		
	0 ~ 1			
Wheelbase	$\frac{9}{2}$ inches	$\times 2.54 = \underbrace{3.50}_{\text{cm}} \text{cm}$		
Overall Length	inches	$\times 2.54 = \underbrace{43}_{\text{cm}} \text{cm}$		
Maximum Width	$ \sqrt{6}$ inches	$\times 2.54 = $		
Curb Weight	2.371 pounds	$\times .4536 = \underline{}, \underline{0} + \underline{7} + \underline{5} + \underline{6}$		
Average Track	$\underline{S} \underline{b} \underline{S}$ inches	$\times 2.54 = 14 $ cm		
Front Overhang	inches	x 2.54 =cm		
Rear Overhang	inches	x 2.54 = cm		
Undeformed End Width	inches	x 2.54 =cm		
Engine Size: cyl./displ	cc	x .001 =		
	CID	x .0164 = L 20		
FRONT	INJURY SOURCE	Wheels / tires		
701 Front lower valance/spoiler 702 Front grille 703 Hood edge and/or trim 704 Hood ornament (fixed) 705 Hood ornament (spring loaded) 706 Headlight 707 Retractable headlight door (Open/Closed) 708 Turn signal/parking lights 718 Other front or add on object (specify): 719 Unknown front object Left Side Components 720 Front fender side surface 721 Front antenna	745 C pillar 746 D pillar 748 Other pillar (specify): 749 Right side roof rail 750 Right side door surface 751 Right side door handle 752 Right side mirror fixed housing 753 Right side folding mirror 754 Right side glazing forward of B pillar 755 Right side glazing rearward of B pillar 756 Rear antenna 757 Rear fender or quarter panel 758 Other right side object (specify): 759 Unknown right side commonth	791 Right front wheel / tire 792 Left rear wheel / tire 793 Right rear wheel / tire 798 Other wheel / tire (specify): 799 Unknown wheel / tire Undercarriage components 800 Front cross member 801 Steering assembly/Front suspension 802 Oil pan 803 Exhaust system pipe 804 Transmission 805 Drive shaft 806 Catalytic converter 807 Muffler		
721 A1 pillar 723 A2 pillar 724 B pillar 725 C pillar 726 D pillar 728 Other pillar (specify):	759 Unknown right side component Back Components 760 Rear (back) bumper 761 Tailgate 762 Hatchback, vertical surface 768 Other back component (specify): 769 Unknown back component	808 Floor pan 809 Fuel tank 810 Rear suspension 818 Other undercarriage component (specify): 819 Unknown undercarriage component		
730 Left side door surface 731 Left side door handle 732 Left side mirror fixed housing 733 Left side folding mirror 734 Left side glazing forward of B pillar 735 Left side glazing rearward of B pillar 736 Left side back fender or quarter panel	Top Components 770 Hood surface 771 Hood surface reinforced by under hood component 772 Front fender top surface 773 Cowl area	824 Luggage, ski, or bike rack 825 Cargo (specify): 826 Spare tire		
737 Rear antenna 738 Other left side object (specify): 739 Unknown left side component Right Side Components 740 Front fender side surface 741 Front antenna	774 Wiper blade & mountings 775 Windshield glazing 776 Front header 777 Roof surface 778 Backlight glazing 779 Rear header 780 Hatchback 781 Rear trunk lid	827 Spotlight 828 Other accessory (specify):		
742 A1 pillar 743 A2 pillar	788 Other top component (specify): 789 Unknown top component	997 Noncontact injury source 999 Unknown injury source		

	POINTS OF PEDESTRIAN CONTACT									
		- Ca	PEDEST	RIAN CONT/	CT WORKSH	EET				
CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)	SEQUENCE #		
\overline{D}	Bunkar	110 +0 97	-50	0	Dley	Rante Stran	2 3 9	1		
P	(WILL	74	- 99	Q	upper V	2 2	3 2 3 8	9		
8	Hood	56	-90	0	WHICH H	, Large Smean	1 2 3 9	\mathcal{G}		
U	local	50	~ 5S	Ø	(C) Year (J	Free Street	7238	U		
0	Hood	19	-19	0€ /	Bock	on small sm	1 2 3 9	S		
1	Bool!	し	25	G) (Dur.	Smbra	2 3 9	ĺa		
1		5	2	in	Sundenne	nd struk	1 2 3 9	3		
4	Hood	30	37	0 4) '	6.22	ronder	222	74		
1	11 2	64	9	0	romer	meentron	1 2 3 9	1		
8-	10°C)48	80+	40	\mathcal{A}	vegs	7×°48/94	2 3 9	4		
	7	·				•	1 2 3 9			
							1 2 3 4			
							1 2 3 9			
							1 2 3 9			
							1 2 3 9			
							1 2 3 9			
							1 2 3 9			
							1 2 3 4			
							1 2 3 9			
							1 2 3 8			
							1 2 3 9			
							1 2 3 9			
							1 2 3 9			
							1 2 3 5			
							1 2 3 9			

		PEDESTRIAN	
CHRONOL	ne:	CAL ORDER OF	CONTACTS

	CHRONOLOGICAL ORDER OF CONTACTS								
CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle)</i>		
1)	700	97-110	-20	9	R. Leg	smudge	(7) 2 3 9		
2	100		*1	11	11	11	р Э		
3	703	74	-29	S	Beck	smule	① 2 3 9		
4							1 2 3 9		
5							1 2 3 9		
6							1 2 3 9		
7							1 2 3 9		
e							1 2 3 9		
9							1 2 3 9		
10							1223		
11							1 2 3 9		
12							1 2 3 9		
13							1 2 3 9		
14							1 2 3 9		
15							1 2 3 9		
16							1 2 3 8		
17							1 2 3 9		
18							1 2 3 9		
19							1 2 3 9		
20							1 2 3 9		
21							1 2 3 9		
22							1 2 3 9		
23							1 2 3 9		
24							1 2 3 9		
25							1 2 3 9		

VEHICLE DIMENSIONS	
75a	11. Hood Width Rear Opening Code to the
4. Original Wheelbase Oode to the	nearest centimeter
nearest centimeter	(210) 210 centimeters or more
(999) Unknown	(999) Unknown
$\frac{98.4 \text{ inches } \times 2.54 = 350}{\text{ centimeters}}$	inches X 2.54 = centimeters
5. Original Average Track Width	12. Hood/Fender Vertical/Lateral Crush From
Code to the	Pedestrian
nearest centimeter	(0) Not damaged (1) Surface scratching only, no residual crush
(185) 185 centimeters or more (999) Unknown	(2) Minor crush (1-3 centimeters)
$\underline{36.5} \text{ inches } \times 2.54 = 144 \text{ centimeters}$	(3) Moderate crush (4-7 centimeters)(4) Severe crush (>7 centimeters)
	(8) Damage present, unknown if damage is from
\sim	pedestrian impact
6. Hood Material	(9) Unknown
(1) Plastic (2) Fiberglass	13. Windshield Contact Damage
(3) Steel	From Pedestrian Contact (0) Not contacted by pedestrian
(4) Aluminum	(0) Not contacted by pedestrian (1) Contacted by pedestrian - not damaged
(5) Stainless Steel(8) Other (specify):	(2) Contacted by pedestrian - damaged
(9) Unknown	(3) Unknown if contacted by pedestrian - not damaged
7. Hood Original	(4) Unknown if contacted by pedestrian -
Equipment Manufacturer (OEM)	damaged
(1) OEM factory installed hood	(9) Unknown if contacted by pedestrian - unknown if damaged
(2) OEM replacement (3) Non-OEM replacement	
(9) Unknown	FRONT CONTACT DAMAGE
8. Hood Length $\bigcirc 9 +$	Front Vertical Measurements
Code to the	
nearest centimeter (180) 180 centimeters or more	14. Front Bumper Cover Material
(IXI) ISU PONTINGIARE OF MOVE	(O) No front contact
(999) Unknown	(0) No front contact)
(999) Unknown	(0) No front contact (1) Plastic (2) Fiberglass
(999) Unknown inches X 2.54 = centimeter	(0) No front contact)
(999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening 3	(0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
(999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening 3 3 4 Code to the	(0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify):
(999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter	(0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact
(999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening 3 3 4 Code to the	(0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel
(999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the	(0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact
(999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters	(0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):
(999) Unknown	(0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
(999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters	(0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height
(999) Unknown inches X 2.54 =centimeter 9. Hood Width Forward OpeningCode to thenearest centimeter (210) 210 centimeters or more (999) Unknowninches X 2.54 =centimeters 10. Hood Width MidwayCode to thenearest centimeter (210) 210 centimeters or more	(0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the
(999) Unknown	(0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height
(999) Unknown inches X 2.54 =centimeter 9. Hood Width Forward OpeningCode to thenearest centimeter (210) 210 centimeters or more (999) Unknowninches X 2.54 =centimeters 10. Hood Width MidwayCode to thenearest centimeter (210) 210 centimeters or more	(0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more
(999) Unknown inches X 2.54 =centimeter 9. Hood Width Forward OpeningCode to thenearest centimeter (210) 210 centimeters or more (999) Unknowninches X 2.54 =centimeters 10. Hood Width MidwayCode to thenearest centimeter (210) 210 centimeters or more (999) Unknown	(0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact

	Contains of Minas	000	Side Lateral Messurements
29.	Centerline of Wheel Code to the	22_	
	nearest centimeter		$\alpha \rightarrow \alpha$
	(000) No side contact		35. Centerline to A-Pillar
	(150) 150 centimeters or more		at Bottom of Windshield
	•		(000) No side contact
	(999) Unknown		Code to the
			nearest centimeter
	inches X 2.54 =	centimeters	(250) 250 centimeters or more
		. 1 2	(999) Unknown
		GOIO	(000)
30.	Top of Tire	757	inches X 2.54 = centimeters
	Code to the		
	nearest centimeter		$C(\alpha)$
	(000) No side contact		36. Centerline to A-Pillar
	(200) 200 centimeters or more		at Top of Windshield
	(999) Unknown		Code to the
			nearest centimeter
	inches X 2.54 =	centimeters	(000) No side contact
			(****, **** ***************************
		2010	(250) 250 centimeters or more
31.	Top of Wheel Well Opening	000	(999) Unknown
	Code to the		
	nearest centimeter		inches X 2.54 = centimeter
	(000) No side contact		$\bigcap_{n \to \infty} A$
	(250) 250 centimeters or more		
	(999) Unknown		37. Centerline to Maximum Side
			View Mirror Protrusion
	inches X 2.54 =	centimeters	Code to the
		$ \sim$	nearest centimeter
32.	Bottom of A-Pillar at Windshield	$(N \cup V)$	(000) No side contact
	Code to the		(300) 300 centimeters or more
	nearest centimeter		(999) Unknown
	(000) No side contact		
	(250) 250 centimeters or more		inches X 2.54 = centimeter
	(999) Unknown		
			Side Wrap Distance Measurements
	. inches X 2.54 =	centimeters	Side Fride Distance Headurements
			()
		0.01	39 Cround to Sido/Ton Transition 10 (2)
33.	Top of A-Pillar at Windshield	(10()	38. Ground to Side/Top Transition
	Code to the	<u> </u>	Code to the
	nearest centimeter		nearest centimeter
	(000) No side contact		(000) No side contact (400) 400 centimeters or more
	(300) 300 centimeters or more		· · · ·
	(999) Unknown		(999) Unknown
	(000)		
	inches X 2.54 =	centimeters	inches X 2.54 =centimeters
		\bigcap	20. Ground to Hood Edge
34	Top of Side View Mirror		39. Ground to Hood Edge
04.	Code to the		Code to the
	nearest centimeter		nearest centimeter
	(000) No side contact		(000) No side contact
	(300) 300 centimeters or more		(500) 500 centimeters or more
	(999) Unknown		(999) Unknown
	(000) OUKHOWH		
	inches X 2.54 =	centimetere	inches X 2.54 = centimeters
	illicites \ 2.54 =	continuators	

				 	. ugo .o
40.	Code neare (000) No si	centimeters or more	000		
41.	Ground to H Code neare (000) No si	centimeters or more ead contact	centimeters		
		_ inches X 2.54 =	centimeters		



82658P00010012 369.0410000000000101F72000 82658P00010021 9.04 000000003021655310413505411014061206030109600142009715 1010000000003 9.04 00000000038904021270011222 82658P00010131 82658P00010231 9.04 00000000078904021270011222 82658P00010331 9.04 00000000036406781870312322 82658P01000041 9.04 000000009412013051FARP14J8RW 39904809600108000001 21121015022231411211231 82658P01000051 9.04 0000000002501443109413413714020110390530691007808117418 00000000000000

PSU82 CASE 658P CURRENT VERSION: 9.04 ERROR SUMMARY SCREEN PEDESTRIAN STUDY

97

FORM NAME	NUMBER OF DOLLAR SI		NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	0	0	Y
Pedestrian Assessment	Ó	Ö	Ŏ.	Ý
Pedestrian Injury	Ö	Ö	O	Ý
Pedestrian General Vehic	ile 0	Ō	Ö	Ý
Pedestrian Exterior Veh:	icle 0	Ö	o	Ý
Total Inter Errors		o	o	
Total Case Errors	0	0	. 0	