



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



PEDESTRIAN CASE SUMMARY

NATIONAL ACCIDENT SAMPLING SYSTEM
PEDESTRIAN CRASH DATA STUDY

CASE NO. 630 P PSU 9D

TYPE OF ACCIDENT CAR/PEDESTRIAN

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism, and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.) Vehicle #1 WAS Travel, ~q Weston A Two

Veniche #1 WAS Traveling West on A TWO
WAY, FOUR LANED ROADWAY. Pedestrian #1 was
Crossing The Roadway in A Northerly direction.
The Pedestrian stopped on the danble yellow
Lines, Located in the middle of the Roadway.
The Pedestrian walked into the text side
of the Vehicle, Foreward of the A-Pillar, The Pedestrian
was Rotated off the Front Left Fender and A-Pillar
and wind shield. The Pedestrian was knocked to The LEFT of The Vehicle.

I	B. PEDESTRIAN PROFILE											
	Pedestrian			Treatment/	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)							
	No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source				
	01	37	Female	Treated Released	Head	Head- LOC	2	"A" piller				

Type of Anatomic Structure Abbreviated Injury Scale **Body Region** (1) Minor injury Head Whole Area (2) Moderate injury Face Vessels (3) Serious injury Throat Nerves (4) Severe injury Chest Craans (5) Critical injury Abdomen/Pelvis Skeletal (6) Maximum (untreatable) Spine Head-LOC (7) Injured, unknown severity Upper Extremity Skin-Burn Lower Extremity Skin-Other External

		C. VEI	IICLE PROFIL	E					
	Class		Most Severe Damage Based on Vehicle Inspection						
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description					
01	Sub. Compaet	19945 HYUNDAT ELANTRA	Lert	Windshield Cracked Scratches, Smudges					

DO NOT SANITIZE THIS FORM



U.S. Department of Transportation

an a**rise**la ev **ACCIDENT COLLISION DIAGRAM**


NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

National Highway Traffic Safety Administration PSU No. 90 Case Number-Stratum 630 P Indicat North R.L. 0 0 lίΔi ועו<u>.</u>



U.S. Department of Transportation

ACCIDENT COLLISION DIAGRAM





U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number 9 0		Case N	umber	-Stratum <u>6</u> <u>3</u> <u>O</u> <u>P</u>	
PEDESTRIAN ACCIDENT CO	LLISION DATA C	OLLECTION		SCALED DIAGRAM	
document reference point and reference line relative to physical features	Surface Type	BIT/AsphaLT	* nor	th arrow placed on diagram	
documentation of all accident induced physical evidence including (if applicable);	Surface Conditio	n <u>Dry</u>		de measurements for all applicable dways	
a) vehicle skid marks	Coefficient of Frid	ction ,65_		alled representations of the physical plant luding:	
b) pedestrian contacts with ground or object			a)	all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings,	
	Grade (v/h) Mea	surement		parked vehicles, poles, signs, etc.)	
c) vehicle/pedestrian point of impact (POI)	a) at impa	ct <u> </u>	b)	all traffic controls (e.g., lights, signs)	
d) location of pedestrian separation point from vehicle	b) betwee final res	n impact and	* scaled representations of the vehicle and pedestrian at pre-impact, impact, and fin rest based upon either:		
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Trave	el DirectionN	a)	physical evidence, or	
documentation of the physical plant including:	Vehicle Travel D	rection	p)	reconstructed accident dynamics	
 all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, 	Number of Trave	el Lanes			
signs, etc.)	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2				
b) all traffic controls (e.g., lights, signs)	1				
Reference Point: UTILITY P	ole	Reference Line:	05	1h Curb	
North Carb					
ltem		Distance and Direction from Reference Point		Distance and Direction from Reference Line	
PedesTriAN POI		5.0m E	4.0m S		
PedesTriAN FRP		.5m E	2.0m 5		
Veh cle#1 FRP					
beg, skids					
L-FYDNT		17,4mg		3,0m S	
R-Front		17.4m E		1,6m 5	
Ending SKi	15				
L-FVONT		1.5		1.8 m S	
R-FronT		1.5	.5m5		

ltem	Distance and Direction from Reference Point	Distance and Direction from Reference Line

U.S. Department of Transportation National Highway Traffic Safety

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

ministration	

1. Primary Sampling Unit Number

2. Case Number - Stratum

IDENTIFICATION

3. Number of General Vehicle Forms Submitted

0 1

4. Date of Accident (Month, Day, Year)



5. Time of Accident

2/30

Code reported military time of accident.

NOTE: Midnight = 2400

Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. ____SS15 Administrative Use

0

7. / SS16 Pedestrian Crash Data Study

1

0

8. SS17 Impact Fires

0

9. SS18

10. ___ SS19

0

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

0 1

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS										
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage				
12. <u>0 1</u>	13. <u>0</u> <u>1</u>	14. <u>0</u> /	15. <u></u>	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>				

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY **National Highway Traffic Safety** Administration

1. Primary Sampling Unit Number 90	10t Pedestrian's Weight Code actual weight to the nearest
2. Case Number - Stratum <u>6.3 <i>Q</i> P</u>	kilogram. (999) Unknown
3. Pedestrian Number <u>0 1</u>	140 pounds X .4536 = 064 kilograms
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown 6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify): (9) Unknown
7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknowninches X 2.54 =centimeters 8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify): (99) Unknown
9. Pedestrian's Height - Ground to Shoulder	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify):

PEDESTRIAN'S AVOIDANCE ACTIONS	
	18. Pedestrian's Arm Orientation
·	at Initial Impact
15. Pedestrian's First Avoidance Actions	(01) At sides (02) Folded across chest
(00) No avoidance actions	(03) Hands clasped behind back
(01) Stopped	(04) Hands on hips
(02) Accelerated pace	(05) Hands in pockets
(03) Ran away (along vehicle path)	One or both arms:
(04) Jumped	(06) Extended upward
(05) Turned toward vehicle (06) Turned away from vehicle	(07) Extended to side
(06) Turned away from vehicle (07) Dove or fell away	(08) Extended to side (08) Extended forward bracing
(07) Dove of left away	(09) Extended forward brasing (09) Extended, holding object
Used hand(s) to :	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against vehicle	bag, etc.) on shoulder(s) or head
(98) Other (specify):	(98) Other (specify):
(99) Unknown	(99) Unknown
(oo) omalom	$n^{\frac{1}{2}}$
·	19. Pedestrian's Leg Orientation
	at Initial Impact
PEDESTRIAN'S ORIENTATION AT IMPACT	(01) Together
PEDESTRIANS ORIENTATION AT IMPACT	(02) Apart-laterally
	(03) Apart-right leg forward
	(04) Apart-left leg forward
16. Pedestrian's Head Orientation	(05) Apart- forward leg unknown
at Initial Impact	(06) Left foot off the ground
(1) To front	(07) Right foot off the ground
(2) To left	(08) Both feet off the ground
(3) To right	(98) Other (specify):
(4) Up	(99) Unknown \mathcal{D} $\boldsymbol{\phi}$
(5) Down	
(8) Other (specify):	20. Vehicle/Pedestrian's Interaction
(9) Unknown	(01) Carried by vehicle, wrapped position
` '	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
17. Pedestrian's Body (Chest) Orientation	(04) Passed over vehicle top(05) Thrown straight forward
at Initial Impact	(06) Thrown forward and left of vehicle
(1) Facing vehicle	(07) Thrown forward and right of vehicle
(2) Facing away	(08) Knocked to pavement, forward
(3) Left side to vehicle	(09) Knocked to pavement, left of vehicle
(4) Right side to vehicle	(10) Knocked to pavement, right of vehicle
(8) Other (specify):	(11) Knocked to pavement, run over or
(9) Unknown	dragged by vehicle
	(12) Shunted to left (corner impacts only)
	(13) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside
·	(15) Snagged, rotated
	(16) Snagged, dragged by vehicle
	(17) Foot or legs run over
	(98) Other (specify):
	(99) Unknown
,	

OFFICIAL RECORDS		INJURY CONSEQUENCES
OFFICIAL RECORDS		INJUNI GONDEGUENCES
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 	<u>O</u>	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
 22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given 	96	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source:	_	Nonfatal (3) Hospitalization
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown		(4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify):
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	<u>O</u>	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOP - VARIABLES 30 THROUGH 37 AR	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (3) Yes - blood given (3) Unknown if blood given (4) Unknown if blood given (5) Unknown if blood given (6) Not injured (6) Not injured (1) Injured, ABGs not measured or reported (1) Injured, details unknown (2) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death up through 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 + n up through 30 days = 60) (1) Not fatal (2) Not injured	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORD NO [] UPDATE CANDIDATE?	YES[]

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PEDESTRIAN INJURY FORM

National Highway Traffic Safety
Administration

90

3. Pedestrian Number

0 1

2. Case Number - Stratum

1. Primary Sampling Unit Number

630P

4. Blank

<u>_X_X</u>

INJURY DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90					Injury	,			
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. <u>7</u>	6. 8	75	8. 04	9. 02	- 10. <u>/</u>	11	12. 720	13. 🖊	14. 1	15.2	16. <u>4</u>	17
2nd	18. 7	19. 7	20. 9	21.02	_{22.} <u>U</u> Z	- 23. <u>/</u>	24	25. <u>770</u>	26. /	27	28. 2	29. 2	30. 2
						salah salah		38. 7 7 0					in the life.
H.								-51. <u>7</u> 20					
14.4°							W 1.	64. <u>722</u>		•			
						1000		77 <u>722</u>			•		
						1 % 0 % Levi		90. 722		**		1974.	
								118. 94°					
			:					129.				11.00m	
		D S									n in Lie Gegenheim	The Total Helitary Helitary	

					PEDES	STRIAN	INJ	URY DAT	Ά				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Lavel of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
	<u>.</u> <u>3</u>	2	<u>7</u>	06	62	<u>/</u>	7	947	2		٥	٥	<u>o_</u>
1.2tł	<u>, 3</u>	<u>2</u> -	9	04	02	- <u>-</u>	7	947	<u>2</u>	<u></u>	D	<u> </u>	<u>ں</u>
13t	<u> </u>										· ,		
1 4 tł	n					14 							
15ti	1							. 	· —				_
1 6 ti						-				· · · · · · · · · · · · · · · · · · ·			
17tl	ka ka												
1 9 ti					:				<u> </u>				
20tl	h					/:			·.	——	. ·		-
21s	tur												
.2nd												-	
23rd 24tl		<u>+1</u>											
24u 25t													

SOURCE OF INJURY DATA INJURY SOURCE CONFIDENCE LEVEL TYPE OF DAMAGE Injury not from vehicle contact Certair OFFICIAL (2) Probable No damage/contact (1) Autopsy records with or without hospital/ (3) Possible Scratch (Scuff, Cloth Transfer, Smear) medical records (9) Unknown (3) Dent (2) Hospital/medical records other than Large deformation (4) DIRECT/INDIRECT INJURY emergency room (e.g., discharge Cracked, fractured, shattered (5)(1) Direct contact injury Separated from vehicle (6)(3) Emergency room records only (including (2) Indirect contact injury Noncontact injury (7) Noncontact injury Other specify: associated X-rays or other lab reports) Injured, unknown source (9) Unknown (4) Private physician, walk-in or emergency clinic STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) (0) (0) Injury not from vehicle contact UNOFFICIAL No residual damage Flat-Wide (≥ 15 centimeters) (5) Lay coroner report Surface only damage Rounded (contoured) (3) (4) (6) E.M.S. personnel Crush depth >0 to 2 centimeters Crush depth >2 to 5 centimeters Rounded edge (7) Interviewee (5) Sharp edge Other (specify): (8) Other source (specify): Crush depth >5 to 10 centimeters Other specify: (9) Police (9) Unknown (9) Unknown PEDESTRIAN INJURY CLASSIFICATION Specific Anatomic Structure Abbreviated Injury Scale **Body Region** Spine (02) Cervical (04) Thoracic Minor injury Whole Area (02) Skin - Abrasion (04) Skin - Contusion Head (06) Lumbar Moderate injury (3) (4) (5) Serious injury (3) Neck Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02 (06) Skin - Laceration (08) Skin - Avulsion Severe injury (4)Thorax Critical injury (5) Abdomen (6) Maximum (untreatable) (10) Amputation Spine injured, unknown severity (7)**Upper Extremity** Level of Injury (30) Crush (40) Degloving (50) Injury - NFS Lower Extremity (8) **Aspect** Unspecified injuries Specific are assigned consecutive two-digit (1) Right Type of Anatomic Structure Trauma, other than mechanical numbers beginning with 02. (2) Left Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness (3) Bilateral Whole Area To the extent possible, within the organizational framework of the AIS, 00 (4) (5) Central Vesseis (2) Anterior Nerves (6) (7) (8) is assigned to an injury NFS as to **Posterior** (10) Concussion Organs (includes muscles/ severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury Superior Inferior ligaments) Skeletal (includes joints) Head - LOC NFS as to lesion or severity. Whole region Skin **INJURY SOURCE** Wheels / tires **FRONT** 790 Left front wheel / tire 744 B pillar 700 Front bumper 791 Right front wheel / tire 701 Front lower valance/spoiler 745 C pillar 792 Left rear wheel / tire 702 Front grille 746 D pillar 793 Right rear wheel /tire 703 Hood edge and/or trim 748 Other pillar (specify): 749 Right side roof rail 798 Other wheel / tire (specify): 704 Hood ornament (fixed) 750 Right side door surface 799 Unknown wheel / tire 705 Hood ornament (spring loaded) 751 Right side door handle 706 Headlight 752 Right side mirror fixed housing Undercarriage components 707 Retractable headlight door (Open/Closed) 800 Front crossmember 753 Right side folding mirror 708 Turn signal/parking lights 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 718 Other front or add on object 802 Oil pan 755 Right side glazing rearward of B pillar (specify): 803 Exhaust system pipe 719 Unknown front object 756 Rear antenna 804 Transmission 757 Rear fender or quarter panel 758 Other right side object 805 Drive shaft Left Side Components (specify): 806 Catalytic converter 720 Front fender side surface 759 Unknown right side component 807 Muffler 721 Front antenna 808 Floor pan 722 A1 pillar Back Components 760 Rear (back) bumper 809 Fuel tank 723 A2 pillar 810 Rear suspension 724 B pillar 818 Other undercarriage component 761 Tailgate 725 C pillar (specify): 762 Hatchback, vertical surface 726 D pillar 819 Unknown undercarriage component 768 Other back component 728 Other pillar (specify): (specify): 769 Unknown back component <u>Accessories</u> 729 Left side roof rail 820 Air scoop, deflector 730 Left side door surface 821 Cellular or CB radio antenna Top Components 731 Left side door handle 770 Hood surface 822 Emergency lights or bar 732 Left side mirror fixed housing 823 Fog lights 771 Hood surface reinforced by under hood 733 Left side folding mirror 824 Luggage, ski, or bike rack component 734 Left side glazing forward of B pillar 825 Cargo (specify):_ 772 Front fender top surface 735 Left side glazing rearward of B pillar 826 Spare tire 736 Left side back fender or quarter panel 773 Cowi area 827 Spotlight 774 Wiper blade & mountings 737 Rear antenna 828 Other accessory (specify):_ 775 Windshield glazing 738 Other left side object 776 Front header (specify): 777 Roof surface Other Object or Vehicle in Environment 739 Unknown left side component 778 Backlight glazing 947 Ground 948 Other object (specify): 779 Rear header Right Side Components 780 Hatchback 949 Unknown object in environment 740 Front fender side surface 781 Rear trunk lid 959 Unknown object on contacting vehicle 741 Front antenna 997 Noncontact injury source 788 Other top component (specify): __ 742 A1 pillar 999 Unknown injury source 789 Unknown top component

743 A2 pillar

OFFICIAL INJURY DATA - SKELETAL INJURIES

Restrained?

___ No

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

unavailable.)

Blood Alcohol Level (mg/dl)

BAL =

Glasgow Coma Scale Score

GCSS =

Units of Blood Given

Units = ____


Arterial Blood Gases


Ph = _._

PO2 = ___

PCO₂


HCO3





OFFICIAL INJURY DATA -INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



U.S. Department of Transportation
National Highway Traffic Safety

PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

dministration	OFFICIAL RECORDS
1. Primary Sampling Unit Number 90	
2. Case Number - Stratum 6 3 p	9. Police Reported Travel Speed 9999
3. Vehicle Number01_	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above
VEHICLE IDENTIFICATION	(999) Unknown
4. Vehicle Model Year Code the last two digits of the model year 95 (99) Unknown	mph X 1.6093 =kmph 10. Speed Limit (000) No statutory limit Code posted or statutory speed limit in kmph
Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual.	(999) Unknown # D mph X 1.6093 = 06
6. Vehicle Model (specify): 035	(0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown
Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown 7. Body Type Note: Applicable codes may be found on the back of this page.	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number	Source: 7
Left justify; Slash zeros and letter Z (@ and Z) No VIN—Code all zeros Unknown—Code all nines	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (O1) Convertible (excludes sun-roof, t-bar)
- (O2) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (\$\(\perp \) 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):____
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight 0 Code weight to nearest 10 kilograms.	18. Impact Speed
(045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown 2,500 lbs x .4536 = /_,/ 3 4/kgs	Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source:	 19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph
16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms	(3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown
(450) 4,500 kilograms or more (999) Unknown , lbs X .4536 =, kgs	20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
	PRECRASH DATA
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify):	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event)
(9) Unknown STOP VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	 (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging
	 (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

23. Critical Precrash Event 80	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	(00) 11.1
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	24 American Acceptance Management
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(02) Braking (no lockup)
(16) Turning right at intersection	(03) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown) (05) Releasing brakes
(19) Unknown travel direction	(06) Steering left
Other Motor Vehicle In Lane	(07) Steering right
(50) Stopped (51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle	(99) Unknown
in lane	1 (00, 01, 11, 11, 11, 11, 11, 11, 11, 11,
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction)—over left	(O) No driver present
lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction) - over right	(2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30
(62) From opposite direction—over left lane line	degrees
(63) From opposite direction—over right lane line	(4) Skidding laterally—clockwise rotation
(64) From parking lane	(5) Skidding laterally – counterclockwise rotation(8) Other vehicle loss-of-control (specify):
(65) From crossing street, turning into same direction	(8) Other vehicle loss-of-control (specify):
(66) From crossing street, across path	(9) Precrash stability unknown
(67) From crossing street, turning into opposite	(o) Tredition Stability distribution
direction	26. Precrash Directional Consequences of
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(0) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(73) From driveway, intended path not known	maneuver was initiated
(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane
(78) Encroachment by other vehicle—details	where avoidance maneuver was initiated
unknown	(4) Vehicle stayed on roadway, not known if left travel lane where avoidance maneuver was
Pedestrian or Pedalcyclist, or Other Nonmotorist	initiated
(80) Pedestrian in roadway	(5) Vehicle departed roadway
(81) Pedestrian approaching roadway	(6) Avoidance maneuver initiated off roadway
(82) Pedestrian—unknown location	(9) Directional consequences unknown

	ENVIRO	NME	NTAL DATA
27	Relation to Junction	0	33. Roadway Surface Condition
27.	(0) Non-junction		(1) Dry
	(1) Interchange area		(2) Wet
	(v, andersange area		(3) Snow and slush
	Non-Interchange		(4) lce
	(2) Intersection		(5) Sand, dirt or oil
	(3) Intersection-related (4) Drive, alley access related		(8) Other (specify):(9) Unknown
	(5) Other non-interchange (specify):		(o) Chikhowh
	(6) Unknown type of non-interchange		34. Traffic Control Device
	(9) Unknown if interchange		(0) No traffic control(s)
			(1) Trafficway traffic control signal (not RR crossing)
28.	Trafficway Flow	/	5.000mg/
	(1) Not physically divided (two way traffic)		Regulatory or School Zone Sign (Not RR Crossing)
>	(2) Divided trafficway - median strip without		(2) Stop sign
	positive barrier (3) Divided trafficway - median strip with		(3) Yield sign (4) School zone sign
	(3) Divided trafficway - median strip with positive barrier		(5) Other sign (specify):
	(4) One way trafficway		(e, c.i.e. e.g., (epee., , , .
	(9) Unknown		(6) Unknown sign
			(7) Warning sign (not RR crossing)
20	Number of Travel Lanes	4	(8) Miscellaneous/other controls including RR controls (specify):
25.	(1) One		controls (specify).
	(2) Two		(9) Unknown
	(3) Three		
	(4) Four	*	35. Traffic Control Device Functioning
	(5) Five (6) Six		(0) No traffic control
	(7) Seven or more		(1) Not Functioning
	(9) Unknown		(2) Functioning
			(9) Unknown
30	Roadway Alignment	/	
50.	(1) Straight	<u> </u>	36. Light Conditions
	(2) Curve right		(1) Daylight
	(3) Curve left		(2) Dark
	(9) Unknown		(3) Dark, but lighted
		,	(4) Dawn (5) Dusk
31.	Roadway Profile	- [(9) Unknown
	(1) Level		
	(2) Uphill Grade (>2%)		1
	(3) Downhill Grade (>2%)		37. Atmospheric Conditions (1) No adverse atmospheric related driving
	(4) Hillcrest (5) Sag		(1) No adverse atmospheric related driving conditions
	(9) Unknown		(2) Rain
			(3) Sleet
00	D 1 0 1 7	2	(4) Snow
32.	Roadway Surface Type		(5) Fog (6) Pain and fog
	(1) Concrete(2) Bituminous (asphalt)		(6) Rain and fog (7) Sleet and fog
	(3) Brick or Block		(8) Other (e.g., smog, smoke, blowing sand or
	(4) Slag, gravel or stone		dust, etc.) (specify):
	(5) Dirt		(9) Unknown
	(8) Other (specify):		
	(9) Unknown		

90-630

95 Elantra

40 Yoj=

30ma ~

37 yos

63'

1407

POJ to FRP = 4,5m =15ft

skidmades 12m

f=0,6

V = 7(2)(15-)(0.6)32.2

= 23,9 fps = 16 mph = 26 KPh

ZLKPL

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

90	3.	Vehicle	Number
----	----	---------	--------

2. Case Number - Stratum

1. Primary Sampling Unit Number

7	/CLI	CIE			\cap Λ T	TON
Α,	7 1	CLE	1913/	101131	UAL	KOW.

VIN	<u>/<</u>	\underline{M}	H	<u>J</u>	E	3	<u>3</u>	M	0	5	U	
-----	--------------	-----------------	---	----------	---	---	----------	---	---	---	---	--


Model Year 95


Vehicle Model (specify): ELANTRA

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material		_/
PEV08 Hood Length		1
PEV09 Hood Width-Forward Opening	cm	ı
PEV10 Hood Width-Midway	cm	, I
PEV11 Hood Width-Rear Opening	cm	ì
PEV14 Front Bumper Cover Material		•
PEV15 Front Bumper Reinforcement Material		
VERTICAL MEASU	REMENTS	
PEV16 Front Bumper-Bottom Height	cm	
PEV17 Front Bumper-Top Height	cm	
PEV18 Forward Hood Opening	cm	
PEV19 Front Bumper Lead	cm	
WRAP DISTA	NCES	
PEV20 Ground to Forward Hood Opening	cm	
PEV21 Ground to Front/Top Transition Point	cm	
PEV22 Ground to Rear Hood Opening	cm	
PEV23 Ground to Base of Windshield	cm	
PEV24 Ground to Top of Windshield	cm	
PEY 25 Ground to Head Contact	cm	

VEHICLE DAMAGE SKETCH





Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) NOTES: and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: $\underline{L}\underline{G}\underline{O}_{\mathrm{cm}}$



PEDESTRIAN SIDE CONTACT WORK SHE	EET
PEV06 Hood Material STEE!	
PEV08 Hood Length	/ 0 4 cm
PEV09 Hood Width-Forward Opening	$\frac{29}{29}$ cm
PEV10 Hood Width-Midway	/ 3 % cm
PEV11 Hood Width-Rear Opening	<u>/ 4 0</u> cm
VERTICAL MEASUREMENTS	
PEV26 Ground Clearance	020 cm
PEV27 Side Bumper-Bottom Height	036 cm
PEV28 Side Bumper-Top Height	<u>050</u> cm
PEV29 Centerline of Wheel	026 cm
PEV30 Top of Tire	0541 cm
PEV31 Top of Wheel Well Opening	063° cm
PEV32 Bottom of A-Pillar at Windshield	<u>090</u> cm
PEV33 Top of A-Pillar at Windshield	<u>/ 3 0</u> / cm
PEV34 Top of Side View Mirror	102/cm
LATERAL MEASUREMENTS	
PEV35 C _L to A-Pillar at Bottom of Windshield	072 cm
PEV36 C _L to A-Pillar at Top of Windshield	055 cm
PEV37 C _L to Maximum Side View Mirror Protrusion	094 cm
	en de la companya de La companya de la co
WRAP DISTANCES	
PEV38 Ground to Side/Top Transition	085 cm
PEV39 Ground to Hood Edge	<u>088</u> cm
PEV40 Ground to Centerline of Hood (ORIGIN)	<u> </u>
PEV41 Ground to Head Contact	196° cm

ORIGINAL SPECIFICATIONS

Whee1base	098.4 inches	x 2.54 =	<u>2</u> <u>5</u> <u>0</u> cm
Overall Length	$\frac{7}{2.8}$ inches	x 2.54 =	<u>439</u> cm
Maximum Width	<u>6</u> <u>6</u> . <u>1</u> inches	x 2.54 =	1 68 cm
Curb Weight O	2.500 pounds	x .4536 =	/ / <u>3</u> 4 kg
Average Track	0 5 6 6 inches	x 2.54 =	1 4 4 cm
Front Overhang	034.6 inches	x 2.54 =	088 cm
Rear Overhang	038.9 inches	x 2.54 =	099 cm
Undeformed End Width	057.0 inches	x 2.54 =	145 cm
Engine Size: cyl./displ.	<u>/ B, O O</u> cc	x .001 =	<u>/.8</u> ~L
		x .0164 =	<u>/.</u> 8 L

INJURY SOURCE

	INJURY SOURCE	
FRONT		Wheels / tires
700 Front bumper	744 B pillar	790 Left front wheel / tire
701 Front lower valance/spoiler	745 C pillar	791 Right front wheel / tire
702 Front grille	746 D pillar	792 Left rear wheel / tire
703 Hood edge and/or trim	748 Other pillar (specify):	793 Right rear wheel /tire
704 Hood ornament (fixed)	749 Right side roof rail	798 Other wheel / tire (specify):
705 Hood ornament (spring loaded)	750 Right side door surface	799 Unknown wheel / tire
706 Headlight	751 Right side door handle	
707 Retractable headlight door (Open/Closed)	752 Right side mirror fixed housing	Undercarriage components
708 Turn signal/parking lights	753 Right side folding mirror	800 Front cross member
718 Other front or add on object	754 Right side glazing forward of B pillar	801 Steering assembly/Front suspension
(specify):	755 Right side glazing rearward of B pillar	802 Oil pan
719 Unknown front object	756 Rear antenna	803 Exhaust system pipe
	757 Rear fender or quarter panel	804 Transmission
Left Side Components	758 Other right side object	805 Drive shaft
720 Front fender side surface	(specify):	806 Catalytic converter
721 Front antenna	759 Unknown right side component	807 Muffler
722 A1 pillar		808 Floor pan
723 A2 pillar	Back Components	809 Fuel tank
724 B pillar	760 Rear (back) bumper	810 Rear suspension
725 C pillar	761 Tailgate	818 Other undercarriage component
726 D pillar	762 Hatchback, vertical surface	(specify):
728 Other pillar	768 Other back component	819 Unknown undercarriage component
(specify):	(specify):	
729 Left side roof rail	769 Unknown back component	Accessories
730 Left side door surface		820 Air scoop, deflector
731 Left side door handle	Top Components	821 Cellular or CB radio antenna
732 Left side mirror fixed housing	770 Hood surface	822 Emergency lights or bar
733 Left side folding mirror	771 Hood surface reinforced by under hood	823 Fog lights
734 Left side glazing forward of B pillar	component	824 Luggage, ski, or bike rack
735 Left side glazing rearward of B pillar	772 Front fender top surface	825 Cargo (specify):
736 Left side back fender or quarter panel	773 Cowl area	826 Spare tire
737 Rear antenna	774 Wiper blade & mountings	827 Spotlight
738 Other left side object	775 Windshield glazing	828 Other accessory (specify):
(specify):	776 Front header	
739 Unknown left side component	777 Roof surface	Other Object or Vehicle in Environment
	778 Backlight glazing	947 Ground
Right Side Components	779 Rear header	948 Other object (specify):
740 Front fender side surface	780 Hatchback	949 Unknown object in environment
741 Front antenna	781 Rear trunk lid	959 Unknown object on contacting vehicle
742 A1 pillar	788 Other top component (specify):	_ 997 Noncontact injury source
743 A2 pillar	789 Unknown top component	999 Unknown injury source

VEHICLE DAMAGE SKETCH

NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axies (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

POINTS OF PEDESTRIAN CONTACT								
			PEDEST	RIAN CONTA	CT WORKSHI	₹ T		
CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL Location (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)	SEQUENCE
A	Hood	+65	-48	0	1 Lup		2 3 9	/
Ė	Feels	+52	12	0	Legt	4 /	Q2 3 9	/
A,	Hood	+31	-63	0	aims		2 3 9	1
H	/Soorl	+25	- 24	O	Shoully		⊕ 2 3 9	
H2	Fender	+25	-79	0	heer		2 3 9	/
C	14mil	-26	- 58	D	BUR		O2 22	
6	/Soorl	-18	-22	0	11		2 3 9	/
G,	With the	-33	-47	D	Head	5/6	1/2) 3. 9	2
E	Wiper	- 33	ーンノ	0	110	5/0	1 2 3 9	2
D	Charpe	1-49	- 35	0	Head		1001	2
DI	2/5	- 54	-68	0	11	-	1 (2)3 9	2
A-3	dens!	-78	-68	0	anns		1 (2) 3 3	> -
F	A-PILLAN	-64	-91	0	hund		1 🗗 3 9	ン
0	Vilinos		- 92	0	chest		1 (1)2 9	2_
A	14000	+10	-56/	new	Stool	Elgef/	1 2 3 9	7
							1 2 3 9	
		·					1 2 3 9	
							1 2 3 9	
							1 2 3 9	
		*					1 2 3 9	
		2					1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	

POINTS OF PEDESTRIAN CONTACT							
CHRONOLOGICAL ORDER OF CONTACTS							
CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)
8-1H2	720	35	-75	3-4	R. Knee	dent	(D 2 3 9
2	776	0 3 3	- 40	0	LAIL	Swight	Ø 22 1 3
3	770	30	-40	0	R-Arm	+skin	2 3 9
4	770	7	-58	1-2	6. e160W		Ø2 3 •
5	722	-70	-68	1-2	Heed	dent + ski-	(D) 2 3 9
6	,,	11	11	1,	<u>.</u>		D 2:3:9
7	722	-70	-68	0	b. Hand	skin/sm-lo	1 🕖 3 9
8-7	<u> </u>	100	ш/	c. A=	4		102 1
9							1 2 3 9
10							10.20.2.3
11	·						1 2 3 9
12							1 2 3 9
13							1 2 3 9
14							1 2 3 9
15							1 2 3 9
16							1 2 3 9
17							1 2 3 9
18							1 28 2 9
19							1 2 3 9
20							1 2 3 9
21							1 2 3 9
22							1 273 9
23							1 2 3 9
2.4							1 203 9
25							1 2 3 9

VEHICLE DIMENSIONS	11. Hood Width Rear Opening / 40
4. Original Wheelbase Code to the nearest centimeter	11. Hood Width Rear Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown
(999) Unknown inches X 2.54 = centimeters	inches X 2.54 = centimeters
5. Original Average Track Width / 44 Code to the nearest centimeter	12. Hood/Fender Vertical/Lateral Crush From Pedestrian (0) Not damaged (1) Surface scratching only, no residual crush
(185) 185 centimeters or more (999) Unknown inches X 2.54 = centimeters	(2) Minor crush (1-3 centimeters)(3) Moderate crush (4-7 centimeters)(4) Severe crush (>7 centimeters)
6. Hood Material	(8) Damage present, unknown if damage is from pedestrian impact(9) Unknown
(1) Plastic (2) Fiberglass (3) Steel (4) Aluminum (5) Stainless Steel (8) Other (specify):	13. Windshield Contact Damage From Pedestrian Contact (0) Not contacted by pedestrian (1) Contacted by pedestrian - not damaged (2) Contacted by pedestrian - damaged (3) Unknown if contacted by pedestrian - not damaged
7. Hood Original Equipment Manufacturer (OEM) (1) OEM factory installed hood (2) OEM replacement	 (4) Unknown if contacted by pedestrian - damaged (9) Unknown if contacted by pedestrian - unknown if damaged
(3) Non-OEM replacement (9) Unknown	FRONT CONTACT DAMAGE
(3) Non-OEM replacement	Front Vertical Measurements
(3) Non-OEM replacement (9) Unknown 8. Hood Length	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening 2 9	14. Front Bumper Cover Material (0) No front contact (1) Plastic
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters 10. Hood Width Midway Code to the	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):

17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown
18. Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more	24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more
(999) Unknown inches X 2.54 = centimeters	(999) Unknown inches X 2.54 = centimeters 25. Ground To Head Contact \(\mathcal{O} \mathcar{O} \mathcal{O} \mathcal{O} \mathcal{O} \mathcal{O} O
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
Front Wrap Distance Measurements	inches X 2.54 = centimeters SIDE CONTACT DAMAGE
	Side Vertical Measurements
20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters 21. Ground to Front/Top Transition Point O O Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown OO7 Sinches × 2.54 = OF Centimeters 27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more

29 Centerline of Wheel O 2 6	Side Lateral Measurements
20. 00.110111110	
Code to the nearest centimeter	072
(000) No side contact	35. Centerline to A-Pillar 0 7 2
(150) 150 centimeters or more	at Bottom of Windshield
(999) Unknown	(000) No side contact Code to the
D/D . $2_{inches \times 2.54} = D$ $2_{inches \times 2.54}$	nearest centimeter
$\frac{1}{2}$ inches X 2.54 = $\frac{1}{2}$ centimeters	(250) 250 centimeters or more
.	(999) Unknown
30. Top of Tire 054	0202 012
Code to the	$028.3 \text{ inches } \times 2.54 = 072 \text{ centimeters}$
nearest centimeter	
(000) No side contact	36. Centerline to A-Pillar 055
(200) 200 centimeters or more	at Top of Windshield
(999) Unknown	Code to the
021.2 inches x 2.54 = 0.54 centimeters	nearest centimeter
	(000) No side contact
0/3	(250) 250 centimeters or more (999) Unknown
31. Top of Wheel Well Opening 063	
Code to the	$02/$ Ginches $\times 2.54 = 0.55$ centimeter
nearest centimeter (000) No side contact	
(250) 250 centimeters or more	37. Centerline to Maximum Side 094
(999) Unknown	
$Q24.8$ inches $\times 2.54 = 262$ centimeters	View Mirror Protrusion Code to the
inches X 2.54 = 6 6 centimeters	nearest centimeter
32. Bottom of A-Pillar at Windshield 090	(000) No side contact
	(300) 300 centimeters or more
Code to the	
Code to the nearest centimeter	(999) Unknown
nearest centimeter (000) No side contact	(999) Unknown
nearest centimeter (000) No side contact (250) 250 centimeters or more	
nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown	(999) Unknown $ \begin{array}{ccccccccccccccccccccccccccccccccccc$
nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown	(999) Unknown
nearest centimeter (000) No side contact (250) 250 centimeters or more	(999) Unknown 23.7. Dinches × 2.54 = 0.94 centimeter Side Wrap Distance Measurements
nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown 0354 inches x 2.54 = 090 centimeters	(999) Unknown $ \begin{array}{ccccccccccccccccccccccccccccccccccc$
nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown 035.4 inches x 2.54 = 090 centimeters 33. Top of A-Pillar at Windshield 130	(999) Unknown O3 7. D inches × 2.54 = 0.94 centimeter Side Wrap Distance Measurements 38. Ground to Side/Top Transition Code to the
nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown 0354 inches x 2.54 = 090 centimeters	(999) Unknown O3 7. D inches x 2.54 = 0.94 centimeter Side Wrap Distance Measurements 38. Ground to Side/Top Transition Code to the nearest centimeter
nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown 2354 = 290 centimeters 33. Top of A-Pillar at Windshield Code to the	(999) Unknown O3 7. D inches × 2.54 = 0.94 centimeter Side Wrap Distance Measurements 38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact
nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown 23 5 4 inches x 2.54 = 22 20 centimeters 33. Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more	(999) Unknown O3 7. D inches x 2.54 = 0.94 centimeter Side Wrap Distance Measurements 38. Ground to Side/Top Transition Code to the nearest centimeter
nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown 235 4 inches x 2.54 = 290 centimeters 33. Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	(999) Unknown O3 7. Dinches × 2.54 = 0.94 centimeter Side Wrap Distance Measurements 38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown
nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown 235 4 inches x 2.54 = 290 centimeters 33. Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	(999) Unknown O3 7. D inches × 2.54 = 0.94 centimeter Side Wrap Distance Measurements 38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more
nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown 235 Linches x 2.54 = 290 centimeters 33. Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more	(999) Unknown O3 7. D inches x 2.54 = 0.94 centimeter Side Wrap Distance Measurements 38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown O33 4 inches x 2.54 = 0.85 centimeters
nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown 235 4 inches x 2.54 = 290 centimeters 33. Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown 251 inches x 2.54 = 130 centimeters	(999) Unknown O3 7. D inches × 2.54 = 0.94 centimeter Side Wrap Distance Measurements 38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown O33.4 inches × 2.54 = 0.85 centimeters
nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown 235 Linches x 2.54 = 290 centimeters 33. Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown 251 Inches x 2.54 = 130 centimeters 34. Top of Side View Mirror	(999) Unknown O3 7. D inches × 2.54 = 0.94 centimeter Side Wrap Distance Measurements 38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown O33.4 inches × 2.54 = 0.85 centimeters
nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown 23 5 4 inches x 2.54 = 22 20 centimeters 33. Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown 25 1 inches x 2.54 = 130 centimeters 34. Top of Side View Mirror Code to the	(999) Unknown O3 7. D inches × 2.54 = 0.94 centimeter Side Wrap Distance Measurements 38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown O33 4 inches × 2.54 = 0.85 centimeters 39. Ground to Hood Edge.
nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown 23 5 4 inches x 2.54 = 22 20 centimeters 33. Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown 25 1 inches x 2.54 = 130 centimeters 34. Top of Side View Mirror Code to the nearest centimeter	(999) Unknown O3 7. D inches × 2.54 = 0.94 centimeter Side Wrap Distance Measurements 38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown O33 4 inches × 2.54 = 0.85 centimeters 39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact
nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown 235 Linches x 2.54 = 290 centimeters 33. Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown 251 Linches x 2.54 = 130 centimeters 34. Top of Side View Mirror Code to the nearest centimeter (000) No side contact	(999) Unknown O3 7. D inches × 2.54 = 0.94 centimeter Side Wrap Distance Measurements 38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown O33 4 inches × 2.54 = 0.85 centimeters 39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more
nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown 23 5 4 inches x 2.54 = 22 20 centimeters 33. Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown 25 1 inches x 2.54 = 130 centimeters 34. Top of Side View Mirror Code to the nearest centimeter	(999) Unknown O37. D inches × 2.54 = 094 centimeter Side Wrap Distance Measurements 38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown O33.4 inches × 2.54 = 085 centimeters 39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown
nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown 235 Linches x 2.54 = 290 centimeters 33. Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown 251 Linches x 2.54 = 130 centimeters 34. Top of Side View Mirror Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	(999) Unknown O3 7. D inches × 2.54 = 0.94 centimeter Side Wrap Distance Measurements 38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown O33 4 inches × 2.54 = 0.85 centimeters 39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more
nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown 235 Linches x 2.54 = 290 centimeters 33. Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown 251 Inches x 2.54 = 130 centimeters 34. Top of Side View Mirror Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more	(999) Unknown O37. D inches × 2.54 = 094 centimeter Side Wrap Distance Measurements 38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown O33.4 inches × 2.54 = 085 centimeters 39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown
nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown 235 Linches x 2.54 = 290 centimeters 33. Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown 251 Linches x 2.54 = 130 centimeters 34. Top of Side View Mirror Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	(999) Unknown O37. D inches × 2.54 = 094 centimeter Side Wrap Distance Measurements 38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown O33.4 inches × 2.54 = 085 centimeters 39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown

40. Ground to Centerline of Hood Code to the
nearest centimeter
(000) No side contact
(700) 700 centimeters or more
(999) Unknown
$04/.8$ inches $\times 2.54 = 157$ centimeters
41. Ground to Head Contact 196
Code to the
nearest centimeter
(000) No side contact
(000) No side contact (800) 800 centimeters or more
(000) No side contact (800) 800 centimeters or more (998) No head contact
(000) No side contact (800) 800 centimeters or more



90630F00000011 966 96000000000 00000000000000000 01 969.0010000000000101L72000 90630P00010012 9.00 000000003921604308913106413011043106030609600241000515 90630P00010021 1010000000012 9.00 00000000078904021172011344 90630P00010131 9.00 00000000077902021177011222 90630P00010231 9.00 00000000077902021177011222 90630P00010331 9.00 00000000077902021277011233 90630P00010431 9.00 00000000071904021672211333 90630P00010531 9.00 00000000031602022072211333 90630P00010631 9.00 00000000037902021272211322 90630P00010731 9.00 00000000032906021494721000 90630P00010831 9.00 0000000032904021194721000 90630P00010931 9.00 00000000032902021194721000 90630P00011031 9.00 00000000032906021794721000 90630P00011131 9.00 00000000032904021794721000 90630P00011231 9.00 00000000955503504KMHJF33MOSU 99906409670113000002 90630P01000041 61110180033201411210021 9.00 0000000002501443110412913814022000000000000000000000000 90630P01000051 0000000020036050026054063090130102072055094085088157196 00001000000000

PEDESTRIAN ASSESSMENT Occupant: 1

11 INTRA ERRORS

OHH1091 2 If TREATMENT PAS26 equals 0, 4 or 5, then

HH1092 WORKING DAYS LOST PAS29 should equal 00, 01, 97 or 99.

Ō

PSU90 CASE 630P ERROR SUMMARY SCREEN PEDESTRIAN STUDY

CURRENT VERSION: 9.00

• •	JMBER OF DLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	o	0	o	Y
Pedestrian Assessment	0	0	1	Υ
Pedestrian Injury	0	0	0	Υ
Pedestrian General Vehicle	0	0	0	Υ
Pedestrian Exterior Vehicle	e 0	0	0	Υ
Total Inter Errors		0	O	
Total Case Errors	٥	o	1	