



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:


Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***





PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 49 CASE NO. 602P

TYPE OF ACCIDENT Car/Ped/Crossing driveway straight

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)


V1 was traveling west on a two-way concrete business driveway, approaching a northsouth sidewalk and street. Pl was walking slowly south on the sidewalk. The driver of VI stated that he saw the pedestrian a short distance to his right. He then looked to his left to observe northbound traffic so he could turn right on to the street. When traffic cleared, he attempted to turn right and the front-left of VI struck Pl, who was crossing the driveway on the sidewalk. After being struck, Pl stated that she fell back westward, striking the back of her head on the pavement. Apparently, Pl came to rest in the first lane of the street with her upper body toward the west and her lower body toward the east. VI traveled a short distance after impact and came to rest with its front wheels and right-rear wheel in the street and its leftrear wheel on the driveway heading northwest. Pl was transported to a nearby hospital where she was treated and released. V1 was driven.


B. PEDESTRIAN PROFILE									
Pedestrian Treatment/ (TO BE COMPLETED BY ZONE CENTER)									
No.	Age Sex Mortality		Body Region	Ana. Struc.	AIS	Injury Source			
01	63	Female	Treat & Rel.	External	Skin - Other	1	Bumper		

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity

	C. VEHICLE PROFILE								
	Class		Most Severe Damage Based on Vehicle Inspection						
Vehicle No.	[· · · · · · · · · · · · · · · · · · ·		Damage Plane	Damage Description					
01	Compact car	93 Ford Tempo	Front	Light transfers and smudges - no crush or broken components					

DO NOT SANITIZE THIS FORM







U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1 .			
Primary Sampling Unit Number 4 9		Case Number	er-Stratum 6 02 P
PEDESTRIAN ACCIDENT CO	LLISION DATA C	OLLECTION	SCALED DIAGRAM
document reference point and reference line relative to physical features.	Surface Type		north arrow placed on diagram
documentation of all accident induced physical evidence including (if applicable):	Surface Conditio	i	grade measurements for all applicable oadways
a). vehicle skid marks	Coefficient of Fri		scaled representations of the physical plant ncluding:
b) pedestrian contacts with ground or object	Grade (v/h) Mea		all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)
c) vehicle/pedestrian point of impact (POI)	a) at impa	d L	all traffic controls (e.g., lights, signs)
d) location of pedestrian separation point from vehicle	b) betwee final re:	1 /120	scaled representations of the vehicle and bedestrian at pre-impact, impact, and final rest based upon either:
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Trave	a) Direction	physical evidence, or
documentation of the physical plant including:	Vehicle Travel D	irection <u>W</u> b)	reconstructed accident dynamics
all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)	Number of Trave	1 Lanes3	1.
b) all traffic controls (e.g., lights, signs)			
Reference Point: PROJECTION C EDGE DRIVEVAY TO ELE	•	Reference Line:	out Smith
EUCE DINVELVING TO FIFE	フィノート		
	111461	· ·	
Item	71166	Distance and Direction from Reference Point	Distance and Direction from Reference Line
Item FLUID (WATER) SMILL FROM	u VI		
Item	u VI		
Item FLUID (WATER) SMILL FROM	u VI		
Item FLUID (WATER) SMILL FROM	u VI		
Item FLUID (WATER) SMILL FROM	u VI		
Item FLUID (WATER) SMILL FROM	u VI		
Item FLUID (WATER) SMILL FROM	u VI		
Item FLUID (WATER) SMILL FROM	u VI	from Reference Point 2.1 N	
Item FLUID (WATER) SMILL FROM	u VI	from Reference Point 2.1 N	

Item	Distance and Direction from Reference Point	Distance and Direction from Reference Line
		·
	·	

A STATE OF THE CONTRACT OF THE

U.S. Department of Transportation National Highway Traffic Safety

YSTEM STUDY

dministration	PEDESTRIAN A	PEDESTRIAN CRASH DATAS	
Primary Sampling Unit Number	49	SPECIAL STUDIES - INDICATORS	
2. Case Number - Stratum	6 D Z P	Check (✓) each special study (SS15-SS19 below) the has been completed; code 1 for the checked special studies and 2 for the checked special study (SS15-SS19 below) the checked special studies and 2 for the checked special studies and 3 for the checked special	
IDENTIFICAT	TION	studies and 0 for the special studies not checked.	
Number of General Vehicle		6SS15 Administrative Use	0
Forms Submitted	0 1	7. <u>✓ SS16 Pedestrian Crash Data Study</u>	1
4. Date of Accident (Month,Day,Year)	1 9 X	8SS17 Impact Fires	0
5. Time of Accident	1800	9SS18	0
Code reported military time	e of accident.		
NOTE: Midnight = 2400		10SS19	0
Unknown = 9999		NUMBER OF EVENTS	

PEDESTRIAN STUDY CRITERIA

11. Number of Recorded Events

in This Accident

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are <u>not</u> pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS									
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage			
12. <u>0</u> <u>1</u>	13. <u>0</u> <u>1</u>	14. <u>0</u> 7	15. <u>F</u>	16. <u>7 2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>			

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation

Administration

National Highway Traffic Safety

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1.	Primary Sampling Unit Number 49	10. Pedestrian's Weight Code actual weight to the nearest
2.	Case Number - Stratum 6 02 P	kilogram. (999) Unknown
3.	Pedestrian Number <u>0 1</u>	140 pounds X .4536 = 63.5 kilograms
	PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4.	Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
5.	Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping
6.	Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown	(6) Jumping (7) Falling/stumbling or rising (8) Other (specify): (9) Unknown
7.	Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknowninches X 2.54 =centimeters	13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road
8.	Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	(07) Off road, going away non road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify):
9.	inches X 2.54 =centimeters Pedestrian's Height - Ground to Shoulder	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

PEDESTRIAN'S AVOIDANCE ACTIONS	
	18. Pedestrian's Arm Orientation
	at Initial Impact
20	(01) At sides
15. Pedestrian's First Avoidance Actions	(02) Folded across chest
(00) No avoidance actions	(03) Hands clasped behind back
(01) Stopped	(04) Hands on hips
(02) Accelerated pace	(05) Hands in pockets
(03) Ran away (along vehicle path)	(00) Harias in positoto
(04) Jumped	One or both arms:
(05) Turned toward vehicle	
,	(06) Extended upward
(06) Turned away from vehicle	(07) Extended to side
(07) Dove or fell away	(08) Extended forward bracing
	(09) Extended, holding object
Used hand(s) to :	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against vehicle	bag, etc.) on shoulder(s) or head
(98) Other (specify):	(98) Other (specify):
(99) Unknown	(99) Unknown
(==)	(00) 0.111.101111
·	19. Pedestrian's Leg Orientation
	at Initial Impact
	· · · · · · · · · · · · · · · · · · ·
PEDESTRIAN'S ORIENTATION AT IMPACT	(01) Together (02) Apart-laterally
	(03) Apart-right leg forward
	(04) Apart-left leg forward
16. Pedestrian's Head Orientation	(05) Apart- forward leg unknown
at Initial Impact	(06) Left foot off the ground
(1) To front	(07) Right foot off the ground
(2) To left	(08) Both feet off the ground
(3) To right	(98) Other (specify):
, ,	(99) Unknown
(4) Up	
(5) Down	20. Vehicle/Pedestrian's Interaction
(8) Other (specify):	(01) Carried by vehicle, wrapped position
(9) Unknown	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
	(04) Passed over vehicle top
17. Pedestrian's Body (Chest) Orientation	(05) Thrown straight forward
at Initial Impact	
(1) Facing vehicle	(06) Thrown forward and left of vehicle
(2) Facing away	(07) Thrown forward and right of vehicle
(3) Left side to vehicle	(08) Knocked to pavement, forward
(4) Right side to vehicle	(09) Knocked to pavement, left of vehicle
(8) Other (specify):	(10) Knocked to pavement, right of vehicle
(9) Unknown	(11) Knocked to pavement, run over or
(6) 5	dragged by vehicle
<u> </u>	(12) Shunted to left (corner impacts only)
	(13) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside
·	(15) Snagged, rotated
	(16) Snagged, dragged by vehicle
	(17) Foot or legs run over
,	(98) Other (specify):
	(99) Unknown
	(00) Chichowh
	w. ·

OFFICIAL RECORDS		INJURY CONSEQUENCES
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 	0	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	96	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown	O	Nonfatal (3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify):
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	0	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify):
	:	28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian APACON lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOP - VARIABLES 30 THROUGH 37 AR	E COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given 32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported , HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
• •	S INCLUDED WITH INITIAL SUBMISSION? YES [1] NO [] YES []

U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM
PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

49

3. Pedestrian Number

0_1

2. Case Number - Stratum

6 02 p

4. Blank

<u>_X_X</u>

en ben

INJURY DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

		AIS-90						Injury					a. William
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
lst	5. <u>7</u>	6. <u>8</u>	7. <u>9</u>	8. <u>D</u> Z	9. <u>0 Z</u>	- _{10.} /	11. [12.700	13. 🗸	14. /	15. <u>Z</u>	16.2	. 17.2-
2nd	18. 3	19	20. 7	21.0 4	22.OZ	- 23. <u>L</u>	24.6	25. <u>947</u>	26. 🖊	27	28.0	29. 🔼	30.O_
Srd	31. <u> </u>	32. <u>(</u>	33. <u>4</u>	34. <u>0 6</u>	35. <u>0 ½</u>	36	37. <u>6</u>	38. <u>947</u>	зэ. <u>/_</u> •	40./	41. <u>O</u>	42. <u>0</u>	_0₄
4th	44.7	45./_	46. <u>9</u>	47. <u>6</u> 2	48. <u>6</u> 2	-49. <u>/</u>	50. <u>6</u>	51. <u>947</u>	52	53	54. <u>C</u>	55. <u>2</u>	_ي
5th	57	58	59	80	61	62	63	64	65.	66.	67	68	69
6th	70	<i>7</i> 1:	72	73	74	75	76	77	78	79	80	81	82:
7th	83	84	85	86	87	88	89	90	91	92	93	94	95
8th	96	97	98	99:	100	101	102	103	104,	105	106	107	108
9th	109	110	111:	112:	113	114	115,	116	117	118	119	120	121
10th	122	123	124	125	126	127	128	129,	130	131	132	133	134


HS Form 0435I (10/95)


This report is authorized by P.L. 89-563, Title 1, Section 106, 108, and 112. While you are not required to respond, your cooperation is needed to make the results of this data collection effort comprehensive, accurate, and timely.

•	PEDESTRIAN INJURY DATA											
Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th	-	_			_	_	<u>-</u>	<u>—</u>	_	_	_	_
12th					_	-		_	_		_	-
13th											_	
14th 15th					— —				_		— —	<u>-</u>
16th						-			·	<u> </u>	-	_
17th					_	•—				_	_	_
18th 19th											_	
20th											_	<u>-</u>
21st 22nd	_	-				_		_	<u> </u>	_	-	_
23rd					_				_	-	_	-
24th 25th		_			_	_				_	_	_

The second secon

No.





Page 2

SOURCE OF INJURY DATA INJURY SOURCE CONFIDENCE LEVEL TYPE OF DAMAGE Certain Injury not from vehicle contact **OFFICIAL** Probable No damage/contact (1) Autopsy records with or without hospital/ (3) Possible Scratch (Scuff, Cloth Transfer, Smear) medical records Unknown (3) (2) Hospital/medical records other than Large deformation (4) emergency room (e.g., discharge **DIRECT/INDIRECT INJURY** (5) Cracked, fractured, shattered Direct contact injury Indirect contact injury summary) (6) Separated from vehicle (3) Emergency room records only (including (7) Noncontact injury Noncontact injury associated X-rays or other lab reports) Other specify: (8) Injured, unknown source (4) Private physician, walk-in or emergency Unknown clinic STRIKING PROFILE Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) Rounded (contoured) DAMAGE DEPTH UNOFFICIAL Injury not from vehicle contact No residual damage (5) Lay coroner report (2) (3) Surface only damage (6) E.M.S. personnel (4) (5) Rounded edge (3) Crush depth >0 to 2 centimeters (7) Interviewee Crush depth > 2 to 5 centimeters Crush depth > 5 to 10 centimeters Sharp edge (8) Other source (specify): Other (specify): (8) (5) Other specify: (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region** Specific Anatomic Structure Abbreviated Injury Scale Spine (02) Cervical (04) Thoracic Head Whole Area (02) Skin - Abrasion (04) Skin - Contusion Minor injury (06) Lumbar Face (2) Moderate injury Neck (3) Serious injury (4) (5) (06) Skin - Laceration (08) Skin - Avulsion <u>Vessels, Nerves, Organs, Bones, Joints</u> are assigned consecutive two digit numbers beginning with 02 (4) (5) Thorax Severe injury Abdomen Critical injury (6) Spine Amputation (6) Maximum (untreatable) (20) Burn (30) Crus (7) **Upper Extremity** Injured, unknown severity Lower Extremity (8) Crush Level of Injury (40) Degloving (50) Injury - NFS Unspecified Aspect injuries assigned Type of Anatomic Structure consecutive two-digit beginning with 02. (90)Trauma, other than mechanical numbers Right (2) (3) Left Bilateral Whole Area Head - LOC To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity. (02) Length of LOC (04, 06, 08) Level of Consciousness (10) Concussion (4) (5) (6) Vessels Central (3) Nerves Anterior (4) Organs (includes muscles/ Posterior ligaments) Superior Skeletal (includes joints) Head - LOC (5) (8) Inferior (6)(9) Unknown Whole region **INJURY SOURCE FRONT** Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 791 Right front wheel / tire 745 C pillar 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify):_ 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 755 Right side glazing rearward of B pillar 802 Oil pan 803 Exhaust system pipe 756 Rear antenna 757 Rear fender or quarter panel 804 Transmission 805 Drive shaft Left Side Components 758 Other right side object 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar Back Components 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component **Accessories** 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle 821 Cellular or CB radio antenna Top Components 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 824 Luggage, ski, or bike rack 734 Left side glazing forward of B pillar component 772 Front fender top surface 735 Left side glazing rearward of B pillar 825 Cargo (specify):_ 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):_ (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment

778 Backlight glazing

788 Other top component (specify):

789 Unknown top component

779 Rear header

781 Rear trunk lid

780 Hatchback

Right Side Components

741 Front antenna

742 A1 pillar

743 A2 pillar

740 Front fender side surface

947 Ground

948 Other object (specify):

997 Noncontact injury source

999 Unknown injury source

949 Unknown object in environment

959 Unknown object on contacting vehicle


XI.


Page 3

	OFFICIAL INJURY I	DATA — SKELETAL INJURIES
Restrained? No Yes	Indicate the Location, Specific Anatomic Structure, Detail (size Source of all injuries indicated by official sources (or from PAR unavailable.)	e, depth, fracture type, head injury clinical signs and neurological deficits), and or other unofficial sources if medical records and interviewee data are
Blood Alcohol Let (mg/dl) BAL =	vel	
Glasgow Coma Scale Score GCSS =		
Units of Blood Given Units =		
Arterial Blood Ga Ph = PO ₂ =	ses Coo	
PCO ₂		

OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Brimery Sempling Unit Number 4-9	OFFICIAL RECORDS
1. Primary Sampling Unit Number 49	
2. Case Number - Stratum 6 9 2 P	9. Police Reported Travel Speed <u>999</u>
3. Vehicle Number 0 1	less than 0.5 kmph) (160) 159.5 kmph and above
VEHICLE IDENTIFICATION	(999) Unknown
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown	mph X 1.6093 =kmph 10. Speed Limit (000) No statutory limit Code posted or statutory speed limit
5. Vehicle Make (specify): 12 Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (99) Unknown	mph X 1.6093 = kmph 11. Police Reported Alcohol Presence For Driver
6. Vehicle Model (specify): 015	(0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown
Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given
7. Body Type Note: Applicable codes may be found on the back of this page.	(97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown Source:
8. Vehicle Identification Number FAPA SAPE SAP	13. Police Reported Other Drug Presence
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (< 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Čab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer) (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown 2, 600 lbs x .4536 =, 1 7 9 kgs Source:	Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown 19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph
16. Vehicle Cargo Weight Code weight to nearest	(2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates PRECRASH DATA
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

	-A A	
23.	Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
	This Vehicle Loss of Control Due To:	(specify):
	(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
	(02) Stalled engine	roadway (specify):
	(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
	(specify):	location (specify):
	(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
	up) (specify):	(87) Animal in roadway
	(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
	(specify):	(89) Animal—unknown location
	(06) Traveling too fast for conditions	(90) Object in roadway
	(08) Other cause of control loss (specify):	(91) Object approaching roadway
		(92) Object—unknown location
	(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
	This Vehicle Traveling	
	(10) Over the lane line on left side of travel lane	(99) Unknown
	(11) Over the lane line on right side of travel lane	
	(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
	(13) Off the edge of the road on the right side	(00) No driver present
	(14) End departure	(O1) No avoidance actions
	(15) Turning left at intersection	(O2) Braking (no lockup)
	(16) Turning right at intersection	(03) Braking (lockup)
	(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
	(19) Unknown travel direction	(05) Releasing brakes
	Other Motor Vehicle In Lane	(06) Steering left
	(50) Stopped	(07) Steering right
	(51) Traveling in same direction with lower speed	(08) Braking and steering left
	(i.e., lower steady speed or decelerating)	(09) Braking and steering right
	(52) Traveling in same direction with higher speed	(10) Accelerating
	(53) Traveling in opposite direction	(11) Accelerating and steering left
	(54) In crossover	(12) Accelerating and steering right
	(55) Backing	(98) Other action (specify):
	(59) Unknown travel direction of other motor vehicle	(99) Unknown
	in lane	
	Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
	(60) From adjacent lane (same direction) - over left	(0) No driver present
	lane line	(1) No avoidance maneuver
	(61) From adjacent lane (same direction) - over right	(2) Tracking (3) Skidding longitudinally—rotation less than 30
	lane line	(3) Skidding longitudinally—rotation less than 30 degrees
	(62) From opposite direction—over left lane line	(4) Skidding laterally—clockwise rotation
	(63) From opposite direction—over right lane line	(5) Skidding laterally—counterclockwise rotation
	(64) From parking lane	(8) Other vehicle loss-of-control (specify):
	(65) From crossing street, turning into same direction	
	(66) From crossing street, across path	(9) Precrash stability unknown
	(67) From crossing street, turning into opposite	<i>F</i>
	direction	26. Precrash Directional Consequences of
	(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
	(70) From driveway, turning into same direction	(O) No driver present
	(71) From driveway, across path	(1) No avoidance maneuver
	(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
	(73) From driveway, intended path not known	maneuver was initiated (3) Vehicle stayed on roadway but left travel lane
	(74) From entrance to limited access highway	where avoidance maneuver was initiated
	(78) Encroachment by other vehicle—details	(4) Vehicle stayed on roadway, not known if left
	unknown	travel lane where avoidance maneuver was
	Pedestrian or Pedalcyclist, or Other Nonmotorist	initiated
	(80) Pedestrian in roadway	(5) Vehicle departed roadway
	(81) Pedestrian approaching roadway	(6) Avoidance maneuver initiated off roadway
	(82) Pedestrian—unknown location	(9) Directional consequences unknown
		es.

	ENVIRO	NME	NTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	4	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify):
28.	 (6) Unknown type of non-interchange (9) Unknown if interchange Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway 	1	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing) Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify):
29.	Number of Travel Lanes (1) One (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown	2	(6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR controls (specify): (9) Unknown 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown Roadway Profile (1) Level	1	36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk (9) Unknown
	(1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown Roadway Surface Type (1) Concrete		37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet (4) Snow (5) Fog (6) Rain and fog
	(2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):		(7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown

)	BEST AVAILABLE COPY	196
		64.5-"
	49-602P	1640-
		140#
	93 Timpo	163 YOJ=
	2470m	Nevy Pets
		N. d co. P where bloose
	1-10	Should - Youse
	R., LI turw	Should Purse
	POITOFRP = 5,2 h	n = 12,1 ft.
· va valda viin valda va	f=0,8	
	Perf Row time	s Sec,
	$J_{2}J = v + \frac{v^2}{279}$	
	17.1 = 1.5 V + 0. 011	
	0,011v2 + 1,5 V -17,1	= 0 2 - (4)(0.011)(-1.7.1)
	V= 0,039	
	= 10 fPS = 6,	8mph = 11 KPh
1 No.	11884	
•		

PEDESTRIAN EXTERIOR VEHICLE FORM

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Vehicle Number

2. Case Number - Stratum

N / 400 A A A	~		_
- V		IDENTI	
~	ULL		

VIN 1 FAPP36X DPK

Model Year 93

Vehicle Make (specify):

FORD

Vehicle Model (specify):

TEMPO GL

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06	Hood	Material
-------	------	----------

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

cm

cm

cm

cm

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

200 M= 14012= (C2

cm

cm

cm

cm

cm

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact

080 cm

cm

cm


140 456

140+40

cm

cm

VEHICLE DAMAGE SKETCH




NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: 262 cm

PEDESTRIAN SIDE CONTACT V	VORK SHEET
PEV06 Hood Material	/
PEV08 Hood Length	cm
PEV09 Hood Width-Forward Opening	cm
PEV10 Hood Width-Midway	cm
PEV11 Hood Width-Rear Opening	cm
v 2 v v v v v v v v v v v v v v v v v v	/ ——— cm
VERTICAL MEASUREMEN	NTS
PEV26 Ground Clearance	cm
PEV27 Side Bumper-Bottom Height	cm
PEV28 Side Bumper-Top Height	cm
PEV29 Centerline of Wheel	cm
PEV30 Top of Tire	cm
PEV31 Top of Wheel Well Opening	cm
PEV32 Bottom of A-Pillar at Windshield	cm
PEV33 Top of A-Pillar at Windshield	cm
PEV34 Top of Side View Mirror	cm
LATERAL MEASUREMENT	rs
PEV35 C _L to A-Pillar at Bottom of Windshield	cm
PEV36 C _L to A-Pillar at Top of Windshield	cm
PEV37 C _L to Maximum Side View Mirror Protrusion	
TEVS7 CE to Maximum Side View Militor Protiduois	cm
WRAP DISTANCES	
WHAP DISTANCES	
PEV38 Ground to Side/Top Transition	cm
PEV39 Ground to Hood Edge	cm
PEV40 Ground to Centerline of Hood (ORIGIN)	cm
PEV41 Ground to Head Contact	cm
•	

	ORIGINAL SPECIFICATIONS					
Wheelbase	99.9 inches x 2.54 = 254 cm					
Overall Length	177.0 inches x 2.54 = 450 cm					
Maximum Width	-68.3 inches x 2.54 = 173 cm					
Curb Weight	2.600 pounds x .4536 = 1.179 kg					
Average Track 54.9	inches x 2.54 = $\frac{136}{16}$ cm					
Front Overhang	inches $\times 2.54 = 10^{10}$					
Rear Overhang	$_{-}$ inches x 2.54 = $_{-}$ $_{-}$ $_{-}$ $_{-}$ $_{-}$ $_{-}$					
Undeformed End Width	$\underline{\qquad} \underline{\qquad} \underline{\qquad} \underline{\qquad} \underline{\qquad} \underline{\qquad} \underline{\qquad} \underline{\qquad} $					
Engine Size: cyl./displ.	- $ -$					
	CID x .0164 = L					
FRONT 700 Front bumper 701 Front lower valance/spoiler 705 Pront bumper 706 Front lower valance/spoiler 707 Front lower valance/spoiler 708 Front lower valance/spoiler 709 Front lower valance/spoiler 700 Front lower valance/spoiler 700 Front lower valance/spoiler 700 Front lower valance/spoiler 700 Front lower valance/spoiler						
702 Front grille 703 Hood edge and/or trim 704 Hood ornament (fixed) 705 Hood ornament (spring loaded) 706 Headlight 707 Retractable headlight door (Open/Closed) 708 Turn signal/parking lights 718 Other front or add on object (specify): 719 Unknown front object Left Side Components 720 Front fender side surface 721 Front antenna 722 A1 pillar 723 A2 pillar	746 D pillar 748 Other pillar (specify):	•				
724 B pillar 725 C pillar 726 D pillar 728 Other pillar (specify):	760 Rear (back) bumper 761 Tailgate 762 Hatchback, vertical surface 768 Other back component (specify): 769 Unknown back component Accessories	_				
729 Left side roof rail 730 Left side door surface 731 Left side door handle 732 Left side mirror fixed housing 733 Left side folding mirror 734 Left side glazing forward of B pillar	Top Components 770 Hood surface 771 Hood surface reinforced by under hood component 820 Air scoop, deflector 821 Cellular or CB radio antenna 822 Emergency lights or bar 823 Fog lights 824 Luggage, ski, or bike rack					
735 Left side glazing rearward of B pillar 736 Left side back fender or quarter panel 737 Rear antenna 738 Other left side object (specify):	772 Front fender top surface 773 Cowl area 826 Spare tire 827 Spotlight 828 Other accessory (specify): 829 Other Object or Vehicle in Environment	_				
Right Side Components 740 Front fender side surface 741 Front antenna 742 A1 pillar	778 Backlight glazing 947 Ground 779 Rear header 948 Other object (specify): 949 Unknown object in environment 959 Unknown object on contacting vehicle 959 Voncontact injury source	-				

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

					RIAN CONTA			
CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL LOCATION (X)	LATERAL Location (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	SEQUENCE
	BUMPER COVER BUMPER COVER	+81	-60	0	LET	CLOTH TRANS	(1) 2 3 9	
			-70	0	UHIL	SMUDGE TRANSFER	1) 2 (5) 4	
B	HEADLAMP	+(7	-54	0	ELBOW	Thansier	1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 8	
							1 2 3 9	
							1 2 1 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	

POINT	S OF	PEDESTRIAN	CONTACT
CHRON	OLOG	ICAL ORDER O	FCONTACTS

CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	ER OF CONTACTS SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)
A-1C	700	+81	- 78	0		smudse treasfer	GD2 3 9
2							1 2 3 9
3							1 2 3 9
4							1 2 3 9
5							1 2 3 9
Œ							1 2 3 9
7							1 2 3 9
ŧ							1 2 3 9
9							1 2 3 9
10							1 2 3 9
11							1 2 3 9
12							1 2 3 9
13							1 2 3 9 1 2 3 9
15							1 2 3 9
16							1 2 3 8
17							1 2 3 9
18							1 2 3 9
19							1 2 3 9
20							1 2 3 9
21							1 2 3 9
22							1 2 3 9
23							1 2 3 9
24							1 2 3 9
25							1 2 3 9

VEHICLE DIMENSIONS	44
5 5 1	11. Hood Width Rear Opening
4. Original Wheelbase 254	nearest centimeter
Code to the	(210) 210 centimeters or more
(999) Unknown	(999) Unknown
(000)	
inches X 2.54 = centimeters	inches X 2.54 =centimeters
5. Original Average Track Width 143	12. Hood/Fender Vertical/Lateral Crush From
Code to the	Pedestrian O
nearest centimeter	(0) Not damaged
(185) 185 centimeters or more	(1) Surface scratching only, no residual crush (2) Minor crush (1-3 centimeters)
(999) Unknown	(3) Moderate crush (4-7 centimeters)
Sankara V O FA	(4) Severe crush (>7 centimeters)
inches X 2.54 = centimeters	(8) Damage present, unknown if damage is from
	pedestrian impact
6. Hood Material 3	(9) Unknown
(1) Plastic	13. Windshield Contact Damage
(2) Fiberglass	From Pedestrian Contact
(3) Steel (4) Aluminum	(0) Not contacted by pedestrian
(5) Stainless Steel	(1) Contacted by pedestrian - not damaged
(8) Other (specify):	(2) Contacted by pedestrian - damaged
(9) Unknown	(3) Unknown if contacted by pedestrian - not
1	damaged (4) Unknown if contacted by pedestrian -
7. Hood Original	damaged
Equipment Manufacturer (OEM) (1) OEM factory installed hood	(9) Unknown if contacted by pedestrian -
(2) OEM replacement	unknown if damaged
(3) Non-OEM replacement	
(9) Unknown	FRONT CONTACT DAMAGE
8. Hood Length	Front Vertical Measurements
Code to the	
Code to the	
nearest centimeter	14. Front Bumper Cover Material
nearest centimeter (180) 180 centimeters or more	(0) No front contact
nearest centimeter	(0) No front contact (1) Plastic
nearest centimeter (180) 180 centimeters or more (999) Unknown	(0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter	(0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify):
nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening	(0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening	(0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown
nearest centimeter (180) 180 centimeters or more (999) Unknown	(0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify):
nearest centimeter (180) 180 centimeters or more (999) Unknowninches X 2.54 =centimeter 9. Hood Width Forward Opening	(0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel
nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the	(0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum
nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening	(0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
nearest centimeter (180) 180 centimeters or more (999) Unknown	(0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum
nearest centimeter (180) 180 centimeters or more (999) Unknown	(0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
nearest centimeter (180) 180 centimeters or more (999) Unknown	(0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height
nearest centimeter (180) 180 centimeters or more (999) Unknown	(0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the
nearest centimeter (180) 180 centimeters or more (999) Unknown	(0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter
nearest centimeter (180) 180 centimeters or more (999) Unknown	(0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the
nearest centimeter (180) 180 centimeters or more (999) Unknown	(0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact
nearest centimeter (180) 180 centimeters or more (999) Unknown	(0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more

17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
18. Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
FIGHT THICH DISTRICT HISTORIES	Side Vertical Measurements
20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
	inches X 2.54 = centimeters
21. Ground to Front/Top Transition Point 24 Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeters	27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
	inches X 2.54 = centimeters
22. Ground to Rear Hood Opening SO	28. Side Bumper-Top Height Code to the

29.	Centerline of Wheel	Side Lateral Messurements
	Code to the	
	nearest centimeter (000) No side contact	35. Centerline to A-Pillar
	(150) 150 centimeters or more	at Bottom of Windshield
	(999) Unknown	(000) No side contact
		Code to the
	inches X 2.54 = centimeters	nearest centimeter (250) 250 centimeters or more
		(999) Unknown
30.	Top of Tire	
•••	Code to the	inches X 2.54 = centimeters
	nearest centimeter	
	(000) No side contact	36. Centerline to A-Pillar
	(200) 200 centimeters or more	at Top of Windshield
	(999) Unknown	Code to the
	inches X 2.54 = centimeters	nearest centimeter
	Containeters	(000) No side contact
		(250) 250 centimeters or more
31.	Top of Wheel Well Opening	(999) Unknown
	Code to the	inches X 2.54 = centimeter
	nearest centimeter (000) No side contact	
	(250) 250 centimeters or more	4
	(999) Unknown	37. Centerline to Maximum Side
		View Mirror Protrusion
	inches X 2.54 = centimeters	Code to the nearest centimeter
00	Samuel of A Sillar at Mr. 11111	
32.	Bottom of A-Pillar at Windshield Code to the	(300) 300 centimeters or more
	nearest centimeter	(999) Unknown
	(000) No side contact	
	(250) 250 centimeters or more	inches X 2.54 = centimeter
	(999) Unknown	
	inches X 2.54 = centimeters	Side Wrap Distance Measurements
	Centimeters	
		38. Ground to Side/Top Transition
33.	Top of A-Pillar at Windshield	Code to the
	Code to the	nearest centimeter
	nearest centimeter (000) No side contact	(000) No side contact
	(300) 300 centimeters or more	(400) 400 centimeters or more
	(999) Unknown	(999) Unknown
		inches X 2.54 =centimeters
	inches X 2.54 = centimeters	
	_	
34.	Top of Side View Mirror	39. Ground to Hood Edge Code to the
	Code to the	nearest centimeter
	nearest centimeter	(000) No side contact
	(000) No side contact	(500) 500 centimeters or more
	(300) 300 centimeters or more (999) Unknown	(999) Unknown
	1000/ CHANGERI	inches V 2 E4 -
	inches X 2.54 = centimeters	inches X 2.54 = centimeters

40.	Ground to Centerline of Hood Code to the nearest centimeter (000) No side contact	<u>0 00</u>		
	(700) 700 centimeters or more (999) Unknown inches X 2.54 =	centimeters		
41.	Ground to Head Contact Code to the nearest centimeter (000) No side contact (800) 800 centimeters or more			
	(998) No head contact (999) Unknown			
	inches X 2.54 =	centimeters		
	~			



00000000000000 01 49602P00010012 969.0010000000000102F72000 49602P00010021 9.00 000000006321644809413106411083002311030909600142002115 1010000000004 49602P00010131 9.00 00000000078902021170011222 49602P00010231 9.00 00000000031904021694711000 49602P00010331 9.00 00000000071906021694711000 49602P00010431 9.00 00000000071902021694711000 49602P01000041 9.00 000000009312015041FAPP36X0PK 11110916011141211110031 49602P01000051 9.00 000000002541433109912512913100110390540761008008418019 00001000000000

PEDESTRIAN ASSESSMENT Occupant: 1

INTRA ERRORS

OHH1091 2 If TREATMENT PAS26 equals 0, 4 or 5, then HH1092 WORKING DAYS LOST PAS29 should equal 00, 01, 97 or 99.

0

PSU49 CASE 602P CURRENT VERSION: 9.00 ERROR SUMMARY SCREEN PEDESTRIAN STUDY



	NUMBER OF OLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	0	0	Y
Pedestrian Assessment	0	0	1	Υ
Pedestrian Injury	0	0	O	Υ
Pedestrian General Vehicle	• 0	0	0	Υ
Pedestrian Exterior Vehicl	e O	o	O	Y
Total Inter Errors		0	0	
Total Case Errors	0	0	1	