



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:


Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***





PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

82 PSU

CASE NO. 622 P

TYPE OF ACCIDENT COMPACT UTILITY TURNING/PEDESTRIAN WALKING

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)


> Vehicle #1 was eastbound stopped at an intersection on a 2-way street and proceeded to turn left. A pedestrian was walking westbound in a crosswalk. The pedestrian saw Vehicle #1 approaching and turned toward the vehicle with her arms extended to brace against Vehicle #1 as the front struck her. The pedestrian wrapped over the hood and was thrown backwards ahead of Vehicle #1 as the driver braked. The pedestrian landed on her back.

B. PEDESTRIAN PROFILE								
Pedestrian			Treatment/	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)				
No.	l l _		Mortality	Body Region	Ana. Struc.	AIS	Injury Source	
01	29	Female	Treatment later	Lower	Skin - Other	1	Bumper	

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity

	C. VEHICLE PROFILE								
	Class		В	Most Severe Damage ased on Vehicle Inspection					
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description					
01	Sport Utility	95/Chevrolet/Blazer 4x4	Front	Minot - smears, smudges					

DO NOT SANITIZE THIS FORM



ACCIDENT COLLISION DIAGRAM


NATIONAL ACCIDENT SAMP PEDESTRIAN CRASH SYSTEM A STUDY National Highway Traffic Safety Administration Indicate PSU No. North P Case Number - Stratum -Reference I ma ,Reference 14. OJ: "dewalk ହାର ଚାଡ side of K

HS Form 431B (8/95)

Scale: 1 centimeter = ____ meter

HS Form 431B (1/96)

Scale: 1 centimeter = ___





U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Prima	ary Sampling Unit Number <u>\$2</u> \$_	_		Case Numbe	er-Stratum $6 22$ P			
	PEDESTRIAN ACCIDENT COI	LI ISIONI DATA C	OUECTION	T I	SCALED DIAGRAM			
			OLLEGION .	10 1.				
	ument reference point and reference line tive to physical features	Surface Type	Care		orth arrow placed on diagram			
	umentation of all accident induced physical dence including (if applicable):	Surface Condition			rade measurements for all applicable padways			
a)	vehicle skid marks	Coefficient of Frid	etion		caled representations of the physical plant notuding:			
b}	pedestrian contacts with ground or object	Grade (v/h) Meas	surement y (2)	22	all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)			
c)	vehicle/pedestrian point of impact (POI)	a) at impa	d	<u> </u>	all traffic controls (e.g., lights, signs)			
d)	location of pedestrian separation point from vehicle	b) between final res	impact and $\frac{21}{21}$	00	caled representations of the vehicle and sedestrian at pre-impact, impact, and final est based upon either:			
ŋ	final resting points (FRP) for pedestrian and vehicle	Pedestrian Trave	<u></u>	a)	physical evidence, or			
• do	cumentation of the physical plant including:	Vehicle Travel Di	rection Noct	Fast b)	reconstructed accident dynamics			
a)	all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)	Number of Trave	Lanes <u>a</u>					
b):	all traffic controls (e.g., lights, signs)							
	Reference Point: Light pole on Reference Line: East Curb Edge Fort side of stocat at Crosswalk							
	Item			nd Direction rence Point	Distance and Direction from Reference Line			
		\cap \wedge		0				
	- Scene scale	X Refe	rence on	<u>لم</u>				
		"		σ				

-								
					· ·			
1								

Administration

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

2. Case Number - Stratum


IDENTIFICATION

3. Number of General Vehicle Forms Submitted

4. Date of Accident (Month, Day, Year)



5. Time of Accident



Code reported military time of accident.

NOTE: Midnight = 2400

Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. ____SS15 Administrative Use

7. <u>✓ SS16 Pedestrian Crash Data Study</u> _1_

8. SS17 Impact Fires 0

9. ____SS18 ____ _0_

10. ___SS19 0

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

0

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

	PEDESTRIAN ACCIDENT EVENTS						
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage	
12. <u>0</u> <u>1</u>	13. <u>0</u> <u>1</u>	14	15.	16. <u>7 2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>	

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

National Highway Traffic Safety Administration

1. Primary Sampling Unit Number 2. Case Number - Stratum 622 P	10. Pedestrian's Weight Code actual weight to the nearest kilogram. (999) Unknown
3. Pedestrian Number <u>0 1</u>	125 pounds X 4536 = kilograms
PEDESTRIAN'S CHARACTERISTICS 4. Pedestrian's Age Code actual age at time of accident.	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS 11. Pedestrian Attitude (1) Standing
(97) Unknown	(2) Crouching(3) Kneeling(4) Bending at waist(8) Other (specify):(9) Unknown
5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown 6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown 7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown inches X 2.54 = centimeters 8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter.	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify): (9) Unknown 13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, moving along driveway (09) Off road, moving along driveway (98) Other (specify):
999) Unknown inches X 2.54 = centimeters Pedestrian's Height - Ground to Shoulder Code to the nearest centimeter. (999) Unknown inches X 2.54 = centimeters	(99) Unknown 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify):

PEDESTRIAN'S AVOIDANCE ACTIONS 18. Pedestrian's Arm Orientation at Initial Impact (01) At sides (02) Folded across chest 15. Pedestrian's First Avoidance Actions (03) Hands clasped behind back (00) No avo dance actions (04) Hands on hips (01) Stopped (05) Hands in pockets (02) Accelerated pace (03) Ran away (along vehicle path) (04) Jumped One or both arms: (06) Extended upward (05) Turned toward vehicle (06) Turned away from vehicle (07) Extended to side (08) Extended forward bracing (07) Dove or fell away (09) Extended, holding object (briefcase, suitcase, etc.) Used hand(s) to: (10) Holding object (young child, (11) Vault corner of vehicle (12) Vault onto vehicle grocery bag, etc.) in arm(s) (11) Holding object (young child, grocery (13) Brace against vehicle bag, etc.) on shoulder(s) or head (14) Crouched and braced hands against vehicle (98) Other (specify):_____ (98) Other (specify): ___ (99) Unknown (99) Unknown 19. Pedestrian's Leg Orientation at Initial Impact (01) Together PEDESTRIAN'S ORIENTATION AT IMPACT (02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart- forward leg unknown 16. Pedestrian's Head Orientation (06) Left foot off the ground at Initial Impact (07) Right foot off the ground (1) To front (08) Both feet off the ground (2) To left (98) Other (specify): (3) To right (99) Unknown (4) Up (5) Down 20. Vehicle/Pedestrian's Interaction (8) Other (specify): (01) Carried by vehicle, wrapped position (9) Unknown (02) Carried by vehicle, slid to windshield (03) Carried by vehicle, position unknown (04) Passed over vehicle top 17. Pedestrian's Body (Chest) Orientation (05) Thrown straight forward at Initial Impact (06) Thrown forward and left of vehicle (1) Facing vehicle (07) Thrown forward and right of vehicle (2) Facing away (08) Knocked to pavement, forward (3) Left side to vehicle (09) Knocked to pavement, left of vehicle (4) Right side to vehicle (10) Knocked to pavement, right of vehicle (8) Other (specify):_____ (11) Knocked to pavement, run over or (9) Unknown dragged by vehicle (12) Shunted to left (corner impacts only) (13) Shunted to right (corner impacts only) (14) Bumped or pushed aside (15) Snagged, rotated (16) Snagged, dragged by vehicle (17) Foot or legs run over

(98) Other (specify):____

(99) Unknown

OFFICIAL RECORDS		INJURY CONSEQUENCES
21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown	2	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	- 6 - 70	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify): Nonfatal (3) Hospitalization (4) Transported and released
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown		(5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown 27. Type Of Medical Facility
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	<u>_</u>	(for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
	**************************************	28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more
		(99) Unknown 29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOF - VARIABLES 30 THROUGH 37 AR	E COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given 32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported, HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORD NO [] UPDATE CANDIDATE?	YES []

Administration

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Pedestrian Number

2. Case Number - Stratum

4. Blank

_X_X_

INJURY DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.


	Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. <u>7</u>	6. <u>8</u>	7. 9	8. <u>0</u> 4	9. <u>0 2</u>	10. <u>/</u>	11. 2	12. 700	13. /	14	15	16. <u>Z</u>	- 17
2nd	18. 7	198	20. 9	21.04	22. <u>0</u> Z	- _{23.} _/	24. /	25. <u>70 (</u>	26. [27	28. 7	29. <u> </u>	- <u>2</u>
3rd	317	32. <u> </u> 8	33. <u>9</u>	34. <u>D</u> <u>4</u>	35. <u>0</u> 2	- 36. <u>1</u>	37. <u>/</u>	38. <u>7 / 8</u>	39	40. /	41. 7	42. <u> </u>	43
4th	44. 7	45	46. 5	47.04	48. 0	2-49(50	-51. <u>7/8</u>	52	53	54. 3	55	56
5th	577	58.	59. <u>9</u>	60. <u>0</u> <u>4</u>	61. 02	-62. <u>1</u>	63. 8	64. <u>77 û</u>	65/	66	67. <u>Z</u>	₆₈ 2	69. <u> </u>
6th	707	71. 7	72. 4	73.	74. <u>0 2</u>	-75. <u> </u>	76	-n. 9 4 7	78	79	80. <u>(</u>	81. <u>Ø</u>	82. 🔿
7th	83	84.	85. <u>7</u>	86 <u>0</u> 4	87. <u>0</u> 2	88	89/	90. 9 4	7 91. <u>/</u>	92. /	93	94. <u>O</u>	95. 0
8th	96	97	98	99	100	_ 101	102	103	104	105	106	107	108
9th	109	110	. 111	112	.113	_ 114	115	116	117	118	119	120	121
10th	122	123	124	125	_126	_ 127	128	129	130	131	132.	133	. 134

This report is authorized by P.L. 89-563, Title 1, Section 106, 108, and 112. While you are not required to respond, your cooperation is needed to make the results of this data collection effort comprehensive, accurate, and timely.

			AIS-90	PEDES				Injury			_	
Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th												_
12th		:					-					
13th	_						<u> </u>					194 194
14th					_							
15th			<u>·</u> —						. T Stylen			
16th												
17th:	_						· · · · · · · · · · · · · · · · · · ·	·				
18th										<u>.</u>		
19th		·				<u></u>						
20th					<u></u>	·						
21st			, 	· .		-						
22nd		_								···		
23rd	_				_	_						
24th					· ·						,	

INJURY SOURCE CONFIDENCE LEVEL TYPE OF DAMAGE SOURCE OF INJURY DATA (0) Injury not from vehicle contact (1) Certain (2) Probable OFFICIAL (1) No damage/contact (1) Autopsy records with or without hospital/ Possible (2) Scratch (Scuff, Cloth Transfer, Smear) medical records (9) Unknown (3) Dent (4) Large (2) Hospital/medical records other than Large deformation DIRECT/INDIRECT INJURY emergency room (e.g., discharge (5) Cracked, fractured, shattered Direct contact injury summary) Separated from vehicle Indirect contact injury (3) Emergency room records only (including (7) Noncontact injury (3) Noncontact injury (7) Injured, unknown source associated X-rays or other lab reports) (8) Other specify: Unknown (4) Private physician, walk-in or emergency STRIKING PROFILE **DAMAGE DEPTH** Injury not from vehicle contact Flat-Narrow (<15 centimeters) Injury not from vehicle contact UNOFFICIAL No residual damage Flat-Wide (≥ 15 centimeters) (5) Lay coroner report Surface only damage (3) (4) Rounded (contoured) (6) E.M.S. personnel Crush depth > 0 to 2 centimeters Crush depth > 2 to 5 centimeters Rounded edge (7) Interviewee (4) (5) (5) Sharp edge (8) Other source (specify): Crush depth > 5 to 10 centimeters Other (specify): Other specify: (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION Spine (02) Cervical (04) Thoracic Abbreviated Injury Scale Specific Anatomic Structure **Body Region** Minor injury Whole Area Head Moderate injury (02) Skin - Abrasion (04) Skin - Contusion (06) Lumbar (2) Face Serious injury (3) Neck (06) Skin - Laceration Vessels, Nerves, Organs, Bones, Joints 141 Severe injury (4)Thorax (5) Critical injury (08) Skin - Avulsion are assigned consecutive two digit numbers beginning with 02 (5) Abdomen Maximum (untreatable) (10) Amoutation (6) Spine Injured, unknown severity (20) Burn Upper Extremity (30) Crush Level of Injury Lower Extremity (8) **Aspect** (40) Degloving (50) Injury - NFS Unspecified Specific injuries assigned are consecutive two-digit beginning with 02. Right Type of Anatomic Structure (90) Trauma, other than mechanical numbers Left (2) (3) Bilateral Whole Area (1) (02) Length of LOC (04, 06, 08) Level of Consciousness To the extent possible, within the Central Vessels organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic (5) (6) Anterior (3) Nerves (10) Concussion Posterior Organs (includes muscles/ (4)Superior (8) (9) Skeletal (includes joints) Head - LOC Inferior structure. 99 is assigned to any injury NFS as to lesion or severity. Unknown (6) Whole region **INJURY SOURCE** Wheels / tires **FRONT** 744 B pillar 790 Left front wheel / tire 700 Front bumper 745 C pillar 791 Right front wheel / tire 701 Front lower valance/spoiler 746 D pillar 792 Left rear wheel / tire 702 Front grille 748 Other pillar (specify): 793 Right rear wheel /tire 703 Hood edge and/or trim 798 Other wheel / tire (specify): _ 749 Right side roof rail 704 Hood ornament (fixed) 799 Unknown wheel / tire 750 Right side door surface 705 Hood ornament (spring loaded) 751 Right side door handle 706 Headlight Undercarriage components 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing 753 Right side folding mirror 800 Front crossmember 708 Turn signal/parking lights 801 Steering assembly/Front suspension 718 Other front or add on object (specify): Tow hook 719 Unknown front object 754 Right side glazing forward of B pillar u K 4 802 Oil pan 755 Right side glazing rearward of B pillar 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission 805 Drive shaft 758 Other right side object Left Side Components 806 Catalytic converter (specify): 720 Front fender side surface 759 Unknown right side component 807 Muffler 721 Front antenna 808 Floor pan 722 A1 pillar 809 Fuel tank 723 A2 pillar **Back Components** 810 Rear suspension 760 Rear (back) bumper 724 B pillar 818 Other undercarriage component 761 Tailgate 725 C pillar (specify): 762 Hatchback, vertical surface 726 D pillar 819 Unknown undercarriage component 768 Other back component 728 Other pillar (specify): (specify): 769 Unknown back component 729 Left side roof rail 820 Air scoop, deflector 730 Left side door surface 821 Cellular or CB radio antenna Top Components 731 Left side door handle 822 Emergency lights or bar 770 Hood surface 732 Left side mirror fixed housing 823 Fog lights 771 Hood surface reinforced by under hood 733 Left side folding mirror 824 Luggage, ski, or bike rack 734 Left side glazing forward of B pillar component 825 Cargo (specify):_ 735 Left side glazing rearward of B pillar 772 Front fender top surface 826 Spare tire 773 Cowl area 736 Left side back fender or quarter panel 827 Spotlight 774 Wiper blade & mountings 737 Rear antenna 828 Other accessory (specify):_ 775 Windshield glazing 738 Other left side object 776 Front header (specify): Other Object or Vehicle in Environment 777 Roof surface 739 Unknown left side component 947 Ground 778 Backlight glazing 948 Other object (specify): 779 Rear header Right Side Components 949 Unknown object in environment 780 Hatchback 740 Front fender side surface 959 Unknown object on contacting vehicle 781 Rear trunk lid 741 Front antenna 997 Noncontact injury source 788 Other top component (specify): ___ 742 A1 pillar 999 Unknown injury source 789 Unknown top component 743 A2 pillar

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



_			:	_ 4	3
н	est	ra	ın	ea	•

___ No

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

__ Yes

unavailable.)

Blood Alcohol Level

(mg/dl)

BAL = ____

Glasgow Coma Scale Score

GCSS = ___

Units of Blood Given

Units = ____


Arterial Blood Gases


Ph = __._

PO₂ = ____

PCO₂


HCO₃ ____






OFFICIAL INJURY DATA -INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





U.S. Department of Transportation National Highway Traffic Safety

(8) No driver present

(9) Unknown

PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY Administration OFFICIAL RECORDS 1. Primary Sampling Unit Number 2. Case Number - Stratum 9. Police Reported Travel Speed Code to the nearest kmph (NOTE: 000 means 3. Vehicle Number less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown **VEHICLE IDENTIFICATION** mph X 1.6093 = ___ kmph 4. Vehicle Model Year Code the last two digits of the model year 10. Speed Limit (99) Unknown (000) No statutory limit Code posted or statutory speed limit in kmph (999) Unknown 5. Vehicle Make (specify): mph X 1.6093 = ___ kmph Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. 11. Police Reported Alcohol Presence For Driver (99) Unknown (0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present 6. Vehicle Model (specify): (9) Unknown Applicable codes are found in your NASS PCDS Data Collection, Coding and 12. Alcohol Test Result For Driver Editing Manual. Code actual value (decimal implied before first digit - 0.xx) (999) Unknown (95) Test refused (96) None given (97) AC (Alcohol Content) test 7. Body Type performed, results unknown Note: Applicable codes may be found on (98) No driver present the back of this page. (99) Unknown Source: 8. Vehicle Identification Number 13. Police Reported Other Drug Presence For Driver 10 11 12 13 14 15 16 17 (0) No other drug(s) present (1) Yes other drug(s) present Left justify; Slash zeros and letter Z (0 and Z) Not reported (7) No VIN-Code all zeros No driver present (8) Unknown-Code all nines (9) Unknown 14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Čab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):_____
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown U 000 lbs x .4536 = 1 2 3 kgs	18. Impact Speed / / / / / / / / / / / / / / / / / / /
Source: 16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown bs X .4536 =, kgs	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present

ational Accident Sampling System-Crashworthiness Data	a System: Pedestrian General Venicle Form Page
Sa Calabiant Brancock System	(83) Pedalcyclist or other nonmotorist in roadway
23. Critical Precrash Event	(specify):
This Vehicle Loss of Control Due To:	(84) Pedalcyclist or other nonmotorist approaching
(01) Blow out or flat tire	l
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	0
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	4
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(O1) No avoidance actions
(15) Turning left at intersection	(O2) Braking (no lockup)
(16) Turning right at intersection	(O3) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle	(99) Unknown
in lane	(30) 3111111111
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction)—over left	(0) No driver present
lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction)—over right	(2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30
(62) From opposite direction—over left lane line	degrees
(63) From opposite direction—over right lane line	(4) Skidding laterally—clockwise rotation
(64) From parking lane	(5) Skidding laterally—counterclockwise rotation
(65) From crossing street, turning into same direction	(8) Other vehicle loss-of-control (specify):
(66) From crossing street, across path	10.
(67) From crossing street, across path (67) From crossing street, turning into opposite	(9) Precrash stability unknown
	26. Branch Directional Concentrations of
direction	26. Precrash Directional Consequences of Avoidance Maneuver (Corrective Action)
(68) From crossing street, intended path not known	(0) No driver present
(70) From driveway, turning into same direction	(1) No avoidance maneuver
(71) From driveway, across path	(2) Vehicle stayed in travel lane where avoidance
(72) From driveway, turning into opposite direction	maneuver was initiated
(73) From driveway, intended path not known	(3) Vehicle stayed on roadway but left travel lane
(74) From entrance to limited access highway	where avoidance maneuver was initiated
(78) Encroachment by other vehicle—details	(4) Vehicle stayed on roadway, not known if left
unknown	travel lane where avoidance maneuver was
Pedestrian or Pedalcyclist, or Other Nonmotorist	initiated
(80) Pedestrian in roadway	(5) Vehicle departed roadway
(81) Pedestrian approaching roadway	(6) Avoidance maneuver initiated off roadway
(82) Pedestrian—unknown location	(9) Directional consequences unknown

	ENVIRONMENTAL DATA								
27.	Relation to Junction (0) Non-junction (1) Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify):							
20	 (5) Other non-interchange (specify): (6) Unknown type of non-interchange (9) Unknown if interchange 	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)							
28.	Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown	Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR							
29.	Number of Travel Lanes (1) One (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown	controls (specify): (9) Unknown 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown							
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown	36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk							
31.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown	(9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet (4) Snow							
32	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):	(5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown							

~	V 9 6	
	7 9 6	
		The second secon
	(12)	
	82-622	
	24401=	C AND C CONTROL OF THE CONTROL OF TH
	198 B/12 L8"	
. and the second se	30YOF 125 7	
	POI to FRP = 2,6m = 8.5 ft	
	f = 0, lo	
	PRT = 0,5	. • • • •
	$S = Vt + \frac{V^2}{219}$ \$10.6/(32.2)	
ALLEN TO THE PARTY OF THE PARTY	$4.67 = 0.57 V + 0.626 V^{2}$	
A SANTA SANTANIA SA SANTA MANAGAMBANA SANTANIA SANTANIA	0,026 12 + 0,5 1 - 8,5 = 0	
and the second s		
go garanga gang un magaya magayaha na magayaha na magayaha da da qaran mada da d	V= -0,5 + 7(0,5)2 - (4)(0,026)(-8,5)	
	8,65 2	
	= 10,8 fPS = 7.4 mph = 11,9 x+h	
and the second s	12 KP4	
	12 KP4	
		•
		Page Carried C

Warrang (



U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

33

3. Vehicle Number

0 1

2. Case Number - Stratum

6 <u>2</u>2 P

VEHICLE IDENTIFICATION

VIN <u>IGNDT 13W4S</u>!

Model Year

Vehicle Make (specify):

Cherrotes

Vehicle Model (specify):

Player 42

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

10 1 cm

30 cm

 $\frac{3}{2}$ cm

 \mathcal{L} cm

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

25 cm

) 6 6 cm

S X cm

o⊘⊘ cm

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact

99 cm

98 cm

_<u>___</u> cm


702


cm

160

cm

and antones shed






NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axies (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

, 1324,





NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

PEDESTRIAN SIDE CONTACT V	VURK SHEET
DEVOC Hand Meterial	
PEV06 Hood Material	cm
PEV09 Hood Width-Forward Opening	cm
PEV10 Hood Width-Midway	cm
PEV11 Hood Width-Rear Opening	cm
PEVIT Hood Width-Real Opening	
VERTICAL MEASUREMEN	NTS
PEV26 Ground Clearance	cm
PEV27 Side Bumper-Bottom Height	cm
PEV28 Side Bumper-Top Height	cm
PEV29 Centerline of Wheel	cm
PEV30 Top of Tire	cm
PEV31 Top of Wheel Well Opening	cm
PEV32 Bottom of A-Pillar at Windshield	cm
PEV33 Top of A-Pillar at Windshield	cm
PEV34 Top of Side View Mirror	cm
LATERAL MEASUREMEN	тѕ
PEV35 C _L to A-Pillar at Bottom of Windshield	cm
PEV36 C _L to A-Pillar at Top of Windshield	cn
PEV37 C _L to Maximum Side View Mirror Protrusion	cn
WRAP DISTANCES	
PEV38 Ground to Side/Top Transition	cn
PEV39 Ground to Hood Edge	cr
PEV40 Ground to Centerline of Hood (ORIGIN)	cr
PEV41 Ground to Head Contact	cr

VEHICLE DAMAGE SKETCH





NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

ORIGINAL SPECIFICATIONS inches $\times 2.54$ Whee 1 base inches $\times 2.54$ Overall Length inches $\times 2.54$ Maximum Width pounds \times .4536 = Curb Weight inches $\times 2.54$ Average Track inches $\times 2.54$ Front Overhang CM inches $\times 2.54$ Rear Overhang Undeformed End Width inches $\times 2.54$ CM Engine Size: cyl./displ. ___ __ __ \times .001 CC CID \times .0164 = **INJURY SOURCE** Wheels / tires **FRONT** 790 Left front wheel / tire 744 B pillar 700 Front bumper 745 C pillar 791 Right front wheel / tire 701 Front lower valance/spoiler 792 Left rear wheel / tire 746 D pillar 702 Front grille 793 Right rear wheel /tire 748 Other pillar (specify):__ 703 Hood edge and/or trim 798 Other wheel / tire (specify): _ 749 Right side roof rail 704 Hood ornament (fixed) 799 Unknown wheel / tire 750 Right side door surface 705 Hood ornament (spring loaded) 751 Right side door handle 706 Headlight Undercarriage components 752 Right side mirror fixed housing 707 Retractable headlight door (Open/Closed) 753 Right side folding mirror 800 Front cross member 708 Turn signal/parking lights 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 718 Other front or add on object 802 Oil pan 755 Right side glazing rearward of B pillar (specify):_ 803 Exhaust system pipe 719 Unknown front object 756 Rear antenna 804 Transmission 757 Rear fender or quarter panel 805 Drive shaft Left Side Components 758 Other right side object (specify): 806 Catalytic converter 720 Front fender side surface 807 Muffler 721 Front antenna 759 Unknown right side component 808 Floor pan 722 A1 pillar 809 Fuel tank Back Components 723 A2 pillar 810 Rear suspension 760 Rear (back) bumper 724 B pillar 818 Other undercarriage component 725 C pillar 761 Tailgate 762 Hatchback, vertical surface (specify): 726 D pillar 819 Unknown undercarriage component 768 Other back component 728 Other pillar (specify): (specify): 769 Unknown back component **Accessories** 729 Left side roof rail 820 Air scoop, deflector 730 Left side door surface 821 Cellular or CB radio antenna 731 Left side door handle Top Components 822 Emergency lights or bar 732 Left side mirror fixed housing 770 Hood surface 823 Fog lights 771 Hood surface reinforced by under hood 733 Left side folding mirror 824 Luggage, ski, or bike rack component 734 Left side glazing forward of B pillar 825 Cargo (specify):____ 772 Front fender top surface 735 Left side glazing rearward of B pillar 773 Cowl area 826 Spare tire 736 Left side back fender or quarter panel 827 Spotlight 774 Wiper blade & mountings 737 Rear antenna 828 Other accessory (specify):_ 775 Windshield glazing 738 Other left side object 776 Front header (specify): _ Other Object or Vehicle in Environment 739 Unknown left side component 777 Roof surface 947 Ground 778 Backlight glazing 948 Other object (specify):_ 779 Rear header Right Side Components 949 Unknown object in environment 780 Hatchback 740 Front fender side surface 959 Unknown object on contacting vehicle 781 Rear trunk lid 741 Front antenna 788 Other top component (specify): __ 997 Noncontact injury source 742 A1 pillar

789 Unknown top component

743 A2 pillar

999 Unknown injury source

Page 5



National Accident Sampling System-Crashworthiness Data System: Pedestrian Exterior Vehicle Form

	POINTS OF PEDESTRIAN CONTACT										
	PEDESTRIAN CONTACT WORKSHEET										
CONTACT ID Label	COMPONENT Contacted	LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)	SEQUENCE			
A	Bumper	411	-10	Q	ولهما (٢)	5 moved mulye	1)2 3 9	(
9	Bumper	(13+.12	-7ナ	Φ !	<u>ال</u>	Smeand /streak	2 3 9	2			
4	Runger	113 +0123	-37	<u>Q</u>	10 mg	powde us hit	P 2 3 9	3			
8	دښلا	109	-13-	0	DAVA	Miller	© 2 3 \$	3			
a	Gredl	97	-18	Q	10	Streets)	2 3 9	2			
b	Geil	न्द्र ने	-18	0	1)	S.	(1)2 1 9	3			
12	post	79	~4		1) Finger	skibwahle	1 2 3 9	10			
1	Hook	イナ	-13	Ø	1 toles			4			
R	Hood	26	-(8	<u>Q</u>	(C) House	tryn streat	1 2 3 9	5			
NOV.	A from	+ 15	<u>-28</u>	/	Chiz	- Allow	1 2 3 9	10-			
Tila	eur						1 2 3 9				
Scure	1-0	,	1	(A)		£ ; 01-	L 1 2 3 9	1			
1	4000	2-3	-91		(R) Howa	IIMM STRA	1 2 3 9	8			
	C 1	95 95	-44	9	Bland	Departing car	1 2 3 9	9			
TV V	11 1	60	-63	A	/	H 1000	1 2 3 9				
m	120 20	87	-47		OR A	Boa	1 2 3 9				
	Call	87	-68	W		Dabuesh	1 2 3 9				
							1 2 3 9				
निन्दे						,	1 2 3 9				
had							1 2 3 9				
							1 2 3 9				
							1 2 3 9				
							1 2 3 9	ļ			
							1 2 3 9				

			CHRONO	LOGICAL ORD	ER OF CONTACTS	T	
CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEV CONTACT POI (<i>Circle</i>)
12	700	1/8	-27	0	L. Knop	Sends	1 2 3
-24	700	118	-37	0	R. Knoe	30.35	0::
3	718	132	-27		L. Leg	n	1 2 3
	718	132_	-37		1.	Smilye	D 2 3
5	770	15	-30		chin	smidge	① 2 3
6							1 2 3
7							1 2 3
8							1 2 3
9							1 2 3
10							1 2 3
11							1 2 3
12							1 2 3
13							1 2 3
14							1 2 3
15							1 2 3
18							1 2 3
17							1 2 3
18							1 2 3
19							1 2 3
20							1 2 3
21							1 2 3
22							1 2 3
23							1 2 3
24							1 2 3

POINTS OF PEDESTRIAN CONTACT -- PEDESTRIAN # 1

PEDESTRIAN CONTACT WORKSHEET PAGE

CONTACT I D LABEL	COMPONENT CONTACTED (CODE or OBJECT)	LONGITUDINAL	LATERAL	CRUSH IN CM	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT
及	Broken	12-61	-10	6	(1) Leg	gnall stacoles	1 2 3 9
2,	Britan	I- 62 4053	-27	θ	& Dono Ol	ey swand claretrak	
u	``	I-62 7.5	-39	9	(P) Lay	, , , , , ,	1 2 3 9
8	Gill	12-67	-119		Which	After Strak	1 2 3 9
a	1	4-78	-18)1	(10) o	1 2 3 9
b	in .	I-88	-18		11	Checos	1 2 3 9
N	Hood	7-9	-4	·	211	١ سو	A 2 3 9
(11	47	~13		Hamil	1 5 Ament	1 2 3 9
R	h	26	-18			Tream on	1/2 3 9
P	Krak	3-3	-41		B Hard For	ze Streams	1 2 3 9
S	Hood	55	-33		unn		1 2 3 9
\mathcal{Y}	Gell	1-80	-44		End Differe	(Tinga Aspatha)	1 2 3 9
14	fort	100	-53		P 17 1	Elizabeth	1 2 3 9
M	136 s) 10	1-88	~46		Img	ave spays	1 2 3 9
	, Chros	1-88	-68		Him		1 2 3 9
					,		1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
				•			1 2 3 9
							1 2 3 9
	1-4-A			,			1 2 3 9
							1 2 3 9
							1 2 3 9

ational Accident Sampling System Stashworthiniss Data	
VEHICLE DIMENSIONS	11. Hood Width Rear Opening
227	Code to the
4. Original Wheelbase	nearest centimeter
Code to the	(210) 210 centimeters or more
nearest centimeter	(999) Unknown
(999) Unknown	(333) Olikilowii
· · ·	. inches X 2.54 = centimeters
	Inches X 2.34 = Certameters
+	12. Hood/Fender Vertical/Lateral Crush From
5. Original Average Track Width	Pedestrian
Code to the	(O) Not damaged
nearest centimeter	(1) Surface scratching only, no residual crush
(185) 185 centimeters or more	(2) Minor crush (1-3 centimeters)
(999) Unknown	(3) Moderate crush (4-7 centimeters)
	(4) Severe crush (>7 centimeters)
	(8) Damage present, unknown if damage is from
	pedestrian impact
	(9) Unknown
6. Hood Material	(a) Olivilosali
(1) Plastic	13. Windshield Contact Damage
(2) Fiberglass	From Pedestrian Contact
(3) Steel	(0) Not contacted by pedestrian
(4) Aluminum	(1) Contacted by pedestrian - not damaged
(5) Stainless Steel	(2) Contacted by pedestrian - damaged
(8) Other (specify):	(3) Unknown if contacted by pedestrian - not
(9) Unknown	damaged
	(4) Unknown if contacted by pedestrian -
7. Hood Original	damaged
Equipment Manufacturer (OEM)	(9) Unknown if contacted by pedestrian -
(1) OEM factory installed hood	unknown if damaged
(2) OEM replacement	
(3) Non-OEM replacement	FRONT CONTACT DAMAGE
(9) Unknown	
8. Hood Length	Front Vertical Measurements
Code to the	
nearest centimeter	14. Front Bumper Cover Material
(180) 180 centimeters or more	(0) No front contact
(999) Unknown	(1) Plastic
	(2) Fiberglass
inches X 2.54 = centimeter	(3) Rubber (4) Other (specify): See
	(9) Unknown
9. Hood Width Forward Opening	1
Code to the	15. Front Bumper Reinforcement Material
nearest centimeter	(0) No front contact
(210) 210 centimeters or more	(1) Steel
(999) Unknown	(2) Aluminum
	(3) Stainless Steel
inches X 2.54 = centimeters	(4) Other (specify):
15X	(9) Unknown
10. Hood Width Midway	16 Front Bumper Bottom Height
Code to the	16. Front Bumper-Bottom Height \bigcirc
nearest centimeter	Code to the
(210) 210 centimeters or more	nearest centimeter
(999) Unknown	(000) No front contact
inches X 2.54 = centimeters	(150) 150 centimeters or more
more A 2.07 = outlined	(999) Unknown
•	inches X 2.54 = centimeters
	. IIIUIO3 A 4.07 —

17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown inches X 2.54 = centimeters
18. Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
inches X 2.54 = centimeters Front Wrap Distance Measurements	SIDE CONTACT DAMAGE Side Vertical Measurements
20. Ground to Forward Hood Opening Code to the nearest centimeter	26. Ground Clearance Code to the
(000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters	nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
(000) No front contact (200) 200 centimeters or more (999) Unknown	(000) No side contact (150) 150 centimeters or more

29. Centenine of Wheel	Side Lateral Messurements
Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown	35. Centerline to A-Pillar at Bottom of Windshield (000) No side contact Code to the
inches X 2.54 = centimeter	nearest centimeter (250) 250 centimeters or more (999) Unknown
30. Top of Tire Code to the	inches X 2.54 = centimeters
nearest centimeter (000) No side contact (200) 200 centimeters or more (999) Unknown	36. Centerline to A-Pillar at Top of Windshield Code to the
inches X 2.54 = centimeter	nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown
31. Top of Wheel Well Opening Code to the nearest centimeter	inches X 2.54 = centimeter
(000) No side contact (250) 250 centimeters or more (999) Unknown	37. Centerline to Maximum Side View Mirror Protrusion
inches X 2.54 = centimeter	Code to the nearest centimeter (000) No side contact
32. Bottom of A-Pillar at Windshield Code to the nearest centimeter	(300) 300 centimeters or more (999) Unknown
(000) No side contact (250) 250 centimeters or more (999) Unknown	inches X 2.54 = centimeter
inches X 2.54 = centimete	Side Wrap Distance Messurements
33. Top of A-Pillar at Windshield Code to the	38. Ground to Side/Top Transition Code to the nearest centimeter
nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	(000) No side contact (400) 400 centimeters or more (999) Unknown
inches X 2.54 = centimete	inches X 2.54 = centimeters
34. Top of Side View Mirror Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown
inches X 2.54 = centimete	inches X 2.54 = centimeters

valic	nal Accident Sampling System-Or		•		
40.	Ground to Centerline of Hood Code to the nearest centimeter (000) No side contact	000			
	(700) 700 centimeters or more (999) Unknown inches X 2.54 =	centimeters			
41.	Ground to Head Contact Code to the nearest centimeter (000) No side contact	000			
	(800) 800 centimeters or more (998) No head contact (999) Unknown				
	inches X 2.54 =	centimeters			
	• .				
					:
				·	



000000000000000 01 82622P00010012 969.0010000000000111F72000 9.00 000000002921734909214205711013131108010109600280000101 82622P00010021 1010000000007 82622P00010131 9.00 00000000078904021270011222 9.00 00000000078904021170011222 82622P00010231 82622P00010331 9.00 00000000078904021171811311 82622P00010431 9.00 00000000078904021271811311 82622P00010531 9.00 00000000072904021877011222 82622P00010631 9.00 00000000077904021294711000 82622P00010731 9.00 00000000077904021194711000 82622P01000041 9.00 000000009520401141GNDT13W4S 99904809600182000001 21111015011131312111251

82622P01000051

9.00 000000002729993110113613814010410510620880809109819620

00000000000000

PSU82 CASE 622P

CURRENT VERSION: 9.00

ERROR SUMMARY SCREEN PEDESTRIAN STUDY

/96

	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	0	0	Υ
Pedestrian Assessment	O	0	Ō	Ÿ
Pedestrian Injury	O	0	Ö	Ÿ
Pedestrian General Vehicle	9 0	0	0	Ý
Pedestrian Exterior Vehic	le O	O	O	Y
Total Inter Errors		0	o	
Total Case Errors	o	o	0	