



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



PEDESTRIAN CASE SUMMARY

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 72

CASE NO. 634P

TYPE OF ACCIDENT car/ped/crossing road straight

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. <u>Do not include any personal identifiers.</u>)


Vehicle #1 traveling northbound in the first lane of a two-lane, undivided noadwey. Pedestrian running east bound with a straight path of travel. Vehicle #1 contacted pedestrian's right side with its front end. Pedestrian traveled forward and to the right of the point of impact to final rest @ cost curbedge. Vehicle #1 braked to from 1 same travel lane.

B. PEDESTRIAN PROFILE										
Pedestrian	1 1		Treatment/	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)						
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source			
01	8	F	UNK	Head	Head-Loc	4	ground			


Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity

	C. VEHICLE PROFILE									
	Class		В							
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description						
01	compact	1995 Plymouth Acclaim	Front	Moderate						

DO NOT SANITIZE THIS FORM



U.S. Department of Transportation National Highway Traffic Safety Administration





J.S. Department of Transportation

PEDESTRIAN ACCIDENT COLLISION

MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM National Highway, Traffic Safety PEDESTRIAN CRASH DATA STUDY Administration 40 los Case Number – Stratum 6 3 4 Primary Sampling Unit Number 7 2 PEDESTRIAN ACCIDENT COLLISION DATA COLLECTION SCALED DIAGRAM document reference point and reference line relative to physical features Surface Type * north arrow placed on diagram documentation of all accident induced physical evidence including (if applicable): **Surface Condition** grade measurements for all applicable roadways. a) vehicle skid marks Coefficient of Friction b) pedestrian contacts with ground or scaled representations of the physical plant object including: Grade:(v/h): Measurement vehicle/pedestrian point of impact (POI) a) all road/roadway delineation (e.g., a) at impact crosswalks, curbs/edge lines, lane d) location of pedestrian separation point b) between impact markings, medians, pavement markings, from vehicle and final rest parked vehicles, poles, signs, etc.) f) final resting points (FRP) for pedestrian and vehicle b) all traffic controls (e.g., lights, signs) **Pedestrian Travel Direction** * documentation of the physical plant * scaled representations of the vehicle and including: pedestrian at pre-impact, impact, and final Vehicle Travel Direction rest based upon either: a) all road/roadway delineation (e.g., crosswalks, curbs/edge-lines, lane Number of Travel Lanes markings, medians, pavement markings, a) physical evidence, or parked vehicles, poles, signs, etc.) b) all traffic controls (e.g., lights, signs) b) reconstructed accident dynamics Reference line: east curb edue Distance and Direction Distance and Direction Item from Reference Point from Reference Line mE 4,4 m W 12.8 ms 4,5m N 7.9 m N 5.5 m 1V · In W Φ 5. 0 m N 4.0 nw 1.9 45 D6 1

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

Administration		PEDESTRIAN CRASH DATA ST	TUE
Primary Sampling Unit Number	12	SPECIAL STUDIES - INDICATORS	
· -	34 _P	Check () each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the checked special study (SS15-SS19 below).	
IDENTIFICATION		studies and 0 for the special studies not checked.	
Number of General Vehicle Forms Submitted	0_1	6SS15 Administrative Use	0
i omis oubmitted		7. <u>✓</u> SS16 Pedestrian Crash Data Study	1
4. Date of Accident (Month, Day, Year)	9 4	8SS17 Impact Fires	0
5. Time of Accident	_4_	9SS18	<u>o</u>
Code reported military time of accident. NOTE: Midnight = 2400 Unknown = 9999		10SS19(<u>o</u> _
- 3333		NUMBER OF EVENTS	
		11. Number of Recorded Events in This Accident 0 1	1
	·		<u> </u>

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS										
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage				
12. <u>0</u> <u>1</u>	13. <u>0 1</u>	14. <u>Φ 2</u>	15. <u>F</u>	16. <u>7 2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>				

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian



PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

QUI SAN

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

National Highway Traffic Safety Administration	NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY
1. Primary Sampling Unit Number 72 2. Case Number - Stratum 634 P	10. Pedestrian's Weight Code actual weight to the nearest kilogram. (999) Unknown
3. Pedestrian Number <u>0 1</u>	
* PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown 6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify): (9) Unknown
7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown inches X 2.54 = centimeters 8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify): (99) Unknown
9. Pedestrian's Height - Ground to Shoulder 9999	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

PEDESTRIAN'S AVOIDANCE ACTIONS	18. Pedestrian's Arm Orientation
	at Initial Impact
	(01) At sides
45 B. Latin I. Start Amidenas Astions	
15. Pedestrian's First Avoidance Actions	(02) Folded across chest
(00) No avoidance actions	(03) Hands clasped behind back
(01) Stopped	(04) Hands on hips
(02) Accelerated pace	(05) Hands in pockets
(03) Ran away (along vehicle path)	
(04) Jumped	One or both arms:
(05) Turned toward vehicle	(06) Extended upward
(06) Turned away from vehicle	(07) Extended to side
(07) Dove or fell away	(08) Extended forward bracing
. ,	(09) Extended, holding object
Used hand(s) to:	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against vehicle	bag, etc.) on shoulder(s) or head
(98) Other (specify):	(98) Other (specify):
(99) Unknown	(99) Unknown
(00)	$\mathcal{D} \mathcal{S}$
	19. Pedestrian's Leg Orientation
	at Initial Impact
DEDECTRIANC ORIENTATION AT IMPACT	(01) Together
PEDESTRIAN'S ORIENTATION AT IMPACT	(02) Apart-laterally
	(03) Apart-right leg forward
	(04) Apart-left leg forward
	(05) Apart- forward leg unknown
16. Pedestrian's Head Orientation	(06) Left foot off the ground
at Initial Impact	(07) Right foot off the ground
(1) To front	(08) Both feet off the ground
(2) To left	(98) Other (specify):
(3) To right	(99) Unknown
(4) Up	(65) Similari
(5) Down	20. Vehicle/Pedestrian's Interaction
(8) Other (specify):	(01) Carried by vehicle, wrapped position
(9) Unknown	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
	(04) Passed over vehicle top
17. Pedestrian's Body (Chest) Orientation	(05) Thrown straight forward
at Initial Impact	(06) Thrown forward and left of vehicle
(1) Facing vehicle	(07) Thrown forward and right of vehicle
(2) Facing away	(08) Knocked to pavement, forward
(3) Left side to vehicle	(09) Knocked to pavement, left of vehicle
(4) Right side to vehicle	(10) Knocked to pavement, left of vehicle
(8) Other (specify):	, , ,
(9) Unknown	(11) Knocked to pavement, run over or
	dragged by vehicle
	(12) Shunted to left (corner impacts only)
	(13) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside
	(15) Snagged, rotated
	(16) Snagged, dragged by vehicle
	(17) Foot or legs run over
	(98) Other (specify):
	(99) Unknown
	Land the second

OFFICIAL RECORDS		INJURY CONSEQUENCES
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 	Φ.	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
 22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given 	96	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source: PAR 23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown	1	Nonfatal (3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	Ø	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

lational Accident Sampling System-Crashworthiness Da	-
STOP - VARIABLES 30 THROUGH 37 AF	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (32) Yes - blood given (34) (35) (36) (36) (36) (36) (36) (36) (36) (36	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORD NO [Y] UPDATE CANDIDATE?	YES[]

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Pedestrian Number

2. Case Number - Stratum

4. Blank

DATA


Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury

			AIS-90						Injury				
of Inju	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
st	5. <u>2</u> -	6. <u> </u>	7. <u>9</u>	8. <u>04</u>	9. <u>6 2</u>	10. 1	11.6	247 12947	13. <u>/</u>	14. <u>/</u>	15. <u>Ö</u>	16. <u>D</u>	1 ,Q _
nd	18. 2	19	20. <u>9</u>	21.06	22. 0.3	- 23. <u>/</u>	24.6	25. 947	26. <u> </u>	_{27.} /_	28	29. <u>S</u>	30. <u>O</u>
Brd	31. <u>2</u> -	32. <u>/</u>	33. 4	34. <u>D</u> 6	35. <u>0</u> 4	36. <u>Z</u>	37	38.947	7 _{39.} 1	40. <u>/</u> _	41 <u>C</u>) _{42.} <u>ð</u>	<u>"</u> ₽_
lth	44. <u>Z</u> -	45. <u>/</u>	46. <u>6</u>	47. <u>08</u>	48. <u>20</u>	49. <u>4</u>	50. <u>Ø</u>	51. <u>947</u>	52. 🖊	53	54. <u> </u>	55. <u>D</u>	56.0
ith	Z- 57	- _{58.} <u>8</u>	59. <u>7</u>	60. <u>D</u> 2	-61. <u>0</u> 7	62. <u>/</u>	63. <u>2</u>	64. <u>9</u> 4	7 _{65.}	66	67. <u></u>	68. <u></u> D	69. <u>~</u>
ith	70	71	72	73	74	75	76	77:	. 78	79	80	81	82
'th	83	84	85	86	87	88	89	90	91	92	93	94	95
ith	96	97	98	99	100	101	102	103	104	105	106	107	108
th	109	110	111	112	.113	114	115	116	_ 117	118	119	120	121
Ot h	122	123	124	125	126	127	128	129	_ 130	131	132	133	134

PEDESTRIAN INJURY DATA												
Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1 th												
		—			—						—	
2th								_		—	_	—
3th									_			
4th												
5th	_					_		_				-
6th								_	_	—	—	_
7th						_						_
8th								<u></u>				
9th					-			_	_	-	-	_
Oth		.						—	_		_	_
Tst												
	-	—			—	—		_	_			_
2nd	_	_			_				. —	—	—	_
3rd		_				-		_	_		—	_
4th		_				_		_	_	_		_
	- 77											

Page

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



(9) Unknown (3) Dent (2) Hospital/medical records other than (4) (5) Large deformation emergency room (e.g., discharge **DIRECT/INDIRECT INJURY** Cracked, fractured, shattered Separated from vehicle summary) Direct contact injury (6) Indirect contact injury (3) Emergency room records only (including Noncontact injury associated X-rays or other lab reports) Noncontact injury Other specify: (4) Private physician, walk-in or emergency injured, unknown source Unknown STRIKING PROFILE **DAMAGE DEPTH** Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) **UNOFFICIAL** (0) Injury not from vehicle contact (5) Lay coroner report No residual damage Surface only damage Crush depth > 0 to 2 centimeters Crush depth > 2 to 5 centimeters Crush depth > 5 to 10 centimeters (6) E.M.S. personnel Rounded (contoured) (3) (4) (5) Rounded edge (7) Interviewee Sharp edge Other (specify): (8) Other source (specify): Other specify: (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region** Specific Anatomic Structure Spine (02) Cervical (04) Thoracic Abbreviated Injury Scale Head Whole Area (02) Skin - Abrasion (04) Skin - Contusion Minor injury (2) (3) Face Neck (06) Lumbar Moderate injury (3) Serious injury (4) (5) (6) Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit (06) Skin - Laceration Thorax Severe injury Abdomen Spine (08) Skin - Avulsion Critical injury Amputation (10) numbers beginning with 02 Maximum (untreatable) (20) Burn **Upper Extremity** Injured, unknown severity (30) Crush (40) Degloving (50) Injury - NFS Lower Extremity Unspecified (8) Level of Injury (9) Aspect Specific injuries are assigned Type of Anatomic Structure Trauma, other than mechanical two-digit consecutive (1) numbers Right beginning with 02. Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness Whole Area (3) Bilateral To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic Vessels (2)(4)Central (3) Nerves (5) Anterior Organs (includes muscles/ (4) (10) Concussion Posterior ligaments) (7) Superior Skeletal (includes joints) (8)Inferior (6) (9) Head - LOC structure. 99 is assigned to any injury Unknown Skin NFS as to lesion or severity. Whole region **INJURY SOURCE FRONT** Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 748 Other pillar (specify): 703 Hood edge and/or trim 793 Right rear wheel /tire 749 Right side roof rail 704 Hood ornament (fixed) 798 Other wheel / tire (specify): 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 755 Right side glazing rearward of B pillar (specify): 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission 758 Other right side object Left Side Components 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar 809 Fuel tank Back Components 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component <u>Accessories</u> 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle Top Components 821 Cellular or CB radio antenna 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar component 824 Luggage, ski, or bike rack 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):_ 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper-blade & mountings 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):_ (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground 948 Other object (specify): Right Side Components 740 Front fender side surface 779 Rear header 780 Hatchback 949 Unknown object in environment 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting vehicle 788 Other top component (specify): 742 A1 pillar 997 Noncontact injury source 743 A2 pillar 789 Unknown top component 999 Unknown injury source

INJURY SOURCE CONFIDENCE LEVEL

(2) (3) Probable

Possible

TYPE OF DAMAGE

No damage/contact

Injury not from vehicle contact

Scratch (Scuff, Cloth Transfer, Smear)

401

SOURCE OF INJURY DATA

medical records

(1) Autopsy records with or without hospital/

OFFICIAL

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

Blood Alcohol Level

Glasgow Coma Scale Score


$$GCSS = \bigcirc 7$$


Units of Blood Given

Arterial Blood Gases

$$Ph = 7.38$$


 $PO_2 = 306$
 $PCO_2 33$
 $HCO_3 20$





OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source



U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

4. Birana Carantina Hair Nambar	12	OFFICIAL RECORDS
Primary Sampling Unit Number		
2. Case Number - Stratum 6	34 P	9. Police Reported Travel Speed 9 9 9
3. Vehicle Number VEHICLE IDENTIFICATION	<u>0</u> <u>1</u>	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown
V2.11022 122.VIII.C/		mph X 1.6093 = kmph
4. Vehicle Model Year	95	kmpn
Code the last two digits of the model v (99) Unknown		10. Speed Limit (000) No statutory limit Code posted or statutory speed limit in kmph (999) Unknown
5. Vehicle Make (specify):	<u>\$9</u>	
Applicable codes are found in your NASS PCDS Data Collection, Coding a Editing Manual. (99) Unknown		20 mph X 1.6093 = 4 & 2 kmph 11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present
	<u> </u>	(9) Unknown
Acclaim Applicable codes are found in your NASS PCDS Data Collection, Coding a Editing Manual. (999) Unknown 7. Body Type Note: Applicable codes may be found the back of this page.	04	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number		Source: P4K
Left justify; Slash zeros and letter Z (ONO VIN—Code all zeros Unknown—Code all nines	14 15 16 17 and Z)	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
		14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown
	r	

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)</p>
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):_____
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest	Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source: 16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown lbs X .4536 = kgs	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
	1.
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

	2			
23. Critical Precrash Event		Φ	(83)	Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Co				(specify):
(01) Blow out or flat ti	re	İ	(84)	Pedalcyclist or other nonmotorist approaching
(02) Stalled engine				roadway (specify):
	failure (e.g., wheel fell off)) [(85)	Pedalcyclist or other nonmotorist—unknown
(specify):		-		location (specify):
(04) Non-disabling veh	icle problem (e.g., hood fle	ew	-	ect or Animal
up) (specify):				Animal in roadway
(05) Poor road condition	ons (puddle, pot hole, ice,	etc.)		Animal approaching roadway
(specify):				Animal—unknown location
(06) Traveling too fast				Object in roadway
(08) Other cause of co	ntrol loss (specify):			Object approaching roadway
				Object—unknown location
(09) Unknown cause o	f control loss	l	(98)	Other critical precrash event (specify):
This Vehicle Traveling				
* *	on left side of travel lane	1	(99)	Unknown
	on right side of travel land			
(12) Off the edge of th		24.	Atte	mpted Avoidance Maneuver
(13) Off the edge of th	ne road on the right side		(00)	No driver present
(14) End departure			(01)	No avoidance actions
(15) Turning left at into		l		Braking (no lockup)
(16) Turning right at in				Braking (lockup)
	ssing through) intersectior	า		Braking (lockup unknown)
(19) Unknown travel d	irection		(05)	Releasing brakes
Other Motor Vehicle In	Lane]	(06)	Steering left
(50) Stopped			(07)	Steering right
(51) Traveling in same	direction with lower spee	d	(08)	Braking and steering left
(i.e., lower steady	speed or decelerating)		(09)	Braking and steering right
(52) Traveling in same	direction with higher spee	ed	(10)	Accelerating
(53) Traveling in oppos	site direction	1	(11)	Accelerating and steering left
(54) in crossover		- 1	(12)	Accelerating and steering right
(55) Backing			(98)	Other action (specify):
(59) Unknown travel d	irection of other motor ve	hicle	(99)	Unknown)
in lane				, ×
Other Motor Vehicle Er		1		erash Stability After Avoidance Maneuver
(60) From adjacent lan	e (same direction)—over l	eft		No driver present
lane line			(1)	No avoidance maneuver
(61) From adjacent lan	e (same direction) – over r	right	(2)	Tracking
lane line			(3)	
(62) From opposite dire	ection-over left lane line		(4)	degrees Skidding laterally—clockwise rotation
(63) From opposite dire	ection—over right lane line	e	(5)	Skidding laterally—counterclockwise rotation
(64) From parking lane			(8)	Other vehicle loss-of-control (specify):
	eet, turning into same dire	ection	, •,	Carlot Common (Carlot Carlot C
(66) From crossing stre			(9)	Precrash stability unknown
	eet, turning into opposite			, , , , , , , , , , , , , , , , , , ,
direction			Prec	rash Directional Consequences of
-	eet, intended path not kno	own	Avo	idance Maneuver (Corrective Action)
(70) From driveway, to	urning into same direction		(O)	No driver present
(71) From driveway, a			(1)	No avoidance maneuver
•	urning into opposite direct	ion	(2)	Vehicle stayed in travel lane where avoidance
	ntended path not known		101	maneuver was initiated
	limited access highway	1	(3)	Vehicle stayed on roadway but left travel lane
(78) Encroachment by	other vehicle—details	1	141	Where avoidance maneuver was initiated
unknown		1	(4)	Vehicle stayed on roadway, not known if left travel lane where avoidance maneuver was
	list, or Other Nonmotorist	·		initiated
(80) Pedestrian in road		ŀ	(5)	Vehicle departed roadway
(81) Pedestrian approa		1	(6)	Avoidance maneuver initiated off roadway
(82) Pedestrian—unkno	own location	l	(9)	Directional consequences unknown

	ENVIRO	NME	NTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	Φ.	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
٠	(6) Unknown type of non-interchange (9) Unknown if interchange		34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)
28.	Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown	+	Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign (7) Warning sign (not RR crossing)
29.	Number of Travel Lanes (1) One (2) Two (3) Three	2	(8) Miscellaneous/other controls including RR controls (specify): (9) Unknown
	(4) Four (5) Five (6) Six (7) Seven or more (9) Unknown		35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown	+	36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn
31.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown		(5) Dusk (9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet
	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):	2	 (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown

1. Primary Sampling Unit Number

3. Vehicle Number

. Case Number - Stratum

VEHICLE IDENTIFICATION

VIN 1 P 3 A A 4 6 3 0 S F

EV15 Front Bumper Reinforcement Material

Model Year 95

Vehicle Make (specify): Plymouth

Vehicle Model (specify):

Steel

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material	steel
PEV08 Hood Length	<u>1 Ø 9</u> cm
PEV09 Hood Width-Forward Opening	<u>133</u> cm
PEV10 Hood Width-Midway	1 4 Ø cm
PEV11 Hood Width-Rear Opening	144 cm
PEV14 Front Bumper Cover Material	plastic


VERTICAL MEASUREMENTS

PEV18 Forward Hood Opening	PEV16 Front Bumper-Bottom Height	3cm
	PEV17 Front Bumper-Top Height	_ <u>5_3</u> cm
PEV19 Front Bumper Lead 1.2 cm	PEV18 Forward Hood Opening	$\underline{}$ 76 cm $\overline{}$
	PEV19 Front Bumper Lead	$\frac{12}{}$ cm

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening	78	84	cm
PEV21 Ground to Front/Top Transition Point	84	87	cm ·
PEV22 Ground to Rear Hood Opening	,	193	cm /
PEV23 Ground to Base of Windshield		202	cm /
EV24 Ground to Top of Windshield		274	cm
PEV25 Ground to Head Contact	did	+37	cm

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).


Location of the origin (intercept point of the centerline and the front axles) from the ground:

•	PEDESTRIAN SIDE CONTACT WORK SHE	T	
EVOS	Hood Material		
3	Hood Length		
			cm
	Hood Width-Forward Opening		cm
	Hood Width-Midway		cm
PEVII	Hood Width-Rear Opening		cm
	VERTICAL MEASUREMENTS		
PEV26	Ground Clearance		cm
PEV27	Side Bumper-Bottom Height		cm
PEV28	Side Bumper-Top Height		cm
PEV29	Centerline of Wheel		cm
PEV30	Top of Tire		cm
PEV31	Top of Wheel Well Opening		cm
PEV32	Bottom of A-Pillar at Windshield		cm
PEV33	Top of A-Pillar at Windshield		cm
PEV34	Top of Side View Mirror		cm
			
	LATERAL MEASUREMENTS		
PEV35	C _L to A-Pillar at Bottom of Windshield		cm
PEV36	C _L to A-Pillar at Top of Windshield		cm
PEV37	C _L to Maximum Side View Mirror Protrusion		cm
	WRAP DISTANCES		
PEV38	Ground to Side/Top Transition		cm
PEV39	Ground to Hood Edge		cm
PEV40	Ground to Centerline of Hood (ORIGIN)		cm
PEV41	Ground to Head Contact		cm
Marija N			

Whee 1 base 263 cm 1 9 3 . 5 inches x 2.54 =Overall Length 181.2 inches x 2.54 = 4 4 cm Maximum Width 69.1 inches x 2.54 = 2.862 pounds x .4536 = 1.298 kg Curb Weight Average Track inches $\times 2.54$ Front Overhang inches $\times 2.54$ CM Rear Overhang inches $\times 2.54$ CM Undeformed End Width inches $\times 2.54 =$ CM Engine Size: cyl./displ. 4 cyl $\times .001 =$ CID x .0164 =INJURY SOURCE **FRONT** Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 748 Other pillar (specify):_ 703 Hood edge and/or trim 793 Right rear wheel /tire 1 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): / Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire J6 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front cross member 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify): 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar Back Components 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component **Accessories** 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle **Top Components** 821 Cellular or CB radio antenna 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar 824 Luggage, ski, or bike rack 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):__ 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):_ (specify): 776 Front beader 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground qht Side Components 779 Rear header 948 Other object (specify):) Front fender side surface 780 Hatchback 949 Unknown object in environment Front antenna 781 Rear trunk lid 959 Unknown object on contacting vehicle 742 A1 pillar 788 Other top component (specify): _ 997 Noncontact injury source 743 A2 pillar 789 Unknown top component 999 Unknown injury source

ORIGINAL SPECIFICATIONS

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

	POINTS OF PEDESTRIAN CONTACT							
	PEDESTRIAN CONTACT WORKSHEET							
CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL (X)	LOCATION X	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	SEQUENCE #
A	lower	137	-37 +0	1	ley	uhite trzusfer	1 2 3 9	-
B	bumper face	115	-31	1	109	trznofers	1 2 3 9	
C	bumper	112	-5 to +12	1	leg	scratches	1 2 3 9	
D	braper	112	722	,	109	scratches	(1)2 3 9	
E	hoo d	60-70	-45 to	1		marks transfers	1 2 9	
F	. poog	68	25-29	,		black transfer	1 2 3 9	-12
G	h-09	50-75	4 Φ	1		longitudinal scratch	1 2 3 9	
++	hood	65-84	-14	1		longitudinal sevateh	1 2 3 9	
7	h002	579	-5	Icm		dent	(1) 2 3 9	
K	hood	26-34	12-22	2cm		dent	1 2 3 9	
A	hood	25	43	/		lateral marks	1 2 3 9	
B	hood	15	45	lcm		den t	1 2 3 9	
<u>C</u>	hood	12	25-40			scretchas	1 2 3 9	
D	hood	2\$.25	50-54			diagonal scrateles/mark	5 1D2 3 9	
E	root	13-18	60-64			black Mark	1 2 3 9	
F	hood	10	10	: :		transfers/ marks	2 3 8	
G	4009	-5+0 +1	13-16_	·		longitudinal marks	2 3 9	
							1 2 3 9	
			****				1 2 3 9	
							1 2 3 9	
		•					1 2 3 9	
		ude et u					1 2 3 9	
1							1 2 3 9	
;							1 2 3 9	
							1 2 3 9 5	#.

hi te

!ella

1 2 3 9

×44-

POINTS OF PEDESTRIAN CONTACT CHRONOLOGICAL ORDER OF CONTACTS COMPONENT LONGITUDINAL LATERAL CRUSH CONFIDENCE LEVEL OF CONTACT CONTACTED LOCATION LOCATION EN SUSPECTED SUPPORTING PHYSICAL EVIDENCE CONTACT POINT CODE (X) (Y) CENTIMETERS **BODY REGION** . (Circle) 1 1 2 3 9 2 1 2 3 9 3 1 2 3 9 4 1 2 3 9 5 1 2 3 9 6 1 2 3 9 7 1 2 3 9 8 1 2 3 9 9 1 2 3 9 18 1 2 3 9 11 1 2 3 9 S 12 1 2 3 9 13 1 2 3 9 14 1 2 3 9 15 1 2 3 9 18 1 2 3 9 17 1 2 3 9 18 1 2 3 9 19 1 2 3 9 20 1 2 3 9 21 1 2 3 9 22 1 2 3 9 23 1 2 3 9 24 1 2.3.9

25

VEHICLE DIMENSIONS	11 Hood Width Poor Opening
	11. Hood Width Rear Opening Code to the
4. Original Wheelbase 2 6 3	nearest centimeter
Code to the nearest centimeter	(210) 210 centimeters or more
(999) Unknown	(999) Unknown
(999) Olikilowii	
1 d 3 . 5 inches X 2.54 = 262.89 centimeters	
5. Original Average Track Width 1 4 6	12. Hood/Fender Vertical/Lateral Crush From
Code to the	Pedestrian 2
nearest centimeter	(0) Not damaged (1) Surface scratching only, no residual crush
(185) 185 centimeters or more	(2) Minor crush (1-3 centimeters)
(999) Unknown	(3) Moderate crush (4-7 centimeters)
<u>57</u> .4_ inches X 2.54 = 145.79 centimeters	(4) Severe crush (>7 centimeters)
	(8) Damage present, unknown if damage is from
-	pedestrian impact
6. Hood Material	(9) Unknown
(1) Plastic	13. Windshield Contact Damage
(2) Fiberglass	13. Windshield Contact Damage From Pedestrian Contact
(3) Steel	(0) Not contacted by pedestrian
(4) Aluminum (5) Stainless Steel	(1) Contacted by pedestrian - not damaged
(8) Other (specify):	(2) Contacted by pedestrian - damaged
(9) Unknown	(3) Unknown if contacted by pedestrian - not
,	damaged
7. Hood Original	(4) Unknown if contacted by pedestrian -
Equipment Manufacturer (OEM)	damaged (9) Unknown if contacted by pedestrian -
(1) OEM factory installed hood	
(A) AFM 1	unknown it damaged
(2) OEM replacement	unknown if damaged
(3) Non-OEM replacement	-
(3) Non-OEM replacement(9) Unknown	FRONT CONTACT DAMAGE
(3) Non-OEM replacement (9) Unknown 8. Hood Length	-
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the	FRONT CONTACT DAMAGE
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter	FRONT CONTACT DAMAGE Gone Vozdesle dostaraniane. 14. Front Bumper Cover Material
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more	FRONT CONTACT DAMAGE
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter	FRONT CONTACT DAMAGE Front Vortical Measurement. 14. Front Bumper Cover Material (0) No front contact
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Home Vorteal Monagement 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 42.9 inches X 2.54 = 109 centimeter	FRONT CONTACT DAMAGE Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify):
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Home Vorteal Monagement 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 42.9 inches x 2.54 = 1 0 9 centimeter 9. Hood Width Forward Opening Code to the	FRONT CONTACT DAMAGE Heine Varical Mosturament. 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 42.9 inches x 2.54 = 109 centimeter 9. Hood Width Forward Opening Code to the nearest centimeter	FRONT CONTACT DAMAGE Come Vorteal Moraturament 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 42.9 inches x 2.54 = 109 centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more	FRONT CONTACT DAMAGE Heine Varical Mosturament. 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 42.9 inches x 2.54 = 109 centimeter 9. Hood Width Forward Opening Code to the nearest centimeter	FRONT CONTACT DAMAGE Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 42.9 inches x 2.54 = 109 centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vortcali Vieasuraments 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown Substitute 1	FRONT CONTACT DAMAGE Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 42.9 inches x 2.54 = 109 centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vortcali Vieasuraments 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 42.9 inches × 2.54 = 109 centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 52.3 inches × 2.54 = 133 centimeters 10. Hood Width Midway Code to the	FRONT CONTACT DAMAGE Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 42.9 inches × 2.54 = 109 centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 52.3 inches × 2.54 = 133 centimeters 10. Hood Width Midway Code to the nearest centimeter	FRONT CONTACT DAMAGE Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Ø 3 5
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 42.9 inches × 2.54 = 109 centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 52.3 inches × 2.54 = 133 centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more	FRONT CONTACT DAMAGE Light Vortest Viloritrament 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 42.9 inches × 2.54 = 109 centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 52.3 inches × 2.54 = 133 centimeters 10. Hood Width Midway Code to the nearest centimeter	FRONT CONTACT DAMAGE Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Ø 3 5
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 52.3 inches x 2.54 = 133 centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE FRONT CONTACT DAMAGE 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 42.9 inches × 2.54 = 109 centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 52.3 inches × 2.54 = 133 centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more	FRONT CONTACT DAMAGE Front VariedNulpesurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 52.3 inches x 2.54 = 133 centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front VariedN/Jos Gromens 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more

**

17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown 10 5 3 Contimeters Code to the nearest centimeter centimeters Code to the nearest centimeter Code to the nearest centimeter Code to the nearest centimeter Code to the nearest centimeters	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown 79.5 inches X 2.54 = 262 centimeters
18. Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown
	25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown inches X 2.54 = 757 centimeters
inches X 2.54 = centimeters	
inches X 2.54 = centimeters	
inches X 2.54 = centimeters	SIDE CONTACT DAMAGE
	SIDE CONTACT DAMAGE
	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 27. Side Bumper-Bottom Height Code to the nearest centimeter: (000) No side contact (150) 150 centimeters or more (999) Unknown
20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown 3 3 . D inches X 2.54 = 54 centimeters Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 27. Side Bumper-Bottom Height Code to the nearest centimeter: (000) No side contact (150) 150 centimeters or more
20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown 3 3 • • inches × 2.54 = • 4 centimeters Code to the nearest centimeter (000) No front Contact (180) 180 centimeters or more (999) Unknown 3 (• § inches × 2.54 = § centimeters 21. Ground to Front/Top Transition Point Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown 2 (• § inches × 2.54 = § centimeters 22. Ground to Rear Hood Opening Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 27. Side Bumper-Bottom Height Code to the nearest centimeter: (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 28. Side Bumper-Top Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown

20	Colone of Miles			Side Lateral Measurem	ents
29.	Centerline of Wheel	D D D			Oli 10
	Code to the				
	nearest centimeter		35	. Centerline to A-Pillar	\$ \$ \$
	(000) No side contact			at Bottom of Windshield	- L
	(150) 150 centimeters or more			(000) No side contact	
	(999) Unknown			Code to the	
			İ	nearest centimeter	
	inches X 2.54 =	_ centimeters			* 4
			ļ	(250) 250 centimeters or more	
			ļ	(999) Unknown	
30.	Top of Tire	000	İ		
	Code to the	- 4-		inches X 2.54 =	centimeters
	nearest centimeter		l		
	(000) No side contact				
	(200) 200 centimeters or more		36.	. Centerline to A-Pillar	000
	(999) Unknown			at Top of Windshield	
	(CCC) Cimmoth		l	Code to the	* .*
	inches X 2.54 =			nearest centimeter	
	inches × 2.54 =	_ centimeters	1	(000) No side contact	
			l	(250) 250 centimeters or more	
21	Tan of Mile and Mile On and	4 0 0	1	(999) Unknown	
31.	Top of Wheel Well Opening	<u> </u>	l	(occ, cimiowi	
	Code to the			inches X 2.54 =	
	nearest centimeter		1		centimeter
	(000) No side contact		1		
	(250) 250 centimeters or more		27	Contading to Maniagen Cid	
	(999) Unknown		37.	Centerline to Maximum Side	000
				View Mirror Protrusion	•
	inches X 2.54 =	centimeters		Code to the	
				nearest centimeter	•
١.	Bottom of A-Pillar at Windshield	\$ \$ \$ \$		(000) No side contact	
•	Code to the	* * -	İ	(300) 300 centimeters or more	
	nearest centimeter		İ	(999) Unknown	
	(000) No side contact				
	(250) 250 centimeters or more			inches X 2.54 =	centimeter
	(999) Unknown				_
	(999) Unknown		10000		
				Side Wrap Distance Measu	Gridina de la companio
	inches X 2.54 =	_ centimeters			
			38.	Ground to Side/Top Transition	0 6 B
33.	Top of A-Pillar at Windshield	<u> </u>		Code to the	
	Code to the	•		nearest centimeter	
	nearest centimeter			(000) No side contact	
	(000) No side contact			(400) 400 centimeters or more	
	(300) 300 centimeters or more			(999) Unknown	
	(999) Unknown			(333) OIKIIOWII	
				instan V 0 F4	
	inches X 2.54 =	centimeters		inches X 2.54 =	centimeters
				0 1. 11 151	~ ~ ~
34	Top of Side View Mirror	000	39.	Ground to Hood Edge	000
U -	Code to the	<u>* * * </u>		Code to the	
	nearest centimeter			nearest centimeter	
				(000) No side contact	
	(000) No side contact			(500) 500 centimeters or more	
	(300) 300 centimeters or more			(999) Unknown	
	(999) Unknown				
				inches X 2.54 =	centimeters
	inches X 2.54 =	_ centimeters			
			Ì		

	• (
40.	(000) (700)	d to Centerline of Hood Code to the nearest centimeter No side contact 700 centimeters or more Unknown	<u>φ</u> φ φ		
		inches X 2.54 =	centimeters		
41. Ground to Head Contact					
		Carda Arad			
		Code to the	•		
		nearest centimeter	•		
	(000)	-	·		
	· · · · · · ·	nearest centimeter	·		
	(800)	nearest centimeter No side contact	·		
	(800) (998)	nearest centimeter No side contact 800 centimeters or more			

date Inspectory



72634P000000110 969.040000000000115240100001 96 000000000000000 72634P000100120 969.041000000000102F72000 9.04 000000000821219999999903613014001401080109670231079707 72634P00010021 1200000000005 9.04 00000000021904021694711000 72634P00010131 9.04 00000000021906021694711000 72634P00010231 9.04 00000000021406043194711000 72634P00010331 9.04 00000000021608204094711000 72634P00010431 9.04 00000000028902021294711000 72634P00010531 72634P01000041 9.04 000000009509019041P3A44630S**MINIO**8799904809670130000003

22110180011101211210011 72634P01000051 9.04 0000000002631463110913314014420110350530761207608419320

PSU72 CASE 634P CURRENT VERSION: 9.04 ERROR SUMMARY SCREEN PEDESTRIAN STUDY

/97

	BER OF LAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	О.	0	0	Y
Pedestrian Assessment	Ö	Ö	ŏ	Y
Pedestrian Injury	Ö	Ö	Ö	Υ
Pedestrian General Vehicle	O	0	0	Υ
Pedestrian Exterior Vehicle	0	o ´	O	Υ
Total Inter Errors		o	o	
Total Case Errors	o	· O	0	