



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

 $\text{PSU} \ _82$

CASE NO. 650P

TYPE OF ACCIDENT _ Car Straight/Pedestrian Running

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

Vehicle 1 was eastbound in lane 2 of a 3-lane, 2-way street and approached in intersection where a pedestrian began running southbound near the crosswalk on the west side of the intersection. The pedestrian ran into the left side of vehicle 1 just forward of the left tire and spun down the side of vehicle 1. Vehicle 1 stopped in the middle of the intersection.

B. PEDESTRIAN PROFILE								
Pedestrian	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)					
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source	
01	21	Male	Treated and Released	Left Foot	FX	2	Left Front Tire	

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face	Whole Area	(1) Minor injury (2) Moderate injury
Throat	Vessels Nerves	(3) Serious injury
Chest Abdomen/Pelvis	Organs Skeletal	(4) Severe injury (5) Critical injury
Spine Upper Extremity	Head-LOC	(6) Maximum (untreatable) (7) Injured, unknown severit
Lower Extremity External	Skin-Burn Skin-Other	(7) injured, unknown seveni

	C. VEHICLE PROFILE						
	Class		Most Severe Damage Based on Vehicle Inspection				
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description			
01	Mini-Van	93/Volkswagon/ EuroVan	Left	Minor - Sears, smudges			


DO NOT SANITIZE THIS FORM

U.S. Department of Transportation


ACCIDENT COLLISION DIAGRAM

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

National Highway Traffic Safety Administration



U.S. Department of Transportation National Highway Traffic Safety Administration





PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE MATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Pt	Primary Sampling Unit Number \$\frac{1}{2} \text{Case Number-Stratum 6 5 0 P}							
	PEDESTRIAN ACCIDENT COLLISION DATA COLLECTION SCALED DIAGRAM							
•		document reference point and reference line			Asphalto		orth arrow placed on diagram	
		on of all accident induced physical luding (if applicable):	Surface Condition	on	Don		rade measurements for all applicable sadways	
	a) vehicle	skid merks	Coefficient of Fr	iction	.60	in	caled representations of the physical plant cluding:	
	b) pedes	rian contacts with ground or object	Grade (v/h) Mes	surement	0/	a)	all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)	
	c) vehick	/pedestrian point of Impact (POI)	a) at impo	ect	1122	b)	all traffic controls (e.g., lights, signs)	
	d) locatio vehicle	n of pedestrian separation point from	b) between	n impact and st	122	scaled representations of the vehicle and pedestrian at pre-impact, impact, and fin rest based upon either: a) physical evidence, or		
	f) final re vehicle	sting points (FRP) for pedestrian and	Pedestrian Trav	el Direction `	South -			
•	documenta	ion of the physical plant including:	Vehicle Travel D	irection	Eus o	b)	reconstructed accident dynamics	
	curb/e	froedway delineation (e.g., crosswalks, dge innes, lane markings, medians, ent markings, parked vehicles, poles, etc.)	Number of Trave	al Lanes				
	b) all traff	ic controls (e.g., lights, signs)				<u> </u>		
Re	Reference Point Lylot Polo on Reference Line: South Line Elyc South west longer							
Item				Distance and Direction from Reference Point			Distance and Direction from Reference Line	
	Aco	ear, R.OT		2.4 W				
	_ 10	L Rest Frank (V	7)~	9.5-10.0 E				
	111-0-							
			-					

Administration

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY


1. Primary Sampling Unit Number

2. Case Number - Stratum

IDENTIFICATION

3. Number of General Vehicle Forms Submitted

4. Date of Accident (Month, Day, Year)



5. Time of Accident

Code reported military time of accident.

NOTE: Midnight = 2400

Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. ____ SS15 Administrative Use

0

1

0

7. SS16 Pedestrian Crash Data Study

SS17 Impact Fires 0

10. SS19 0

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

SS18

0 1

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer quards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS						
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
12. <u>0 1</u>	13. <u>0</u> <u>1</u>	14. \(\frac{2}{3}\)	15.	16. <u>7</u> <u>2</u>	17. <u>0 0</u>	18. <u> 0 </u>

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian



U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM
PEDESTRIAN CRASH DATA STUDY

10. Pedestrian's Weight Code actual weight to the nearest
kilogram. (999) Unknown
kilograms
PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
(9) Unknown 12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging. (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify): (9) Unknown
13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify): (99) Unknown 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

PEDESTRIAN'S AVOIDANCE ACTIONS 18. Pedestrian's Arm Orientation at Initial Impact (01) At sides 15. Pedestrian's First Avoidance Actions (02) Folded across chest (00) No avoidance actions (03) Hands clasped behind back (01) Stopped (04) Hands on hips (02) Accelerated pace (05) Hands in pockets (03) Ran away (along vehicle path) (04) Jumped One or both arms: (05) Turned toward vehicle (06) Extended upward (06) Turned away from vehicle (07) Extended to side (07) Dove or fell away (08) Extended forward bracing (09) Extended, holding object grocery bag, etc.) in arm(s) Holding object (young child, grocery bag, etc.) Used hand(s) to: (11) Vault corner of vehicle (10) Holding object (young child, (12) Vault onto vehicle (13) Brace against vehicle (11) Holding object (young child, grocery (14) Crouched and braced hands against vehicle bag, etc.) on shoulder(s) or head (98) Other (specify): ___ (98) Other (specify): (99) Unknown (99) Unknown 19. Pedestrian's Leg Orientation at Initial Impact (01) Together PEDESTRIAN'S ORIENTATION AT IMPACT (02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart- forward leg unknown 16. Pedestrian's Head Orientation (06) Left foot off the ground at Initial Impact (07) Right foot off the ground (1) To front (08) Both feet off the ground-(2) To left (98) Other (specify): (3) To right (99) Unknown (4) Up (5) Down 20. Vehicle/Pedestrian's Interaction (8) Other (specify): (01) Carried by vehicle, wrapped position (9) Unknown (02) Carried by vehicle, slid to windshield (03) Carried by vehicle, position unknown (04) Passed over vehicle top 17. Pedestrian's Body (Chest) Orientation (05) Thrown straight forward at Initial Impact (06) Thrown forward and left of vehicle (1) Facing vehicle (07) Thrown forward and right of vehicle (2) Facing away (08) Knocked to pavement, forward (3) Left side to vehicle (09) Knocked to pavement, left of vehicle (4) Right side to vehicle (10) Knocked to pavement, right of vehicle (8) Other (specify):_____ (11) Knocked to pavement, run over or (9) Unknown dragged by vehicle (12) Shunted to left (corner impacts only) (13) Shunted to right (corner impacts only) (14) Bumped or pushed aside (15) Snagged, rotated (16) Snagged, dragged by vehicle (17) Foot or legs run over (98) Other (specify):____ (99) Unknown

OFFICIAL RECORDS INJURY CONSEQUENCES 21. Police Reported Alcohol Presence 25. Injury Severity (Police Rating) For Pedestrian (0) O - No injury (0) No alcohol present (1) C - Possible injury (1) Yes alcohol present (2) B - Nonincapacitating injury (7) Not reported (3) A - Incapacitating injury (9) Unknown (4) K - Killed (5) U - Injury, severity unknown (6) Died prior to accident Alcohol Test Result For Pedestrian (9) Unknown Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given 26. Treatment - Mortality (0) No treatment (97) AC (Alcohol Content) (1) Fatal test performed, results unknown (2) Fatal - ruled disease (specify): (99) Unknown if test given, Nonfatal Source: (3) Hospitalization Transported and released (5) Treatment at scene - non-transported 23. Police Reported Other Drug Presence (6) Treatment later For Pedestrian Treatment - other (specify): (0) No other drug(s) present(1) Yes other drug(s) present (9) Unknown (7) Not reported (9) Unknown 27. Type Of Medical Facility (for Initial Treatment) 24. Other Drug Specimen Test Result (0) Not treated at a medical facility For Pedestrian (1) Trauma center (0) No specimen test given (2) Hospital (1) Drug not found in specimen (3) Medical clinic (2) Drug found in specimen, (4) Physician's office (specify):_____(3) Specimen test given, (5) Treatment later at medical facility (8) Other (specify):__ results unknown or not obtained (9) Unknown (9) Unknown 28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown 29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOP - VARIABLES 30 THROUGH 37 AF	RE COMPLETED BY THE ZONE CENTER				
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given 32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported, HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours, If time of death is greater than 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured				
ARE ALL APPLICABLE MEDICAL RECORDS INCLUDED WITH INITIAL SUBMISSION? NO[] YES[V] UPDATE CANDIDATE? NO[] YES[]					

Administration

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

83

3. Pedestrian Number

0_1

2. Case Number - Stratum

650 P


4. Blank

INJURY DATA

Record below the actual injuries sustained by this pedestrian in **CHRONOLOGICAL** order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90					Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
st	5. 3	67	7. 9	20.3	9. <u>0 2</u>	-10. <u>/</u>	11	12. 72) 13. <u>/</u>	14	15. 2	16. Z	17. Z
ıd	18_7	19/	7 _{20.} 9	21. <u>O</u> <u>J</u>	-22. <u>U</u> 3	-2 3. <u>/</u>	24. <u>Z</u>	-25. <u>7. 24</u>	⊃ 26. <u>/</u>	27.	282	-29. <u>2</u>	- _{30.} _2
d	31. <u>Z</u>	32. <u></u>	33. <u>9</u>	34 <u>0</u> 2	-35. <u>O</u>	<u>)</u> 36. <u>/</u>	37. 2	38. <u>72</u> 6	39. <u>/</u>	40./_	412	-42. <u>2</u>	- _{43.} <u>2</u>
h	43	45. <u>8</u>	46	47. <u>0 2</u>	78. <u>O</u> 2	—49. <u> </u>	50	51. <u>79</u> 0	52	53	54	55. 2	· _{56.} <u>Z</u>
th	57. <u>Z</u>	58. <u></u>	⁻ 59. 2	60. <u>0</u> 2	<u> 1.22</u>	- _{62.} <u> </u>	63	64. <u>79.</u>) _{65.} <u>/</u>	66	_{67.} _2	- ₆₈ 2	-69. <u>-</u>
h	70. <u>Z</u>	71. &	- _{72.} _9	73. <u>04</u>	74.02	7 5	76	77. 79.	Ø _{78.} _/	79	802	L _{81.} 2	, <u> </u>
h	83 <u>Z</u>	84	~ <u>.9</u>	86 <u>0</u> 2	87. <u>0</u> 2	88	89	90. <u>>9</u> (<u>ا</u> 10 دو	92	_{93.} _2	-94_2	-95
h	96. 3	97.	- 9 8. <u></u>	99. <u>4</u>	100.02	101.	102.2	103. 79) 104.]	105	106	ک _{رہ} ۔ <u>ک</u>	₁₀₈ . <u>2</u>
h	109.	110. 8	111. <u>4</u>	1102	113 <u>O</u> 2	<u> </u>	1152	716. <u>7</u> 9.0) _{117.} <u>/</u>	118. (1192	2 120. <u>2</u>	121.Z
th	122. 3	123. <u>E</u>	124	125: 4	126.	<u>-127. </u>	128.2	129. <u>79</u>	<u></u>	131	132.2	-133. <u> </u>	_{134.} 2

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



7

INJURY SOURCE CONFIDENCE LEVEL TYPE OF DAMAGE **SOURCE OF INJURY DATA** Certain Probable **OFFICIAL** Injury not from vehicle contact No damage/contact (1) Autopsy records with or without hospital/ Possible (2) Scratch (Scuff, Cloth Transfer, Smear) medical records Unknown (3) Dent Hospital/medical records other than (4) Large deformation emergency room (e.g., discharge **DIRECT/INDIRECT INJURY** (5) Cracked, fractured, shattered summary) Direct contact injury Indirect contact injury (6) Separated from vehicle (3) Emergency room records only (including (7) Noncontact injury Noncontact injury associated X-rays or other lab reports) (8) Other specify: Injured, unknown source Private physician, walk-in or emergency Unknown (9) clinic STRIKING PROFILE **DAMAGE DEPTH** Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) UNOFFICIAL Injury not from vehicle contact (5) Lay coroner report No residual damage Surface only damage Crush depth >0 to 2 centimeters Crush depth >2 to 5 centimeters Rounded (contoured) (6) E.M.S. personnel (3) Rounded edge Interviewee (4)Sharp edge Other (specify): Other source (specify): Crush depth >5 to 10 centimeters Other specify:_ (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region Specific Anatomic Structure** Spine (02) Cervical (04) Thoracic Abbreviated Injury Scale Whole Area (02) Skin - Abrasion (04) Skin - Contusion Head Minor injury (2) (3) (4) (2) Moderate injury Serious injury Face (06) Lumbar Neck (4) (5) Thorax (06) Skin - Laceration Severe injury Vessels, Nerves, Organs. Bones, Joints Abdomen (08) Skin - Avulsion are assigned consecutive (5) Critical injury (6) Spine (10) Amputation numbers beginning with 02 (6) Maximum (untreatable) (7) Injured, unknown severity **Upper Extremity** (20) Burn Lower Extremity (30) Crush Level of Injury Degloving Injury - NFS **Aspect** (9) Unspecified (40) (5O) Specific injuries are assigned consecutive two-digit beginning with 02. Trauma, other than mechanical Type of Anatomic Structure Right Left numbers (1)(3) (4) Bilateral Central Whole Area (02) Length of LOC (04, 06, 08) Level of Consciousness To the extent possible, within the organizational framework of the AIS, 00 (2) Vessels (5) Nerves Anterior (3)is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic (6) (7) (8) Organs (includes muscles/ (10) Concussion **Posterior** ligaments) Superior (5) Skeletal (includes joints) Inferior structure. 99 is assigned to any injury (9) Unknown Skin NFS as to lesion or severity. Whole region **INJURY SOURCE** Wheels / tires **FRONT** 744 B pillar 790 Left front wheel / tire 700 Front bumper 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify): 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 750 Right side door surface 799 Unknown wheel / tire 705 Hood ornament (spring loaded) 706 Headlight 751 Right side door handle 752 Right side mirror fixed housing 707 Retractable headlight door (Open/Closed) Undercarriage components 753 Right side folding mirror 708 Turn signal/parking lights 800 Front crossmember 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 718 Other front or add on object 802 Oil pan (specify): 755 Right side glazing rearward of B pillar 719 Unknown front object 803 Exhaust system pipe 756 Rear antenna 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 806 Catalytic converter 720 Front fender side surface (specify): 759 Unknown right side component 807 Muffler 721 Front antenna 808 Floor pan 722 A1 pillar 723 A2 pillar 809 Fuel tank **Back Components** 810 Rear suspension 724 B pillar 760 Rear (back) bumper 818 Other undercarriage component 725 C pillar 761 Tailgate (specify): 726 D pillar 762 Hatchback, vertical surface 819 Unknown undercarriage component 728 Other pillar 768 Other back component (specify): (specify): 729 Left side roof rail 769 Unknown back component Accessories 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle 821 Cellular or CB radio antenna Top Components 770 Hood surface 822 Emergency lights or bar 732 Left side mirror fixed housing 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 824 Luggage, ski, or bike rack component 734 Left side glazing forward of B pillar 825 Cargo (specify):_ 772 Front fender top surface 735 Left side glazing rearward of B pillar 826 Spare tire 736 Left side back fender or quarter panel 773 Cowl area 774 Wiper blade & mountings 827 Spotlight 737 Rear antenna 775 Windshield glazing 828 Other accessory (specify):__ 738 Other left side object (specify): 776 Front header Other Object or Vehicle in Environment 947 Ground

777 Roof surface 778 Backlight glazing

779 Rear header

781 Rear trunk lid

788 Other top component (specify): __

789 Unknown top component

780 Hatchback

948 Other object (specify):

997 Noncontact injury source

999 Unknown injury source

949 Unknown object in environment

959 Unknown object on contacting vehicle

739 Unknown left side component

Right Side Components

741 Front antenna


742 A1 pillar


743 A2 pillar

740 Front fender side surface

OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Adı	ministration		PEDESTRIAN CRASH DATA STUI
	1. Primary Sampling Unit Number	82	OFFICIAL RECORDS
	2. Case Number - Stratum	650 P	9. Police Reported Travel Speed
;	3. Vehicle Number	0 1	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above
	VEHICLE IDENTIFICATION	N	(190) 199.5 kmph and above (999) Unknown
•	4. Vehicle Model Year Code the last two digits of the model (99) Unknown	year $\frac{2}{3}$	mph X 1.6093 =kmph 10. Speed Limit (000) No statutory limit Code posted or statutory speed limit
ţ	5. Vehicle Make (specify): OCHUMIA Applicable codes are found in your NASS PCDS Data Collection, Coding a	<u>30</u>	in kmph (999) Unknown 30 mph X 1.6093 = kmph
	Editing Manual. (99) Unknown	, L (L)	11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present
(Applicable codes are found in your NASS PCDS Data Collection, Coding a Editing Manual. (999) Unknown	and	(9) Unknown 12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused
	7. Body Type Note: Applicable codes may be found the back of this page.	on $\frac{\mathcal{Z}Q}{\mathcal{Q}}$	(96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
	S. Vehicle Identification Number 1 2 3 4 5 6 7 8 9 10 11 12 13 Left justify; Slash zeros and letter Z (0 No VIN—Code all zeros Unknown—Code all nines		Source: 13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
			14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)</p>
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer(68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):_____
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

	VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15.	Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 450 kilograms	18. Impact Speed Nearest kmph
	(610) 6,100 kilograms or more (999) Unknown	(NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
16.	Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown
	(450) 4,500 kilograms or more (999) Unknown lbs X .4536 =, kgs	20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
		PRECRASH DATA
	Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) Negotiating research
1		(98) No driver present (99) Unknown

		Т		
23.	Critical Precrash Event		(83) Pedalcyclist or other nonmotorist in roadway
	This Vehicle Loss of Control Due To:			(specify):
	(01) Blow out or flat tire		(84) Pedalcyclist or other nonmotorist approaching
	(O2) Stalled engine	1		roadway (specify):
	(03) Disabling vehicle failure (e.g., wheel fell off)	1	(85	Pedalcyclist or other nonmotorist—unknown
	(specify):	1		location (specify):
	(04) Non-disabling vehicle problem (e.g., hood flew		Obj	ect or Animal
	up) (specify):	1	(87) Animal in roadway
	(05) Poor road conditions (puddle, pot hole, ice, etc.)) Animal approaching roadway
	(specify):		(89) Animal—unknown location
	(06) Traveling too fast for conditions		(90) Object in roadway
	(08) Other cause of control loss (specify):		(91) Object approaching roadway
			(92) Object—unknown location
	(09) Unknown cause of control loss		(98) Other critical precrash event (specify):
	This Vehicle Traveling			
	(10) Over the lane line on left side of travel lane	ł	(99) Unknown
	(11) Over the lane line on right side of travel lane			(D)
	(12) Off the edge of the road on the left side	24	. Att	empted Avoidance Maneuver
	(13) Off the edge of the road on the right side		(00) No driver present
	(14) End departure	İ) No avoidance actions
	(15) Turning left at intersection) Braking (no lockup)
	(16) Turning right at intersection) Braking (lockup)
1	(17) Crossing over (passing through) intersection	l) Braking (lockup unknown)
	(19) Unknown travel direction			Releasing brakes
	Other Motor Vehicle In Lane) Steering left
	(50) Stopped	ļ) Steering right
,	(51) Traveling in same direction with lower speed			Braking and steering left
	(i.e., lower steady speed or decelerating)			Braking and steering right
	(52) Traveling in same direction with higher speed			Accelerating
	53) Traveling in opposite direction (54) In crossover	l		Accelerating and steering left
	(55) Backing			Accelerating and steering right
	59) Unknown travel direction of other motor vehicle			Other action (specify):
,	in lane		(33) Unknown
	Other Motor Vehicle Encroaching Into Lane	25	Pred	crash Stability After Avoidance Maneuver
	60) From adjacent lane (same direction) – over left	-0.		No driver present
•	lane line		(1)	No avoidance maneuver
(61) From adjacent lane (same direction) - over right		(2)	Tracking
	lane line		(3)	Skidding longitudinally—rotation less than 30
(62) From opposite direction—over left lane line			degrees
	63) From opposite direction—over right lane line		(4)	Skidding laterally—clockwise rotation
	64) From parking lane	l	(5)	Skidding laterally—counterclockwise rotation
(65) From crossing street, turning into same direction		(8)	Other vehicle loss-of-control (specify):
(66) From crossing street, across path		(9)	Precrash stability unknown
(67) From crossing street, turning into opposite		(0)	9
	direction	26.	Pred	crash Directional Consequences of
(68) From crossing street, intended path not known			idance Maneuver (Corrective Action)
(70) From driveway, turning into same direction		(0)	No driver present
	71) From driveway, across path	-	(1)	No avoidance maneuver
	72) From driveway, turning into opposite direction		(2)	Vehicle stayed in travel lane where avoidance
	73) From driveway, intended path not known		,a.	maneuver was initiated
	74) From entrance to limited access highway		(3)	Vehicle stayed on roadway but left travel lane
(78) Encroachment by other vehicle—details		(4)	where avoidance maneuver was initiated Vehicle stayed on roadway, not known if left
_	unknown		171	travel lane where avoidance maneuver was
	Pedestrian or Pedalcyclist, or Other Nonmotorist			initiated
	80) Pedestrian in roadway		(5)	Vehicle departed roadway
	81) Pedestrian approaching roadway		(6)	Avoidance maneuver initiated off roadway
- (-	82) Pedestrian—unknown location		(0)	Directional concessionace unknown

	ENVIRONI	IENTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify):
	 (4) Drive, alley access related (5) Other non-interchange (specify): (6) Unknown type of non-interchange (9) Unknown if interchange 	(9) Unknown 34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR
28.	Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown	crossing) Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR
29.	Number of Travel Lanes (1) One (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown	controls (specify): (9) Unknown 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown	36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk
31.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown	(9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet (4) Snow
32.	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify): (9) Unknown	(5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown

82-650 25-30mph

$$V = \frac{1}{2}(37.7)(0.6)(32.2)$$

$$V = 38.2 + 85 = 26mph = 41.8 KPh$$

$$42 KPh$$

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

- 3. Vehicle Number

0 1

2. Case Number - Stratum

1. Primary Sampling Unit Number

VEHICLE IDENTIFICATION

VIN DY 2 MC O7Q

Model Year

Vehicle Make (specify):

Vehicle Model (specify):

PEDESTRIAN FRONT CONTACT WORK SHEET

	C_{i}
PEV06 Hood Material	
PEV08 Hood Length	cm
PEV09 Hood Width Forward Opening	cm
PEV10 Hood Width-Midway	cm
PEV11 Hood Width-Rear Opening	cm
PEV14 Front Bumper Cover Material	
PEV15 Front Bumper Reinforcement Material	
VERTICAL MEAS	UREMENTS
PEV16 Front Bumper-Bottom Height	cm
PEV17 Front Bumper-Top Height	cm
PEV18 Forward Hood Opening	cm
PEV19 Front Bumper Lead	cm
WRAP DISTA	ANCES
PEV20 Ground to Forward Hood Opening	cm
PEV21 Ground to Front/Top Transition Point	cm
PEV22 Ground to Rear Hood Opening	cm
PEV23 Ground to Base of Windshield	cm
PEV24 Ground to Top of Windshield	cm
PEV25 Ground to Head Contact	cm


VEHICLE DAMAGE SKETCH

NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

PEDESTRIAN SIDE CONTACT WORK SHEET							
PEV06 Hood Material	Street						
PEV08 Hood Length	043 cm						
PEV09 Hood Width-Forward Opening	152 cm						
PEV10 Hood Width-Midway	752 cm						
PEV11 Hood Width-Rear Opening	152 cm						
VERTICAL	. MEASUREMENTS						
PEV26 Ground Clearance	025 cm						
PEV27 Side Bumper-Bottom Height							
PEV28 Side Bumper-Top Height	ご らネ / cm						
PEV29 Centerline of Wheel	$\frac{\overline{\bigcirc} \overline{\bigcirc} \overline{\bigcirc} \angle \text{cm}}{\bigcirc}$						
PEV30 Top of Tire							
PEV31 Top of Wheel Well Opening							
PEV32 Bottom of A-Pillar at Windshield	126 cm						
PEV33 Top of A-Pillar at Windshield	<u>√+3</u> / cm						
PEV34 Top of Side View Mirror	141 /cm						
LATERAL	MEASUREMENTS						
PEV35 C _L to A-Pillar at Bottom of Windshield	$\overline{\mathcal{O}}$ $\overline{\mathcal{S}}$ $\overline{\mathcal{S}}$ cm						
PEV36 C _L to A-Pillar at Top of Windshield	$Q \rightarrow 3$ cm //						
PEV37 C _L to Maximum Side View Mirror Protrusio							
WRA	P DISTANCES						
PEV38 Ground to Side/Top Transition	126 cm						
PEV39 Ground to Hood Edge	<u> </u>						
PEV40 Ground to Centerline of Hood (ORIGIN)	212 cm						
PEV41 Ground to Head Contact	<u> </u>						

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:



Wheelbase inches x 2.54Overall Length inches $\times 2.54$ Maximum Width inches $\times 2.54$ Curb Weight x . 4536 =pounds Average Track inches $\times 2.54$ CM Front Overhang inches $\times 2.54$ Rear Overhang x 2.54 inches CM Undeformed End Width inches $\times 2.54$ Engine Size: cyl./displ. CC x .001 CID x . 0164 =**INJURY SOURCE FRONT** Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify):_ 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): _ 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front cross member 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify):_ 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission 758 Other right side object Left Side Components 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar **Back Components** 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): _ (specify): 729 Left side roof rail 769 Unknown back component **Accessories** 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle Top Components 821 Cellular or CB radio antenna 770 Hood surface 732 Left side mirror fixed housing 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar 824 Luggage, ski, or bike rack component 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):_ 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):_ (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground Right Side Components 779 Rear header 948 Other object (specify):_ 740 Front fender side surface 780 Hatchback 949 Unknown object in environment 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting vehicle 742 A1 pillar 788 Other top component (specify): _ 997 Noncontact injury source 743 A2 pillar 789 Unknown top component 999 Unknown injury source

ORIGINAL SPECIFICATIONS


				POINTS	OF PEDEST	TRIAN CONTA	\CT		
					RIAN CONTA	CT WORKSH	EET		
	CONTACT ID LABEL	COMPONENT	LONGITUDINAL Location (X)	EZAL LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)	SEQUENCE #
	S	Side	43	-162	0	lega	Jeans Streak	2 3 9	1
	A	الما عليها	4 5 5 6 5 6 5 6 5 6 5 6 5 6 5 6 5 6 5 6	155	8	Less	Jeanswille A		ð
	u	Fender	46.	-120	Q	Hand	Skin temofer Smudges	2 3 9	ン
	L	* '	17	-110	0	House	Stand of Kong or	0	4
	R	Box Pones	-10	-107	0	an	Snews 1	2 3 9	5
	7	h n	<u>-90</u>	-125	V	OB/LN/	lang Space	1/2 3 9	
	K	Pear Door Pm	e -40	-17-1	Ø	Le Garbe	5 milge Long Streak	2 3 9	6
	N	SUL DOOL	-145	-167	0	7	Collegen K.	V2 3 3	
	R	Mms	<u>~3</u> \$	-110	9	Shaller	smudgeo	1 2 3 9	ュ
	E	Janel	-130	-125	9	2)\X4	my by fuck	Q)2 3 9	8
								1 2 3 9	
								1 2 3 9	
								1 2 3 9	
İ								1 2 3 9	
								1 2 3 9	
								1 2 3 9	
								1 2 3 9	
								1 2 3 9	
								1 2 3 9	
								1 2 3 9	
								1 2 3 9	
								1 2 3 9	
								1 2 3 9	
								1 2 3 9	
								. 2 0 0	لـــــا

	POINTS OF PEDESTRIAN CONTACT							
			CHRONO	LOGICAL ORE	DER OF CONTACTS			
CONTACT #	COMPONENT CONTACTED CODE	LONGITUDINAL Location (X)	LATERAL LOCATION (Y)	CRUSH IN Centimeters	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle)</i>	
14	720	17	-110	0	R. Hort objection	skin ter	1 2 3 9	
24	720	4 <u>6</u>	-120	0	L. Head objection	• • •		
3 5	720	43	-162	- O	Lounce abresio-	snew	2 3 9	
·#	790	0	-160	0	Likace.	Smeer	O2 3 3	
5	790	10	212	D	Resemble obrosio	tire scut	2 3 9	
6	790	10	212	D	Contraction		<u>ල</u> 2 3 g	
7	790	10	212	- 0	R. Foot		2 3 9	
8	790	70	212	D	L. Espita		<i>(</i>)233	
9	790	10	212	- 0	abrosión		2 3 9	
10	_79 ₀	70	212	- 0	Lafter	<u>: </u>	0 2 2 9	
11	79 0	/0	マル	0	124		2 3 9	
12	790	10	219		FF toe	V) 2 3 9	
13							1 2 3 9	
14							1 2 3 9	
15							1 2 3 9	
16							1 2 3 8	
17							1 2 3 9	
18							1 2 3 9	
19							1 2 3 9	
20							1 2 3 9	
27							1 2 3 9	
23							1 2 3 9	
24							1 2 3 8	
25							1 2 3 9	
L								

VEHICLE DIMENSIONS	44 Dec 2 Mean 5 0 1
797	11. Hood Width Rear Opening
4. Original Wheelbase	Code to the
Code to the	nearest centimeter
nearest centimeter	(210) 210 centimeters or more
(999) Unknown	(999) Unknown
11 C	
centimeters	inches X 2.54 = centimeters
$\alpha \alpha \alpha$	40 11
5. Original Average Track Width	12. Hood/Fender Vertical/Lateral Crush From
Code to the	Pedestrian (O) New days of
nearest centimeter	(0) Not damaged
(185) 185 centimeters or more	(1) Surface scratching only, no residual crush
(999) Unknown	(2) Minor crush (1-3 centimeters)
•	(3) Moderate crush (4-7 centimeters)
inches X 2.54 = centimeters	(4) Severe crush (>7 centimeters)
	(8) Damage present, unknown if damage is from
\sim	pedestrian impact
6. Hood Material	(9) Unknown
(1) Plastic	12 Windshield O. ()
(2) Fiberglass	13. Windshield Contact Damage
(3) Steel	From Pedestrian Contact
(4) Aluminum	(0) Not contacted by pedestrian
(5) Stainless Steel	(1) Contacted by pedestrian - not damaged
(8) Other (specify):	(2) Contacted by pedestrian - damaged
(9) Unknown	(3) Unknown if contacted by pedestrian - not
	damaged
7. Hood Original	(4) Unknown if contacted by pedestrian -
Equipment Manufacturer (OEM)	damaged (9) Unknown if contacted by pedestrian -
(1) OEM factory installed hood	(9) Onknown ii contacted by pedestrian -
	Linkson if demand
(2) OEM replacement	unknown if damaged
(2) OEM replacement(3) Non-OEM replacement	-
(2) OEM replacement	unknown if damaged FRONT CONTACT DAMAGE
(2) OEM replacement (3) Non-OEM replacement (9) Unknown	FRONT CONTACT DAMAGE
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length	-
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the	FRONT CONTACT DAMAGE Front Vertical Measurements
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify):
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =centimeter 9. Hood Width Forward Opening Code to the nearest centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify):
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =centimeter 9. Hood Width Forward Opening Code to the nearest centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 =centimeters (210) 210 centimeters or more (999) Unknown inches X 2.54 =centimeters 10. Hood Width Midway	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more

29	Centerline of Wheel	C 3(1)	Side Lateral Measurements	
23.	Code to the	9-9-		2000
	nearest centimeter		UX 1	
	(000) No side contact		35. Centerline to A-Pillar	
	(150) 150 centimeters or more		at Bottom of Windshield	
	(999) Unknown		(000) No side contact	
			Code to the	
	inches X 2.54 =	centimeters	nearest centimeter	
		-	(250) 250 centimeters or more	
		061	(999) Unknown	
30.	Top of Tire			
	Code to the		inches X 2.54 = centimeters	
	nearest centimeter		۸ 2 3	
	(000) No side contact		36. Centerline to A-Pillar	
	(200) 200 centimeters or more		at Top of Windshield	
	(999) Unknown		Code to the	
			nearest centimeter	
	inches X 2.54 =	centimeters	(000) No side contact	
,		- 0	(250) 250 centimeters or more	
21	Tana a 6 Maria a 1 Maria 11 O construir	のすの	(999) Unknown	
31.	Top of Wheel Well Opening	$\frac{2}{2}$	(333, 2	
	Code to the		inches X 2.54 = centimeter	
	nearest centimeter			
	(000) No side contact (250) 250 centimeters or more		110	
	(999) Unknown		37. Centerline to Maximum Side	
	(333) CHRIGWII		View Mirror Protrusion	
	inches X 2.54 =	centimeters	Code to the	
	Inches X 2.54	_/ ~ /	nearest centimeter	
32.	Bottom of A-Pillar at Windshield	(26	(000) No side contact	
	Code to the		(300) 300 centimeters or more	
	nearest centimeter		(999) Unknown	
	(000) No side contact			
	(250) 250 centimeters or more		inches X 2.54 = centimeter	
	(999) Unknown			***
			Side Wrap Distance Measurements	
	inches X 2.54 =	centimeters	4	
		. ^ ^	12 (
33	Top of A-Pillar at Windshield	1+3	38. Ground to Side/Top Transition	
55.	Code to the		Code to the	
	nearest centimeter		nearest centimeter	
	(000) No side contact		(000) No side contact	
	(300) 300 centimeters or more		(400) 400 centimeters or more	
	(999) Unknown		(999) Unknown	
			inches X 2.54 = centimeters	
	inches X 2.54 =	centimeters	Certaineters	
			134	ı
		141	39. Ground to Hood Edge	
34.	Top of Side View Mirror	1 1 1	Code to the	
	Code to the		nearest centimeter	
	nearest centimeter		(000) No side contact	
	(000) No side contact		(500) 500 centimeters or more	
	(300) 300 centimeters or more		(999) Unknown	
	(999) Unknown			
	inches X 2.54 =	centimeters	centimeters	
	IIIGII65 A 2.04	oundinerers		

40. Ground to Centerline of Hood Code to the nearest centimeter (000) No side contact (700) 700 centimeters or mo (999) Unknown			
41. Ground to Head Contact Code to the nearest centimeter (000) No side contact (800) 800 centimeters or mo (998) No head contact (999) Unknown	998		
inches X 2.54 = _	centimeters		
			-



POINTS OF PEDESTRIAN CONTACT -- PEDESTRIAN # 1

PEDESTRIAN CONTACT WORKSHEET PAGE

(p	CONTACT I D LABEL	COMPONENT CONTACTED (CODE or OBJECT)	LONGITUDINAL LOCATION	LATERAL LOCATION	CRUSH IN CM	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT
10	()	SUCKIMA	<u>}</u> 43	\$-SO	Q	Les	Feno su	1 2 3 9
Ci.	<u>b</u>	4	x 2-30	4-57	Q	Lis	Jan 52 mbs	1 2 3 9
·	18	Sidefords	46	4-92	<u> </u>	Hard	Spintrandy Smit	1 2 3 9
	<u> </u>	Sil "	17	7-105	\overline{C}	There	Simple tons	1 2 3 9
\bigcap	8	Down lare	· - 10	I-105	(1)	Some	mours	1 2 3 9
\forall	-	Land Mand	-90	4-87	<u> </u>) DIPIN	SYM191 Shedr)	1 2 3 9
	7	i . Houl Nool	1cm 40	7-41	(1040/		1 2 3 9
	N R	2 200 Lang	-145	+-51	7	1/ Ank		1 2 3 9
	<u> </u>	Thurs 1	735	-110	\phi	Should	0 1:0	1 2 3 9
	R	Sidefamel	- (30	1-82	`	(R) Hug	Buch Pach	1 2 3 9
						•		1239
								1 2 3 9
ı								1 2 3 9
ŀ							÷.	1 2 3 9
ľ								1 2 3 9
								1 2 3 9
l							;	1 2 3 9
l								1 2 3 9
-								1 2 3 9
-								1 2 3 9
∦								1 2 3 9
∦		· ·						1 2 3 9
ŀ								1 2 3 9
#								1 2 3 9
IL	1							1 2 3 9

of s