



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 90 CASE NO. 617P

TYPE OF ACCIDENT Car/Pedestrian crossing road straight

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

Vehicle 1 was northbound on a 2-lane road not physically divided. Pedestrian was crossing the roadway from west to east in a straight path. The pedestrian had crossed the southbound traffic lane and continued to walk slowly into the northbound lane. The front of vehicle 1 struck the right side of the pedestrian. The pedestrian wrapped the hood and rotated into the windshield near the passenger A-pillar and rolled off vehicle 1 as it came to final rest. The pedestrian was carried about 9-10 meters from point of impact. At the time of the crash, it was raining. The road surface was partially concrete and partially asphalt.

B. PEDESTRIAN PROFILE								
Pedestrian		Most Se Treatment/ (TO BE COMPLETE				Severe	Injury ZONE CENTER)	
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source	
01	79	Male	Hospitalized	Face-LeFort-3	Fracture	3	Windshield	

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity

C. VEHICLE PROFILE								
	Class		Most Severe Damage Based on Vehicle Inspection					
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description				
01	Compact	92/Ford Tempo	Front	Cracked windshield, dents, blood				

DO NOT SANITIZE THIS FORM



U.S. Department of Transportation

ACCIDENT COLLISION DIAGRAM

National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPL PEDESTRIAN CRASH G SYSTEM A STUDY Indicate PSU No. PSU No. / Case Number—Stratum 6 / 1 P North ୭ ବର ବର ବର ବର ବର ବର୍ଷ 🕉 RL Ó - RP A




U.S. Department of Transportation

ACCIDENT COLLISION DIAGRAM

National Highway Traffic Safety

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY





PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE U.S. Department of Transportation NATIONAL ACCIDENT SAMPLING SYSTEM National Highway Traffic Safety PEDESTRIAN CRASH DATA STUDY Administration Case Number-Stratum 6 1 7 Primary Sampling Unit Number 9 0 SCALED DIAGRAM PEDESTRIAN ACCIDENT COLLISION DATA COLLECTION L. O. A.C. document reference point and reference line relative to physical features north arrow placed on diagram documentation of all accident induced physical grade measurements for all applicable Surface Condition roadways evidence including (if applicable): scaled representations of the physical plant Coefficient of Friction a) vehicle skid marks including: a) all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement b) pedestrian contacts with ground or object markings, parked vehicles, poles, signs, Grade (v/h) Measurement a) at impact b) all traffic controls (e.g., lights, signs) vehicle/pedestrian point of impact (POI) scaled representations of the vehicle and between impact and d) location of pedestrian separation point from pedestrian at pre-impact, impact, and final final rest vehicle rest based upon either: physical evidence, or Pedestrian Travel Direction final resting points (FRP) for pedestrian and vehicle reconstructed accident dynamics Vehicle Travel Direction documentation of the physical plant including: all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, Number of Travel Lanes medians, pavement markings, parked vehicles, poles, signs, etc.) b) all traffic controls (e.g., lights, signs) Reference Line: Erst Cur B Line Reference Point: TANGENT LINE NorTh EAST CORNEY Distance and Direction Distance and Direction Item from Reference Point from Reference Line 0.5~ West OxiGiN 0.0 Jeh#1-Ped#1-P.O.I 2,2 muest 11.2m Horn PoltI-Vehtl-FRP IIm West 8.7500Th beging Skids Vehal Endingsicids-LF-RF 20.6 m Norm Blood Spot 0.0m west Denture PLATE For Marin 18.3 m North MEASUrement TAICEN From Police m AVICS on Scene Accident

Distance and Direction Distance and Direction item from Reference Point from Reference Line

Section 2000 Section 1

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

4. Driver Counties Unit Number	90	SPECIAL STUDIES - INDICATORS	5
Primary Sampling Unit Number			
2. Case Number - Stratum	617p	Check () each special study (SS15-SS19 below has been completed; code 1 for the checked studies and 0 for the special studies not checked	special
IDENTIFICATION		studies and o for the special studies not checked	1.
Number of General Vehicle Submitted	0 1	6SS15 Administrative Use	_0_
Forms Submitted	<u> </u>	7. <u>✓</u> SS16 Pedestrian Crash Data Study	_1
4. Date of Accident (Month, Day, Year)	<u>, 9 I</u>	8SS17 Impact Fires	_0
5. Time of Accident	826	9SS18	
Code reported military time of accidental NOTE: Midnight = 2400	ent.	10SS19	0
Unknown = 9999		NUMBER OF EVENTS	
		11. Number of Recorded Events in This Accident	0 1

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS								
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage		
12. <u>0 1</u>	13. <u>0 1</u>	14. <u>0</u> 7	15. <u>F</u>	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>		

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

Department of Transportation National Highway Traffic Safety

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM

Administration PEDESTRIAN CRASH DATA STUDY 1. Primary Sampling Unit Number 10. Pedestrian's Weight Code actual weight to the nearest kilogram. 2. Case Number - Stratum (999) Unknown 3. Pedestrian Number PEDESTRIAN'S CHARACTERISTICS PEDESTRIAN'S PRE-AVOIDANCE ACTIONS 4. Pedestrian's Age 11. Pedestrian Attitude Code actual age at time of accident. (1) Standing (00) Less than one year old (specify by month): (2) Crouching (3) Kneeling (97) 97 years and older (4) Bending at waist (99) Unknown (8) Other (specify):_____ (9) Unknown 5. Pedestrian's Sex (1) Male 12. Pedestrian Motion (0) Not moving (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (1) Walking slowly (4) Female - pregnant-2nd trimester (4th-6th month) (2) Walking rapidly (5) Female - pregnant-3rd trimester (7th-9th month) (3) Running or jogging (6) Female - pregnant-term unknown (4) Hopping (9) Unknown (5) Skipping (6) Jumping 6. Pedestrian's Overall Height (7) Falling/stumbling or rising Code actual height to the nearest (8) Other (specify): centimeter. (9) Unknown (999) Unknown ___ inches X 2.54 = ___ __ centimeters 13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight 7. Pedestrian's Height - Ground to Knee (02) Crossing road, diagonally Code to the nearest (03) Moving in road, with traffic centimeter. (04) Moving in road, against traffic (999) Unknown (05) Off road, approaching road _ inches X 2.54 = ____ centimeters (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway 8. Pedestrian's Height - Ground to Hip (09) Off road, moving along driveway Code to the nearest (98) Other (specify): centimeter. (99)Unknown (999) Unknown _ inches X 2.54 = ___ _ centimeters 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to **Avoidance Actions** 9. Pedestrian's Height - Ground to Shoulder (1) Facing vehicle Code to the nearest (2) Facing away centimeter. Left side to vehicle (3) (999) Unknown Right side to vehicle (4) __ inches X 2.54 = ___ centimeters Other (specify): (8)

l

Unknown

PEDESTRIAN'S AVOIDANCE ACTIONS	40.5.4.4.4.4.
	18. Pedestrian's Arm Orientation at Initial Impact
	(01) At sides
15. Pedestrian's First Avoidance Actions O	(02) Folded across chest
(00) No avoidance actions	(03) Hands clasped behind back
(01) Stopped	(04) Hands on hips
(02) Accelerated pace	(05) Hands in pockets
(03) Ran away (along vehicle path)	(00) Flands in position
(04) Jumped	One or both arms:
(05) Turned toward vehicle	(06) Extended upward
(06) Turned away from vehicle	(07) Extended to side
(07) Dove or fell away	(08) Extended forward bracing
· · ·	(09) Extended, holding object
Used hand(s) to :	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against vehicle	bag, etc.) on shoulder(s) or head
(98) Other (specify):	(98) Other (specify):
(99) Unknown	(99) Unknown
	10 Padastrian's Log Orientation
	19. Pedestrian's Leg Orientation at Initial Impact
DEDECTRIANUS ORIENTATION AT IMPACT	(01) Together
PEDESTRIAN'S ORIENTATION AT IMPACT	(02) Apart-laterally
	(03) Apart-right leg forward
	(04) Apart-left leg forward
16. Pedestrian's Head Orientation	(05) Apart- forward leg unknown
at Initial Impact	(06) Left foot off the ground
(1) To front	(07) Right foot off the ground
(2) To left	(08) Both feet off the ground
(3) To right	(98) Other (specify):
(4) Up	(99) Unknown
(5) Down	20. Vehicle/Pedestrian's Interaction
(8) Other (specify):	(01) Carried by vehicle, wrapped position
(9) Unknown	(02) Carried by vehicle, whapped position (02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
47. Dedectricale Dedu (Cheet) Orientation	(04) Passed over vehicle top
17. Pedestrian's Body (Chest) Orientation	(05) Thrown straight forward
at Initial Impact (1) Facing vehicle	(06) Thrown forward and left of vehicle
(1) Facing vehicle (2) Facing away	(07) Thrown forward and right of vehicle
(3) Left side to vehicle	(08) Knocked to pavement, forward
(4) Right side to vehicle	(09) Knocked to pavement, left of vehicle
(8) Other (specify):	(10) Knocked to pavement, right of vehicle
(9) Unknown	(11) Knocked to pavement, run over or
(1)	dragged by vehicle
	(12) Shunted to left (corner impacts only)
	(13) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside (15) Snagged, rotated
	(16) Snagged, rotated (16) Snagged, dragged by vehicle
	(17) Foot or legs run over
	(98) Other (specify):
	(99) Unknown

OFFICIAL RECORDS	INJURY CONSEQUENCES
21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source: PAR med	Nonfatal (3) Hospitalization (4) Transported and released
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown	(5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify):	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
	28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
	29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

lational Accident Sampling System-Crashworthiness Da	ta System: Pedestrian Assessment Form	Page 4					
STOP - VARIABLES 30 THROUGH 37 AF	RE COMPLETED BY THE ZONE CENTE	R					
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (3) Unknown if blood given (4) Yes - blood given (5) Unknown if blood given (6) Not injured (7) Not injured (8) ABGs not measured or reported (8) ABGs reported, HCO3 unknown (97) Injured, details unknown (97) Injured, details unknown (98) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (1) Not fatal (1) Not fatal (1) Not fatal (2) Yes - blood given (31) Was the Pedestrian Given Blood? (4) (5) Unknown (6) Not injured (7) Ves - blood given (8) Unknown (9) Unknown	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reporte injury(s) which reportedly contribute this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled dis (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured	ed ed to					
ARE ALL APPLICABLE MEDICAL RECORDS INCLUDED WITH INITIAL SUBMISSION? NO[] YES[]							
UPDATE CANDIDATE?	NO[] YES[]						

Form Approved O.M.B. No. 2127-0021

National Highway Traffic Safety Administration

PEDESTRIAN INJURY FORM

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Pedestrian Number

2. Case Number - Stratum

4. Blank

INJURY DATA


Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90				L .	Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5.2	6. <u>8</u>	7. <u>9</u>	8. <u>0</u> 2	9. <u>0</u> 2	· 10	11. <u> </u>	12, 7/	\$ 13. <u>/</u>	14. <u>/</u>	15. 2	16. 3	17.3
2nd	18. 🤰	-19. <u>&</u>	20. 5	21. <u>16</u>	22. <u>D6</u>	23.	_24	25. <u>71</u>	£ 26/	27	28. 2	- 293	30
3rd	31.2	32. <u>&</u>	33.5	34. <u>3</u> 4	35. <u>08</u>	36.3	37	зв. <u>77 с</u>) 39. /	40	41. 2	- _{42.} <u>}</u>	43
4th	44.2	-45. <u></u>	46. 9	47. <u>0</u> 2	48. <u>0</u> <u>2</u>	-49 . <u>/</u>	50. 2	- 51. <u>70</u>	<u>)</u> 52/	53	54. 2	- 55. <u> </u>	56. 🖊
5th	57. 2	58.2	59. 9	60.06	61. <u>0</u> 2	-6 2. <u>/</u>	63. <u>Z</u>	64. <u>775</u>	65	66.	67. 2	68.5	69.4
6th	70. <u>2</u>	71.2	729	73.02	7402	75	76	77.77	78	79. 👤	802	81	82
7th	83. 2	84.2	85. <u>9</u>	86.04	87. <u>0</u> 2	-88.	89. 1	90. 7 7 5	91.	92	932	94.5	95. 4
8th	96.2	97.2	98. 9	99. <u>0</u> 6	100.02	-10 1. <u>L</u>	102.	103.77	104.	105	106. 2	107.5	108.
9th	109. 2	.110.2	- 111. <u>9</u>	11206	13.02	114.	116	116.77	117. /	118.	119	120.	121:
10th	122.	123. 2	- ₁₂₄ . <u>9</u>	125. 04	126. <u>()</u> 2	127.	128	129. <u>77</u>	130.	131. 👤	132	133.	134

				PEDES	STRIA	ונמו מ	JRY DATA	4				
Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th	- 2	3	08	02	1	/_	775		L	2	5	4
12th <u>2</u>	2	<u>9</u>	26	مک	L		725		_	2	5_	4
13th 2	2	2	74	22	<u> </u>	_	775	4	1	2	5_	<u>ل</u> _
14th 9_	- 2	9	<u>74</u>	<u>0</u> 2	- <u>/</u>	2	<u>775</u>		<u>(</u>	2	5_	4_
15th 2	_ 2_	2	04	<u>0</u> 2		2	775	4	1	2	5	4.
16th 🔎	<u>)</u> _	9_	06	02		4	77)		1	2	5	4
17th <u>)</u>	- 2	4	04	L6	7	L	275	1	1	<u>Z</u>	<u>\$</u>	4
18th 2	2	5	08	28	3	4	225	<u> </u>	1	2	5	<u> </u>
19th 2	_2	5	30	04	2	£	225	<u> </u>	<u> </u>	_2		4
20th	- 3	2	04	02	1	<u></u>	774			4	3	3
21st 2	- 1	2	04	02		6	947	2	_	\supseteq	2	Ō
22nd												_
23rd								_				_
24th		_			_	_		_	_			_
25th												

٠

•




(1) Certain (2) Probable (0) Injury not from vehicle contact OFFICIAL (1) Futopsy records with or without hospital/ No damage/contact Possible (3) Scratch (Scuff, Cloth Transfer, Smear) medical records Unknown (3) Dent Hospital/medical records other than 141 Large deformation emergency room (e.g., discharge DIRECT/INDIRECT INJURY (5) Cracked, fractured, shattered summary) Direct contact injury Separated from vehicle (6) Indirect contact injury (3) Emergency room records only (including Noncontact injury Noncontact injury associated X-rays or other lab reports) Other specify: Injured, unknown source (4) Private physician, walk-in or emergency Unknown STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact (0) Injury not from vehicle contact UNOFFICIAL Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) No residual damage (5) Lay coroner report Surface only damage (6) E.M.S. personnel Rounded (contoured) Crush depth >0 to 2 centimeters (4)Rounded edge (7) Interviewee Crush depth > 2 to 5 centimeters (5) Sharp edge Other (specify): (8) Other source (specify): Crush depth > 5 to 10 centimeters Other specify: (9) Police (9) Unknown (9) Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region** Specific Anatomic Structure Abbreviated Injury Scale (02) Cervical (04) Thoracic Whole Area (02) Skin - Abrasion (04) Skin - Contusion (06) Skin - Laceration Head Minor injury (2) (3) (4) (06) Lumbar Moderate injury Face Serious injury Severe injury (3) Neck Thorax Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02 (4) (08) Skin - Avulsion (5) Critical injury Abdomen (6) (7) Spine (10) Amputation (6) Maximum (untreatable) Burn (7) Upper Extremity (20) Injured, unknown severity (30) Level of Injury (8) Lower Extremity Crush (40) Degloving (50) Injury - NFS (9) Unspecified Aspect Specific injuries аге assigned consecutive Type of Anatomic Structure Trauma, other than mechanical two-digit (1) Right beginning with 02. (2) (3) Left Bilateral Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness Whole Area (2) Vessels To the extent possible, within the Central organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity. (5) (6) (7) (3) Nerves Anterior Organs (includes muscles/ (10) Concussion (4)Posterior Superior ligaments) Skeletal (includes joints) (8) (9) Inferior (6) Head - LOC Unknown Whole region **INJURY SOURCE FRONT** Wheels / tires 744 B pillar 790 Left front wheel / tire 700 Front bumper 745 C pillar 701 Front lower valance/spoiler 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify):_ 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): _ 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 752 Right side mirror fixed housing 707 Retractable headlight door (Open/Closed) Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify):_ 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission 758 Other right side object Left Side Components 805 Drive shaft 720 Front fender side surface 806 Catalytic converter (specify): 759 Unknown right side component 721 Front antenna 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar **Back Components** 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 818 Other undercarriage component 725 C pillar 761 Tailgate 726 D pillar 762 Hatchback, vertical surface 819 Unknown undercarriage component 728 Other pillar 768 Other back component (specify): (specify): 729 Left side roof rail 769 Unknown back component <u>Accessories</u> 730 Left side door surface 820 Air scoop, deflector 821 Cellular or CB radio antenna 731 Left side door handle Top Components 822 Emergency lights or bar 732 Left side mirror fixed housing 770 Hood surface 823 Fog lights 733 Left side folding mirror 771 Hood surface reinforced by under hood 734 Left side glazing forward of B pillar 824 Luggage, ski, or bike rack component 735 Left side glazing rearward of B pillar 825 Cargo (specify):_ 772 Front fender top surface 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight .738 Other left side object 775 Windshield glazing 828 Other accessory (specify):_ (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground 948 Other object (specify): Right Side Components 779 Rear header 740 Front fender side surface 780 Hatchback 949 Unknown object in environment 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting vehicle 788 Other top component (specify): _ 742 A1 pillar 997 Noncontact injury source 999 Unknown injury source 743 A2 pillar 789 Unknown top component

INJURY SOURCE CONFIDENCE LEVEL

TYPE OF DAMAGE


SOURCE OF INJURY DATA


OFFICIAL INJURY DATA — SKELETAL INJURIES



OFFICIAL INJURY DATA -INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Administration	OFFICIAL RECORDS
1. Primary Sampling Unit Number $\frac{90}{100}$	
2. Case Number - Stratum 6 P	9. Police Reported Travel Speed <u>OOO</u>
3. Vehicle Number 0 1 VEHICLE IDENTIFICATION	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown
VEHICLE IDENTIFICATION	
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown	mph X 1.6093 =kmph 10. Speed Limit (000) No statutory limit Code posted or statutory speed limit in kmph
5. Vehicle Make (specify):	(999) Unknown
Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (99) Unknown	30 mph x 1.6093 = 048 kmph 11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported
6 Vehicle Model (specify): 0 / 5	(8) No driver present (9) Unknown
6. Vehicle Model (specify): Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown 7. Body Type Note: Applicable codes may be found on the back of this page.	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number	Source: PAR
/ FAPP36X9NK 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 Left justify; Slash zeros and letter Z (Ø and Z) No VIN—Code all zeros Unknown—Code all nines	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)</p>
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than-450 kilograms (610) 6,100 kilograms or more (999) Unknown (07,5321bs x .4536 = 1,149 kgs	18. Impact Speed Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source: 16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown lbs X .4536 =, kgs	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
	PRECRASH DATA
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present

, , ,	,
23. Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
100/ 01/10/ 02/200 0/ 00/11/10/ 1000 (00/00////	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	(opony)
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	(co) onknown
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(O2) Braking (no lockup)
(16) Turning right at intersection	(03) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle	(99) Unknown
in lane	
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction) - over left	(0) No driver present
lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction) - over right	(2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30
(62) From opposite direction—over left lane line	degrees
(63) From opposite direction—over right lane line	(4) Skidding laterally—clockwise rotation
(64) From parking lane	(5) Skidding laterally—counterclockwise rotation (8) Other vehicle loss-of-control (specify):
(65) From crossing street, turning into same direction	(o) Other vehicle loss-of-control (specify).
(66) From crossing street, across path	(9) Precrash stability unknown
(67) From crossing street, turning into opposite	
direction	26. Precrash Directional Consequences of
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(0) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(73) From driveway, intended path not known	maneuver was initiated ·
(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane
(78) Encroachment by other vehicle—details	where avoidance maneuver was initiated
unknown	(4) Vehicle stayed on roadway, not known if left
Pedestrian or Pedalcyclist, or Other Nonmotorist	travel lane where avoidance maneuver was
(80) Pedestrian in roadway	initiated (5) Vahiala departed ready (2)
(81) Pedestrian approaching roadway	(5) Vehicle departed roadway
(82) Pedestrian—unknown location	(6) Avoidance maneuver initiated off roadway
	(9) Directional consequences unknown

	ENVIRO	NME	NTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area	0	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush
	Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):		(4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
	(6) Unknown type of non-interchange (9) Unknown if interchange	,	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)
28.	Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown		Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): Posica 30 MPH Specify (6) Unknown sign (7) Warning sign (not RR crossing)
	Number of Travel Lanes (1) One (2) Two (3) Three	2	(8) Miscellaneous/other controls including RR controls (specify): (9) Unknown
	 (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown 		35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown		36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk
31.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown		 (9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet
32.	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):	<u>:1</u>	 (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown
	(9) Unknown		

94 Te-po

79 40 m

26 yom

POIT FAP = 9.8m = 32ft f=0,50

V = V(2)(32)(0,50)(32-2)

V= 32 fps = 21,8 mph = 35 KPh

35 KPh

U.S. Department of Transportation
National Highway Traffic Safety
Administration

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

- 3. Vehicle Number

2. Case Number - Stratum

1. Primary Sampling Unit Number

VEHICLE IDENTIFICATION

VIN 1 FAPP36X9NK

Model Year 夕 👤

Vehicle Make (specify): +ORD

Vehicle Model (specify): Tempo

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

STEEL

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact

cm


cm

cmi

cm ~

cm

cm



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: /_ 40 cm


PEDESTRIAN SIDE CONTACT WORK SE	IEET	
PEV06 Hood Material		
PEV08 Hood Length		cm /
PEV09 Hood Width-Forward Opening		cm
PEV10 Hood Width-Midway		cm
PEV11 Hood Width-Rear Opening		cm
VERTICAL MEASUREMENTS		
PEV26 Ground Clearance	/	cm
PEV27 Side Bumper-Bottom Height	/	cm
PEV28 Side Bumper-Top Height		cm
PEV29 Centerline of Wheel		cm
PEV30 Top of Tire		cm
PEV31 Top of Wheel Well Opening		cm
PEV32 Bottom of A-Pillar at Windshield	-	cm
PEV33 Top of A-Pillar at Windshield		cm
PEV34 Top of Side View Mirror		cm
LATERAL MEASUREMENTS		
PEV35 C _L to A-Pillar at Bottom of Windshield		cm
PEV36 C _L to A-Pillar at Top of Windshield		cm
PEV37 C _L to Maximum Side View Mirror Protrusion		cm
WRAP DISTANCES		
PEV38 Ground to Side/Top Transition		cm
PEV39 Ground to Hood Edge		cm
PEV40 Ground to Centerline of Hood (ORIGIN)		cm
PEV41 Ground to Head Contact		cm

ŧ

ORIGINAL SPECIFICATIONS

Wiheelbase	099.9 inche	s x 2.54 =	254 cm
Overall Length	176.1 inche	s x 2.54 =	<u>449</u> cm
Maximum Width	0.68.3 inche	s x 2.54 =	$\perp 13$ cm
Curb Weight <u>D</u>	2.532 pound	s x .4536 =	kg
Average Track	056.2 inches	s x 2.54 =	146cm
Front Overhang	033.4 inches	s x 2.54 =	085 cm
Rear Overhang	042.1 inches	s x 2.54 =	$\mathcal{L}\mathcal{O}\mathcal{I}$ cm
Undeformed End Width	inches	s x 2.54 =	cm
Engine Size: cyl./displ.	2300 cc	x .001 =	<u>2.3</u> L
	140 cid	x .0164 =	2. <u>3</u> L

	INJURY SOURCE	
FRONT		Wheels / tires
700 Front bumper	744 B pillar	790 Left front wheel / tire
701 Front lower valance/spoiler	745 C pillar	791 Right front wheel / tire
702 Front grille	746 D pillar	792 Left rear wheel / tire
703 Hood edge and/or trim	748 Other pillar (specify):	793 Right rear wheel /tire
704 Hood ornament (fixed)	749 Right side roof rail	798 Other wheel / tire (specify):
705 Hood ornament (spring loaded)	750 Right side door surface	799 Unknown wheel / tire
706 Headlight	751 Right side door handle	
707 Retractable headlight door (Open/Closed)	752 Right side mirror fixed housing	Undercarriage components
708 Turn signal/parking lights	753 Right side folding mirror	800 Front cross member
718 Other front or add on object	754 Right side glazing forward of B pillar	801 Steering assembly/Front suspension
(specify):	755 Right side glazing rearward of B pillar	802 Oil pan
719 Unknown front object	756 Rear antenna	803 Exhaust system pipe
	757 Rear fender or quarter panel	804 Transmission
Left Side Components	758 Other right side object	805 Drive shaft
720 Front fender side surface	(specify):	806 Catalytic converter
721 Front antenna	759 Unknown right side component	807 Muffler
722 A1 pillar		808 Floor pan
723 A2 pillar	Back Components	809 Fuel tank
724 B pillar	760 Rear (back) bumper	810 Rear suspension
725 C pillar	761 Tailgate	818 Other undercarriage component
726 D pillar	762 Hatchback, vertical surface	(specify):
728 Other pillar	768 Other back component	819 Unknown undercarriage component
(specify):	(specify):	
729 Left side roof rail	769 Unknown back component	<u>Accessories</u>
730 Left side door surface		820 Air scoop, deflector
731 Left side door handle	Top Components	821 Cellular or CB radio antenna
732 Left side mirror fixed housing	770 Hood surface	822 Emergency lights or bar
733 Left side folding mirror	771 Hood surface reinforced by under hood	823 Fog lights
734 Left side glazing forward of B pillar	component	824 Luggage, ski, or bike rack
735 Left side glazing rearward of B pillar	772 Front fender top surface	825 Cargo (specify):
736 Left side back fender or quarter panel	773 Cowl area	826 Spare tire
737 Rear antenna	774 Wiper blade & mountings	827 Spotlight
738 Other left side object	775 Windshield glazing	828 Other accessory (specify):
(specify):	776 Front header	
739 Unknown left side component	777 Roof surface	Other Object or Vehicle in Environment
	778 Backlight glazing	947 Ground
Right Side Components	779 Rear header	948 Other object (specify):
740 Front fender side surface	780 Hatchback	949 Unknown object in environment
741 Front antenna	781 Rear trunk lid	959 Unknown object on contacting vehicle
742 A1 pillar	788 Other top component (specify):	
743 A2 pillar	789 Unknown top component	999 Unknown injury source



į

POINTS OF PEDESTRIAN CONTACT								
PEDESTRIAN CONTACT WORKSHEET								
CONTACT ID Label	COMPONENT CONTACTED	LONGITUDINAL Location (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)	SEQUENCE #
P	License Plate	+91	-07	0	Legs	Benit	1 2 3 9	1
1+	Barnes	490	+50	0	Legs	Smears	D 2 3 9	1
E	Edge	447	+41	D	Kip	dent	1 2 3 9	/
B	Surpare	+48	+61	1-3 ₀	HY	dent	⊕ 2 3 9	
D	Surprise	. +27	+43	1-3cm	1 Sup	dent	1 2 3 9	/
E	Topod Spot	<i>+//</i>	+63	0	?	Bent	O2 13	
FI		-24	+70	0	Body	Bent	3 9	2
A.	Hood	-44	F28	0	ChesT	SMEANS	O2 1 1	2
	Antenna Propose Wipar	-5/	+73	0	7	deformed	1 2 3 9	. 2
	arring .	-62	442	0	, ,,	rdistanted	O 11	7
15	11/11/1		<i>+72</i>	\mathcal{O}	Shoulder	Comages	2 3 9	2
E	Windshield	-43	+55		للاسماد	1 Europeked Smudges	O 2 3 9	3
A+2	Hovel	-97	+82	0	11	Smeans	1 2 3 9	3
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 1 9	
							1 2 3 9	
							1 2 1 9	
							1 2 3 9	

POINTS OF PEDESTRIAN CONTACT							
CHRONOLOGICAL ORDER OF CONTACTS							
CONTACT	COMPONENT CONTACTED - CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN Centimeters	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)
170	7/18	91	1	1	Riknee.	But plot	1 2 3 9
² Ď	7/8	91	-7	1	P. Figure	11	O2 2 4
3 D	718	91	17		R Tible	t . c	2 3 9
.7	700	91	70	-1	L. h.144	none	O2 2 9
5 E	775	-85	-55	1-3cm	Loc everta	wildslike	2 3 9
6					Feeiel abjesio-	crec	1 2 3 9
7					Contago	caec	2 3 9
ŧ					Lectrotin	-	1 2 3 9
9					mouth Lecerotion		1 2 3 9
10					to-trive		1 2 1 9
11					R. er.		1 2 3 9
12					eyelide)	-	1 2 3 9
13					(R) Eyelid contusión		1 2 3 9
14					(m) egylid	*	1 2 3 9
15				(contusion		1 2 3 9
16					Laceration		1 2 3 9
17				1/6	clemesis Le Fort		1 2 3 9
18				4 (19	Reto t	<u> 111.</u> 2	1 2 3 9
19 🗲	Ą			(4)	FY, T		1 2 3 9
20 6	MIPI	4		<u>(g</u>	mec this	741	1 2 3 9
21 —	~ (~ D	Wd	-		contra		1 2 3 9
22							1 2 3 9
23							1 2 3 9
24							1 2 3 9
25							1 2 3 9

VEHICLE DIMENSIONS	137
251	11. Hood Width Rear Opening Code to the
4. Original Wheelbase 25 4	nearest centimeter
Code to the	(210) 210 centimeters or more
nearest centimeter	(999) Unknown
(999) Unknown	
inches X 2.54 = centimeters	inches X 2.54 = centimeters
5. Original Average Track Width 1 4 6	12. Hood/Fender Vertical/Lateral Crush From Pedestrian
nearest centimeter	(0) Not damaged
(185) 185 centimeters or more	(1) Surface scratching only, no residual crush
(999) Unknown	(2) Minor crush (1-3 centimeters)(3) Moderate crush (4-7 centimeters)
	(4) Severe crush (>7 centimeters)
inches X 2.54 = centimeters	(8) Damage present, unknown if damage is from pedestrian impact
6. Hood Material <u>3</u>	(9) Unknown
(1) Plastic	13. Windshield Contact Damage
(2) Fiberglass (3) Steel	From Pedestrian Contact
(4) Aluminum	(0) Not contacted by pedestrian
(5) Stainless Steel	(1) Contacted by pedestrian - not damaged
(8) Other (specify):	(2) Contacted by pedestrian - damaged(3) Unknown if contacted by pedestrian - not
(9) Unknown	damaged
7. Hood Original	(4) Unknown if contacted by pedestrian -
7. Hood Original Equipment Manufacturer (OEM)	damaged
(1) OEM factory installed hood	(9) Unknown if contacted by pedestrian -
(2) OEM replacement	unknown if damaged
(3) Non-OEM replacement	
(9) Unknown	FRONT CONTACT DAMAGE
8. Hood Length \mathcal{O} 9 \mathcal{G}	Front Vertical Measurements
Code to the	44.5
nearest centimeter	14. Front Bumper Cover Material (0) No front contact
(180) 180 centimeters or more	(1) Plastic
(999) Unknown	(2) Fiberglass
inches X 2.54 = centimeter	(3) Rubber
	(4) Other (specify):
9. Hood Width Forward Opening	(9) Unknown
Code to the	15. Front Bumper Reinforcement Material
nearest centimeter (210) 210 centimeters or more	(0) No front contact
(999) Unknown	(1) Steel
(SSS) STIRTIONTI	(2) Aluminum
inches X 2.54 = centimeters	(3) Stainless Steel
10. Hood Width Midway	(4) Other (specify):(9) Unknown
· — — I	(o) Similowii
Code to the nearest centimeter	16. Front Bumper-Bottom Height
(210) 210 centimeters or more	Code to the
(999) Unknown	nearest centimeter
	(000) No front contact (150) 150 centimeters or more
inches X 2.54 = centimeters	(999) Unknown
1	inches X 2.54 = centimeters

	· · · · · · · · · · · · · · · · · · ·	† · · · · · · · · · · · · · · · · · · ·
17.	Front Bumper-Top Height 054	23. Ground to Base of Windshield Code to the
	nearest centimeter	nearest centimeter
	(000) No front contact	(000) No front contact
	(150) 150 centimeters or more (999) Unknown	(400) 400 centimeters or more (999) Unknown
	(999) Unknown	(999) GIRIOWII
	inches X 2.54 = centimeters	inches X 2.54 = centimeters
10	Forward Hood Opening	24. Ground to Top of Windshield 266
10.	Forward Hood Opening Code to the	Code to the
	nearest centimeter	nearest centimeter
	(000) No front contact	(000) No front contact
	(200) 200 centimeters or more	(500) 500 centimeters or more (999) Unknown
	(999) Unknown	(333) GIRHOWH
	inches X 2.54 = centimeters	inches X 2.54 = centimeters
		25. Ground To Head Contact 220
19.	Front Bumper Lead _/	Code to the
	(00) No front contact	nearest centimeter
	Code to the	(000) No front contact
	nearest centimeter (30) 30 centimeters or more	(400) 400 centimeters or more (998) No head contact
	(99) Unknown	(999) Unknown
	inches X 2.54 = centimeters	inches X 2.54 = centimeters
	Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
		Side Vertical Measurements
20	Ground to Forward Hood Opening 0 8 2	
20.	Ground to Forward Hood Opening	26. Ground Clearance
20.	Code to the nearest centimeter	26. Ground Clearance OOO
20.	Code to the nearest centimeter (000) No front contact	Code to the nearest centimeter
20.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more	Code to the nearest centimeter (000) No side contact
20.	Code to the nearest centimeter (000) No front contact	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more
20.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more	Code to the nearest centimeter (000) No side contact
	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters Ground to Front/Top Transition Point © 8 6	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more
	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters Ground to Front/Top Transition Point 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 27. Side Bumper-Bottom Height
	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters Ground to Front/Top Transition Point 8 6 Code to the nearest centimeter	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknowninches X 2.54 =centimeters 27. Side Bumper-Bottom HeightCode to the
	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknowninches X 2.54 =centimeters Ground to Front/Top Transition Point 8 6Code to thenearest centimeter (000) No front contact	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 =centimeters 27. Side Bumper-Bottom HeightCode to the nearest centimeter
	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters Ground to Front/Top Transition Point 8 6 Code to the nearest centimeter	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 =centimeters 27. Side Bumper-Bottom HeightCode to the nearest centimeter (000) No side contact
	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknowninches X 2.54 =centimeters Ground to Front/Top Transition Point 8 6Code to thenearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknowninches X 2.54 =centimeters Ground to Front/Top Transition Point 8 6Code to thenearest centimeter (000) No front contact (180) 180 centimeters or more	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 =centimeters 27. Side Bumper-Bottom HeightCode to the nearest centimeter (000) No side contact
	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknowninches X 2.54 =centimeters Ground to Front/Top Transition Point 8 6Code to thenearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 =centimeters 27. Side Bumper-Bottom HeightCode to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknowninches X 2.54 =centimeters 28. Side Bumper-Top Height
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 =centimeters 27. Side Bumper-Bottom HeightCode to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknowninches X 2.54 =centimeters 28. Side Bumper-Top HeightCode to the nearest centimeter
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 =centimeters 27. Side Bumper-Bottom HeightCode to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknowninches X 2.54 =centimeters 28. Side Bumper-Top HeightCode to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown

		\bigcirc	Side Lateral Measurements
29.	Centerline of Wheel	000	ONG Entotor Highest Grights
	Code to the		
	nearest centimeter		000
	(000) No side contact		35. Centerline to A-Pillar
	(150) 150 centimeters or more		at Bottom of Windshield
	(999) Unknown		(000) No side contact
	(999) OHKHOWIE		Code to the
			nearest centimeter
	inches X 2.54 =	centimeters	(250) 250 centimeters or more
			(999) Unknown
		~ ~ ^	(333) Olikilowii
30.	Top of Tire	000	
	Code to the		inches X 2.54 = centimeters
	nearest centimeter		
	(000) No side contact		
	(200) 200 centimeters or more		36. Centerline to A-Pillar
			at Top of Windshield
	(999) Unknown		Code to the
			nearest centimeter
	inches X 2.54 =	centimeters	
			(000) No side contact
			(250) 250 centimeters or more
31.	Top of Wheel Well Opening	000	(999) Unknown
• • • •	Code to the		
	nearest centimeter		inches X 2.54 = centimeter
	(000) No side contact		
	(250) 250 centimeters or more		37. Centerline to Maximum Side
	(999) Unknown		· · · · · · · · · · · · · · · · · · ·
	and the second s		View Mirror Protrusion
	inches X 2.54 =	centimeters	Code to the
			nearest centimeter
32	Bottom of A-Pillar at Windshield	000	(000) No side contact
UZ.	Code to the		(300) 300 centimeters or more
			(999) Unknown
	nearest centimeter		1,4,
	(000) No side contact		inches X 2.54 = centimeter
	(250) 250 centimeters or more		(IICHes A 2.54 = Centimeter
	(999) Unknown	!	
		l	Side Wrap Distance Measurements
	inches X 2.54 =	centimeters	Mag Frish Material Heritanic Chichia
		_	
વવ	Top of A-Pillar at Windshield	000	38. Ground to Side/Top Transition
55.			Code to the
	Code to the		nearest centimeter
	nearest centimeter		(000) No side contact
	(000) No side contact		(400) 400 centimeters or more
	(300) 300 centimeters or more	1	(999) Unknown
	(999) Unknown		(000) Cincionii
			in-han V 0 E 4
	inches X 2.54 =	centimeters	inches X 2.54 = centimeters
		1	
24	Tf Cida View Minner	000	39. Ground to Hood Edge
34.	Top of Side View Mirror		Code to the
	Code to the		nearest centimeter
	nearest centimeter	1	(000) No side contact
	(000) No side contact	•	(500) 500 centimeters or more
	(300) 300 centimeters or more		
	(999) Unknown		(999) Unknown
	(333) 3.11(1344)		
	inches V 2.54		inches X 2.54 = centimeters
	inches X 2.54 =	_ centimeters	•

40. Ground to Centerline of Hood Code to the nearest centimeter (000) No side contact (700) 700 centimeters or more	
(999) Unknown inches X 2.54 = centimeters 41. Ground to Head Contact Code to the nearest centimeter (000) No side contact (800) 800 centimeters or more (998) No head contact (999) Unknown	
inches X 2.54 = centimeters	

1