



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

psu <u>9</u>0

CASE NO. 6389

TYPE OF ACCIDENT CAR PedesTriAN/Crossing Road diagona

DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include Vehicle #1 was Traveling East IN LANE #1 OF A Two LANE, Two WAY ROADWAY. PedesTriAN#1 WAS RUNNING ACTOSS THE ROAdway in A Southerly direction. The FrONT of Vehicle #1 CONTACTED Pedes. TRIAN ROTATED ONTO The hood of The Vehicle And SLID INTO The WINDShield. The Pedestrian SLID OFF Hood And STRUCK The PASSENGER Side REAR View Mirror And FELL To The Ground. The Vehicle STOP MOMENTAVILY AT CORNER, THEN TURNED Right into A PRIVATE PARKING LOT. The PEDESTRIAN CAME TO FINAL REST OFF ROADWAY

	B. PEDESTRIAN PROFILE											
Pedestrian			Treatment/	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)								
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source					
01	53	MALE	TRANSPOTTEC	Head	Organs Brain	4	windshield					

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity

		C. VE	HICLE PROFIL	.E
	Class			Most Severe Damage Based on Vehicle Inspection
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description
01	INTERMEDIATE	1996 Mercury Sable	FRONT	Windshield Shattered Scratches, Smudges

DO NOT SANITIZE THIS FORM

U.S. Department of Transportation


ACCIDENT COLLISION DIAGRAM

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY National Highway Traffic Safety Administration PSU No. <u>9</u> <u>0</u> Case Number—Stratum <u>6</u> <u>3</u> <u>8</u> <u>P</u> 1.1 Δ VII



ACCIDENT COLLISION DIAGRAM

National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY



U.S. Department of Transportation National highway Traffic Safety Administration

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number $\underline{\mathcal{I}}$		Case N	lumber-	-Stratum <u>6 38 P</u>		
PEDESTRIAN ACCIDENT CO	LLISION DATA	COLLECTION		SCALED DIAGRAM		
document reference point and reference line relative to physical features	Surface Type	NOW BIT ASPHAL	nor	th arrow placed on diagram		
documentation of all accident induced physical evidence including (if applicable):	Surface Condition	DRY		de measurements for all applicable dways		
a) vehicle skid marks	Coefficient of Fri	iction • 72		aled representations of the physical plant luding:		
b) pedestrian contacts with ground or object	Grade (v/h) Mea		a)	all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)		
c) vehicle/pedestrian point of impact (POI)	a) at impa		b)	all traffic controls (e.g., lights, signs)		
d) location of pedestrian separation point from vehicle	b) betwee	en impact and	pec	aled representations of the vehicle and destrian at pre-impact, impact, and final it based upon either:		
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Trave	el Direction	a)	physical evidence, or		
documentation of the physical plant including:	Vehicle Travel D	Direction	b)	reconstructed accident dynamics		
 all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.) 	Number of Trave	el Lanes				
b) all traffic controls (e.g., lights, signs)		:				
Reference Point:OF NORTH WEST Co	orner		ORT	n curbline		
Item	, 44-2	Distance and Direction from Reference Point		Distance and Direction from Reference Line		
TANGET LINE N.W. COA	RNER	0.0.		0.0		
Ped#1 P.O.T.		13.0m Wes	_	5.7m South		
Ped#I FR.P.		7.0m West		1.5m South		
Vehicle#1 P.O.I.		13.00 Wes		5.7m South		
Vehicle#1 F.R.P.		1.5m EAST		7,5m South		
POI + FRP'S From Dr	iver t	withers at	Sce	ne		
wittness assisted						
		,		•		

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

0 1

74111111011111111			
	90	SPECIAL STUDIES - INDICATORS	
 Primary Sampling Unit Number Case Number - Stratum 	638p	Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special	
, IDENTIFICATIO	N	studies and 0 for the special studies not checked.	
		6SS15 Administrative Use(<u>) </u>
Number of General Vehicle Forms Submitted	0 1	7SS16 Pedestrian Crash Data Study	1_
4. Date of Accident (Month,Day,Year)	9 3	8SS17 Impact Fires(<u>Q</u>
5. Time of Accident	1920	9SS18	<u>)</u>
Code reported military time of NOTE: Midnight = 2400	accident.	10SS19	<u>D</u>
Unknown = 9999		NUMBER OF EVENTS	
		11. Number of Recorded Events	

PEDESTRIAN STUDY CRITERIA

in This Accident

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

	PEDESTRIAN ACCIDENT EVENTS											
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle			Class Of Vehicle	General Area of Damage						
12. <u>0</u> <u>1</u>	13. <u>0 1</u>	14. 03	15. <u>F</u>	16. <u>7</u> <u>2</u>	17. <u>0 0</u>	18. <u>0</u>						

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation National Highway Traffic Safety

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1.	Primary Sampling Unit Number 90	10. Pedestrian's Weight Code actual weight to the nearest
2.	Case Number - Stratum 6 3 9 P	kilogram. (999) Unknown
3.	Pedestrian Number01	pounds X .4536 = kilograms
	PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4.	Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
5.	Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping
6.	Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown	(6) Jumping (7) Falling/stumbling or rising (8) Other (specify): (9) Unknown
7.	inches X 2.54 =centimeters Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown	13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road
_. 8.	Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	(06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify): (99) Unknown
9.	Pedestrian's Height - Ground to Shoulder 9 9 9 9 Code to the nearest centimeter. (999) Unknown inches X 2.54 = centimeters	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

PEDESTRIAN'S AVOIDANCE ACTIONS	18. Pedestrian's Arm Orientation
	at Initial Impact
	(01) At sides
15 Pedestrian's First Avoidance Actions OO	(02) Folded across chest
10. 1 0000112110 1 11011	
(00) No avoidance actions	(03) Hands clasped behind back
(01) Stopped	(04) Hands on hips
(02) Accelerated pace	(05) Hands in pockets
(03) Ran away (along vehicle path)	
(04) Jumped	One or both arms:
(05) Turned toward vehicle	(06) Extended upward
(06) Turned away from vehicle	(07) Extended to side
(07) Dove or fell away	(08) Extended forward bracing
(07) Bove or len away	(09) Extended, holding object
Head hand(s) to :	(briefcase, suitcase, etc.)
Used hand(s) to : (11) Vault corner of vehicle	(10) Holding object (young child,
	grocery bag, etc.) in arm(s)
(12) Vault onto vehicle	
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against vehicle	bag, etc.) on shoulder(s) or head
(98) Other (specify):	(98) Other (specify):
(99) Unknown	(99) Unknown
	19. Pedestrian's Leg Orientation
	at Initial Impact
PEDESTRIAN'S ORIENTATION AT IMPACT	(01) Together
PEDESTRIAN S ORIENTATION AT IMIT ACT	(02) Apart-laterally
	(03) Apart-right leg forward
	(04) Apart-left leg forward
	(05) Apart- forward leg unknown
16. Pedestrian's Head Orientation	(06) Left foot off the ground
at illitar illipact	(07) Right foot off the ground
(1) To front	(08) Both feet off the ground
(2) To left	(98) Other (specify):
(3) To right	
(4) Up	(99) Unknown
(5) Down	20 Malainta/Bartantainata tatanantian 02
(8) Other (specify):	20. Vehicle/Pedestrian's Interaction
(9) Unknown	(01) Carried by vehicle, wrapped position
(5) 51.1.1.1.1.1	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
17. Pedestrian's Body (Chest) Orientation	(04) Passed over vehicle top
	(05) Thrown straight forward
at Initial Impact	(06) Thrown forward and left of vehicle
(1) Facing vehicle	(07) Thrown forward and right of vehicle
(2) Facing away	(08) Knocked to pavement, forward
(3) Left side to vehicle	(09) Knocked to pavement, left of vehicle
(4) Right side to vehicle	(10) Knocked to pavement, right of vehicle
(8) Other (specify):	(11) Knocked to pavement, run over or
(9) Unknown	dragged by vehicle
	(12) Shunted to left (comer impacts only)
	(12) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside
	(15) Snagged, rotated
	(16) Snagged, dragged by vehicle
	(17) Foot or legs run over
	(98) Other (specify):
	(99) Unknown

National Accident Sampling System-Stashing			
OFFICIAL RECORDS		INJURY CONSEQUENCES	
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 	7	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown	3
 22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given 	96	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):	3
Source:	_	Nonfatal (3) Hospitalization	
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown	1	(4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown	,
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	<u>O</u>	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown	1 31
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through that the pedestrian stayed in a hospital (61) 61 days or more (99) Unknown	
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown	99

RE COMPLETED BY THE ZONE CENTER
34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
OS INCLUDED WITH INITIAL SUBMISSION? YES[] NO[] YES[]

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Administration 1. Primary Sampling Unit Number

3. Pedestrian Number

2. Case Number - Stratum

4. Blank

INJURY DATA


Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.


	AIS-90								Injury					
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth	
1st	5. 2	68	ر مر	8 <u>/</u>	_{9.} OS	- _{10.} 2	11. 1	12. 70(2 13[14	15. 2	_16. <u>2</u>	172	
2nd	18. 2	-197	20. 5	21,22	- _{22.} <u>0</u> 0	_{23.} <u>2</u>	24	<u>77.</u>	3 _{26.} <u>/</u>	27. <u> </u>	_{28.} <u>2</u>	29. <u>Z</u>	30. <u>Z</u>	
3rd	312	-32	/ _{33.} _9	34 <u>06</u>	35. <u>0</u> 2	_3 6. <u>↓</u>	37.]	38. <u>77</u>	_5 _{39.} _/	40. <u>/</u>	412	- _{42.} _5	43.3	
4th	44. 2-	-25. <u>2</u>	- 469	47. <u>©</u>	48. <u>O</u>	2 _{#9.} _/	50.	51. <u>7 7 7</u>	52	53. <u>/</u>	_{54.} _2_	- _{55.} <u>5</u>	- _{56.} <u>3</u>	
5 t h	57. 2	- _{58.} _2	−59. <u> </u>	60. <u>76</u>	61. <u>0</u> 2	<u>-62. </u>	ъз	64. 77	5 65	66	67. <u>2</u>	<u>ک .68</u>	- 69. <u>\$</u>	
6th	70. 2	· 71.2	- 72. <u>9</u>	73. <u>7</u> 9	/14. <u>0</u> :	2 _{75.} _/	76. <u>/</u>	77. <u>77</u>	7B	79. <u>/</u>	80. <u>2</u>	<u>ک</u> 81.	- 	
7th	83. 2	- _{84.} <u>2</u>	= _{85.} <u></u>	86. <u>12</u>	87. <u>04</u>	. <u>3</u>	8 /	90. 7 7 5	91	92./_	93	- 5 94	95.	
Bth	96. <u>2</u>	- _{97.} <u> </u>	98. <u> </u>	99. <u>06</u>	100. <u>50</u>	<u> 101. 4</u>	102.	103. 775	104.	105	106.	2 _{107.} <u>5</u>	<u>آ۔</u>	
9th	109. 9	-11 0/	1111.4	112.06	_{113.} <u>78</u>	114.4	115.	-116. <u>775</u>	_117	118.7	1192	<u>ک</u> ₁₂₀ . <u>ح</u>	121. 3	
Oth	122.2	123. <u>5</u>	- <u>9</u>	125.02	126. <u>O</u>	<u> </u>	128	129.75	<u>)</u> 130. <u>/</u>	131.	132.3	133	134	

	ż				PEDES	STRIA	עמו ע	JRY DAT	A				
	Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11tt	, 2-	8	9	02	<u></u> 2		L	752	- 1	/_	3	3	3
12tl	, 2	5	4	02	99		2	<u>75</u> 2	<u>/</u>	<u>/_</u>	2	2	<i>3_</i>
13t	n <u>2</u> -	<u>5</u>	<u> 4</u>	18	<u>20</u>	٩	_1	252	<u> </u>	!	3	<u>ح</u>	3
14ti	n					—	—	13. 22.5 7.7	_	_	_	_	_
15ti	n	_	_			—							-
16ti	n	—	_						_		_		
17tl	h		_	_		—	_			_	_	_	_
18ti	n	_	_							—			
19ti	h		<u></u>				_		-	—			_
20ti	n <u> </u>	_	-						_				_
21s		—	_			_	_		_	<u> </u>			
22n			<u></u>				— s			—	_		_
23ri 24ti		-	_		——					—			-
240 25ti		_	_			_			_	_			_

A 19 A financial car general general property and the property of property of a control of the c

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





(4) (5) Large deformation DIRECT/INDIRECT INJURY emergency room (e.g., discharge Cracked, fractured, shattered Separated from vehicle Direct contact injury Indirect contact injury summary) (6) Emergency room records only (including (7) Noncontact injury Noncontact injury associated X-rays or other lab reports) Other specify: Injured, unknown source Unknown Private physician, walk-in or emergency clinic STRIKING PROFILE **DAMAGE DEPTH** Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥15 centimeters) Rounded (contoured) (0) Injury not from vehicle contact (1) No residual damage UNOFFICIAL (5) Lay coroner report Surface only damage Crush depth >0 to 2 centimeters (6) E.M.S. personnel (3) Rounded edge (7) Interviewee Crush depth > 2 to 5 centimeters Sharp edge Other (specify): Other source (specify): Crush depth > 5 to 10 centimeters Other specify:_ (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION Abbreviated Injury Scale **Specific Anatomic Structure Body Region** Spine (02) Cervical Whole Area (02) Skin - Abrasion (04) Skin - Contusion (06) Skin - Laceration (08) Skin - Avulsion Thoracic Minor injury Head Moderate injury (06) Lumbar (2) (2) Face (3) Serious injury (3)Neck Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit Severe injury Thorax (5) Critical injury (5) Abdomen Maximum (untreatable) Injured, unknown severity (10) Amputation numbers beginning with 02 (6) (6) Spine (7) Upper Extremity (20) Burn Level of Injury Lower Extremity (30)Crush Degloving Injury - NFS (40) Aspect (9) Unspecified injuries are re two-digit assigned numbers Specific are (50) consecutive Right Trauma, other than mechanical Type of Anatomic Structure (90) beginning with 02. (3) (4) Bilateral Whole Area Head - LOC To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS are being a requiries. (02) Length of LOC (04, 06, 08) Level of Consciousness (10) Concussion Central Vessels Anterior Nerves (6) (7) **Posterior** Organs (includes muscles/ (4)Superior ligaments) (8) Inferior Skeletal (includes joints) Unknown Head - LOC Whole region NFS as to lesion or severity. Skin **INJURY SOURCE** Wheels / tires 790 Left front wheel / tire 744 B pillar 700 Front bumper 791 Right front wheel / tire 701 Front lower valance/spoiler 745 C pillar 792 Left rear wheel / tire 746 D pillar 702 Front grille 793 Right rear wheel /tire 748 Other pillar (specify): 703 Hood edge and/or trim 798 Other wheel / tire (specify): 749 Right side roof rail 704 Hood ornament (fixed) 750 Right side door surface 799 Unknown wheel / tire 705 Hood ornament (spring loaded) 751 Right side door handle 706 Headlight 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 753 Right side folding mirror 800 Front crossmember 708 Turn signal/parking lights 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 718 Other front or add on object 802 Oil pan 755 Right side glazing rearward of B pillar (specify):_ 756 Rear antenna 803 Exhaust system pipe 719 Unknown front object 804 Transmission 757 Rear fender or quarter panel 805 Drive shaft 758 Other right side object Left Side Components (specify): 806 Catalytic converter 720 Front fender side surface 759 Unknown right side component 807 Muffler 721 Front antenna 808 Floor pan 722 A1 pillar 809 Fuel tank Back Components 723 A2 pillar 760 Rear (back) bumper 810 Rear suspension 724 B pillar 761 Tailgate 818 Other undercarriage component 725 C pillar (specify): 762 Hatchback, vertical surface 726 D pillar 819 Unknown undercarriage component 768 Other back component 728 Other pillar (specify): (specify): 769 Unknown back component **Accessories** 729 Left side roof rail 820 Air scoop, deflector 730 Left side door surface 821 Cellular or CB radio antenna Top Components 731 Left side door handle 770 Hood surface 822 Emergency lights or bar 732 Left side mirror fixed housing 771 Hood surface reinforced by under hood 823 Fog lights 733 Left side folding mirror 824 Luggage, ski, or bike rack 734 Left side glazing forward of B pillar component 825 Cargo (specify):_ 772 Front fender top surface 735 Left side glazing rearward of B pillar 826 Spare tire 773 Cowi area 736 Left side back fender or quarter panel 774 Wiper blade & mountings 827 Spotlight 737 Rear antenna 775 Windshield glazing 828 Other accessory (specify):_ 738 Other left side object 776 Front header (specify): 739 Unknown left side component Other Object or Vehicle in Environment 777 Roof surface 778 Backlight glazing 947 Ground 779 Rear header 948 Other object (specify): Right Side Components 949 Unknown object in environment 780 Hatchback 740 Front fender side surface 959 Unknown object on contacting vehicle 781 Rear trunk lid 741 Front antenna 997 Noncontact injury source 788 Other top component (specify): ___

789 Unknown top component

INJURY SOURCE CONFIDENCE LEVEL

Certain

Possible

Unknown

SOURCE OF INJURY DATA

(2) Hospital/medical records other than

medical records

(1) Autopsy records with or without hospital/

OFFICIAL

742 A1 pillar

743 A2 pillar

TYPE OF DAMAGE

Dent

No damage/contact

999 Unknown injury source

Injury not from vehicle contact

Scratch (Scuff, Cloth Transfer, Smear)

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

Porbital blowott at Pmaxillary finus

orbit wedia wall

Blood Alcohol Level 2 (mg/dl) 2,753200.2,1 BAL = +175 1x (b) c avice

Glasgow Coma Scale Score


gcss = 15


Units of Blood Given

Units = 57 ulcer + liver lac

Arterial Blood Gases

Ph = __.__






National Accident Sampling System-Crashworthiness Data System: Pedestrian Injury Form

OFFICIAL INJURY DATA - INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

an	OFFICIAL RECORDS
1. Primary Sampling Unit Number $\frac{90}{20}$	a a a
2. Case Number - Stratum 6 3 8 P	9. Police Reported Travel Speed 9 9 9
3. Vehicle Number VEHICLE IDENTIFICATION	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown
	mph X 1.6093 = kmph
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown	10. Speed Limit (000) No statutory limit Code posted or statutory speed limit
5. Vehicle Make (specify):	in kmph (999) Unknown
MERCURY Applicable codes are found in your NASS PCDS Data Collection, Coding and	30 mph x 1.6093 = 048 kmph
Editing Manual. (99) Unknown	11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present
6. Vehicle Model (specify): SABLE G-SERIES 0 1 7	(7) Not reported(8) No driver present(9) Unknown
Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused
7. Body Type Note: Applicable codes may be found on the back of this page.	(96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number	Source:
1 MELM5 1 M 9 T A Left justify; Slash zeros and letter Z (Ø and Z) No VIN—Code all zeros Unknown—Code all nines	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (s 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight — Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown — 5 3 7 — 5 4 — 5 4 — 5 4 — 5 4 — 5 7 — 5 7 — 5 7 — 5 8 7 — 5 8 7 — 5 8 7 — 6 8 7 — 7 8 7 — 7 8 8 7 — 7 8 8 7 — 7 8 8 7 — 7 8 8 7 — 7 8 8 7 — 7 8 8 8 8 — 7 8 8 — 7 8 8 8 — 7 8 — 7 8 — 7 8 8 — 7 8 8 — 7 8 8 — 7 8 8 — 7 8 8 — 7 8 8 — 7 8 — 7 8 8 —	18. Impact Speed Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source: 16. Vehicle Cargo Weight Code weight to nearest	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
	1
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown (9) Unknown (1) Going straight (1) Going straight (1) Slowing or stopping in traffic lane (2) Slowing or stopping in traffic lane (3) Starting in traffic lane (4) Stopped in traffic lane (5) Passing or overtaking another vehicle (6) Disabled or parked in travel lane (10) Disabled or parked in travel lane (11) Leaving a parking position (12) Entering a parking position (13) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (17) Other (specify): (18) No driver present (18) Unknown

23. Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(O2) Braking (no lockup)
(16) Turning right at intersection	(O3) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle	(99) Unknown
in lane	25. Precrash Stability After Avoidance Maneuver
Other Motor Vehicle Encroaching Into Lane	(0) No driver present
(60) From adjacent lane (same direction)—over left lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction)—over right	(2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30
(62) From opposite direction—over left lane line	degrees
(63) From opposite direction—over right lane line	(4) Skidding laterally—clockwise rotation
(64) From parking lane	(5) Skidding laterally—counterclockwise rotation
(65) From crossing street, turning into same direction	(8) Other vehicle loss-of-control (specify):
(66) From crossing street, across path	(9) Precrash stability unknown
(67) From crossing street, turning into opposite	(9) Frechasti stability drikitowii
direction	26. Precrash Directional Consequences of
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(0) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(73) From driveway, intended path not known	maneuver was initiated
(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane
(78) Encroachment by other vehicle—details	where avoidance maneuver was initiated
unknown	(4) Vehicle stayed on roadway, not known if left travel lane where avoidance maneuver was
Pedestrian or Pedalcyclist, or Other Nonmotorist	initiated
(80) Pedestrian in roadway	(5) Vehicle departed roadway
(81) Pedestrian approaching roadway	(6) Avoidance maneuver initiated off roadway
(82) Pedestrian—unknown location	(9) Directional consequences unknown

	ENVIRO	NME	NTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	0	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
28.	(6) Unknown type of non-interchange (9) Unknown if interchange Trafficway Flow (1) Not physically divided (two way traffic)		34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing) Regulatory or School Zone Sign (Not RR Crossing)
	 (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown 	2	(2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR
29.	Number of Travel Lanes (1) One (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown	<u>Z</u>	controls (specify): (9) Unknown 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown	_/_	36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk
31.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown		(9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet (4) Snow
32.	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify): (9) Unknown	<u>Z</u>	(5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown

	97
	90-638
	96 S.b/e
	6970 = 5340m
	night
	f = 0.65
	POITO 1-RP = 14 m = 47,6 ft.
	PRT = 1 Sec
	$v_0 = 1/4$
	$48 = 10 + \frac{v^2}{(2)(0.65)(32.2)}$
	0,02412 +11-48 = 0
	1 + 71112 - (4) 12 02 W \ F (4.9.)
	V = = 7 = 7 (1) = 2 (4) (010 = 4) (10)
	= 28,5+PS = 19.4 mph = 31.25 KPh
	31 K Ph
·	

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Vehicle Number

2. Case Number - Stratum

VEHICLE IDENTIFICATION

VIN 1 ME LM5/UGTA

PEV15 Front Bumper Reinforcement Material

Vehicle Make (specify): Mencury

STEEL

Model Year 96

Vehicle Model (specify): SABLE (6 series

PEDESTRIAN FRONT CONTACT WORK SHEET


PEV06 Hood Material	STEEL
PEV08 Hood Length	<u>098</u> cm
PEV09 Hood Width-Forward Opening	<u>092</u> cm
PEV10 Hood Width-Midway	<u>/ 50</u> cm
PEV11 Hood Width-Rear Opening	
PEV14 Front Bumper Cover Material	PLASTIC

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height	<u>033</u>	cm
PEV17 Front Bumper-Top Height	050	cm /
PEV18 Forward Hood Opening	063	
PEV19 Front Rumper Lead	. 006	cm

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening	<u>O 6 5</u> cm
PEV21 Ground to Front/Top Transition Point	<u>078</u> cm /
PEV22 Ground to Rear Hood Opening	178 cm
PEV23 Ground to Base of Windshield	184 cm
PEV24 Ground to Top of Windshield	281 cm
PEV25 Ground to Head Contact	208 cm



and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: <u>L. G. O</u>cm

	PEDESTRIAN SIDE CONTACT WORK SHEE		
PEV06	Hood Material		
	Hood Length		cm
	Hood Width-Forward Opening		cm
PEV10	Hood Width-Midway	/	cm
PEV11	Hood Width-Rear Opening		cm
	VEDTICAL METACULDEMENTO		
	VERTICAL MEASUREMENTS		
	Ground Clearance	<i></i>	cm
PEV27	Side Bumper-Bottom Height		cm
PEV28	Side Bumper-Top Height		cm
PEV29	Centerline of Wheel		cm
PEV30	Top of Tire		cm
PEV31	Top of Wheel Well Opening		cm
PEV32	Bottom of A-Pillar at Windshield		cm
PEV33	Top of A-Pillar at Windshield		cm
PEV34	Top of Side View Mirror		cm
	LATERAL MEASUREMENTS		
חבו יסר	C. to A Biller at Battom of Windshield		cm
	C _L to A-Pillar at Bottom of Windshield		
	C _L to A-Pillar at Top of Windshield		cm
PEV37	C _t to Maximum Side View Mirror Protrusion		cm
	WRAP DISTANCES		
PEV38	Ground to Side/Top Transition		cm
	Ground to Hood Edge		cm
	Ground to Centerline of Hood (ORIGIN)		cm
	Ground to Head Contact		cm

ORIGINAL SPECIFICATIONS

Wheelbase	108.5	inches	x 2.54	=	216 cm
Overall Length	199.7	inches	x 2.54	=	<u>507</u> cm
Maximum Width	0730				<u>/ 85 cm</u>
Curb Weight $3389 \overline{D}$	4.687	pounds	x .4536	=	2.125kg
Average Track	061.5	inches	x 2.54	=	<u> 156</u> cm
Front Overhang	0420	inches	x 2.54	=	
Rear Overhang	050.0	inches	x 2.54	=	126 cm
Undeformed End Width	057.4	inches	x 2.54	=	<u>/ 46</u> cm
Engine Size: cyl./displ.	<u>3000</u>	СС	x .001	=	<u>3</u> .0 L
	<u> </u>	CID	x .0164	=	<u>3</u> . <u>0</u> L

INJURY SOURCE

FRONT
700 Front bumper
701 Front lower valance/spoiler
702 Front grille
703 Hood edge and/or trim
704 Hood ornament (fixed)
705 Hood ornament (spring loaded)
706 Headlight
707 Retractable headlight door (Open/Closed)
708 Turn signal/parking lights
718 Other front or add on object
(specify):
719 Unknown front object
Left Side Components
720 Front fender side surface
721 Front antenna
722 A1 pillar
723 A2 pillar
724 B pillar
725 C pillar
726 D pillar
728 Other pillar
(specify):
729 Left side roof rail
730 Left side door surface
731 Left side door handle
732 Left side mirror fixed housing
733 Left side folding mirror
734 Left side glazing forward of B pillar
735 Left side glazing rearward of B pillar
736 Left side back fender or quarter panel
737 Rear antenna
738 Other left side object
(specify):
739 Unknown left side component

Right Side Components

741 Front antenna

742 A1 pillar

743 A2 pillar

740 Front fender side surface

744	B pillar
745	C pillar
	D pillar
748	Other pillar (specify):
	Right side roof rail
750	Right side door surface
751	Right side door handle
752	Right side mirror fixed housing
753	Right side folding mirror
754	Right side glazing forward of B pillar
755	Right side glazing rearward of B pillar
756	Rear antenna
757	Rear fender or quarter panel
758	Other right side object
	(specify):
759	Unknown right side component
	-
Back C	omponents
760	Rear (back) bumper
761	Tailgate
762	Hatchback, vertical surface
768	Other back component
	(specify):
769	Unknown back component
Ton Co	omponents
	Hood surface
	Hood surface reinforced by under hood
	component
772	Front fender top surface
–	Cowi area
	Wiper blade & mountings
	Windshield glazing
	Front header
	Roof surface
	Backlight glazing
	Rear header
	Hatchback
781	Rear trunk lid
	Other top component (specify):
	Unknown top component
	•

Wheels / tires
790 Left front wheel / tire
791 Right front wheel / tire
792 Left rear wheel / tire
793 Right rear wheel /tire
798 Other wheel / tire (specify):
799 Unknown wheel / tire
Undercarriage components
800 Front cross member
801 Steering assembly/Front suspension
802 Oil pan
803 Exhaust system pipe
804 Transmission
805 Drive shaft
806 Catalytic converter
807 Muffler
808 Floor pan
809 Fuel tank
810 Rear suspension
818 Other undercarriage component
(specify):
819 Unknown undercarriage component
Accessories
820 Air scoop, deflector
821 Cellular or CB radio antenna
822 Emergency lights or bar
823 Fog lights
824 Luggage, ski, or bike rack
825 Cargo (specify):
826 Spare tire
827 Spotlight
828 Other accessory (specify):
Other Object or Vehicle in Environment

947 Ground

948 Other object (specify):_


997 Noncontact injury source


999 Unknown injury source

949 Unknown object in environment

959 Unknown object on contacting vehicle

VEHICLE DAMAGE SKETCH





NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: $\angle \omega \varrho$ cm

POINTS OF PEDESTRIAN CONTACT								
PEDESTRIAN CONTACT WORKSHEET								
CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IM CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)	SEQUENCE #
C	Bumper	+114	+17	0	legs	Scratch Smudge	2 3 9	1
D	Bumpee	+117	+34	Ø	11	11	D 2−3−9	1
H		+78	+60	0	Legs	1(2 3 9	/
K	Hood		+68			SCYNTCH	D 2.3.8	2
7	wind	- 53	+62	3cm	HEAD FACE	Shattered Spider Web	∂ 2 3 9	3
D	DUTSIES MIRADR	- 84	#97	0	BACK	Eccaire	() 2.1.9	4
A	Bumper	-101	-60-61	0	Legs	Smudge	1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 8	
							1 2 3 9	
							1 2 1 8	
							1 2 3 9	
							1 2 1 9	
					<u> </u>		1 2 3 9	

Page 6

	POINTS OF PEDESTRIAN CONTACT							
CHRONOLOGICAL ORDER OF CONTACTS								
CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)	
1	700	+117	+40	0	R, Leg	suff	2 3 9	
2	773	- 15	+65	D	Eleville	Scralle	D 2 2 2	
3	775	-53	+65	0-2	Lac (R) Sec 10	W/5 ,	1 2 3 9	
4	775				£ 7 Féi. ().	creshed	1 2 2 9	
5	775				Lee &	/ (1 2 3 9	
E	775_				e orbit		1 2 3 9	
7	775	-	ι		Blow out FX		7) 2 3 9	
a	1,	71	ď	4	Lennes -		D 2:11	
9	//	10	(.	(introver trick	l .	1 2 3 9	
10	75)	-84	<i>+</i> 9,7	0-2	2 4100m	mirror	1 2 2 3 9	
11	752	-84	+97	0-2	e pelvis	Scrotered	1 2 3 9	
12	752		4	7	gaten-	17-12-1	D2 3 9	
13				(RLiver		1 2 3 9	
14							1 2 3 B	
15							1 2 3 9	
18							1 2 3 8	
17							1 2 3 9	
18							1 2 7 9	
19							1 2 3 9	
20							1 2 3 9	
21							1 2 3 9	
22							1 2 3 9	
23							1 2 3 9	
24							1/2,3/8	
25							1 2 3 9	


VEHICLE DIMENSIONS	11. Hood Width Rear Opening / 56
4. Original Wheelbase 276	Code to the
4. Original Wheelbase	nearest centimeter
nearest centimeter	(210) 210 centimeters or more (999) Unknown
(999) Unknown	(000) Changwii
inches X 2.54 = centimeters	inches X 2.54 = centimeters
	12. Hood/Fender Vertical/Lateral Crush From
5. Original Average Track Width / 5 6	Pedestrian
Code to the	(0) Not damaged
nearest centimeter	(1) Surface scratching only, no residual crush
(185) 185 centimeters or more (999) Unknown	(2) Minor crush (1-3 centimeters)
(000) Chikhowh	(3) Moderate crush (4-7 centimeters) (4) Severe crush (>7 centimeters)
inches X 2.54 = centimeters	(8) Damage present, unknown if damage is from
	pedestrian impact
6. Hood Material	(9) Unknown
(1) Plastic	13. Windshield Contact Damage
(2) Fiberglass	From Pedestrian Contact
(3) Steel	(0) Not contacted by pedestrian
(4) Aluminum (5) Stainless Steel	(1) Contacted by pedestrian - not damaged
(8) Other (specify):	(2) Contacted by pedestrian - damaged
(9) Unknown	(3) Unknown if contacted by pedestrian - not damaged
/	(4) Unknown if contacted by pedestrian -
7. Hood Original	damaged
(1) OEM factory installed hood	(9) Unknown if contacted by pedestrian - unknown if damaged
(2) OEM replacement	unknown n damaged
(3) Non-OEM replacement	FRONT CONTACT DAMAGE
(9) Unknown	
8. Hood Length $\frac{D}{2} = \frac{9}{8}$	From Vertical Measurements
Code to the	14. Front Bumper Cover Material
nearest centimeter (180) 180 centimeters or more	(O) No front contact
(999) Unknown	(1) Plastic
(000)	(2) Fiberglass (3) Rubber
inches X 2.54 = centimeter	(4) Other (specify):
9. Hood Width Forward Opening 092	(9) Unknown
. Code to the	15. Frank Branco & Reinforcement Metarial
nearest centimeter	15. Front Bumper Reinforcement Material (0) No front contact
(210) 210 centimeters or more	(1) Steel
(999) Unknown	(2) Aluminum
inches X 2.54 = centimeters	(3) Stainless Steel
	(4) Other (specify):(9) Unknown
10. Hood Width Midway 150	
Code to the	16. Front Bumper-Bottom Height <u>033</u>
(210) 210 centimeters or more	Code to the nearest centimeter
(999) Unknown	(000) No front contact
. inches X 2.54 = centimeters	(150) 150 centimeters or more
inches A 2.34 = centimeters	(999) Unknown
•	inches X 2.54 = centimeters

17.	Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknowninches X 2.54 = centimeters	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown inches X 2.54 =
	inches X 2.54 = Certaineters	
18.	Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown
	inches X 2.54 = centimeters	inches X 2.54 = centimeters
19.	Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
	. inches X 2.54 = centimeters	inches X 2.54 = centimeters
	inches x 2.34 = Certaineters	
	Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	
		Side Vertical Measurements
20.	Ground to Forward Hood Opening O 6 5  Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 =centimeters	26. Ground Clearance  Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
	nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters	26. Ground Clearance  Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more
	nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	26. Ground Clearance  Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
	code to the nearest centimeter  (000) No front contact  (200) 200 centimeters or more  (999) Unknown	26. Ground Clearance  Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown  inches X 2.54 = centimeters  27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
21.	code to the nearest centimeter  (000) No front contact  (200) 200 centimeters or more  (999) Unknown	26. Ground Clearance  Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown  inches X 2.54 = centimeters  27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown  inches X 2.54 = centimeters  28. Side Bumper-Top Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
21.		26. Ground Clearance  Code to the nearest centimeter  (000) No side contact  (150) 150 centimeters or more  (999) Unknown  inches X 2.54 = centimeters  27. Side Bumper-Bottom Height Code to the nearest centimeter  (000) No side contact  (150) 150 centimeters or more  (999) Unknown  inches X 2.54 = centimeters  28. Side Bumper-Top Height Code to the nearest centimeter  (000) No side contact  (150) 150 centimeters or more

30

20	Centerline of Wheel	000	Side Lateral Messureme	nts
29.	Code to the	000		
	nearest centimeter		35. Centerline to A-Pillar	000
	(000) No side contact		at Bottom of Windshield	
	(150) 150 centimeters or more (999) Unknown		(000) No side contact	
	(000) Olikiloviii		Code to the	
	inches X 2.54 =	centimeters	nearest centimeter (250) 250 centimeters or more	
			(999) Unknown	
30	Top of Tire	000	1-1-1	
30.	Code to the		inches X 2.54 =	centimeters
	nearest centimeter			
	(000) No side contact		36. Centerline to A-Pillar	000
i	(200) 200 centimeters or more (999) Unknown		at Top of Windshield	
	(999) OHKHOWH		Code to the	
	inches X 2.54 =	centimeters	nearest centimeter	
			(000) No side contact (250) 250 centimeters or more	
24	Top of Wheel Well Opening	000	(999) Unknown	
31.	Top of Wheel Well Opening Code to the			
	nearest centimeter		inches X 2.54 =	centimeter
	(000) No side contact			
L	(250) 250 centimeters or more		37. Centerline to Maximum Side	000
	(999) Unknown		View Mirror Protrusion	
	inches X 2.54 =	centimeters	Code to the	
		_	nearest centimeter (000) No side contact	
32.	Bottom of A-Pillar at Windshield	000	(300) 300 centimeters or more	
	Code to the nearest centimeter		(999) Unknown	
	(000) No side contact			
	(250) 250 centimeters or more		inches X 2.54 =	centimeter
	(999) Unknown			
	inches X 2.54 =	centimeters	Side Wrap Distance Measure	ements
			rs.	
		000	38. Ground to Side/Top Transition	000
33.	Top of A-Pillar at Windshield	000	Code to the	
	Code to the nearest centimeter	•	nearest centimeter	
	(000) No side contact		(000) No side contact (400) 400 centimeters or more	
	(300) 300 centimeters or more		(999) Unknown	
	(999) Unknown			
	inches X 2.54 =	centimeters	inches X 2.54 =	centimeters
		00//(////00/0		
		000	39. Ground to Hood Edge	000
34.	Top of Side View Mirror	000	Code to the	
	Code to the nearest centimeter		nearest centimeter	
	(000) No side contact		(000) No side contact (500) 500 centimeters or more	
	(300) 300 centimeters or more		(999) Unknown	
	(999) Unknown			
	inches X 2.54 =	centimeters	inches X 2.54 =	centimeters

40.	(000) (700)	d to Centerline of Hood Code to the nearest centimeter No side contact 700 centimeters or more Unknown	000	
41.	(000) (800) (998)	d to Head Contact Code to the nearest centimeter No side contact 800 centimeters or more No head contact Unknown	centimeters	
		inches X 2.54 =	centimeters	



90638P00000011 969.04000000000119200100001 9600000000 00000000000000 01 969.0410000000000103F72000 90638P00010012 9.04 00000000531999999999999913014003406030279670331319915 90638P00010021 20100000000013 9.04 00000000028516052170011222 90638P00010131 9.04 00000000027522002177311222 90638P00010231 9.04 00000000021906021177511253 90638F00010331 9.04 00000000022906021177511253 90638P00010431 9.04 00000000022976021177511253 90638F00010531 9.04 00000000022974021177511253 90638P00010631 9.04 00000000022512043177511253 90638F00010731 9.04 00000000021406504177511253 90638P00010831 9.04 00000000021406784277511253 90638P00010931 9.04 00000000025902021175211333 90638P00011031 9.04 00000000028902021175211333 90638P00011131 9.04 00000000025402991975211333 90638P00011231 9.04 00000000025418202175211333 90638P00011331 9.04 000000009614017041MELM51U9TA 399904879670154000003 90638P01000041 11110181011101211210031 9.04 0000000002761563109809215015612110330500630606507817818 90638P01000051 00000000000000

PSU90 CASE 638P

CURRENT VERSION: 9.04

ERROR SUMMARY SCREEN PEDESTRIAN STUDY

FORM NAME	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
			_	V
Pedestrian Accident	O	0	O	Y
Pedestrian Assessment	0	0	0	Υ
Pedestrian Injury	0	0	0	Υ
Pedestrian General Vehic		Ö	0	Υ
Pedestrian Exterior Veh:		ō	o	Υ
Total Inter Errors		0	0	
Total Case Errors	0	o	O	