



SILVER EAGLE
MANUFACTURING COMPANY

5825 N.E. Skyport Way, Portland, Oregon 97218
(503) 281-0727 • FAX: (503) 335-2171

01-022-N11B-7660

RECEIVED
BY NS-1790

200 APR -7 11 2001

March 31, 2000

3pg

VIN Coordinator
National Highway Traffic Safety Admin.
400 7th Street S.W. Room 5320
Washington, DC 20590

VIN Coordinator:

Attached is the latest revision to our VIN System per CFR 49 565.5(c). Feel free to call or write to me at the above with any questions.

Sincerely,

Gary Gaussoin

Gary Gaussoin
President

Attachments

VIN DIGIT CODE IDENTIFICATION

Digit 1-3

1 U 3 – SAE Manufacturer Code Number assigned Silver Eagle

Digit 4 Type

J – Converter Dolly
T – Trailer

Digit 5 “J” Series

A CST20N 96” Wide
B CST20W 102” Wide
C SUPER-C™ 96” Wide
D SUPER-C™ 102” Wide
E Conventional Dolly CSL20W 102” Wide
F Conventional Dolly CSL20N 96” Wide
G Conventional Dolly Air Ride CSA20N 96” Wide
H Conventional Dolly Air Ride CSA20W 102” Wide
K
L CTT Tandem
M
N
P CTL Tandem Dual Tire 102” Wide
R USF Reddaway
S CTL Tandem Single Tire
T CTL Tandem Dual Tire 96” Wide
U UPS Dolly
V VA Dolly 96” Wide
X VA Dolly 102” Wide
Y
1
2
3
4
5

“T” Series

Adventure Trailer
Chassis
Dump
Flat Deck
Goose Neck
Package Care
Cargo Box
Pole Trailer (Bogie) BSA20N 96” Wide
Pole Trailer (Bogie) BSA20W 102” Wide

* (T) CTL Tandem Dual Tire 96” & 102” Prior to 2000 Models

Digit 6 & 7

Drawbar Length – C/Eye to C/Axle Centers (Use last 2 digits of calculation).

e.g. 102” = 02
104” = 04
204” = 04
76” = 76
74.5 = 75
74.4 = 74

Digit 8

Axles 1 = 1
2 = 2
3 = 3

Digit 9

Check Digit

Digit 10

Section 565.4, Table VI

Digit 11

A – 1761 N.E. Argyle St. Portland, OR 97211 (Closed June 1998)

B – 5825 N.E. Skyport Way, Portland, OR 97218

Digit 12

Hitch Height – Hitch height minus tire radius (Use 5/4 rounding)

A = +22

B = +21

C = +20

D = +19

E = +18

F = +17

G = +16

H = +15

J = +14

K = +13

L = +12

M = +11

N = +10

P = +9

R = +8

S = +7

T = +6

U = +5

V = +4

W = +3

X = +2

Y = +1

Z = 0

1 = -1

2 = -2

3 = -3

4 = -4

5 = -5

6 = -6

Digit 13

Miscellaneous

S – Special

0 – Normal

1 – 100" Drawbar \leq

2 – 200" Drawbar \geq

Digit 14 thru 17

Consecutive Serial Numbers