

01-022-N11B-8164

**HI-WAY STAR, INC.****2210 Destiny Way  
Odessa, Florida 33556**

December 20, 2000

**ORIGINAL** 3pp**Administrator:****National Highway Traffic Safety Administration (NSA-32)  
400 Seventh Street, SW  
Washington, DC 20590  
Attn: VIN Coordinator****Subject: VIN Decoding Information for HI-WAY STAR, INC.****In accordance with #565.7(c) of 49 CFR Part 565, Vehicle Identification Number, HI-WAY STAR, INC. hereby submits Vehicle Identification Number (VIN) decoding information.**

<b>VIN POSITION:</b>	<b>DESCRIPTION:</b>	<b>CODES:</b>
1,2 & 3	WMI	1H9
4	Trailer Type	G = Gooseneck B = Ball Tye Pull
5	Body Type	V = Van Body F = Flat Bed
6&7	Length of Trailer (All lengths rounded to nearest foot)	26 = 26 Feet Long 09 = 09 Feet Long
8	Number of Axles	2 = 2 Axles 3 = 3 Axles
9	Check Digit	Calculate - SEE 49 CFR 565.4
10	Model Year	Y = 2000 I = 2001
11	Plant Location	F = Florida
12,13 & 14	WMI	
15, 16 & 17	Sequential Production Number	001 002

0001

### SERIAL NUMBER WORK SHEET

TYPE CODES			
CARGO	A	1	N 5
	B	2	P 7
	C	3	R 9
	D	4	S 2
	E	5	T 3
	F	6	U 4
	G	7	V 5
	H	8	W 6
	J	1	X 7
	K	2	Y 8
	L	3	Z 9
	M	4	

SERIES CODES	
G..GOOSENECK..7	
B..BALL HITCH..1	
N..NO HITCH..5	

Y..YEAR 2000
1..YEAR 2001

- PRE-ASSIGNED
- PRE-ASSIGNED
- PRE-ASSIGNED
- TYPE CODE
- SERIES CODE
- FIRST DIGIT OF LENGTH
- SECOND DIGIT OF LENGTH
- NUMBER OF AXLES
- CHECK DIGIT
- MODEL YEAR CODE
- PRE-ASSIGNED
- PRE-ASSIGNED
- PRE-ASSIGNED
- PRE-ASSIGNED
- FIRST DIGIT OF SEQUENCE
- SECOND DIGIT OF SEQUENCE
- THIRD DIGIT OF SEQUENCE

SER NO	CONV VALU	PRO X	MULTI PLYER
1	1	8	8
H	8	56	7
9	9	54	6
C	3	15	5
B	2	8	4
1	1	3	3
2	2	4	2
1	1	10	10
6		0	0
Y	8	72	9
F	6	48	8
3	3	21	7
8	8	48	6
4	4	20	5
0	0	0	4
0	0	0	3
1	1	2	2

REMAINDER	.09=1	.27=3	.45=5	.63=7	.81=9	.00=0
CHECK	.18=2	.36=4	.54=6	.72=8	.90=X	
DIGIT						

33.545 USE 1ST 2  
NO. OF DECIMAL  
FOR REMAINDER  
(DON'T ROUND  
HIGHER)

0002

**MANUFACTURED BY:  
HI-WAY STAR, INC.**

**December 2000**

<b>GVWR</b>	<b>2721 KG (6000 LB)</b>
<b>GAWR FRONT</b>	<b>1442 KG (3180 LB)</b>
<b>TIRES</b>	<b>ST 205/75R/15</b>
<b>RIMS</b>	<b>WH156-5475WS</b>
<b>COLD TIRE INFL</b>	<b>241 kPA (35 PSI) SINGLE</b>
<b>GAWR REAR</b>	<b>1442 KG (3180 LB)</b>
<b>TIRES</b>	<b>ST 205/75R/15</b>
<b>RIMS</b>	<b>WH156-5475WS</b>
<b>COLD TIRE INFL</b>	<b>241 kPA (35 PSI) SINGLE</b>

**THIS VEHICLE CONFORMS TO ALL  
APPLICABLE US FEDERAL MOTOR VEHICLE  
SAFETY STANDARDS IN EFFECT ON THE  
DATE OF MANUFACTURE SHOWN ABOVE**

**VIN 1H9CB1216YF384001**

**TYPE: TRAILER**