

Docket: 01-022N11-B

Comment Number =====	Date Received =====	Submitter/Firm/Subject =====	Pages =====	Date of Document =====
09104	03/26/2002	MASTERBUILT MFG. INC.	1	10/23/2002
09105	03/26/2003	PLAYMAKER RV INC.	1	04/20/2002
09106	03/26/2003	STANTON DYMANICS	1	10/14/2002
09107	03/26/2003	ED HEARD IRONHORSE TRAILERS INC.	1	10/01/2002
09108	03/26/2002	CHRISTINA GILMORE CLEVELAND T-TRIKE MFG. INC.	12	04/22/2002
09109	03/26/2003	GEORGIE BOY MFG.	1	04/25/2002
09110	03/26/2003	KODIAK ALUMINUM MFG. INC.	1	05/03/2002
09111	03/26/2003	ODDI CYCLES	3	00/00/0000
09112	03/26/2003	NEW YORK CITY CUSTOM CYCLES	3	00/00/0000
09113	03/26/2003	DANETTE FERNANDES DANCO TRAILERS INC.	1	06/05/2001
09114	03/26/2003	PAUL OTTERBACHER OTTERBACHER	2	03/27/2002
09115	03/26/2003	U. S. ABILITIES INC.	1	02/15/2002
09116	03/26/2003	AP TRAILERS LLC	2	00/00/0000
09117	03/26/2003	ALL PRO CYCLES	1	03/01/2002
09118	03/26/2003	ARLEN NESS ENTERPRISES INC.	2	03/14/2002
09119	03/26/2003	HEAVY HAULER TRUCKS & EQUIPMENT	1	10/07/2002
09120	03/26/2003	JEROME A. HOOVER MONACO	4	03/12/2002

01-022-111B-1108

ORIGINAL**VIN SUBMISSION**

Cleveland T-Trike Manufacturing, Inc.
21425 Aurora Road
Warrensville Heights, Ohio 44146
Phone: 216-332-0630
Fax: 216-332-0632

April 22, 2002

Administrator
National Highway Traffic Safety Administration
400 Seventh Street, SW
Washington, DC 20590
Attn: VIN Coordinator

Subject: VIN Decoding information Cleveland T-Trike Manufacturing, Inc.

In accordance with 565.7 (c) of 49 CFR Part 565, Vehicle Identification Number, Cleveland T-Trike Mfg., Inc. hereby submits Vehicle Identification Number (VIN) decoding information.

VIN POSITION:	DESCRIPTION:	CODES:
1,2 & 3	WMI	1C9
4	Motorcycle Type	T = Trike
5	Body Type	T = T-Bucket
6	Engine Type	6 = V6
7 & 8	Net Brake Horse Power	17 = 170
9	Check Digit	5
10	Model Year	2 = 2002
11	Plant Location	C = Cleveland
12,13 & 14	WMI	870
15,16 & 17	Sequential Production Number	003

VIN SUBMISSION

Cleveland T-Trike Manufacturing, Inc.
21425 Aurora Road
Warrensville Heights, Ohio 44146
Phone: 216-332-0630
Fax: 216-332-0632

April 22, 2002

Administrator
National Highway Traffic Safety Administration
400 Seventh Street, SW
Washington, DC 20590
Attn: VIN Coordinator

Subject: VIN Decoding information Cleveland T-Trike Manufacturing, Inc.

In accordance with 565.7 (c) of 49 CFR Part 565, Vehicle Identification Number, Cleveland T-Trike Mfg., Inc. hereby submits Vehicle Identification Number (VIN) decoding information.

VIN POSITION:	DESCRIPTION:	CODES:
1,2 & 3	WMI	1C9
4	Motorcycle Type	T = Trike
5	Body Type	T = T-Bucket
6	Engine Type	8 = V8
7 & 8	Net Brake Horse Power	25 = 250 HP
9	Check Digit	2
10	Model Year	2 = 2002
11	Plant Location	C = Cleveland
12,13 & 14	WMI	870
15,16 & 17	Sequential Production Number	002

0002

VIN SUBMISSION

Cleveland T-Trike Manufacturing, Inc.
21425 Aurora Road
Warrensville Heights, Ohio 44146
Phone: 216-332-0630
Fax: 216-332-0632

April 22, 2002

Administrator
National Highway Traffic Safety Administration
400 Seventh Street, SW
Washington, DC 20590
Attn: VIN Coordinator

Subject: VIN Decoding information Cleveland T-Trike Manufacturing, Inc.

In accordance with 565.7 (c) of 49 CFR Part 565, Vehicle Identification Number, Cleveland T-Trike Mfg., Inc. hereby submits Vehicle Identification Number (VIN) decoding information.

VIN POSITION:	DESCRIPTION:	CODES:
1,2 & 3	WMI	1C9
4	Motorcycle Type	T = Trike
5	Body Type	T = T-Bucket
6	Engine Type	8 = V8
7 & 8	Net Brake Horse Power	40 = 400 HP
9	Check Digit	0
10	Model Year	2 = 2002
11	Plant Location	C = Cleveland
12,13 & 14	WMI	870
15,16 & 17	Sequential Production Number	002

0003

VIN SUBMISSION

Cleveland Motorcycle Service & Parts, Inc
dba C & M Trailers
21425 Aurora Road
Warrensville Heights, Ohio 44146
Phone: 216-332-0630
Fax: 216-332-0632

April 22, 2002
Administrator
National Highway Traffic Safety Administration
400 Seventh Street, SW
Washington, DC 20590
Attn: VIN Coordinator

Subject: VIN Decoding information C & M Trailers

In accordance with 565.7 (c) of 49 CFR Part 565, Vehicle Identification Number,
C & M Trailers hereby submits Vehicle Identification Number (VIN) decoding
information.

VIN POSITION:	DESCRIPTION:	CODES:
1, 2 & 3	WMI	1C9
4	Trailer Type	T = TUBE FRAME
5	Body Type	U = Utility
6 & 7	Length of Trailer	16 = 16 Feet Long
8	Number of Axles	2 = 2 Axels
9	Check Digt	1
10	Model Year	2 = 2002
11	Plant Location	C = Cleveland
12, 13 & 14	WMI	871
15, 16 & 17	Sequential Production Number	002

0004

VIN SUBMISSION

Cleveland Motorcycle Service & Parts, Inc
dba C & M Trailers
21425 Aurora Road
Warrensville Heights, Ohio 44146
Phone: 216-332-0630
Fax:216-332-0632

April 22, 2002
Administrator
National Highway Traffic Safety Administration
400 Seventh Street, SW
Washington, DC 20590
Attn: VIN Coordinator

Subject: VIN Decoding information C & M Trailers

In accordance with 565.7 (c) of 49 CFR Part 565, Vehicle Identification Number, C & M Trailers hereby submits Vehicle Identification Number (VIN) decoding information.

VIN POSITION:	DESCRIPTION:	CODES:
1,2 & 3	WMI	1C9
4	Trailer Type	S = Straight C Channel
5	Body Type	U = Utility
6 & 7	Length of Trailer	10 = 10 Feet Long
8	Number of Axles	1 = 1 Axels
9	Check Digit	7
10	Model Year	2 = 2002
11	Plant Location	C = Cleveland
12,13 & 14	WMI	871
15,16 & 17	Sequential Production Number	002

0005

MANUFACTURED BY: Cleveland T-Trike
Manufacturing, Inc.
Cleveland, Ohio

DATE: May, 2002

GVWR		1006 KG (2220 LB)			
	GAWR		TIRES	RIMS	COLD INFLATION PRESSURE
FRONT	299 KG (660 LB)		MT90B16	16X4	276 KPA SINGLE (40 PSI) ☒
REAR	708 KG (1560 LB)		P26570R15	15X7J	303 KPA SINGLE (44 PSI) ☒

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S. FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE

V.I.N. WMIXXXXXXXXXXXXXXX

TYPE MOTORCYCLE / TRIKE

FD-2

MANUFACTURED BY: Cleveland T-Trike
Manufacturing, Inc.
Cleveland, Ohio

DATE: May, 2002

GVWR		1052 KG (2320 LB)			
	GAWR		TIRES	RIMS	COLD INFLATION PRESSURE
FRONT	345 KG (760 LB)		MT90B16	16X4	276 KPA SINGLE (40 PSI) ☒
REAR	708 KG (1560 LB)		P26570R15	15X7J	303 KPA SINGLE (44 PSI) ☒

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S. FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE

V.I.N. WMIXXXXXXXXXXXXXXX

TYPE MOTORCYCLE / TRIKE

FD-

MANUFACTURED BY: Cleveland T-Trike
Manufacturing, Inc.
Cleveland, Ohio

DATE: May, 2002

GVWR		1097 KG (2420 LB)			
	GAWR		TIRES	RIMS	COLD INFLATION PRESSURE
FRONT	345 KG (760 LB)		MT90B16	16X4	276 KPA SINGLE (40 PSI) ☒
REAR	752 KG (1660 LB)		P26570R15	15X7J	303 KPA SINGLE (44 PSI) ☒

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S. FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE

V.I.N. WMIXXXXXXXXXXXXXXX

TYPE MOTORCYCLE / TRIKE

FD-

MANUFACTURED BY:

DATE:

GVWR		KG (LB)			
	GAWR		TIRES	RIMS	COLD INFLATION PRESSURE
FRONT	KG (LB)				KPA SINGLE (PSI) ☐
REAR	KG (LB)				KPA SINGLE (PSI) ☐

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S. FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE

V.I.N.

TYPE

FD

MANUFACTURED BY C & M Trailers
Cleveland, Ohio

DATE OF MFR May, 2002

GVWR 3175 KG (7000 LB)

GAWR ALL 1587 KG (3500 LB) PER AXLE

WITH ST20575R15C TIRE 15X6J RIM

AT 344 KPA (50 'PSI) COLD SINGLE

THIS VEHICLE CONFORMS TO ALL APPLICABLE US FEDERAL MOTOR
VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE SHOWN ABOVE.

VIN WMXXXXXXXXXXXXXXXXX TYPE: TRAILER

MODEL 16T

MANUFACTURED BY C & M Trailers
Cleveland, Ohio

DATE OF MFR May, 2002

GVWR 907 KG (2000 LB)

GAWR ALL 907 KG (2000 LB) PER AXLE

WITH 20.5X8.0-10B. TIRE 10X8JA RIM

AT 241 KPA (35 PSI) COLD SINGLE

THIS VEHICLE CONFORMS TO ALL APPLICABLE US FEDERAL MOTOR
VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE SHOWN ABOVE.

VIN WMXXXXXXXXXXXXXXXXX TYPE: TRAILER

MODEL

MANUFACTURED BY

DATE OF MFR

GVWR KG (LB)

GAWR ALL KG (LB) PER AXLE

WITH TIRE RIM

AT KPA (PSI) COLD SINGLE

THIS VEHICLE CONFORMS TO ALL APPLICABLE US FEDERAL MOTOR
VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE SHOWN ABOVE.

VIN TYPE: TRAILER

MODEL

MODEL

MANUFACTURED BY

DATE OF MFR

GVWR KG (LB)

GAWR ALL KG (LB) PER AXLE

WITH TIRE RIM

AT KPA (PSI) COLD SINGLE

THIS VEHICLE CONFORMS TO ALL APPLICABLE US FEDERAL MOTOR
VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE SHOWN ABOVE.

VIN TYPE: TRAILER

MODEL

MANUFACTURED BY

DATE OF MFR

GVWR KG (LB)

GAWR ALL KG (LB) PER AXLE

WITH TIRE RIM

AT KPA (PSI) COLD SINGLE

THIS VEHICLE CONFORMS TO ALL APPLICABLE US FEDERAL MOTOR
VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE SHOWN ABOVE.

VIN TYPE: TRAILER

MODEL

0007

WORKSHEET: CHECK DIGIT CALCULATION

TER POSITION	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	SUM OF PRODUCTS
ACTUAL V.I.N.	1	C	9	T	T	8	4	0		2	C	8	7	0	0	0	2	
VERTED VALUES	1	3	9	3	3	8	4	0		2	3	8	7	0	0	0	2	
MULTIPLIER	8	7	6	5	4	3	2	10		9	8	7	6	5	4	3	2	
PRODUCT (X MULTIPLIER)	8	21	54	15	12	24	8	0		18	24	56	42	0	0	0	4	
286																		

CONVERSION TABLE TO NUMBERS

N = 5
P = 7
R = 9
S = 2
T = 3
U = 4
V = 5
W = 6
X = 7
Y = 8
Z = 9

CHECK DIGIT COMPUTATION

SUM OF PRODUCTS (FROM ABOVE)	DIVIDED BY	EQUALS	
		WHOLE NUMBER	+ DECIMAL
286	11	26	.0000
EXAMPLE			
247	11	22	.4545
BECAUSE THE DECIMAL IS .45, YOU SHOULD CHOOSE THE CHECK DIGIT AS 5, AS SHOWN IN THE CHECK DIGIT TABLE.			

CHECK DIGIT

IF THE DECIMAL IS	THE CHECK DIGIT IS
.09	1
.18	2
.27	3
.36	4
.45	5
.54	6
.63	7
.72	8
.81	9
.90	X
.00	0

WORKSHEET: CHECK DIGIT CALCULATION

TER POSITION	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	SUM OF PRODUCTS
ACTUAL V.I.N.	1	C	9	T	T	6	1	7		2	C	8	7	0	0	0	3	
ERTED VALUES	1	3	9	3	3	6	1	7		2	3	8	7	0	0	0	3	
MULTIPLIER	8	7	6	5	4	3	2	10		9	8	7	6	5	4	3	2	
PRODUCT (X MULTIPLIER)	8	21	54	15	12	18	2	70		18	24	56	42	0	0	0	6	346

SION TABLE
O NUMBERS

N = 5
P = 7
R = 9
S = 2
T = 3
U = 4
V = 5
W = 6
X = 7
Y = 8
Z = 9

CHECK DIGIT COMPUTATION

SUM OF PRODUCTS (FROM ABOVE)	DIVIDED BY	EQUALS	
		WHOLE NUMBER	DECIMAL
346	11	31,4545	.4545
EXAMPLE			
247	11	22	.4545
BECAUSE THE DECIMAL IS .45, YOU SHOULD CHOOSE THE CHECK DIGIT AS 5, AS SHOWN IN THE CHECK DIGIT TABLE.			

CHECK DIGIT

IF THE DECIMAL IS	THE CHECK DIGIT IS
.09	1
.18	2
.27	3
.36	4
.45	5
.54	6
.63	7
.72	8
.81	9
.90	X
.00	0

WORKSHEET: CHECK DIGIT CALCULATION

ER POSITION	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	SUM OF PRODUCTS
ACTUAL V.I.N.	1	C	9	T	T	8	2	5		2	C	8	7	0	0	0	2	
ERTED VALUES	1	3	9	3	3	8	2	5		2	3	8	7	0	0	0	2	
MULTIPLIER	8	7	6	5	4	3	2	10		9	8	7	6	5	4	3	2	
PRODUCT X MULTIPLIER)	8	21	54	15	12	24	4	30		18	24	56	42	0	0	0	4	
																		332

SECTION: TABLE TO NUMBERS

N = 5
P = 7
R = 9
S = 2
T = 3
U = 4
V = 5
W = 6
X = 7
Y = 8
Z = 9

CHECK DIGIT COMPUTATION

SUM OF PRODUCTS (FROM ABOVE)	DIVIDED BY	EQUALS WHOLE NUMBER + DECIMAL	
332	11	30	,1818
EXAMPLE			
247	11	22	.4545
BECAUSE THE DECIMAL IS .45, YOU SHOULD CHOOSE THE CHECK DIGIT AS 5, AS SHOWN IN THE CHECK DIGIT TABLE.			

CHECK DIGIT

IF THE DECIMAL IS	THE CHECK DIGIT IS
.09	1
.18	2
.27	3
.36	4
.45	5
.54	6
.63	7
.72	8
.81	9
.90	X
.00	0

WORKSHEET: CHECK DIGIT CALCULATION

TER POSITION	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	SUM OF PRODUCTS
ACTUAL V.I.N.	1	C	9	5	U	1	0	1		2	C	8	7	1	0	0	2	
ERTED VALUES	1	3	9	2	4	1	0	1		2	3	8	7	1	0	0	2	
MULTIPLIER	8	7	6	5	4	3	2	10		9	8	7	6	5	4	3	2	
PRODUCT X MULTIPLIER)	8	21	54	10	16	3	0	10		18	24	56	42	5	0	0	4	211

CONVERSION TABLE TO NUMBERS

N = 5
P = 7
R = 9
S = 2
T = 3
U = 4
V = 6
W = 6
X = 7
Y = 8
Z = 9

CHECK DIGIT COMPUTATION

SUM OF PRODUCTS (FROM ABOVE)	DIVIDED BY	EQUALS	
		WHOLE NUMBER	+ DECIMAL
211	11	24	.6363
EXAMPLE			
247	11	22	.4545
BECAUSE THE DECIMAL IS .45, YOU SHOULD CHOOSE THE CHECK DIGIT AS 5, AS SHOWN IN THE CHECK DIGIT TABLE.			

CHECK DIGIT

IF THE DECIMAL IS	THE CHECK DIGIT IS
.09	1
.18	2
.27	3
.36	4
.45	5
.54	6
.63	7
.72	8
.81	9
.90	X
.00	0

WORKSHEET: CHECK DIGIT CALCULATION

NUMBER POSITION	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	SUM OF PRODUCTS
ACTUAL V.I.N.	1	C	9	T	U	1	6	2		2	C	8	7	1	0	0	2	
ENTERED VALUES	1	3	9	3	4	1	6	2		2	3	8	7	1	0	0	2	
MULTIPLIER	8	7	6	5	4	3	2	10		9	8	7	6	5	4	3	2	
PRODUCT (X MULTIPLIER)	8	21	54	15	16	3	12	20		18	24	56	42	5	0	0	4	298

ASSIGNMENT TABLE TO NUMBERS

N = 5
P = 7
R = 9
S = 2
T = 3
U = 4
V = 6
W = 6
X = 7
Y = 8
Z = 9

CHECK DIGIT COMPUTATION

SUM OF PRODUCTS (FROM ABOVE)	DIVIDED BY	EQUALS	
		WHOLE NUMBER	+ DECIMAL
298	11	27	.0909
EXAMPLE			
247	11	22	.4545
BECAUSE THE DECIMAL IS .45, YOU SHOULD CHOOSE THE CHECK DIGIT AS 5, AS SHOWN IN THE CHECK DIGIT TABLE.			

CHECK DIGIT

IF THE DECIMAL IS	THE CHECK DIGIT IS
.09	1
.18	2
.27	3
.36	4
.45	5
.54	6
.63	7
.72	8
.81	9
.90	X
.00	0