



Speedy-Reply Letter

TO

Vin Coordniator
National Highway Traffic Safety Administrator
400 Seventh Street S.W.
Washington, D. C. 20590

MORGAN INDUSTRIES, INC.

MORGAN, MINNESOTA 56266

Phone: (507) 249-3131

B
3/13/85
Kull
[Signature]

SUBJECT

VIN Number

ORIGINAL

MESSAGE

Dear Sirs:

I am enclosing a copy of a VIN configuration number, witch we will be waiting for your approval so we can start using as of Dec 1-84.

01-22-N11B-1798

Yours Truly

Morgan Industries, Inc.

DATE:

10/3/84

SIGNED:

Melvin Walter

REPLY

85
MAR 26 11:00
RECEIVED
NHTSA DOCKET

DATE:

SIGNED:

INSTRUCTIONS TO SENDER:

- 1. KEEP CANARY COPY. 2. SEND PINK AND WHITE COPIES WITH CARBON INTACT.
- ▶ INDICATES FOLD MARK FOR #9 OR #10 WINDOW ENVELOPE.

INSTRUCTIONS TO RECEIVER:

- 1. WRITE REPLY. 2. DETACH STUB, KEEP WHITE COPY, RETURN PINK COPY TO SENDER.

VIN CALCULATION Trail-Mate

COUNTRY	MFGR	TRAILER TYPE	SERIES	LENGTH	AXLES	Check Digit	MODEL YEAR	PLANT	TRAILER MFG. ASSEMBLY NO.	SERIAL						
1	M	9	B	C	0	6	1	8	E	M	2	Q	1	4	4	4
1	4	9	2	3	0	6	1	5	4	2	0	1	4	4	4	4
8	7	6	5	4	3	2	1	0	9	8	7	6	5	4	3	2
8	28	54	10	12	0	12	10	0	40	32	14	0	5	18	12	8

Add Products →

DIVIDE Sum by 31 32 $\frac{72}{31}$
Decimal

Decimal - Check Digit

- .09 = 1
- .18 = 2
- .27 = 3
- .36 = 4
- .45 = 5
- .54 = 6
- .63 = 7
- .72 = 8
- .81 = 9
- .90 = X
- .00 = 0

BOX TYPE LABEL TRAILER 6' LABEL
 3/13/85

Manufacturer contacted

00 : 01V 26 NVW 88 will submit amended

coding w/ correct VIN

ick digit + info for

TRAILMATE III

KarR

RECEIVED
 NHISA DOCKET

2

VIN CALCULATION TRAIL-MATE 1

COUNTRY	MFG.	TRAILER TYPE	SERIES	LENGTH	AXLES	Check Digit	MODEL YEAR	PLANT	TRAILER MFG ASSIGNED NO.	SERIAL									
1	M	9	B	C	9	5	E	M	2	0	1	0	1	2					
1	4	9	2	3	9		5	4	2	0	1	0	1	2					
VALUES																			
TIMES																			
8	7	6	5	4	4	3	10	0	9	8	7	6	5	4	3	2			
MULTIPLIER																			
8	2	8	5	4	10	12	36	1	5	10	0	40	32	14	0	5	0	3	4
Add Products →																			
DIVIDE Sum by 11 <u>23</u> <u>41</u> (Decimal)																			
Decimal - Check Digit																			


- .09 = 1
- .18 = 2
- .27 = 3
- .36 = 4
- .45 = 5
- .54 = 6
- .63 = 7
- .72 = 8
- .81 = 9
- .90 = X
- .00 = 0

BOX TYPE CARGO TRAILER 9.5 AXLE

6

TRAIL-MATE

The perfect "Trail-mate" for compact cars or cycles. Practically indestructible!



Trail-mate I is a smartly styled, easy to pull cargo trailer designed for pulling behind cycles and small cars. It's durable ABS thermoplastic body is practically indestructible, maintenance free, non-vibrating, and has a mar-free finish built in for lasting beauty.

Standard Specifications and Features


- Maximum cargo capacity 475 lbs.
- Trailer weight 125 lbs.
- Compartment capacity 15 cu. ft.
- Outside compartment measurements 35" x 52" x 20" deep
- Overall length 75"
- Height 33"
- Tire tread (on center) 29"
- Tire and wheel size 4:80 x 8"
- Chrome, baby moon hub caps
- Chrome bumper
- 1" tapered bearings
- Recessed fender wells and fenders
- Recessed full width tail lites
- Rear side markers
- Water-lite key locked cover
- 1 7/8" coupler
- Color - black w/white or black top
- USA standard wiring

Options


- 360° swivel hitch
- Chrome luggage rack
- Cycle hitches for most makes
- Adapt-a-light kit for light conversion
- Clothes rack with vinyl wrap
- Spare tire
- Pole stand




TRAIL-MATE II



Trail-mate II in closed position ready for travel.



Trail-mate II cargo space easily accessible by propping bunk and mattress in open position.



Trail-mate II with Tent Enclosure

Standard Specifications and Features

- Maximum cargo capacity 1,000 lbs.
- Trailer weight 295 lbs.
- Compartment capacity 40 cu. ft.
- Outside compartment measurements 48" x 82" x 25" deep
- Overall length 115"
- Height 43"
- Tire tread (on center) 44"
- Tire and wheel size 4:80 x 8"

- Chrome, baby moon hub caps
- Chrome bumper
- Chrome top carriers
- 1" tapered bearings
- Recessed full width tail lites
- Side markers, rear and front
- USA standard wiring
- Color - black w/white or black top
- Dual lock, water-tite cover

Options

- 4:80 x 12" tires and wheels
- Tent enclosure, mattress and rear jacks
- Add-on tent, grass carpet, and ABS plastic floor

Ideal for camping or hauling gear behind cycles and small cars!


Trail-mate II cargo trailer made of durable ABS thermoplastic is the perfect travel companion for travelers that want both cargo space and sleeping facilities in one unit. **Trail-mate II** is ideal for pulling behind cycles and small cars and with its sleek, dynamic design is beautiful, fuel efficient and hugs the road in the worst wind conditions. Hitch pole adjusts to fit various height vehicle hitches.

Add the Tent Enclosure, bunkboard and mattress option (easy to install - no tools needed) and you have overnight sleeping comfort. Cargo space is still easily accessible by propping bunk and mattress in open position.

For additional sleeping space for an adult or two small children, consider the Add-on Tent. A unique feature is the folding plastic floor with 4" sides to keep water and rodents out. Add-on Tent and grass outdoor carpet conveniently fold into the floor area and store above the mattress in trailer for traveling.



507-249-3131




only

6

TRAIL-MATE III

The perfect 4' x 8' tilt bed
Utility Trailer!



Trail-mate III is a perfect utility trailer for hauling golf carts, garden tractors, snowmobiles or many other things. Tilt-bed design makes loading and unloading small equipment a breeze. Stake holes with your choice of 12" or 24" high box converts Trail-mate III from a flat-bed into a handy cargo carrier.

Standard Specifications and Features

- Utility flat-bed trailer frame
- 4:80 x 8" tires
- 1" tapered bearings
- 48" x 96" tilt-bed
- 1" tube diagonal bracing
- All welded construction
- Stake pockets
- Standard wiring and tail lights

- Maximum cargo weight 1,000 lbs.
- Trailer weight (less fenders and floor) 200 lbs.

Options

- 16 gauge, primed and painted metal fenders
- 5/8" exterior grade fir plywood floor
- Spare tire with U-bolt fastener
- 4:80 x 12" tires
- Stake box, 12" or 24" height



507-249-3131

