

HUTCHINS COMPANY, INC.
3050 HIGHWAY 94 NORTH
ST. CHARLES MO 63301

PAGE 1

B 11/13/85 pde

8/22/85

ORIGINAL

ADMINISTRATOR, NATIONAL HIGHWAY
TRAFFIC SAFETY ADMINISTRATION
400 SEVENTH STREET, S.W.
WASHINGTON, DC. 20590
ATTN: VIN COORDINATOR

DEAR SIR:

01-22-NIB-2124

IN COMPLIANCE WITH FEDERAL STANDARD 115 S6.3, THE INFORMATION
NECESSARY TO DECIPHER THE CHARACTERS CONTAINED IN OUR TRAILER
VIN'S FOLLOWS TO BE EFFECTIVE SEPTEMBER 1, 1985

THE FIRST SECTION, THE MANUFACTURER IDENTIFIER ASSIGNED TO US BY
THE S.A.E. IS 1U5.

THE SECOND SECTION OF FIVE CHARACTERS IDENTIFIES THE REQUIRED
ATTRIBUTES OF OUR TRAILERS AS FOLLOWS:

FIRST AND SECOND CHARACTERS - TYPE AND MODEL OF TRAILER

THE FIRST CHARACTER IDENTIFIES THE TRAILER TYPE:

A,B,C,D OR E -- BOAT TRAILER
F,G,H,J OR K -- CARGO/UTILITY TRAILER
L,M OR N -- CAMPER TRAILER
P OR R -- MOTORCYCLE TRAILER
S OR T -- SNOWMOBILE TRAILER
U OR V -- MOBILE EQUIPMENT TRAILER
W,X,Y OR Z -- ANY OTHER SPECIAL PURPOSE TRAILER.

THE FIRST AND SECOND CHARACTERS TOGETHER IDENTIFY THE
SPECIFIC MODEL OF OUR TRAILERS AS FOLLOWS:

MODEL	CHARACTERS	MODEL	CHARACTERS
DESIGNATION	1 AND 2	DESIGNATION	1 AND 2
E-1800-S	A S	F-3000-S	B S
DL-1200-S	C S	CL-1100-S	D S
DLCS-1200	E S	C-1100-S	F S
D-1200-S	G S	DL-1200-S	H S
EL-1800-S	J S		

THIRD CHARACTER - GAWR, TIRE AND RIM INFORMATION

THE STANDARD GAWR, TIRE AND RIM INFORMATION OF OUR TRAILERS IS INDICATED AS FOLLOWS:

A - GAWR 1180 WITH 4.80-8 B	TIRES 8X3.75	RIMS, AT 60 PSI
B - GAWR 1980 WITH 4.80-12 C	TIRES 12X3.75	RIMS, AT 90 PSI
C - GAWR 1820 WITH 5.70-8 C	TIRES 8X3.75	RIMS, AT 75 PSI
D - GAWR 2430 WITH B78-13 STC	TIRES 13X4.50	RIMS, AT 50 PSI
E - GAWR 3000 WITH 20.5X8.0-10 E	TIRES 10X6.00	RIMS, AT 90 PSI

FOURTH CHARACTER - LENGTH OF TRAILER

TRAILER LENGTHS TO THE NEAREST FOOT ARE CODED AS FOLLOWS:

A) - 6 FEET	M) - 17 FEET	Z) - 28 FEET
B) - 7 FEET	N) - 18 FEET	1) -
C) - 8 FEET	P) - 19 FEET	2) -
D) - 9 FEET	R) - 20 FEET	3) -
E) - 10 FEET	S) - 21 FEET	4) -
F) - 11 FEET	T) - 22 FEET	5) -
G) - 12 FEET	U) - 23 FEET	6) -
H) - 13 FEET	V) - 24 FEET	7) -
J) - 14 FEET	W) - 25 FEET	8) -
K) - 15 FEET	X) - 26 FEET	9) -
L) - 16 FEET	Y) - 27 FEET	0) -

FIFTH CHARACTER - AXLE CONFIGURATION

- 1 - SEMI TRAILER - SINGLE AXLE
- 2 - SEMI TRAILER - TANDEM AXLE
- 3 - SEMI TRAILER - TRI-AXLE
- 4 - FULL TRAILER - ONE STEERABLE AND ONE TRAILING AXLE
- 5 - FULL TRAILER - ONE STEERABLE AND TWO TRAILING AXLES

9th = Check Right, Please enter. 7/14/85 pdy

SECOND CHARACTER - PLANT IDENTIFICATION

1 - ST. CHARLES


THIRD CHARACTER - ALTERNATE GAWR, TIRE AND RIM INFORMATION

THE THIRD CHARACTER INDICATES ALTERNATE GAWR, TIRE AND RIM INFORMATION, IF SUCH IS LISTED ON THE TRAILER CERTIFICATION PLATE, USING THE CHARACTERS ESTABLISHED IN THE THIRD CHARACTER OF THE SECOND SECTION

A ZERO INDICATES NO ALTERNATE GAWR, TIRE AND RIM INFORMATION.


FOURTH TO EIGHT CHARACTERS - SEQUENTIAL NUMBER

SINCERELY YOURS,



BILL HUTCHINS
HUTCHINS COMPANY, INC.

Hutchins Company, Inc.
P. O. BOX 70
3050 HIGHWAY 94 NORTH
ST. CHARLES, MISSOURI 63301



NRH-46

Administrator, National Highway
Traffic Safety Administration
400 Seventh Street, S.W.
Washington, D.C. 20590
Attn: VIN Coordinator