B 3/12/86 rdc

1 page and

Pines® TRAILER CORPORATION

2555 S. BLUE ISLAND AVE. CHICAGO, ILLINOIS 60608 312/254-5533

blue print

ORIGINAL

February 6, 1986

National Highway Traffic Safety Administration
400 Seventh Street, S.W.
Washington, D.C. 20590

Attention: VIN Coordinator

Subject: F.M.V.S.S. 115

Gentlemen: 01-22-N11B-2183

Attached is revision "D" to the Pines Trailer Corporation VIN code.

This change is based on expanding the 8th digit by adding the suffix "L".

Enclosed are three (3) prints of 80-0702.

Sincerely,

PINES TRAILER CORPORATION

J. McNeil

Jerry McNeil
Vice President of Engineering

JM:sp

encl.

cc: P. Pines
D. Hoover


SECTION I: PINES WMI ASSIGNED BY SAE
1 P N
7 5
LETTER VALUE*
*USE THESE NUMERIC VALUES FOR CALCULATING THE CHECK DIGIT
SECTIO
LENGTH
NUMB
CHE
1 P N V 4 5 2 N 3 A K

N 2: VEHICLE ATTRIBUTES: TYPE OF TRAIER BODY TYPE, LENGTH AND AXLE CONFIGURATION

LETTER	*VALUE	DESCRIPTION
G	7	GRAIN TRAILER
V	5	VAN SMOOTH SIDE
T	3	OPEN TOP EXT. POST
D	4	DOUBLE EXT. POST
C	3	C.D.V. EXT. POST
X	7	VAN EXT. POST
F	6	F.R.P. VAN
P	7	CDV FRP
K	2	DOUBLE SMOOTH S.
E	5	DOUBLE F.R.P.
S	2	SCRAP GONDOLA
A	1	CONVERTER DOLLY

F TRAILER

ER OF AXLES

CK DIGIT

0	1	0	6	5	0

TYPE OF POST - VAN & GRAIN

S = STANDARD

CONVERTOR DOLLY

0 = NON-APPLICABLE

SECTION 3 : MODEL YEAR, MANUFACTURING PLANT AND NUMBER SEQUENCE

MODEL YEAR

1980	A	1	1996	T	3
1981	B	2	1997	V	5
1982	C	3	1998	W	6
1983	D	4	1999	X	7
1984	E	5	2000	Y	8
1985	F	6	2001	1	1
1986	G	7	2002	2	2
1987	H	8	2003	3	3
1988	J	1	2004	4	4
1989	K	2	2005	5	5
1990	L	3	2006	6	6
1991	M	4	2007	7	7
1992	N	5	2008	8	8
1993	P	7	2009	9	9
1994	R	9	2010	A	1
1995	S	2	2011	B	2
			2012	C	3

*LETTER VALUE



THIS SYSTEM COMPLIES
REQUIREMENTS OF F.

REV. D
REV. C
REV. B
REV. A



POST

1 = SINGLE DOOR
2 = DOUBLE DOOR
3 = SOLID REAR END
4 = 24" HIGH DROP TAILGATE

96" WIDE UNITS
102" WIDE UNITS

RING PLANT
EE IL.
O IL.

CALCULATING THE CHECK DIGIT

1 P N V 4 5 2 N A K 0 1 0 6 5 0

STEP 1: CONVERT ANY ALPHAS IN ABOVE NUMBER TO NUMERICS

1 7 5 5 4 5 2 5 1 2 0 1 0 6 5 0

STEP 2: MULTIPLY ABOVE DISPLAY BY CONSTANT POSITION VALUES

8 7 6 5 4 3 2 (10) 0 9 8 7 6 5 4 3 2

8+49+30+25+16+15+4+50+0+9+16+0+6+0+24+15+0

STEP 3: ADD PRODUCTS = 267

STEP 4: DIVIDE TOTAL OF STEP 3 BY 11 = 24 R. 3

STEP 5: THE REMAINDER IS CHECK DIGIT IN THIS CASE 3

STEP 6: INSERT 3 AS CHECK DIGIT, SHOULD IT BE 10 ENTER 'X'

0	6	5	0

FULL NUMBER

0	6	5	0

FRONT PLATE OF COUPLER & HIDDEN NUMBER

WITH
.V.S.S. 115

-84	8TH DIGIT - "L" SUFFIX ADDED
-83	12 DIGIT WAS "[illegible]" NOT USED
-82	MODEL YEAR DIGIT DROPPED
-81	8TH DIGIT EXPANDED

PINES TRAILER CORP. VEHICLE INDENTIFICATION SYSTEM

DATE: 7/2/80 | DR. BY: L. S. | REVISED - 1-6-83

DRWG. NO. 80-0702