

Rmon

B 7/30/90 pdg

J.A.T

4-18-90

01-22-N11B-379

NOV 31 11:11

RECEIVED
NHTSA DOCKET

4633 Lambeth Way
Holt, MI 48842

ORIGINAL

4 pp

October 15, 1987

Administrator
National Highway Traffic Safety Administration
400 Seventh Street, S.W.
Washington, D.C. 20590

Attention: VIN Coordinator

To Whom It May Concern:

Enclosed please find a copy of our VIN identification number
for your consideration.

Sincerely,

William E. Westfall
Westfall Motors Corp.

VIN NUMBER

L	W	9	P	G	1	4	2	0	J	M	0	9	7	0	0	1
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

Numbers	What They Mean
1	Assigned
2	Assigned
3	Assigned
4	Passenger car
5	GT model
6	14.5'
7	same as above
8	2 axels
9	digit number figured as below
10	Model year 1988
11	Michigan
12	Assigned
13	Assigned
14	Assigned
15	Hundred of cars
16	Number of cars
17	Car number 1

How To Figure Digit Number 9

1	6	9	7	7	1	4	2		1	4	0	9	7	0	0	1
3	7	6	5	4	3	2	10		9	8	7	6	5	4	3	2
<hr/>																
3 +	42 +	54 +	35 +	28 +	3 +	8 +	20 +		9 +	32 +	0 +	54 +	35 +	0 +	0 +	2
= 330	330 divided by 11 = 30 .00 = 0															

MOTOR VEHICLE SAFETY STANDARD NO. 115 VEHICLE IDENTIFICATION NUMBER - PASSENGER CARS, MULTIPURPOSE PASSENGER VEHICLES, TRUCKS, BUSES, TRAILERS, INCOMPLETE VEHICLES AND MOTORCYCLES.

TABLE II

Year	Code
1980	A
1981	B
1982	C
1983	D
1984	E
1985	F
1986	G
1987	H
1988	J
1989	K
1990	L
1991	M
1992	N
1993	P
1994	R
1995	S
1996	T
1997	V
1998	W
1999	X
2000	Y
2001	1
2002	2
2003	3
2004	4
2005	5
2006	6
2007	7
2008	8
2009	9
2010	A
2011	B
2012	C

TABLE III

Numbers: 1234567890
Letters:

ABCDEFGHIJKLMNPRSTUVWXYZ

All spaces provided for in the vehicle identification number must be occupied by a character specified in Table III.

S6. Reporting Requirements.

S6.1 Manufacturers of motor vehicles subject to this standard shall submit, either directly or through an agent, the unique identifier for each make and type of vehicle it manufactures by February 24, 1980.


S6.2 Manufacturers which begin production of motor vehicles subsequent to September 1, 1979, shall submit, either directly or through an agent, the unique identifier for each make and type of vehicle it manufactures at least 60 days before affixing the first vehicle identification number. Manufacturers whose unique identifier appears in the third section of the vehicle identification number shall also submit the three characters of the first section which constitute a part of their identifier.

S6.3 Each manufacturer shall submit at least 60 days before affixing the first VIN which meets the requirements of this standard the information necessary to decipher the characters contained in its vehicle identification numbers. Any amendments to this information shall be submitted at least 60 days before affixing a vehicle identification number utilizing an amended coding.

S6.4 Information required to be submitted under this section shall be addressed to: Administrator, National Highway Traffic Safety Administration, 400 Seventh Street, S.W., Washington, D.C. 20590, Attention VIN Coordinator.

S5.2.2 Add the resulting products and divide the total by 11.

S5.2.4 The remainder is the check digit. If the remainder is 10, the check digit is X.



1 W 9 P 6 1 4 2 0 J M 0 9 2 0 0 1

assigned
 Passenger car
 GT model
 14'
 2 axels

model yr. 1988
 michigan
 assigned
 1st car

1 6 9 7 7	1 4 2	
8 7 6 5 4	3 2 1 0	
<hr/>		
8 + 42 + 54 + 35 + 28 + 3 + 8 + 20		+ 9 + 32 + 0 + 54 + 35 + 0 + 0 + 2 = 330

$330 \div 11 = 30$
 $,00 = 0$