

07-22-94
DJ




LANDOLL CORPORATION

1700 May St. • Marysville, Kansas 66508 • Ph. (913) 562-5381

June 14, 1994

01-22-N11B-5615

Administrator
National Highway Traffic Safety Administration
400 Seventh St. S.W.
Washington, D.C. 20590



ATT: V.I.N. Coordinator NRM 11

6p.

Gentlemen:

ORIGINAL

Enclosed is a revised copy of our "VIN" chart which describes the trailers we currently manufacture.

This revision is the deletion of Model 600 and the addition of Model 610, identified in the VIN by 610; and Model 670, identified in the VIN by 670. This revision is effective June 14, 1994. I believe this to be self explanatory and should give you complete information needed to identify our products.

Should you need additional information, please call 913-562-5381.

Sincerely,


Harvey D. Benson
Chief Engineer

Enclosures:

file:vinnhtsa.009

HDB/hb

Remember: Quality is always a bargain!

7

- 316: Model 316: Fifth wheel trailer with single drop bed, heavy duty two beam construction, hydraulic slider axles and tilt frame, self-storing three position extensions.
- 317: Model 317: Fifth wheel trailer with single drop bed, heavy duty four beam construction, hydraulic slider axles and tilt frame. (May have self-storing three position extensions).
- 17A: Model 317A: Fifth wheel trailer with single drop bed, heavy duty four beam construction, hydraulic slider axles and tilt frame.
- 322: Model 322: Jeep, tandem or triple axle. Beam construction with sliding fifth wheel.
- 323: Model 323: Fifth wheel trailer with double drop bed, fixed axles, detachable front neck, two beam construction. (35 Ton Standard)
- 324: Model 324: Fifth wheel trailer with double drop bed, fixed axles, detachable front neck, two beam construction. (40 Ton Standard)
- 325: Model 325: Fifth wheel trailer with double drop bed, fixed axles, detachable front neck, two beam construction. (50 Ton Standard)
- 326: Model 326: Fifth wheel trailer with double drop bed, fixed axles, detachable front neck, two beam construction. (35 Ton Special).
- 327: Model 327: Fifth wheel trailer with double drop bed, fixed axles, detachable front neck, two beam construction. (50 Ton Special)
- 328: Model 328: Fifth wheel trailer with double drop bed, fixed axles, detachable front neck, two beam construction. (40 Ton Special)
- 329: Model 329: Fifth wheel trailer with double drop bed, fixed axles, detachable front neck, two beam construction. (60 Ton Standard)
- 330: Model 330: Fifth wheel trailer, two beam construction, flat sloping bed, no drop, hydraulic tilt and hydraulic slide axle.
- 334: Model 334: Fifth wheel trailer, double aluminum deck and frame construction, hydraulic tilt and slider axle.

4

- 34A: Model 334A: Fifth wheel trailer, double aluminum deck and frame construction, hydraulic tilt and slider axle.
- 336: Model 336: Fifth wheel trailer, double aluminum deck and frame construction, hydraulic tilt and slider axles.
- 36A: Model 336A: Fifth wheel trailer, double aluminum deck and frame construction, hydraulic tilt and slider axles.
- 345: Model 345: Flat bed trailer with pintle hitch, hydraulic slider axles and tilt frame, perimeter frame construction.
- 350: Model 350: Fifth wheel trailer with single drop bed, hydraulic slider axles and tilt frame, perimeter frame construction.
- 351: Model 351: Fifth wheel trailer with single drop bed, hydraulic slide axles and tilt perimeter frame. (For two axle tractor usage).
- 360: Model 360: Fifth wheel trailer with double drop bed, fixed axles, perimeter frame construction, and telescoping extensions.
- 370: Model 370: Fifth wheel trailer with single drop bed two beam construction.
- 380: Model 380: Fifth wheel trailer, two beam construction, flat bed, no drop, fixed axles.
- 381: Model 381: Fifth wheel trailer, box frame construction, no drop, fixed axles.
- 610: Model 610: Fifth wheel, triple axle trailer with goose neck hinged at front of bed, four beam construction, hydraulic slider axles with an undercarriage supporting bed with four rollers.
- 660: Model 660: Fifth wheel trailer with goose neck hinged at front of bed, four beam construction, hydraulic slider axles with an undercarriage supporting bed with three rollers.
- 670: Model 670: Fifth wheel, two spread axle trailer with goose neck hinged at front of bed, four beam construction, hydraulic slider axles with an undercarriage supporting bed with four rollers.

LENGTH (Effective March 1, 1982)

| | | | |
|---|------------|---|----------------|
| A | 15 & Under | N | 38, 39 |
| B | 16, 17 | P | 40, 41 |
| C | 18, 19 | R | 42, 43 |
| D | 20, 21 | S | 44, 45 |
| E | 22, 23 | T | 46, 47 |
| F | 24, 25 | U | 48, 49 |
| G | 26, 27 | V | 50, 51 |
| H | 28, 29 | W | 52, 53 |
| J | 30, 31 | X | 54, 55 |
| K | 32, 33 | Y | 56, 57, 58, 59 |
| L | 34, 35 | Z | 60 and Over |
| M | 36, 37 | | |

=====
=====

AXLE TYPE (EFFECTIVE NOVEMBER 1, 1982)

- A Single axle, dual wheels, electric brakes.
- B Tandem axle, dual wheels, electric brakes.
- C Triple Axle. dual wheels. electric brakes.
- D Single dual wheels, hydraulic disc brakes.
- E Tandem axle, dual wheels, hydraulic disc brakes.
- F Triple axle, dual wheels, hydraulic disc brakes.
- G Single axle, dual wheels, air brakes.
- H Tandem axle, dual wheels, air brakes.
- J Triple axle, dual wheels, air brakes.
- K Four axle, dual wheels, air brakes.
- L Single axle, single wheel, air brakes.
- N Single axle, single wheel, hydraulic brakes.
- P Single axle, single wheel, electric brakes.
- R Tandem axle, single wheel, air brakes.
- S Tandem axle, single wheel, hydraulic brakes.
- T Tandem axle, single wheel, electric brakes.
- U Triple axle, single wheel, air brakes

=====
=====

PLANT OF MANUFACTURE

1. LANDOLL CORPORATION
1700 May Street
Marysville, KS. 66508