

ZNA 佛山市南海中南铝车轮制造有限公司

ZHONGNAN ALLOY-WHEEL FOSHAN NANHAI ZHONGNAN ALUMINUM WHEEL CO., LTD.

地址 Address: 广东省佛山市南海区大沥镇盐步 Yanbu, Dali, Nanhai, Foshan, Guangdong, China (P. R. C.)

邮政编码 Postal Code: 528247

电话 Phone: 86-757-85773123

传真 Fax: 86-757-85771372

网址 Web Site: <http://www.znlwheel.com>

电子邮件 E-Mail: sales@znlwheel.com

MANUFACTURER IDENTIFICATION SUBMISSION

49 CFR Part 566, Manufacturer Identification to be sent to NHTSA

Company Name: Foshan Nanhai Zhongnan Aluminum Wheel Co., Ltd.

Company Address: Yanbu, Dali, Nanhai, Foshan, Guangdong, China (P. R. C.)

Phone: 86-757-85773123

Fax: 86-757-85771372

City of Incorporation: Nanhai, Foshan, Guangdong, China (P. R. C.)

Product Manufactured: Foshan Nanhai Zhongnan Aluminum Wheel Co., Ltd. manufactures light-alloy wheels for use on automobiles and motorcycles. Wheels are made from cast aluminum alloy in one piece, or multi-component.

Signed: Chen Ping

Date: 2005.8.12

Typed Name:

Chen Ping

Capacity: General Manager


佛山市南海中南铝车轮制造有限公司
ZHONGNAN ALLOY WHEEL
FOSHAN NANHAI ZHONGNAN ALUMINUM WHEEL CO., LTD.
地址 Address: 广东省佛山市南海区大沥镇盐步 Yanbu, Dali, Nanhai, Foshan, Guangdong, China (P. R. C.)
邮政编码 Postal Code: 528247
电话 Phone: 86-757-85773123
传真 Fax: 86-757-85771372
网址 Web Site: <http://www.znlwheel.com>
电子邮件 E-Mail: sales@znlwheel.com

ZNA PRODUCT DESCRIPTION

Manufacturer Information	<p>Foshan Nanhai Zhongnan Aluminum Wheel Co., Ltd., a joint-venture based in South China's Guangdong Province with USD 3 millions registered capital, USD 500 millions gross investments, and approximately 1,400 qualified staffs, is a high-tech and leading company specialized in design, development, manufacture and sales of light-alloy wheels for automotive industries of the domestic and abroad. The main products are ZNA brand cast aluminum wheels for use on automobiles and motorcycles. Currently the total production capacity of cast aluminum wheels manufactured in a variety of sizes (from 8 inch to 26 inch diameters) amounts to 4 millions pieces annually.</p> <p>Foshan Nanhai Zhongnan Aluminum Wheel Co., Ltd. has implemented and maintains a quality management system which fulfills the requirements of ISO/TS16949:2002 including ISO9001:2000. All products are manufactured according to international specifications and meet customer's requirements. Automobile aluminum wheels of ZNA have passed SFI (U.S.), TÜV (Germany) and VIA (Japan) product certifications.</p> <p>Through 15 years of development, ZNA products have earned nationwide reputation for outstanding quality and innovation. ZNA brand aluminum wheels were awarded the China Top Brand Product in 2004.</p>
	<p>Company Name: Foshan Nanhai Zhongnan Aluminum Wheel Co., Ltd.</p> <p>Company Address: Yanbu, Dali, Nanhai, Foshan, Guangdong, China (P.R.C.)</p> <p>Postal Code: 528247</p> <p>Phone: 86-757-85773123</p> <p>Fax: 86-757-85771372</p> <p>Web Site: http://www.znlwheel.com</p> <p>E-mail: sales@znlwheel.com</p>


佛山市南海中南铝车轮制造有限公司
ZHONGNAN ALLOY-WHEEL
FOSHAN NANHAI ZHONGNAN ALUMINUM WHEEL CO., LTD.
地址 Address: 广东省佛山市南海区大沥镇盐步 Yanbu, Dali, Nanhai, Foshan, Guangdong, China (P. R. C.)
邮政编码 Postal Code: 528247
电话 Phone: 86-757-85773123
传真 Fax: 86-757-85771372
网址 Web Site: <http://www.znlwheel.com>
电子邮件 E-Mail: sales@znlwheel.com

Brand Name		ZNA, FNZ	
Product		Light-alloy Wheels (Aluminum Wheels, Cast Aluminum Wheels)	
Material Specification		Cast Aluminum Alloy (conforming to AA A356 or ISO Al-Si7Mg)	
Production Process		Permanent Mold Casting (Low pressure, Gravity)	
Finish Option		Powder or Liquid Paints, Bright Machine Face, Bright Polishing, Chrome Plate	
Application Scope		Automobiles	Motorcycles
		Passenger Cars, Sports Utility Vehicles (SUV), Multi-Purpose Vehicles (MPV), Pickup Trucks, Trailers, KARTs, etc.	Pedal Motorcycles, Straddle Motorcycles, Curved-beam Motorcycles, Prince Motorcycles, All-Terrain Vehicles (ATV), etc.
Rim Size*	Normal Dia. (in.)	8, 10, 12, 13, 14, 15, 16, 16.5, 17, 18, 19, 20, 22, 24, 26	8, 10, 12, 13, 14, 15, 16, 17, 18, 19, 21
	Rim Width (in.)	4.0, 4.5, 5.0, 5.25, 5.5, 6, 6.5, 6.75, 7, 7.5, 8, 8.25, 8.5, 9, 9.5, 9.75, 10, 10.5	1.20, 1.40, 1.50, 1.60, 1.85, 2.15, 2.50, 2.75, 3.00, 3.50, 3.75, 4.00, 4.50, 4.25, 5.00, 5.50, 6.00, 6.25, 6.50, 7.00, 7.50, 8.00, 8.50, 9.00, 9.50
	Rim Spec.	TRA, ETRTO, JATMA, etc.	TRA, ETRTO, JATMA, etc.
Design Load (kg.)		300~1455	72~260

* Combinations of sizes available, call or e-mail us for details.