

Mercedes-Benz USA, LLC

A Daimler Company

VIA CERTIFIED MAIL

June 10, 2014

National Highway Traffic Safety Administration Attention: Jeanette Chow, VIN Coordinator - W43-488 1200 New Jersey Avenue, SE West Building Washington, DC 20590

Subject: Part 565.7 (c), VIN Reporting Requirements

Dear Ms. Chow:

Mercedes-Benz USA, LLC hereby submits an update to our VIN deciphering information submission defined for model year 2015 Mercedes-Benz and smart vehicles, pursuant to the requirements set forth in 49 CFR Part 565.7(c).

If you have any questions please don't hesitate to contact Bibi Analil, of my staff, at bibi.analil@mbusa.com.

Sincerely,

R. Thomas Brunner Department Manager

Vehicle Compliance & Analysis

Engineering Services

Regulatory Engineer

Vehicle Compliance & Analysis

Engineering Services

WMI	First 4 Characters of Second VIN Section	Line	Make	Series	Body Type	Engine Type
WDD	JK6F	(SL-Class)	Mercedes-Benz	SL400	2-Door Convertible	3.0 Liter, V-Type 6 cyl., Gasoline
WDD	JK7D	(SL-Class)	Mercedes-Benz	SL550	2-Door Convertible	4.7 Liter, V-Type 8 cyl., Gasoline
WDD	JK7E	(SL-Class)	Mercedes-Benz	SL63 AMG	2-Door Convertible	5.5 Liter, V-Type 8 cyl., Gasoline
WDD	JK7K	(SL-Class)	Mercedes-Benz	SL65 AMG	2-Door Convertible	6.0 Liter, V-Type 12 cyl., Gasoline
WDD	PK4H	(SLK-Class)	Mercedes-Benz	SLK250	2-Door Convertible	1.8 Liter, In-Line Type 4 cyl., Gasoline
WDD	PK5H	(SLK-Class)	Mercedes-Benz	SLK350	2-Door Convertible	3.5 Liter, V-Type 6 cyl., Gasoline
WDD	PK7F	(SLK-Class)	Mercedes-Benz	SLK55 AMG	2-Door Convertible	5.5 Liter, V-Type 8 cyl., Gasoline
COW	HF9F	(E-Class)	Mercedes-Benz	E400 Hybrid	4-Door Sedan	3.5 Liter, V-Type 6 cyl., Gasoline, Hybrid
WDD	HF0E	(E-Class)	Mercedes-Benz	E250 BLUETEC	4-Door Sedan	2.1 Liter, In-Line 4 cyl., Diesel
WDD	HF9H	(E-Class)	Mercedes-Benz	E250 BLUETEC	4-Door Sedan 4-MATIC	2.1 Liter, In-Line 4 cyl., Diesel
WDD	HF5K	(E-Class)	Mercedes-Benz	E350	4-Door Sedan	3.5 Liter, V-Type 6 cyl., Gasoline

WMI	First 4 Characters of Second VIN Section	Line	Make	Series	Body Type	Engine Type
WDD	ннал	(E-Class)	Mercedes-Benz	E350	4-Door Wagon 4- MATIC	3.5 Liter, V-Type 6 cyl., Gasoline
WDD	HF8J	(E-Class)	Mercedes-Benz	E350	4-Door Sedan 4-MATIC	3.5 Liter, V-Type 6 cyl., Gasoline
WDD	HF6F	(E-Class)	Mercedes-Benz	E400	4-Door Sedan	3.0 Liter, V-Type 6 cyl., Gasoline
WDD	HF6H	(E-Class)	Mercedes-Benz	E400	4-Door Sedan 4-MATIC	3.0 Liter, V-Type 6 cyl., Gasoline
WDD	нн6н	(E-Class)	Mercedes-Benz	E400	4-Door Wagon 4- MATIC	3.0 Liter, V-Type 6 cyl., Gasoline
WDD	HF9B	(E-Class)	Mercedes-Benz	E550	4-Door Sedan 4-MATIC	4.7 Liter, V-Type 8 cyl., Gasoline
WDD	HF7E	(E-Class)	Mercedes-Benz	E63 AMG	4-Door Sedan	5.5 Liter, V-Type 8 cyl., Gasoline
WDD	HF9C	(E-Class)	Mercedes-Benz	E63 AMG	4-Door Sedan – 4 MATIC	5.5 Liter, V-Type 8 cyl., Gasoline
WDD	HF7F	(E-Class)	Mercedes-Benz	E63 AMG-S	4-Door Sedan	5.5 Liter, V-Type 8 cyl., Gasoline
WDD	HF7G	(E-Class)	Mercedes-Benz	E63 AMG-S	4-Door Sedan – 4 MATIC	5.5 Liter, V-Type 8 cyl., Gasoline
WDD	нн9С	(E-Class)	Mercedes-Benz	E63 AMG	4-Door Wagon – 4 MATIC	5.5 Liter, V-Type 8 cyl., Gasoline
WDD	HH7G	(E-Class)	Mercedes-Benz	E63 AMG-S	4-Door Wagon – 4 MATIC	5.5 Liter, V-Type 8 cyl., Gasoline

WMI	First 4 Characters of Second VIN Section	Line	Make	Series	Body Type	Engine Type
WDD	LJ6F	(CLS-Class)	Mercedes-Benz	CLS400	4-Door Coupe	3.0 Liter, V-Type 6 cyl., Gasoline
WDD	LJ6H	(CLS-Class)	Mercedes-Benz	CLS400	4-Door Coupe 4-MATIC	3.0 Liter, V-Type 6 cyl., Gasoline
WDD	LJ7D	(CLS-Class)	Mercedes-Benz	CLS550	4-Door Coupe	4.7 Liter, V-Type 8 cyl., Gasoline
WDD	LJ9B	(CLS-Class)	Mercedes-Benz	CLS550	4-Door Coupe 4-MATIC	4.7 Liter, V-Type 8 cyl., Gasoline
WDD	LJ7E	(CLS-Class)	Mercedes-Benz	CLS63 AMG	4-Door Coupe	5.5 Liter, V-Type 8 cyl., Gasoline
WDD	LJ9C	(CLS-Class)	Mercedes-Benz	CLS63 AMG	4-Door Coupe 4-MATIC	5.5 Liter, V-Type 8 cyl., Gasoline
WDD	LJ7F	(CLS-Class)	Mercedes-Benz	CLS63 AMG-S	4-Door Coupe	5.5 Liter, V-Type 8 cyl., Gasoline
WDD	LJ7G	(CLS-Class)	Mercedes-Benz	CLS63 AMG-S	4-Door Coupe 4-MATIC	5.5 Liter, V-Type 8 cyl., Gasoline
WDD	SJ4E	(CLA-Class)	Mercedes-Benz	CLA250	4-Door Sedan	2.0 Liter, In_line 4 cyl., Gasoline
WDD	SJ4G	(CLA-Class)	Mercedes-Benz	CLA250-4 MATIC	4-Door Sedan 4-MATIC	2.0 Liter, In_line 4 cyl., Gasoline
WDD	SJ5C	(CLA-Class)	Mercedes-Benz	CLA 45 AMG	4-Door Sedan	2.0 Liter, In_line 4 cyl., Gasoline

WMI	First 4 Characters of Second VIN Section	Line	Make	Series	Body Type	Engine Type
WDD	TG4E	(GLA-Class)	Mercedes-Benz	GLA250	4-Door Sedan	2.0 Liter, In_line 4 cyl., Gasoline
WDD	TG4G	(GLA-Class)	Mercedes-Benz	GLA250-4 MATIC	4-Door Sedan 4-MATIC	2.0 Liter, In_line 4 cyl., Gasoline
WDD	TG5C	(GLA-Class)	Mercedes-Benz	GLA 45 AMG- 4M	4-Door Sedan	2.0 Liter, In_line 4 cyl., Gasoline
WDD	WF4J	(C-Class)	Mercedes-Benz	C300	4-Door Sedan	2.0 Liter, In-Line Type 4 cyl., Gasoline
WDD	WF4K	(C-Class)	Mercedes-Benz	C300	4-Door Sedan 4 MATIC	2.0 Liter, In-Line Type 4 cyl., Gasoline
WDD	WF6G	(C-Class)	Mercedes-Benz	C400	4-Door Sedan -4M	3.0 Liter, V-Type 6 cyl., Gasoline
WDD	WF8G	(C-Class)	Mercedes-Benz	C63 AMG	4-Door Sedan	6.3 Liter, V-Type 8 cyl., Gasoline
DCW	WF8H	(C-Class)	Mercedes-Benz	C63 AMG-S	4-Door Sedan	6.3 Liter, V-Type 8 cyl., Gasoline
55S	WF4J	(C-Class)	Mercedes-Benz	C300	4-Door Sedan	2.0 Liter, In-Line Type 4 cyl ., Gasoline
55S	WF4K	(C-Class)	Mercedes-Benz	C300	4-Door Sedan 4 MATIC	2.0 Liter, In-Line Type 4 cyl., Gasoline
55S	WF6G	(C-Class)	Mercedes-Benz	C400	4-Door Sedan -4M	3.0 Liter, V-Type 6 cyl., Gasoline

WMI	First 4 Characters of Second VIN	Line	Make	Series	Body Type	Engine Type
55S	WF8G	(C-Class)	Mercedes-Benz	C63 AMG	4-Door Sedan	6.3 Liter, V-Type 8 cyl., Gasoline
55S	WF8H	(C-Class)	Mercedes-Benz	C63 AMG-S	4-Door Sedan	6.3 Liter, V-Type 8 cyl., Gasoline
WDD	GJ4H	(C-Class)	Mercedes-Benz	C250	2-Door Coupe	1.8 Liter, In-Line Type 4 cyl ., Gasoline
MDD	GJ8J	(C-Class)	Mercedes-Benz	C350	2-Door Coupe 4-MATIC	3.5 Liter, V-Type 6 cyl., Gasoline
WDD	GJ5H	(C-Class)	Mercedes-Benz	C350	2-Door Coupe	3.5 Liter, V-Type 6 cyl., Gasoline
WDD	GJ7H	(C-Class)	Mercedes-Benz	C63 AMG	2-Door Coupe	6.2 Liter, V-Type 8 cyl., Gasoline
WDD	KJ5K	(E-Class)	Mercedes-Benz	E350	2-door Coupe	3.5 Liter, V-Type 6 cyl., Gasoline
WDD	KJ8J	(E-Class)	Mercedes-Benz	E350	2-door Coupe 4-MATIC	3.5 Liter, V-Type 6 cyl., Gasoline
WDD	KJ7D	(E-Class)	Mercedes-Benz	E550	2-door Coupe	4.7 Liter, V-Type 8 cyl., Gasoline
WDD	KJ6F	(E-Class)	Mercedes-Benz	E400	2-door Coupe	3.0 Liter, V-Type 6 cyl., Gasoline
WDD	KJ6H	(E-Class)	Mercedes-Benz	E400	2-door Coupe 4-MATIC	3.0 Liter, V-Type 8 cyl., Gasoline
WDD	KK5K	(E-Class)	Mercedes-Benz	E350	2-door Cabriolet	3.5 Liter, V-Type 6 cyl., Gasoline

WMI	First 4 Characters of Second VIN Section	Line	Make	Series	Body Type	Engine Type
WDD	KK6F	(E-Class)	Mercedes-Benz	E400	2-door Cabriolet	3.0 Liter, V-Type 6 cyl., Gasoline
WDD	KK7D	(E-Class)	Mercedes-Benz	E550	2-door Cabriolet	4.7 Liter, V-Type 8 cyl., Gasoline
WDD	UG8C	(S-Class)	Mercedes-Benz	S550	4-door Sedan	4.7 Liter, V-Type 8 cyl., Gasoline
WDD	UG8F	(S-Class)	Mercedes-Benz	S550	4-door Sedan 4-MATIC	4.7 Liter, V-Type 8 cyl., Gasoline
WDD	UG7J	(S-Class)	Mercedes-Benz	S63 AMG	4-door Sedan 4-MATIC	5.5 Liter, V-Type 8 cyl., Gasoline
WDD	UG7G	(S-Class)	Mercedes-Benz	S600	4-door Sedan	6.0 Liter, V-Type 12 cyl., Gasoline
WDD	UG6D	(S-Class)	Mercedes-Benz	S500 - Hybrid	4-door Sedan 4-MATIC	3.0 Liter, V-Type 6 cyl., Gasoline
WDD	UG7K	(S-Class)	Mercedes-Benz	S65 AMG	4-door Sedan	6.0 Liter, V-Type 12 cyl., Gasoline
WDD	XJ8F	(S-Class)	Mercedes-Benz	S550	2-door Coupe 4-MATIC	4.7 Liter, V-Type 8 cyl., Gasoline
WDD	XJ7J	(S-Class)	Mercedes-Benz	S63 AMG	2-door Coupe 4-MATIC	5.5 Liter, V-Type 8 cyl., Gasoline
WDD	XJ7K	(S-Class)	Mercedes-Benz	S65 AMG	2-door Coupe	6.0 Liter, V-Type 12 cyl., Gasoline

WMI	First 4 Characters of Second VIN Section	Line	Make	Series	Body Type	Engine Type
WDD	RJ7H	(SLS-Class)	Mercedes-Benz	SLS AMG	2-door Coupe	6.2 Liter, V-Type 8 cyl., Gasoline
WDD	RJ7J	(SLS-Class)	Mercedes-Benz	SLS AMG-GT	2-door Coupe	6.2 Liter, V-Type 8 cyl., Gasoline
WDD	RK7H	(SLS-Class)	Mercedes-Benz	SLS AMG	2-door Roadster	6.2 Liter, V-Type 8 cyl., Gasoline
WDD	RK7J	(SLS-Class)	Mercedes-Benz	SLS AMG-GT	2-door Roadster	6.2 Liter, V-Type 8 cyl., Gasoline
WME	EJ3B	(smart)	smart	fortwo coupe	2-door Coupe	1.0 Liter, In-Line Type 3 cyl., Gasoline
WME	ЕКЗВ	(smart)	smart	fortwo cabrio	2-door Convertible	1.0 Liter, In-Line Type 3 cyl., Gasoline
WME	EJ9A	(smart)	smart	electric drive coupe	2-door Coupe	Electric Motor
WME	EK9A	(smart)	smart	electric drive cabrio	2-door Convertible	Electric Motor
WDD	VP9A	(B-Class)	Mercedes-Benz	B Electric	4-Door Sedan	Electric Motor

fifth Character of Second VIN Section	Restraint Systems and their location
A	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 st row) and type 2 seat belts with load limiters and pretensioners for driver and front passenger.
В	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 st and 2 nd row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with load limiters and pretensioners.
С	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 st and 2 nd row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with pretensioners. Seat belts for front passengers are additionally equipped with load limiters.
D	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 st and 2 nd row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with load limiters. Seat belts for front passengers are additionally equipped with pretensioners.
E	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1st, 2nd and 3rd row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with load limiters and pretensioners.
F	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 st row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with load limiters and pretensioners.

Plant Designation Codes for WDB: A, B, C, D = Sindelfingen; E = Juiz de Fora (Brazil); F, G, H = Bremen

Plant Designation Codes for WDD: A, B, C, D = Sindelfingen; F,G,H = Bremen; J, K = Rastatt; N, P = Kecskemet, R, S = East London (South Africa), V = Uusuikaupunki (Finland)

Plant Designation Codes for WME: J, K = Hambach (France), Y = Novo Mesto (Slovenia)

Plant Designation Codes for 55S: A, U = Vance (USA, AL)

4-MATIC = All Wheel Drive

WMI	First 4 Characters of Second VIN Section	Line	Series	Make	Body Type	Engine Type	Gross Vehicle Weight Rating
4JG	DA0E	(M-Class)	ML250 BLUETEC	Mercedes-Benz	4-door MPV 4-MATIC	2.1 Liter, In-Line 4 cyl., Diesel	Class E = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs)
4JG	DA2E	(M-Class)	ML350 BLUETEC	Mercedes-Benz	4-door MPV 4-MATIC	3.0 Liter, V-Type 6 cyl., Diesel	Class E = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs)
4JG	DA5J	(M-Class)	ML350	Mercedes-Benz	4-door MPV	3.5 Liter, V-Type 6 cyl., Gasoline	Class E = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs)
4JG	DA5H	(M-Class)	ML350	Mercedes-Benz	4-door MPV 4- MATIC	3.5 Liter, V-Type 6 cyl., Gasoline	Class E = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs)
4JG	DA5K	(M-Class)	ML400	Mercedes-Benz	4-door MPV	3.0 Liter, V-Type 6 cyl., Gasoline	Class E = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs)
4JG	DA5G	(M-Class)	ML400	Mercedes-Benz	4-door MPV 4- MATIC	3.0 Liter, V-Type 6 cyl., Gasoline	Class E = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs)
4JG	DA7D	(M-Class)	ML550	Mercedes-Benz	4-door MPV 4-MATIC	4.7 Liter, V-Type 8 cyl., Gasoline	Class E = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs)
4JG	DA7E	(M-Class)	ML63 AMG	Mercedes-Benz	4-door MPV 4-MATIC	5.5 Liter, V-Type 8 cyl., Gasoline	Class E = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs)
4JG	DF6F	(GL-Class)	GL450	Mercedes- Benz	4-door MPV	3.0 Liter, V-Type 6 cyl., Gasoline	Class F = greater than 3 175 kg to 3 629 kg (7 001 lbs - 8 000 lbs)
4JG	DF6E	(GL-Class)	GL450 4MATIC	Mercedes- Benz	4-door MPV 4-MATIC	3.0 Liter, V-Type 6 cyl., Gasoline	Class F = greater than 3 175 kg to 3 629 kg (7 001 lbs - 8 000 lbs)

WMI	First 4 Characters of Second VIN Section	Line	Series	Make	Body Type	Engine Type	Gross Vehicle Weight Rating
4JG	DF2E	(GL-Class)	GL 350 BLUETEC 4MATIC	Mercedes- Benz	4-door MPV 4-MATIC	3.0 Liter, V-Type 6 cyl., Diesel	Class F = greater than 3 175 kg to 3 629 kg (7 001 lbs - 8 000 lbs)
4JG	DF7D	(GL-Class)	GL 550 4MATIC	Mercedes- Benz	4-door MPV 4-MATIC	4.7 Liter, V-Type 8 cyl., Gasoline	Class F = greater than 3 175 kg to 3 629 kg (7 001 lbs - 8 000 lbs)
4JG	DF7E	(GL-Class)	GL63 AMG	Mercedes- Benz	4-door MPV 4-MATIC	5.5 Liter, V-Type 8 cyl., Gasoline	Class F = greater than 3 175 kg to 3 629 kg (7 001 lbs - 8 000 lbs)
WDC	ҮС ЗН	(G-Class)	G550	Mercedes-Benz	4-door MPV 4-MATIC	5.5 Liter, V-Type 8 cyl., Gasoline	Class F = greater than 3 175 kg to 3 629 kg (7 001 lbs - 8 000 lbs)
							Option "armored vehicle": Class H = greater than 4082 kg to 4536 kg (9001 lbs to 10000 lbs)
WDC	YC7D	(G-Class)	G63 AMG	Mercedes-Benz	4-door MPV 4-MATIC	5.5 Liter, V-Type 8 cyl., Gasoline	Class F = greater than 3 175 kg to 3 629 kg (7 001 lbs - 8 000 lbs)
							Option "armored vehicle": Class H = greater than 4082 kg to 4536 kg (9001 lbs to 10000 lbs)
WDC	GG0E	(GLK-Class)	GLK250 BLUETEC	Mercedes-Benz	4-door MPV 4-MATIC	2.1 Liter, In-line 4 cyl. in line, diesel	Class D = greater than 2268 kg to 2722 kg (5001 lbs to 6000 lbs)
WDC	GG5H	(GLK-Class)	GLK350	Mercedes-Benz	4-door MPV	3.5 Liter, V-Type 6 cyl., Gasoline	Class D = greater than 2268 kg to 2722 kg (5001 lbs to 6000 lbs)
WDC	GG8J	(GLK-Class)	GLK350	Mercedes-Benz	4-door MPV 4-MATIC	3.5 Liter, V-Type 6 cyl., Gasoline	Class D = greater than 2268 kg to 2722 kg (5001 lbs to 6000 lbs)

Fifth Character of Second VIN Section	Restraint Systems and their location
А	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 st row) and type 2 seat belts with load limiters and pretensioners for driver and front passenger.
B*)	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 st and 2 nd row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with load limiters and pretensioners.
С	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 st and 2 nd row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with pretensioners. Seat belts for front passengers are additionally equipped with load limiters.
D	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 st and 2 nd row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with load limiters. Seat belts for front passengers are additionally equipped with pretensioners.
E**)	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1st, 2nd and 3rd row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with load limiters and pretensioners.
F	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 st row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with load limiters and pretensioners.

^{*)} Lines: 166 (M-class); X166 (GL-class with two seating rows); 251 (R-class with two seating rows), 463 (G-class); X204 (GLK-Class)


**) Lines: X166 (GL-class with three seating rows);

Plant Designation Code for 4JG: (ML-; GL-; and R-Class): **A** = Vance (USA, AL)
Plant Designation Code for WDC: (GLK-; and G-Class): **F**, **G** = Bremen; **X** = Graz (Austria)

4-MATIC = All Wheel Drive

VIN Explanation

Model Year 2015 S550 Y	<u>/IN</u>	<u>WDD</u>	UG8C	<u>B</u> ,0	,F <u>A</u>	000000
Manufacturer's Code						
Model Type						
Restraint System]		
Check Digit			-			
Model Year						
Plant Codes (WDB):	A,B,C,D = Sindelfingen E = Juiz De Fora (Brazil) F,G,H = Bremen					
Plant Code (WDC):	X = Graz (Austria) F,G = Bremen					
Plant Codes (WDD):	A,B,C,D = Sindelfingen F,G,H = Bremen J, K = Rastatt M = Woking (UK) – SLR McLaren N, P = Kecskemet R, S = East London (South Africa) V = Uusuikaupunki (Finland)					
Plant Code (WME):	J, K= Hambach (France) Y = Novo Mesto (Slovenia)					
Plant Code (4JG): Plant Code (55S):	A = Vance, Alabama (US) A, U = Vance, Alabama (US)					
Sequential Serial Numb						



117 = CLA, 156=GLA, 166 = M/GL, 205/204 = C, 218 = CLS, 207/212 = E, 231 = SL, 197=SLS, 172 = SLK, 197 = SLS, 217/222 = S 463 = G, 204 = GLK, 451 = smart, 242= B