



Mercedes-Benz

Mercedes-Benz USA, LLC  
A Daimler Company

October 31, 2008

Mr. David Coleman  
National Highway Traffic Safety Administration  
Attention: VIN Coordinator - W43-488  
1200 New Jersey Avenue, SE  
West Building  
Washington, DC 20590

Subject: Part 565.7 (c), VIN Reporting Requirements

Dear Mr. Coleman:

Mercedes-Benz USA, LLC hereby submits the VIN deciphering information for model year 2010 Mercedes-Benz and Maybach vehicles, pursuant to the requirements set forth in 49 CFR Part 565.7(c).

If you have any questions please don't hesitate to contact Dan Selke, of my staff, at 201-573-2616 (Daniel.Selke@mbusa.com).

Sincerely,

Gary Bowne  
Department Manager  
Product Compliance, Analysis, Safety and Emissions  
Engineering Services

cc: Dr. Peter Schramm (MCG)  
VIN submission File

Mercedes-Benz and Maybach Vehicle Identification Number Attributes for Model Year 2010 (October 31, 2008) – Page 1 of 7

WMI	First 4 Characters of Second VIN Section	Line	Make	Series	Body Type	Engine Type
WDB	SK7B	230 (SL-Class)	Mercedes-Benz	SL550	2-door Convertible	5.5 Liter, V-Type 8 cyl., Gasoline
WDB	SK7H	230 (SL-Class)	Mercedes-Benz	SL600 Bi-T	2-door Convertible	5.5 Liter, V-Type 12 cyl., Gasoline
WDB	SK7A	230 (SL-Class)	Mercedes-Benz	SL63 AMG	2-door Convertible	6.2 Liter, V-Type 8 cyl., Gasoline
WDB	SK7K	230 (SL-Class)	Mercedes-Benz	SL65 AMG	2-door Convertible	6.0 Liter, V-Type 12 cyl., Gasoline
WDB	SK7K	230 (SL-Class)	Mercedes-Benz	SL65 AMG <i>Black Series</i>	2-door Convertible	6.0 Liter, V-Type 12 cyl., Gasoline
WDB	WK5E	171 (SLK-Class)	Mercedes-Benz	SLK300	2-door Convertible	3.0 Liter, V-Type 6 cyl., Gasoline
WDB	WK5J	171 (SLK-Class)	Mercedes-Benz	SLK350	2-door Convertible	3.5 Liter, V-Type 6 cyl., Gasoline
WDB	WK7D	171 (SLK-Class)	Mercedes-Benz	SLK55 AMG	2-door Convertible	5.5 Liter, V-Type 8 cyl., Gasoline
WDB	UF2E	211 (E-Class)	Mercedes-Benz	E350 BLUETEC	4-door Sedan	3.0 Liter, V-Type 6 cyl., Diesel
WDB	UF5G	211 (E-Class)	Mercedes-Benz	E350	4-door Sedan	3.5 Liter, V-Type 6 cyl., Gasoline
WDB	UF8H	211 (E-Class)	Mercedes-Benz	E350	4-door Sedan 4-MATIC	3.5 Liter, V-Type 6 cyl., Gasoline
WDB	UF7C	211 (E-Class)	Mercedes-Benz	E550	4-door Sedan	5.5 Liter, V-Type 8 cyl., Gasoline
WDB	UF9A	211 (E-Class)	Mercedes-Benz	E550	4-door Sedan 4-MATIC	5.5 Liter, V-Type 8 cyl., Gasoline
WDB	UF7H	211 (E-Class)	Mercedes-Benz	E63 AMG	4-door Sedan	6.2 Liter, V-Type 8 cyl., Gasoline
WDB	UH8H	211 (E-Class)	Mercedes-Benz	E350	4-door Station Wagon 4-MATIC	3.5 Liter, V-Type 6 cyl., Gasoline
WDB	UH7H	211 (E-Class)	Mercedes-Benz	E63 AMG	4-door Station Wagon	6.2 Liter, V-Type 8 cyl., Gasoline
WDD	DJ7C	219 (CLS-Class)	Mercedes-Benz	CLS550	4-door Coupe	5.5 Liter, V-Type 8 cyl., Gasoline
WDD	DJ7H	219 (CLS-Class)	Mercedes-Benz	CLS63 AMG	4-door Coupe	6.2 Liter, V-Type 8 cyl., Gasoline
WDD	GF5E	204 (C-Class)	Mercedes-Benz	C300	4-door Sedan	3.0 Liter, V-Type 6 cyl., Gasoline
WDD	GF8B	204 (C-Class)	Mercedes-Benz	C300	4-door Sedan 4-MATIC	3.0 Liter, V-Type 6 cyl., Gasoline
WDD	GF5G	204 (C-Class)	Mercedes-Benz	C350	4-door Sedan	3.5 Liter, V-Type 6 cyl., Gasoline
WDD	GF7H	204 (C-Class)	Mercedes-Benz	C63 AMG	4-Door Sedan	6.2 Liter, V-Type 8 cyl., Gasoline

Mercedes-Benz and Maybach Vehicle Identification Number Attributes for Model Year 2010 – Page 2 of 7

WMI	First 4 Characters of Second VIN Section	Line	Make	Series	Body Type	Engine Type
WDD	KJ5G	207 (E-Class)	Mercedes-Benz	E350	2-door Coupe	3.5 Liter, V-Type 6 cyl., Gasoline
WDD	KJ7C	207 (E-Class)	Mercedes-Benz	E550	2-door Coupe	5.5 Liter, V-Type 8 cyl., Gasoline
WDD	EJ8G	216 (CL-Class)	Mercedes-Benz	CL550	2-door Coupe 4-MATIC	5.5 Liter, V-Type 8 cyl., Gasoline
WDD	EJ7H	216 (CL-Class)	Mercedes-Benz	CL63 AMG	2-door Coupe	6.2 Liter, V-Type 8 cyl., Gasoline
WDD	EJ7G	216 (CL-Class)	Mercedes-Benz	CL600 Bi-T	2-door Coupe	5.5 Liter, V-Type 12 cyl., Gasoline
WDD	EJ7K	216 (CL-Class)	Mercedes-Benz	CL65 AMG	2-door Coupe	6.0 Liter, V-Type 12 cyl., Gasoline
WDD	NG9F	221 (S-Class)	Mercedes-Benz	S400	4-door Sedan	3.5 Liter, V-Type 6 cyl., Gasoline,
WDD	NG7A	221 (S-Class)	Mercedes-Benz	S450	4-Door Sedan	4.6 Liter, V-Type 8 cyl., Gasoline
WDD	NG8E	221 (S-Class)	Mercedes-Benz	S450	4-Door Sedan 4-MATIC	4.6 Liter, V-Type 8 cyl., Gasoline
WDD	NG7B	221 (S-Class)	Mercedes-Benz	S550	4-door Sedan	5.5 Liter, V-Type 8 cyl., Gasoline
WDD	NG8G	221 (S-Class)	Mercedes-Benz	S550	4-door Sedan 4-MATIC	5.5 Liter, V-Type 8 cyl., Gasoline
WDD	NG7G	221 (S-Class)	Mercedes-Benz	S600 Bi-T	4-door Sedan	5.5 Liter, V-Type 12 cyl., Gasoline
WDD	NG7H	221 (S-Class)	Mercedes-Benz	S63 AMG	4-door Sedan	6.2 Liter, V-Type 8 cyl., Gasoline
WDD	NG7K	221 (S-Class)	Mercedes-Benz	S65 AMG	4-door Sedan	6.0 Liter, V-Type 12 cyl., Gasoline
WDB	VF7J	240 (Maybach)	Maybach	57	4-door Sedan	5.5 Liter, V-Type 12 cyl., Gasoline
WDB	VF7K	240 (Maybach)	Maybach	57S	4-door Sedan	6.0 Liter, V-Type 12 cyl., Gasoline
WDB	VG7J	240 (Maybach)	Maybach	62	4-door Sedan	5.5 Liter, V-Type 12 cyl., Gasoline
WDB	VG7K	240 (Maybach)	Maybach	62S	4-door Sedan	6.0 Liter, V-Type 12 cyl., Gasoline

**Mercedes-Benz and Maybach Vehicle Identification Number Attributes for Model Year 2010 – Page 3 of 7**

Fifth Character of Second VIN Section	Restraint Systems and their location
<i>A</i> *)	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 <sup>st</sup> row) and type 2 seat belts with load limiters and pretensioners for driver and front passenger.
<i>B</i> **)	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 <sup>st</sup> and 2 <sup>nd</sup> row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with load limiters and pretensioners.
<i>C</i>	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 <sup>st</sup> and 2 <sup>nd</sup> row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with pretensioners. Seat belts for front passengers are additionally equipped with load limiters.
<i>D</i>	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 <sup>st</sup> and 2 <sup>nd</sup> row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with load limiters. Seat belts for front passengers are additionally equipped with pretensioners.
<i>E</i>	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 <sup>st</sup> , 2 <sup>nd</sup> and 3 <sup>rd</sup> row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with load limiters and pretensioners.
<i>F</i>	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 <sup>st</sup> row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with load limiters and pretensioners.

\*) Lines 171; 230; 451

\*\*) Lines 204; 207 (211 Coupe); 211; 216; 219; 221; 240

Plant Designation Codes for WDB: **A, B, C, D** = Sindelfingen; **E** = Juiz de Fora (Brazil); **F, G, H** = Bremen

Plant Designation Codes for WDD: **A, B, C, D** = Sindelfingen; **F, G, H** = Bremen; **J, K** = Rastatt; **R, S** = East London (South Africa)

4-MATIC = All Wheel Drive

Mercedes-Benz and Maybach Vehicle Identification Number Attributes for Model Year 2010 – Page 4 of 7

WMI	First 4 Characters of Second VIN Section	Line	Series	Make	Body Type	Engine Type	Gross Vehicle Weight Rating
4JG	BB2E	164 (M-Class)	ML320 BLUETEC	Mercedes-Benz	4-door MPV 4-MATIC	3.0 Liter, V-Type 6 cyl., Diesel	<b>Class E</b> = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs)
4JG	BB8G	164 (M-Class)	ML350	Mercedes-Benz	4-door MPV 4-MATIC	3.5 Liter, V-Type 6 cyl., Gasoline	<b>Class E</b> = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs)
4JG	BB5G	164 (M-Class)	ML350	Mercedes-Benz	4-door MPV	3.5 Liter, V-Type 6 cyl., Gasoline	<b>Class E</b> = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs)
4JG	BB9F	164 (M-Class)	ML450 Hybrid	Mercedes-Benz	4-door MPV 4-MATIC	3.5 Liter, V-Type 6 cyl., Gasoline, Hybrid	<b>Class E</b> = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs)
4JG	BB7C	164 (M-Class)	ML550	Mercedes-Benz	4-door MPV 4-MATIC	5.5 Liter, V-Type 8 cyl., Gasoline	<b>Class E</b> = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs)
4JG	BB7H	164 (M-Class)	ML63 AMG	Mercedes-Benz	4-door MPV 4-MATIC	6.2 Liter, V-Type 8 cyl., Gasoline	<b>Class E</b> = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs)
4JG	CB2E	251 (R-Class)	R320 BLUETEC	Mercedes-Benz	4-door MPV 4-MATIC	3.0 Liter, V-Type 6 cyl., Diesel	<b>Class E</b> = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs)
4JG	CB6F	251 (R-Class)	R350	Mercedes-Benz	4-door MPV 4-MATIC	3.5 Liter, V-Type 6 cyl., Gasoline	<b>Class E</b> = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs)
4JG	BF2E	164 (GL-Class)	GL320 BLUETEC	Mercedes-Benz	4-door MPV 4-MATIC	3.0 Liter, V-Type 6 cyl., Diesel	<b>Class E</b> = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs)
4JG	BF7B	164 (GL-Class)	GL450	Mercedes-Benz	4-door MPV 4-MATIC	4.6 Liter, V-Type 8 cyl., Gasoline	<b>Class E</b> = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs)
4JG	BF8G	164 (GL-Class)	GL550	Mercedes-Benz	4-door MPV 4-MATIC	5.5 Liter, V-Type 8 cyl., Gasoline	<b>Class E</b> = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs)
WDC	YR3G	463 (G-Class)	G550	Mercedes-Benz	4-door MPV 4-MATIC	5.5 Liter, V-Type 8 cyl., Gasoline	<b>Standard equipment:</b> <b>Class E</b> = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs)  <b>Option "armored vehicle":</b> <b>Class H</b> = greater than 4082 kg to 4536 kg (9001 lbs to 10000 lbs)

**Mercedes-Benz and Maybach Vehicle Identification Number Attributes for Model Year 2010 – Page 5 of 7**

<b>WMI</b>	<b>First 4 Characters of Second VIN Section</b>	<b>Line</b>	<b>Series</b>	<b>Make</b>	<b>Body Type</b>	<b>Engine Type</b>	<b>Gross Vehicle Weight Rating</b>
WDC	YR7A	463 (G-Class)	G55 AMG	Mercedes-Benz	4-door MPV 4-MATIC	5.5 Liter, V-Type 8 cyl., Gasoline	<b>Standard equipment:</b> <b>Class E</b> = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs)  <b>Option "armored vehicle":</b> <b>Class H</b> = greater than 4082 kg to 4536 kg (9001 lbs to 10000 lbs)
WDC	GG5G	X204 (GLK-Class)	GLK350	Mercedes-Benz	4-door MPV	3.5 Liter, V-Type 6 cyl., Gasoline	<b>Class D</b> = greater than 2268 kg to 2722 kg (5001 lbs to 6000 lbs)
WDC	GG8H	X204 (GLK-Class)	GLK350	Mercedes-Benz	4-door MPV 4-MATIC	3.5 Liter, V-Type 6 cyl., Gasoline	<b>Class D</b> = greater than 2268 kg to 2722 kg (5001 lbs to 6000 lbs)

<b>Fifth Character of Second VIN Section</b>	<b>Restraint Systems and their location</b>
A	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 <sup>st</sup> row) and type 2 seat belts with load limiters and pretensioners for driver and front passenger.
B*)	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 <sup>st</sup> and 2 <sup>nd</sup> row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with load limiters and pretensioners.
C	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 <sup>st</sup> and 2 <sup>nd</sup> row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with pretensioners. Seat belts for front passengers are additionally equipped with load limiters.
D	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 <sup>st</sup> and 2 <sup>nd</sup> row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with load limiters. Seat belts for front passengers are additionally equipped with pretensioners.
E**)	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 <sup>st</sup> , 2 <sup>nd</sup> and 3 <sup>rd</sup> row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with load limiters and pretensioners.
F	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 <sup>st</sup> row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with load limiters and pretensioners.

\*) Lines: 164 (M-class); X164 (GL-class with two seating rows); 251 (R-class with two seating rows); 463 (G-class); X204 (GLK-Class)

\*\*) Lines: X164 (GL-class with three seating rows); 251 (R-class with three seating rows)

Plant Designation Code for 4JG: (ML-; GL-; and R-Class): **A** = Vance (USA, AL)

Plant Designation Code for WDC: (GLK-; and G-Class): **F** = Bremen; **X** = Graz (Austria)

4-MATIC = All Wheel Drive

**VIN Explanation**

**Model Year 2010 S550 VIN**

**WDD NG7B B 6 A A 000000**

**Manufacturer's Code**

**Model Type**

**Restraint System**

**Check Digit**

**Registration Year**

**Plant Codes (WDB):**

- A,B,C,D = Sindelfingen
- E = Juiz De Fora (Brazil)
- F,G,H = Bremen
- T = Osnabruek

**Plant Code (WDC):**

- X = Graz (Austria)
- F = Bremen


**Plant Codes (WDD):**

- A = Sindelfingen
- F,G,H = Bremen
- J = Rastatt
- M = Woking (UK) – SLR McLaren
- R, S = East London (South Africa)

**Plant Code (4JG):**

- A = Vance, Alabama (US)

**Sequential Serial Number (6 digits)**



**Chassis Explanation**

**MY10 S550 chassis no. corresponding to VIN WDDNG7BB6AA000000 WDD 221 171 1 A 000000**

**Manufacturer Code** \_\_\_\_\_

**Model (3 digits)\*** \_\_\_\_\_

**Body type (3 digits)\*** \_\_\_\_\_

\* together = Baumuster (Model Designation)

**Left hand drive = 1 / Right hand drive = 2** \_\_\_\_\_

**Plant Codes (WDB):**

- A,B,C,D = Sindelfingen
- E = Juiz De Fora (Brazil)
- F,G,H = Bremen
- T = Osnabruek

**Plant Code (WDC):**

- X = Graz (Austria)
- F = Bremen

**Plant Codes (WDD):**

- A = Sindelfingen
- F,G,H = Bremen
- J = Rastatt
- M = Woking (UK) – SLR McLaren
- R, S = East London (South Africa)

**Plant Code (4JG):**

- A = Vance, Alabama (US)

**Serial Number (always 6 digits)** \_\_\_\_\_

**\*Baumuster codes:**

164 = M	204 = C	219 = CLS	251 = R
164 = GL	207 = E coupe	221 = S	463 = G
171 = SLK	211 = E	230 = SL	212 = E
199 = SLR	216 = CL	240 = Maybach	204 = GLK