

AZLand, Inc.

345 Burnett Road, Suite 300; West Lafayette, IN 47906

Phone: (765) 429-6200 Fax: (765) 742-4211

April 1, 2009

U.S. Department of Transportation
NHTSA Correspondence Unit
1200 New Jersey Avenue, S.E.; W43-488
Washington, DC 20590



RE: VIN Decoding Information for Azland, Inc.

Dear Administrator,

In accordance with § 565.7 of 49 CFR Part 565, *Vehicle Identification Number*, Azland, Inc. hereby submits the following Vehicle Identification number (VIN) decoding information:

VIN Position	Description	Codes:
1, 2, & 3	WMI	1 A 9 – assigned by SAE
4	Trailer Type	B = Ball Type Pull G = Gooseneck P = Pintle
5	Body Type	F = Flat Body C = Custom U = Utility
6 & 7	Length of Trailer (all lengths rounded to nearest foot)	08 = 8 Feet Long 09 = 9 Feet Long 10 = 10 Feet Long 11 = 11 Feet Long 12 = 12 Feet Long 13 = 13 Feet Long 14 = 14 Feet Long 15 = 15 Feet Long 16 = 16 Feet Long 17 = 17 Feet Long 18 = 18 Feet Long 19 = 19 Feet Long 20 = 20 Feet Long 21 = 21 Feet Long 22 = 22 Feet Long 23 = 23 Feet Long 24 = 24 Feet Long

AZLand, Inc.


345 Burnett Road, Suite 300; West Lafayette, IN 47906

Phone: (765) 429-6200 Fax: (765) 742-4211

		25 = 25 Feet Long 26 = 26 Feet Long 27 = 27 Feet Long 28 = 28 Feet Long 29 = 29 Feet Long 30 = 30 Feet Long
8	Number of Axles	1 = 1 Axle 2 = 2 Axles 3 = 3 Axles
9	Check Digit (last position to be entered—after calculations)	Calculate – See 49 CFR 565 4
10	Model Year	9 = 2009 A = 2010 B = 2011 C = 2012 D = 2013 E = 2014 F = 2015
11	Plant Location	W = West Lafayette
12, 13, & 14	WMI Code	8 3 7 = assigned by SAE
15, 16, & 17	Sequential Production Number	001 002 003

Please feel free to contact me if you have any questions.

Sincerely,



Brian A. Vorst

AZLand, Inc.

345 Burnett Road, Suite 300; West Lafayette, IN 47906

Phone: (765) 429-6200 Fax: (765) 742-4211

Part 566, MANUFACTURER IDENTIFICATION SUBMISSION

Owners of Company: Brian A. Vorst
Darryl R. Hatke

City of Incorporation: West Lafayette, IN, USA

Product Manufacturer: Azland Inc. manufacturers bumper pull, gooseneck, and pintle pull trailers used primarily in the agricultural and construction industries.

GVWR: The gross vehicle weight ratings (GVWR) of our products range from 1,500 lb to 24,000 lbs.

Signature: _____



Date _____

4-1-09

Printed Name: Brian A. Vorst

Business Title of Signatory: President