

ORG5504


ORG5504

2011 Land Rover LR2

November 16, 2009

World Manufacturer Identifier (WMI)			Make, Line, Model, GVWR, Restraints		Body Type	Transmission & Steering	Engine	VIN Check Digit (0-9 or X)	Vehicle Model Year	Plant of Manufacture	Numerical Sequence Vehicle Identifier					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

S A L F ? 2 B N ? B H ? ? ? ? ? ?



Sequential Vehicle Identifier
000001 thru 999999

Vehicle Assembly Plant
H = Halewood, England

Model Year
B = 2011

Check Digit (Per Part 565.6(c))

Displacement (L) / Cyl	Fuel
3.2L ULEV 2	I-6 Gasoline

Transmission Type
B = LHD / 6 Speed Automatic

Body Type
2 = 4 - Door

Make	Line	Trim Level	GVWR		Restraint Description
			Class	Range	
P = Land Rover	LR2	SE	D	5,001 - 6,000 lbs	Manual belts with driver and passenger frontal air bags and side inflatable restraint (1st & 2nd row) and driver knee air bag
R = Land Rover	LR2	HSE	D	5,001 - 6,000 lbs	Manual belts with driver and passenger frontal air bags and side inflatable restraint (1st & 2nd row) and driver knee air bag
T = Land Rover	LR2	HSE + Lux Pack	D	5,001 - 6,000 lbs	Manual belts with driver and passenger frontal air bags and side inflatable restraint (1st & 2nd row) and driver knee air bag


Manufacturer	Type
SAL = Land Rover, UK	Multipurpose Passenger Vehicle

2011 Land Rover LR4

December 2, 2009

World Manufacturer Identifier (WMI)			Make, Line, Model, GVWR, Restraints		Body Type	Engine Type - Displacement, Cylinders	Transmission Type	VIN Check Digit (0-9 or X)	Vehicle Model Year	Plant of Manufacture	Numerical Sequence Vehicle Identifier					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

S A L A ? 2 D 4 ? B A ? ? ? ? ? ?



	Make	Line	Trim Level	GVWR		Restraint Description
				Class	Range	
B =	Land Rover	LR4	S / LR4 Base (5 seat)	F	7,001 - 8,000 lbs.	Manual belts with driver and passenger frontal air bags and side inflatable restraint (1st & 2nd row)
C =	Land Rover	LR4	S / LR4 Base (7 seat)	F	7,001 - 8,000 lbs.	Manual belts with driver and passenger frontal air bags and side inflatable restraint (1st & 2nd & 3rd row)
D =	Land Rover	LR4	SE (5 seat)	F	7,001 - 8,000 lbs.	Manual belts with driver and passenger frontal air bags and side inflatable restraint (1st & 2nd row)
E =	Land Rover	LR4	SE (7 seat)	F	7,001 - 8,000 lbs.	Manual belts with driver and passenger frontal air bags and side inflatable restraint (1st & 2nd & 3rd row)
F =	Land Rover	LR4	HSE (5 seat)	F	7,001 - 8,000 lbs.	Manual belts with driver and passenger frontal air bags and side inflatable restraint (1st & 2nd row)
G =	Land Rover	LR4	HSE (7 seat)	F	7,001 - 8,000 lbs.	Manual belts with driver and passenger frontal air bags and side inflatable restraint (1st & 2nd & 3rd row)
H =	Land Rover	LR4	HSE Lux (5 seat)	F	7,001 - 8,000 lbs.	Manual belts with driver and passenger frontal air bags and side inflatable restraint (1st & 2nd row)
K =	Land Rover	LR4	HSE Lux (7 seat)	F	7,001 - 8,000 lbs.	Manual belts with driver and passenger frontal air bags and side inflatable restraint (1st & 2nd & 3rd row)

Manufacturer	Type
SAL = Land Rover, UK	Multipurpose Passenger Vehicle