ORG5697

ORG5697

MAXEY COMPANIES, INC.
2101 AIRWAY AVENUE
FT COLLINS, CO 80524
PH 970-484-8660
FX 970-484-8676

September 27, 2009

National Highway Traffic Safety Administration
1200 New Jersey Avenue, SE
West Building
Washington, DC 20590

Dear Administrator,

Enclosed is the updated information for our 2010 model year trailers as required in 49 Code of Federal Regulations, Part 565.

Sincerely,

Carl R. Maxey
General Manager
Enc.

MAXEY MANUFACTURING
2101 AIRWAY AVENUE
FT COLLINS, CO 80524
PH 970-482-1202
FX 970-482-1288
www.maxeymfg.com

MAXEY TRUCK EQUIPMENT
2220 E. LINCOLN AVENUE
FT COLLINS, CO 80524
PH 970-493-7510
FX 970-493-0514
www.maxeytruckeq.com

MAX-AIR TRAILER SALES
1908 SE FRONTAGE ROAD
FT COLLINS, CO 80525
PH 970-484-0557
FX 970-484-9569
www.max-airtrailers.com

September 24, 2009

Vehicle Identification Number Standard for:

MAXEY MANUFACTURING COMPANY

Character Number		
Section 1		
1.	=	1 (Nation of Origin, Assigned)
2.	=	M (SAE Assigned)
3.	=	9 (SAE Assigned)
Section 2		
4.	=	Model of Trailer, First Letter (MMC Table A)
5.	=	Type of Hitch/ Special Features, Second Letter (MMC Table B)
6.	=	Length in Feet, First Number
7.	=	Length in Feet, Second Number
8.	=	Number/Capacity of Axles (MMC Table C)
Section 3		
9.	=	Check Digit
Section 4		
10.	=	Model Year
11.	=	1 (Ft. Collins, CO Facility)
12.	=	1 (SAE Assigned)
13.	=	0 (SAE Assigned)
14.	=	4 (SAE Assigned)
15.	=	Production Sequence (Last 3 Serial Number)
16.	=	Production Sequence (Last 3 Serial Number)
17.	=	Production Sequence (Last 3 Serial Number)

September 24, 2009

Vehicle and Identification Number Standard for:

MAXEY MANUFACTURING COMPANY

Model/Type of Trailer

A.	=	
B.	=	
C.	=	"C" Car Series MAXEY® Trailers, 1,2, and 3 axle
D.	=	"D" Mini Series MAXEY® Trailers, 1 axle
E.	=	"E" Equipment Series MAXEY® Trailers, 2 and 3 axle
F.	=	"F" Flatbed Series MAXEY® Trailers, 2 and 3 axle
G.	=	
H.	=	"Hot Shot, Oil Field Float" MAXEY® Trailers 1, 2 and 3 axle
I.	=	
J.	=	
K.	=	"Keel or Pipe" MAXEY® Trailers, 1,2 and 3 axle
L.	=	"Lightweight" Flatbed MAXEY® Trailers, 1,2 and 3 axle
M.	=	"M" Mite Series MAXEY® Trailers 1, 2 and 3 axle
N.	=	
O.	=	
P.	=	"Pizza Oven" Series MAXEY® Trailers, 1,2 axle
Q.	=	
R.	=	"Rear Dump" Series MAXEY® Trailers, 1, 2 and 3 axle
S.	=	"S" Suburban Series MAXEY® Trailers, 1 axle
T.	=	
U.	=	
V.	=	"Van Body, Special Frame" MAXEY® Trailers, 1, 2 and 3 axle
W.	=	
X.	=	"Special, Single Purpose" MAXEY® Trailers, 1, 2 and 3 axle
Y.	=	
Z.	=	

Note: Open categories available for future designations

September 24, 2009

Vehicle Identification Number Standard for:

MAXEY MANUFACTURING COMPANY

TABLE B

MAXEY® Trailer Type of Hitch/Special Features on Trailer

A.	=	Adjustable straight hitch
B.	=	Adjustable straight hitch w/Beavertail and ramps
C.	=	
D.	=	
E.	=	Extendable straight hitch, fixed or adjustable
F.	=	
G.	=	Gooseneck hitch, Adjustable height
H.	=	Gooseneck hitch, Adjustable height w/ Beavertail and ramps
I.	=	
J.	=	
K.	=	
L.	=	
M.	=	
N.	=	
O.	=	
P.	=	Fifth wheel or King pin, straight deck
Q.	=	Fifth wheel or King pin, drop deck
R.	=	
S.	=	
T.	=	Fixed or Adjustable height straight hitch, Tilt-bed
U.	=	Gooseneck hitch, fixed or Adjustable height, Tilt-bed
V.	=	
W.	=	
X.	=	
Y.	=	Fixed height straight hitch, Non-Tilt
Z.	=	

Note: Open Categories available for future designations

September 24, 2009

Vehicle Identification Number Standard for:

MAXEY MANUFACTURING COMPANY

TABLE C

Number of Axles and Capacity of Axles

A.	=	2000# Single Axle
B.	=	2000# Tandem Axle
C.	=	3500# Single Axle
D.	=	3500# Tandem Axle
E.	=	5200# Single Axle
F.	=	5200# Tandem Axle
G.	=	5200# Triple Axle
H.	=	6000# Single Axle
I.	=	
J.	=	6000# Tandem Axle
K.	=	6000# Triple Axle
L.	=	7000# or 7200# Single Axle
M.	=	7000# or 7200# Tandem Axle
N.	=	7000# or 7200# Triple Axle
O.	=	
P.	=	8000# Tandem Axle
Q.	=	
R.	=	8000# Triple Axle
S.	=	9000# or 10,000# Single Axle
T.	=	9,000# or 10,000# Tandem Axle
U.	=	
V.	=	12,000# Single Axle
W.	=	12,000# Tandem Axle
X.	=	15,000# Single Axle
Y.	=	15,000# Tandem Axle
Z.	=	20,000# – 25,000# Single Axle
1.	=	20,000# – 25,000# Tandem Axle
2.	=	20,000# - 25,0003 Triple Axle
3.	=	3500# Triple Axle
4.	=	9,000# or 10,000# Triple Axle
5.	=	7200# Triple Axle
6.	=	
7.	=	

Note: Open categorize available for future designations.

I.	=	201
J.	=	201
K.	=	202