

ORG5793

ORG5793



49 CFR 565.5

Placement of information in manufacturers V.I.N.

Position #	Description of Position	Letter/number
1, 2, 3 =	Issued World Identifier issued.	2D9
4 =	Semi-trailer	A
4 =	Full Trailer (wagon)	B
4 =	Converter Dolly	C
5 =	Standard Trailer	1
5 =	Custom Trailer	2
6 =	Van (Aluminum, FRP)	V
6 =	Curtain side	C
6 =	Platform-Flat	P
6 =	Utility Tag-a-Long (Pintle/Ball type)	U
6 =	Special, Custom (Unique)	S
6 =	Dump	D
7 =	Length 48.1 to 53' (14.7-16.2M)	2
7 =	Length 45' to 48' (13.7-14.6M)	3
7 =	Length 40' to 44'-1/2' (12.2-13.6M)	4
7 =	Length 29-1/2' to 39-1/2' (9 -12M)	5
7 =	Length 23' to 29-1/2' (7 -8.99M)	6
7 =	Length 16-1/2' to 22'-1/2' (5 -6.99M)	7
7 =	Length 10' to 16' (3 -4.99M)	8
7 =	Length Under 10' (2.99 or less)	9
8 =	Tandem axles (2)	A
8 =	Tri-Axle (2 down + 1 lift) (3 total)	B
8 =	Tridem (3) (3 total)	C
8 =	Tridem + lift (3 down + lift) (4 total)	D
8 =	Quad axle (4) tandem + 2 lift OR tridem + 1 lift	E
8 =	Single axle (1)Semi	F
8 =	Five axle (5)Tridem down + 2 lift	G
8 =	Two axle (2) Wagon, 1 front steering, 1 fixed	H
9 =	CHECK DIGIT NUMBER Calculated	
10 =	Model Year Letter or Number from 49CFR Table VI See chart.	
11 =	Plant of manufacture Bond Head	1
Position #	Description of Position	Letter/number
12 =	Issued Motor Vehicle Mfg Ass'n (SAE)	0
13 =	Issued Motor Vehicle Mfg Ass'n (SAE)	0
14 =	Issued Motor Vehicle Mfg Ass'n (SAE)	7
15 =	1st of 3 numbers in shop order run	0 to 9
16 =	1st of 3 numbers in shop order run	0 to 9
17 =	1st of 3 numbers in shop order run	0 to 9

DURABODY INDUSTRIES LIMITED

2753 Hwy. 27, PO Box 12, Bond Head, ON, Canada, L0G 1B0

TF: 800-661-3775, T: 905-775-5338 F: 905-775-8748 www.durabody.ca sales@durabody.ca

NVS-200



EXECUTIVE SECRETARIAT

2010 APR 30 P 1:57

RECEIVED - NHTSA

Wednesday, 10 March, 2010

RE: 49CFR Part 566 Manufacturer Identification
WMI A40 2D9

Company Owner Alan Shaw, President & CEO.
Province of Incorporation Ontario, Canada

Products Manufactured


Trailers and truck-bodies using steel and aluminum tube, shapes, sheet and extrusion, FRP, trailer axles and running gear, air and electrical braking components tires, wheels, wood floors. Most percentage value of components are manufactured and sourced in North America. Certain products are offered as knock-down "kit" partially assembled walls which could be final assembled using simple hand tools for attachment to a suitable vehicle as a "truck" amongst other finished designs and uses

Trailer vehicles where sold by Durabody Industries Limited to a customer are completed, certified to CMVSS and to FMVSS Truck bodies / boxes where installed by Durabody Industries Limited on chassis will meet current North American Motor Vehicle Safety Standard, for the attached body portion.

GVWR ratings:

For trailers manufactured and sold by Durabody Industries Limited can be from 1000lb thru 140,000 lb.. Truck Body GVWR's are governed by the chassis presented by the end customer or an intermediary truck franchise dealer, but in general, the GVWR class produced will suit Class IV through Class VIII vehicles.

Signed On behalf of Durabody Industries Limited

Per 
President & CEO

Date MAR 10 / 10

DURABODY INDUSTRIES LIMITED

2753 Hwy. 27, PO Box 12, Bond Head, ON, Canada, L0G 1B0

TF: 800-661-3775, T: 905-775-5338 F: 905-775-8748 www.durabody.ca sales@durabody.ca