



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU <u>71</u>

CASE NO. 617P

TYPE OF ACCIDENT FULL Size Utility

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

> Vehicle #1 headed west bound in a one lane alley. Pedestrian running southbound with a straight path of travel. Pedestrian ran into the right side of vehicle #1. Pedestrians front impacted vehicle #1's night side, then pedestrian slid down to frp on ground in Front of vehicle #1.

	B. PEDESTRIAN PROFILE										
Pedestrian			Treatment/	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)							
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source				
01	5	М	treated \$ Released	Lower . Extremity	Skin-oth	e-1	Risit Front				

Body Region	Bo	dv	Red	noic
--------------------	----	----	-----	------

Head Face

Throat Chest

Abdomen/Pelvis Spine

Upper Extremity Lower Extremity

External

Type of Anatomic Structure

Whole Area Vessels Nerves

Organs Skeletal

Head-LOC Skin-Burn Skin-Other

Abbreviated Injury Scale

(1) Minor injury

(2) Moderate injury (3) Serious injury

(4) Severe injury

(5) Critical injury


(6) Maximum (untreatable)

(7) Injured, unknown severity

C. VEHICLE PROFILE

	Class		Most Severe Damage, Based on Vehicle Inspection				
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description			
01	Full Size Large Utility	1991 Ford Bronco XLT	Right	Minor			

DO NOT SANITIZE THIS FORM





SU No	72		CIDENT (Indicate North	\in	\rightarrow
		,			:					
									7	, *deb
			\						æ	م _
\										12
						1		\ \	-	
					\ <u>\</u>				•	
									:	
Y'					\	\	400Y			
					3	C C				
	63				· Ď	₹\				
		2.3	: :		\	//	\			
	:	14		3,5		18 J				
	,					1,1	1/			
						٠,-	,			. 1.
								7 -	_ 2	.1

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PEDESTRIAN ACCIDENT COL	LISION DATA C		SCALED DIAGRAM
 document reference point and reference line relative to physical features 	Surface Type	<u>bit</u> ·	north arrow placed on diagram
 documentation of all accident induced physical evidence including (if applicable): 	Surface Condition	·	grade measurements for all applicable roadways scaled representations of the physical plant
a) vehicle skid marks	Coefficient of Fric	300	including: a) all road/roadway delineation (e.g.,
b) pedestrian contacts with ground or object	Grade (v/h) Meas		crosswalks, curb/edge lines, lane markings, medians, pavement markings parked vehicles, poles, signs, etc.)
c) vehicle/pedestrian point of impact (POI)	a) at impa		b) all traffic controls (e.g., lights, signs)
d) location of pedestrian separation point from vehicle	b) between final res	impact and	scaled representations of the vehicle and pedestrian at pre-impact, impact, and final rest based upon either:
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Trave		a) physical evidence, or
a) all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.) b) all traffic controls (e.g., lights, signs)	Vehicle Travel DI Number of Trave	1	b) reconstructed accident dynamics
Reference Point: Utility pol	le	Reference Line:	
Item		Distance and Direction from Reference Point	Distance and Direction from Reference Line
2.0		/	, 3
A	-	2 / \	2.1 N
POI	-	2.6 W	311 N
PED FRP		3.6	3. (
PED FRP		3.6	3. (
PED FRP		3.6	3. (
PED FRP		3.6	3. (
PED FRP		3.6	3. (

Administration

PEDESTRIAN ACCIDENT FORM

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

	12	SPECI	AL STUDIES - INDICATORS	5
Primary Sampling Unit Number		Chaple (6) an	sh special study (SS15 SS10 bolo	ww/ that
2. Case Number - Stratum	<u>617</u> P		ch special study (SS15-SS19 belo mpleted; code 1 for the checked	
IDENTIFICATION		studies and 0	for the special studies not checked	i.
IDENTIFICATION		6. SS15	Administrative Use	0
Number of General Vehicle Forms Submitted	_0_1_			
Forms Submitted		7. <u>√</u> SS16	Pedestrian Crash Data Study	_1_
4. Date of Accident	.,			
(Month, Day, Year)	/ 9 6	8SS17	Impact Fires	_0_
5. Time of Accident	9 1 \$	9SS18		0
Code reported military time of accid	ent.			
·		10SS19		0
NOTE: Midnight = 2400 Unknown = 9999				
2 = 2.2			NUMBER OF EVENTS	
		11. Number of	Recorded Events	
		in This Acc	ident	0 1

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are <u>not</u> pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's <u>only</u> impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS										
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage				
12. <u>0</u> <u>1</u>	13. <u>0 1</u>	14. 12	15. <u>R</u>	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u> 0 </u>				

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY National Highway Traffic Safety Administration

1. Primary Sampling Unit Number 72 2. Case Number - Stratum 617 P	10. Pedestrian's Weight Code actual weight to the nearest kilogram. (999) Unknown
3. Pedestrian Number01	pounds X .4536 = kilograms
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown 6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify):
inches X 2.54 =centimeters 7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown inches X 2.54 =centimeters 8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify): (99) Unknown
9. Pedestrian's Height - Ground to Shoulder 9999 Code to the nearest centimeter. (999) Unknowninches X 2.54 = centimeters	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

PEDESTRIAN'S AVOIDANCE ACTIONS	
LDESTRIANTO AVOIDANTE AS TISKS	18. Pedestrian's Arm Orientation
	at Initial Impact
	(01) At sides
15. Pedestrian's First Avoidance Actions	(02) Folded across chest
(00) No avoidance actions	(03) Hands clasped behind back
(01) Stopped	(04) Hands on hips
(02) Accelerated pace	(05) Hands in pockets
(03) Ran away (along vehicle path)	* per
(04) Jumped	One or both arms:
(05) Turned toward vehicle	One or both arms: Vehicle (06) Extended upward
(06) Turned away from vehicle	(07) Extended upward \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
(07) Dove or fell away	(08) Extended to side (08) Extended forward bracing
(07) Dove or fell away Used hand(s) to: Vehicle Vehicle inspection	(09) Extended forward bracing (09) Extended, holding object
Used hand(s) to:	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against vehicle	bag, etc.) on shoulder(s) or head
(98) Other (specify):	(98) Other (specify):
(99) Unknown	(99) Unknown
(00) Chillown	
	19. Pedestrian's Leg Orientation
	at Initial Impact
	(01) Together
PEDESTRIAN'S ORIENTATION AT IMPACT	(02) Apart-laterally
	(03) Apart-right leg forward
	(04) Apart-left leg forward
	(05) Apart-forward leg unknown
16. Pedestrian's Head Orientation	(06) Left foot off the ground
at Initial Impact	(07) Right foot off the ground
(1) To front	(08) Both feet off the ground
(2) To left	(98) Other (specify):
(3) To right	(99) Unknown
(4) Up	(00) 01111101111
(5) Down	20. Vehicle/Pedestrian's Interaction
(8) Other (specify):	(01) Carried by vehicle, wrapped position
(9) Unknown	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
	(04) Passed over vehicle top
17. Pedestrian's Body (Chest) Orientation	(05) Thrown straight forward
at Initial Impact	(06) Thrown forward and left of vehicle
(1) Facing vehicle	(07) Thrown forward and right of vehicle
(2) Facing away	(08) Knocked to pavement, forward
(3) Left side to vehicle	(09) Knocked to pavement, left of vehicle
(4) Right side to vehicle	(10) Knocked to pavement, right of vehicle
(8) Other (specify):	(11) Knocked to pavement, run over or
(9) Unknown	dragged by vehicle
	(12) Shunted to left (corner impacts only)
	(13) Shunted to right (corner impacts only)
•	(14) Bumped or pushed aside
	(15) Snagged, rotated
	(16) Snagged, dragged by vehicle
	(17) Foot or legs run over
·	(98) Other (specify):
	(99) Unknown

OFFICIAL RECORDS		INJURY CONSEQUENCES
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 	<u>Ø</u>	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	96	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source: PAR		Nonfatal (3) Hospitalization (4) Transported and released
 23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown 	1	(5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	<u></u>	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

lational Accident Sampling System-Crashworthiness Da	
STOP - VARIABLES 30 THROUGH 37 AF	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death 36. 3rd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death
31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units):	 (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease)
32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported, HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured	(specify):
Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	(97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORD	S INCLUDED WITH INITIAL SUBMISSION?
NO [X	YES[]
UPDATE CANDIDATE?	P NO[] YES [X]

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PEDESTRIAR INSORT TOTAL

72

3. Pedestrian Number

0_1

2. Case Number - Stratum

1. Primary Sampling Unit Number

6 1 7 P

4. Blank

<u>X</u> X


INJURY DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

	Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5	6. 8	7	8. <u>0</u> 2	-s. <u>02</u>	- ₁₀ /	11	12. <u>79</u> /	13	14./_	15	16. /	17
2nd	18. Z	198	20	21.08	22. 0 2	_23/	24. <u>/</u>	25. <u>791</u>		27	28. 7	29	30
3rd	31. <u>Z</u>	32.	33. 9	34. <u>6 4</u>	35. <u>6)</u>	- 36. <u>/</u>	37	38. <u>7</u> 40	39. 🖊	40	41. <u>~</u>	42	43
4th	44.	<u>)</u> 45	46.	47. <u>06</u>	48.02	49	50. <u>8</u>	740 51. <u>740</u>	52	53	54. <u>~</u>	55	56
5th	57.	58	59	60	61.	62	63	64	65	66	67	68	69. <u> </u>
6th	70	71	72	73	74	75	76	77	78	79	80	81	82:
7th	83	84	85	86	87	88	89	90	91	92	93	94	95
8th	96	97	98	99	100:	101	102	103	104	105	106	107	108
9th	109	110	1-1.	112	113	114	115	116	117	118	119	120	121
10th	122	123	12≇	125	126	127	128	129:	130	131.	132	133	134

	PEDESTRIAN INJURY DATA												
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11t							_		_				
12tl							_						_
13ti	·												
14ti	<u> </u>												
151													
16ti					. -								
178									(12) <u>년</u> 1년 12:18 (2) 12:18 12:18 (12) 12:18				
18ti				ti <u></u>									
20tl													
21s									_				
22nt	1								_		_	_	
23 rc													
24tł													
25th	_	-					_		-				

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



INJURY SOURCE CONFIDENCE LEVEL TYPE OF DAMAGE **SOURCE OF INJURY DATA** (0) Injury not from vehicle contact Certain **OFFICIAL** (2) Probable No damage/contact (1) Autopsy records with or without hospital/ Possible Scratch (Scuff, Cloth Transfer, Smear) (3) medical records Unknown (3) Dent (2) Hospital/medical records other than Large deformation DIRECT/INDIRECT INJURY emergency room (e.g., discharge Cracked, fractured, shattered summary) Direct contact injury Separated from vehicle Indirect contact injury (3) Emergency room records only (including Noncontact injury Noncontact injury associated X-rays or other lab reports) Other specify: Injured, unknown source (4) Private physician, walk-in or emergency Unknown STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (> 15 centimeters) Injury not from vehicle contact UNOFFICIAL No residual damage (5) Lay coroner report Surface only damage Rounded (contoured) (6) E.M.S. personnel Crush depth >0 to 2 centimeters Rounded edge (7) Interviewee Crush depth > 2 to 5 centimeters Sharp edge Other (specify): (5) (8) Other source (specify): Crush depth > 5 to 10 centimeters Other specify:_ (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION Abbreviated Injury Scale **Specific Anatomic Structure** Spine (02) Cervical (04) Thoracic **Body Region** Whole Area (02) Skin - Abrasion (04) Skin - Contusion (06) Skin - Laceration Minor injury Head (2) (06) Lumbar Moderate injury Face Serious injury (3) Neck Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02 Severe injury (4) Thorax (08) Skin - Avulsion (5) Critical injury (5) Abdomen (6) (10) Amputation (20) Burn (6)Maximum (untreatable) Spine Injured, unknown severity Upper Extremity (30) Crush Level of injury Lower Extremity Unspecified (8) (40) Degloving (50) Injury - NFS (90) Trauma, other than mechanical **Aspect** (9) Specific injuries are consecutive two-digit beginning with 02. assigned Type of Anatomic Structure numbers Right (2) (3) Left Bilateral Whole Area Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness To the extent possible, within the organizational framework of the AIS, 00 Central Vessels (5) Anterior (3) Nerves is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic (6) (7) (10) Concussion Posterior Organs (includes muscles/ ligaments) Superior Skeletal (includes joints) Head - LOC Inferior structure. 99 is assigned to any injury NFS as to lesion or severity. (9) (0) Unknown (6) Whole region **INJURY SOURCE** Wheels / tires FRONT 790 Left front wheel / tire 744 B pillar 700 Front bumper 745 C pillar 791 Right front wheel / tire 701 Front lower valance/spoiler 746 D pillar 792 Left rear wheel / tire 702 Front grille 748 Other pillar (specify):__ 793 Right rear wheel /tire 703 Hood edge and/or trim 798 Other wheel / tire (specify): _ 749 Right side roof rail 704 Hood ornament (fixed) 799 Unknown wheel / tire 705 Hood ornament (spring loaded) 750 Right side door surface 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 753 Right side folding mirror 800 Front crossmember 708 Turn signal/parking lights 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 718 Other front or add on object 755 Right side glazing rearward of B pillar 802 Oil pan 803 Exhaust system pipe 756 Rear antenna 757 Rear fender or quarter panel 804 Transmission 758 Other right side object 805 Drive shaft Left Side Components 806 Catalytic converter 720 Front fender side surface (specify): 759 Unknown right side component 807 Muffler 721 Front antenna 808 Floor pan 722 A1 pillar 723 A2 pillar **Back Components** 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 818 Other undercarriage component 725 C pillar 761 Tailgate 762 Hatchback, vertical surface 726 D pillar 768 Other back component 819 Unknown undercarriage component 728 Other pillar (specify): (specify): Accessories 820 Air scoop, deflector 729 Left side roof rail 769 Unknown back component 730 Left side door surface 821 Cellular or CB radio antenna 731 Left side door handle Top Components 822 Emergency lights or bar 732 Left side mirror fixed housing 770 Hood surface 823 Fog lights 771 Hood surface reinforced by under hood 733 Left side folding mirror 824 Luggage, ski, or bike rack 734 Left side glazing forward of B pillar component 825 Cargo (specify):_ 735 Left side glazing rearward of B pillar 772 Front fender top surface 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire

777 Roof surface Other Object or Vehicle in Environment 739 Unknown left side component 778 Backlight glazing 947 Ground 779 Rear header 948 Other object (specify):

827 Spotlight

828 Other accessory (specify):_

949 Unknown object in environment

997 Noncontact injury source

999 Unknown injury source

959 Unknown object on contacting vehicle

774 Wiper blade & mountings

775 Windshield glazing

776 Front header

780 Hatchback

740 Front fender side surface 781 Rear trunk lid 741 Front antenna 788 Other top component (specify): _

742 A1 pillar

789 Unknown top component 743 A2 pillar

737 Rear antenna

(specify):

738 Other left side object

Right Side Components

OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

___ No

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

Yes unavailable.)

Blood Alcohol Level

(mg/dl)

Glasgow Coma Scale Score

 $GCSS = \int_{-\infty}^{\infty}$


Units of Blood Given


Units =

Arterial Blood Gases

Ph = _./ PO₂ = __


нсо, _






OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Ang.

	OFFICIAL RECORDS
1. Primary Sampling Unit Number 72	
2. Case Number - Stratum 6 1 7 P	9. Police Reported Travel Speed 9 9 9
3. Vehicle Number	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown
	mph X 1.6093 = kmph
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown	10. Speed Limit (000) No statutory limit Code posted or statutory speed limit
5. Vehicle Make (specify): 12	in kmph * Alley (999) Unknown
Applicable codes are found in your NASS PCDS Data Collection, Coding and	mph X 1.6093 = kmph
Editing Manual. (99) Unknown	11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported
6. Vehicle Model (specify): 421	(8) No driver present (9) Unknown
Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown 7. Body Type Note: Applicable codes may be found on the back of this page.	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number	Source: PAR
Left justify; Slash zeros and letter Z (0 and Z) No VIN—Code all zeros Unknown—Code all nines	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown	18. Impact Speed Nearest kmph (NOTE: 000 means greater than .5 kmph)
<u>4, 5 </u>	(160) 159.5 kmph and above (999) Unknown 19. Accuracy Range of Impact Speed Estimate (0) No reconstruction
16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms	(1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown
(450) 4,500 kilograms or more (999) Unknown lbs X .4536 =, kgs	20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
	PRECRASH DATA
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane
STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	(05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): Sq veezing through a garbage on (99) Unknown

O 1	
23. Critical Precrash Event $ -$	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):(84) Pedalcyclist or other nonmotorist approaching
(01) Blow out or flat tire	roadway (specify):
(02) Stalled engine	(85) Pedalcyclist or other nonmotorist—unknown
(03) Disabling vehicle failure (e.g., wheel fell off)	location (specify):
(specify):(O4) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
· · · · · · · · · · · · · · · · · · ·	(87) Animal in roadway
up) (specify):	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
(00) Other dade of control to the control	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(O2) Braking (no lockup)
(16) Turning right at intersection	(03) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right (98) Other action (specify):
(55) Backing	(99) Unknown
(59) Unknown travel direction of other motor vehicle in lane	(99) Olikilowii
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction)—over left	(0) No driver present
lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction)—over right	(2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30
(62) From opposite direction—over left lane line	degrees
(63) From opposite direction—over right lane line	(4) Skidding laterally—clockwise rotation (5) Skidding laterally—counterclockwise rotation
(64) From parking lane	(5) Skidding laterally—counterclockwise rotation (8) Other vehicle loss-of-control (specify):
(65) From crossing street, turning into same direction	(b) Other verification of contract (opening).
(66) From crossing street, across path	(9) Precrash stability unknown
(67) From crossing street, turning into opposite	
direction	26. Precrash Directional Consequences of
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(0) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance maneuver was initiated
(73) From driveway, intended path not known	(3) Vehicle stayed on roadway but left travel lane
(74) From entrance to limited access highway	where avoidance maneuver was initiated
(78) Encroachment by other vehicle—details	(4) Vehicle stayed on roadway, not known if left
unknown	travel lane where avoidance maneuver was
Pedestrian or Pedalcyclist, or Other Nonmotorist	initiated
(80) Pedestrian in roadway	(5) Vehicle departed roadway
(81) Pedestrian approaching roadway	(6) Avoidance maneuver initiated off roadway
(82) Pedestrian—unknown location	(9) Directional consequences unknown

	ENVIRONMENTAL DATA								
	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown							
28.	(6) Unknown type of non-interchange (9) Unknown if interchange Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown Number of Travel Lanes (1) One (2) Two (3) Three (4) Four (5) Five (6) Six	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing) Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR controls (specify): (9) Unknown 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning							
	(7) Seven or more (9) Unknown Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown	(2) Functioning (9) Unknown 36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk							
	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):	(9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown							

ì			, ,	
1	フコ	_	11	7

91 Browco

5-70 m

POI to J=RP = 0,5 m = 1,6 f+

 $V = \gamma_{(2)(1.6)(0.65)(32.2)}$

= 8,3 fps = 5,6 mph = 9 KP4

cm

cm


J.S. Department of Transportation National Highway Traffic Safety Administration	PEDESTRIAN EXTER	NOR VEHICLE FORM	NATIONAL ACCIDENT SAMPLING SYSTE PEDESTRIAN CRASH DATA STUD
Primary Sampling Unit Number	r <u>72</u>	3. Vehicle Number	0 1
2. Case Number - Stratum	<u>617 p</u>		
	VEHICLE IDE	NTIFICATION	
VIN I FMEU I	5 H H M L		Model Year
Vehicle Make (specify):F6	rd	Vehicle Model (specify	11: Bronco XLT
PEDE	STRIAN FRONT C	ONTACT WORK SH	EET
PEV06 Hood Material		ı	/
PEV08 Hood Length			cm
PEV09 Hood Width-Forward	Opening		cm
PEV10 Hood Width-Midway			cm
PEV11 Hood Width-Rear Ope	ening		cm
PEV14 Front Bumper Cover I	Material		<u> </u>
PEV15 Front Bumper Reinfor	cement Material		
	VERTICAL ME	EASUREMENTS	
PEV16 Front Bumper-Bottom	Height		cm
PEV17 Front Bumper-Top He	ight		cm
PEV18 Forward Hood Openir	ng		cm
PEV19 Front Bumper Lead		*.	cm
	WRAP D	ISTANCES	
PEV20 Ground to Forward H	ood Opening		cm
PEV21 Ground to Front/Top	Transition Point	`	cm
PEV22 Ground to Rear Hood	Opening		cm

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).


Location of the origin (intercept point of the centerline and the front axles) from the ground:

	PEDESTRIAN SIDE CONTACT WOR	RK SHEET						
DE1 (0.0		steel						
	Hood Material	1 4 0 0	-					
	Hood Length	172 cr						
	Hood Width-Forward Opening	1 1 2 cr						
	Hood Width-Midway	<u> </u>	/					
PEV11	Hood Width-Rear Opening	<u>176</u> cr	n					
VERTICAL MEASUREMENTS								
PEV26	Ground Clearance	_43 c	m 🗸					
PEV27	Side Bumper-Bottom Height	<u>48</u> cı	m 🗸 .					
PEV28	Side Bumper-Top Height	_18 c	m /					
PEV29	Centerline of Wheel	~ ~	m 🗸					
PEV30	Top of Tire	72 c	m 🗸					
PEV31	Top of Wheel Well Opening		m /					
PEV32	Bottom of A-Pillar at Windshield	125 c	m					
PEV33	Top of A-Pillar at Windshield	<u>173</u> c	m					
PEV34	Top of Side View Mirror	<u>144</u> c	m					
	LATERAL MEASUREMENTS							
		9ø						
	C _L to A-Pillar at Bottom of Windshield		m					
	C _L to A-Pillar at Top of Windshield	<u> </u>						
PEV37	C _L to Maximum Side View Mirror Protrusion	<u> 1 2 5</u> c	m					
	WRAP DISTANCES							
PEV38	Ground to Side/Top Transition	125 c	m /					
PEV39	Ground to Hood Edge	<u>127</u> °	m /					
PEV40	Ground to Centerline of Hood (ORIGIN)	<u>214</u> °	m					
PEV41	Ground to Head Contact	<u>088</u> °	m					

ORIGINAL SPECIFICATIONS

	Wheelbase	1047	inches	x 2.54	=	<u> 166</u> cm
	Overall Length	18 \$.5	inches	x 2.54	=	<u>458</u> cm
	Maximum Width	79.1	inches	x 2.54	=	$2 \phi \phi cm$
/	Curb Weight	4,388	pounds	x .4536	=	<u>1,99</u> kg
Ł	Average Track	_64.7	inches	x 2.54	=	164cm
₹ ₹	Front Overhang	<u>3 \$.5</u>	inches	x 2.54	=	$\underline{}$ $\underline{}$ $\underline{}$ $\underline{}$ cm
	Rear Overhang	_ 45.3	inches	x 2.54	=	<u>1 1 5</u> cm
	Undeformed End Width	12.8	inches	x 2.54	=	185cm
	Engine Size: cyl./displ.	8 c y L	СС	x .001	=	<u>5.</u> \$\blacktrianskip L
	× 91			x .0164	=	L

	INJURY SOURCE	
FRONT		Wheels / tires
700 Front bumper	744 B pillar	790 Left front wheel / tire
701 Front lower valance/spoiler	745 C pillar	791 Right front wheel / tire
702 Front grille	746 D pillar	792 Left rear wheel / tire
703 Hood edge and/or trim	748 Other pillar (specify):	793 Right rear wheel /tire
704 Hood ornament (fixed)	749 Right side roof rail	798 Other wheel / tire (specify):
705 Hood ornament (spring loaded)	750 Right side door surface	799 Unknown wheel / tire
706 Headlight	751 Right side door handle	
707 Retractable headlight door (Open/Closed)	752 Right side mirror fixed housing	Undercarriage components
708 Turn signal/parking lights	753 Right side folding mirror	800 Front cross member
718 Other front or add on object	754 Right side glazing forward of B pillar	801 Steering assembly/Front suspension
(specify):	755 Right side glazing rearward of B pillar	802 Oil pan
719 Unknown front object	756 Rear antenna	803 Exhaust system pipe
•	757 Rear fender or quarter panel	804 Transmission
Left Side Components	758 Other right side object	805 Drive shaft
720 Front fender side surface	(specify):	806 Catalytic converter
721 Front antenna	759 Unknown right side component	807 Muffler
722 A1 pillar	, co company	808 Floor pan
723 A2 pillar	Back Components	809 Fuel tank
724 B pillar	760 Rear (back) bumper	810 Rear suspension
725 C pillar	761 Tailgate	818 Other undercarriage component
726 D pillar	762 Hatchback, vertical surface	(specify):
728 Other pillar	768 Other back component	819 Unknown undercarriage component
(specify):	(specify):	O 10 Olikilowi aliaoloaniago osmpeneni
729 Left side roof rail	769 Unknown back component	Accessories
729 Left side roof fall 730 Left side door surface	709 Olikilowii back component	820 Air scoop, deflector
730 Left side door surface 731 Left side door handle	Top Components	821 Cellular or CB radio antenna
	770 Hood surface	822 Emergency lights or bar
732 Left side mirror fixed housing	770 Hood surface reinforced by under hood	823 Fog lights
733 Left side folding mirror		824 Luggage, ski, or bike rack
734 Left side glazing forward of B pillar	component 772 Front fender top surface	825 Cargo (specify):
735 Left side glazing rearward of B pillar	772 Front fender top surface	826 Spare tire
736 Left side back fender or quarter panel		827 Spotlight
737 Rear antenna	774 Wiper blade & mountings	828 Other accessory (specify):
738 Other left side object	775 Windshield glazing	828 Other accessory (specify).
(specify):	776 Front header	Other Object or Vehicle in Environment
739 Unknown left side component	777 Roof surface	947 Ground
	778 Backlight glazing	
Right Side Components	779 Rear header	948 Other object (specify): 949 Unknown object in environment
740 Front fender side surface	780 Hatchback	
741 Front antenna	781 Rear trunk lid	959 Unknown object on contacting vehi
742 A1 pillar	788 Other top component (specify):	997 Noncontact injury source 999 Unknown injury source



POINTS OF PEDESTRIAN CONTACT PEDESTRIAN CONTACT WORKSHEET								
CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL LOCATION (X)	LATERAL LOCATION	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	SEQUENCE #
A	pamber	154-156	68-78	,		white transfer mark	D 2 3 9	
В	++ ++ /4 +>nv		-10.7%	1		SWIPE	⊕ 2 3 9	
C 2	fut rt (ly pone) for pt	127	+70	1		small surpe/clian	(1) 3 9	
2	ett barg		7 - 37			Suipenark	<u> </u>	
せい	W. Donell	80-96	-5 % -15	1	ysug	Suri pe	1 2 3 9	
1	fort per penel	94-95	-24	1		Swipe	1 2 1)	
<u>G</u>	Front Pahel	144	60-65	/		swipe.	D 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	

POINTS OF PEDESTRIAN CONTACT CHRONOLOGICAL ORDER OF CONTACTS

CONTACT #	COMPONENT CONTACTED CODE	LONGITUDINAL Location (X)	LATERAL LOCATION (Y)	CRUSH IN Centimeters	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle)</i>
1		+21	214	0	Ponkle	none content	2 3 9
2	791	+21	214	***************************************	•	•	D2 23
3 É	740	88	-10	0	L. p	Sc mff	1 2 3 9
• 6	740 740	88	-10	0	410	• •	Q233
5							1 2 3 9
6							1 2 3 B
7							1 2 3 9
8							1 2 3 9
9							1 2 3 9
10							1 2 3 9
11							1 2 3 9
12							1 2 3 9
13							1 2 3 9
14							1 2 3 B
15							1 2 3 9
16							1 2 3 9
17							1 2 3 9
18							1 2 3 9
19							1 2 3 9
20							1 2 3 9
21							1 2 3 9
22							1 2 3 9
23							1 2 3 9
24							1 2 3 8
25						<u> </u>	1 2 3 9

VEHICLE DIMENSIONS	11. Hood Width Rear Opening
2 / /	Code to the
4. Original Wheelbase <u>2 6 6</u> Code to the	nearest centimeter
nearest centimeter	(210) 210 centimeters or more
(999) Unknown	(999) Unknown
$1 \circ 1 \cdot 7$ inches X 2.54 = 266 centimeters	
5. Original Average Track Width 1 6 4	12. Hood/Fender Vertical/Lateral Crush From
Code to the	Pedestrian (0) Not damaged
nearest centimeter	(1) Surface scratching only, no residual crush
(185) 185 centimeters or more (999) Unknown	(2) Minor crush (1-3 centimeters)
(999) Onknown	(3) Moderate crush (4-7 centimeters)
	(4) Severe crush (>7 centimeters)(8) Damage present, unknown if damage is from pedestrian impact
6. Hood Material	(9) Unknown
(1) Plastic	40 Windshield Contact Domans
(2) Fiberglass	13. Windshield Contact Damage From Pedestrian Contact
(3) Steel	(0) Not contacted by pedestrian
(4) Aluminum (5) Stainless Steel	(1) Contacted by pedestrian - not damaged
(8) Other (specify):	(2) Contacted by pedestrian - damaged
(9) Unknown	(3) Unknown if contacted by pedestrian - not
i	damaged (4) Unknown if contacted by pedestrian -
7. Hood Original	damaged
Equipment Manufacturer (OEM) (1) OEM factory installed hood	(9) Unknown if contacted by pedestrian -
	unknown if damaged
(2) OEM replacement	
(2) OEM replacement(3) Non-OEM replacement	-
	FRONT CONTACT DAMAGE
(3) Non-OEM replacement (9) Unknown	-
(3) Non-OEM replacement	FRONT CONTACT DAMAGE From Vertical Measurements
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 42.5 inches x 2.54 = 1 \$\phi\$ centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify):
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 42.5 inches x 2.54 = 1 \$\phi\$ centimeter 9. Hood Width Forward Opening 172	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 42.5 inches x 2.54 = 1 \$\phi\$ centimeter 9. Hood Width Forward Opening Code to the	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify):
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 42.5 inches X 2.54 = 1 \$\phi\$ centimeter 9. Hood Width Forward Opening Code to the nearest centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 42.5 inches x 2.54 = 1 \$\phi\$ centimeter 9. Hood Width Forward Opening Code to the	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 42.5 inches X 2.54 = 1 \$\phi\$ centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 42.5 inches x 2.54 = 1 \$\phi\$ centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown H2.5 inches x 2.54 = 1 \$\phi\$ centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 67.7 inches x 2.54 = 172 centimeters	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 42.5 inches X 2.54 = 1 \$\phi\$ centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 42.5 inches X 2.54 = 1 \$\phi\$ centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 67.7 inches X 2.54 = 172 centimeters 10. Hood Width Midway Code to the nearest centimeter	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown H2.5 inches X 2.54 = 1 \$\phi\$ centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 67.7 inches X 2.54 = 172 centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 42.5 inches X 2.54 = 1 \$\phi\$ centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 67.7 inches X 2.54 = 172 centimeters 10. Hood Width Midway Code to the nearest centimeter	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown H 2 . 5 inches × 2.54 = 1 \$\phi\$ centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown G 7 . 7 inches × 2.54 = 172 centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown H2.5 inches X 2.54 = 1 \$\phi\$ centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 67.7 inches X 2.54 = 172 centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact

	1
17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown inches X 2.54 = centimeters
18. Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
***************************************	Side Vertical Measurements
20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters 21. Ground to Front/Top Transition Point Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeters	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown 1699 inches × 2.54 = 43 centimeters 27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown 1 6 9 inches X 2.54 = 43 centimeters 27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown 1 8 inches X 2.54 = 48 centimeters
Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown 1 6 9 inches x 2.54 = 43 centimeters 27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown

		Side Lateral Measurements
29.	Centerline of Wheel $\underline{\phi} \ \underline{3} \ \underline{5}$	
	Code to the	
	nearest centimeter	35. Centerline to A-Pillar $\phi q \phi$
	(000) No side contact	at Bottom of Windshield
	(150) 150 centimeters or more	(000) No side contact
	(999) Unknown	Code to the
		nearest centimeter
	$1 \supset 1$ inches x 2.54 = $1 \supset 3$ centimeters	(250) 250 centimeters or more
		(999) Unknown
30	Top of Tire	_
30.	Code to the	$\underline{35}$. $\underline{4}$ inches X 2.54 = $\underline{99}$ centimeters
	nearest centimeter	
	(000) No side contact	
	(200) 200 centimeters or more	36. Centerline to A-Pillar <u>Ø 8 Ø</u>
	(999) Unknown	at Top of Windshield
	(OOO) CHANGWII	Code to the
	28.3 inches X 2.54 = 72 centimeters	nearest centimeter
		(000) No side contact
		(250) 250 centimeters or more
31.	Top of Wheel Well Opening	(999) Unknown
	Code to the	2 1 11
	nearest centimeter	$\underline{}$ 3 1 . $\underline{4}$ inches X 2.54 = $\underline{}$ $\underline{\beta}$ centimeter
	(000) No side contact	
	(250) 250 centimeters or more	37. Centerline to Maximum Side 1 2 5
	(999) Unknown	
		View Mirror Protrusion Code to the
	$\underline{\underline{4} \ 1} \cdot \underline{8}$ inches X 2.54 = $\underline{\underline{3}} \cdot \underline{6}$ centimeters	nearest centimeter
		(000) No side contact
32.	Bottom of A-Pillar at Windshield 1 2 5	(300) 300 centimeters or more
	Code to the	(999) Unknown
	nearest centimeter	(999) Olikilowii
	(000) No side contact	49.2 inches X 2.54 = 125 centimeter
	(250) 250 centimeters or more	
	(999) Unknown	
	11 (2 2	Side Wrap Distance Measurements
	$\underline{49}$. $\underline{2}$ inches X 2.54 = $\underline{125}$ centimeters	
33	Top of A-Pillar at Windshield 173	38. Ground to Side/Top Transition 1 2 5
55.	Code to the	Code to the
	nearest centimeter	nearest centimeter
	(000) No side contact	(000) No side contact
	(300) 300 centimeters or more	(400) 400 centimeters or more
	(999) Unknown	(999) Unknown
		49.2 inches X 2.54 = 125 centimeters
	$\underline{}$ 6 8. $\underline{}$ inches X 2.54 = $\underline{}$ $\underline{}$ centimeters	centimeters
		39. Ground to Hood Edge 1 2 7
34.	Top of Side View Mirror 144	Code to the
	Code to the	nearest centimeter
	nearest centimeter	(000) No side contact
	(000) No side contact	(500) 500 centimeters or more
	(300) 300 centimeters or more	(999) Unknown
	(999) Unknown	
	D / /	$\phantom{aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa$
	<u>5_6</u> . <u>6</u> inches X 2.54 = <u>1 4 4</u> centimeters	
		l ,

40. Ground to Centerline of Hood Code to the nearest centimeter (000) No side contact (700) 700 centimeters or more (999) Unknown	214	
41. Ground to Head Contact Code to the nearest centimeter (000) No side contact (800) 800 centimeters or more (998) No head contact (999) Unknown	4 centimeters 9 9 8	
inches X 2.54 =	centimeters	



 101000000004

 72617P00010131
 9.00 0000000038902021179111311

 72617P00010231
 9.00 0000000038908021179111311

 72617P00010331
 9.00 0000000032904021874011222

 72617P00010431
 9.00 0000000032906021874011222

72617P01000041 9.00 0000000009112421151FMEU15H4ML 9990000967019900000

91119780011144211210051

PSU72 CASE 617P

FORM NAME

CURRENT VERSION: 9.00

Pedestrian Accident

Pedestrian Injury

Total Inter Errors

Total Case Errors

Pedestrian Assessment

Pedestrian General Vehicle

Pedestrian Exterior Vehicle

ERROR SUMMARY SCREEN PEDESTRIAN STUDY

NUMBER OF

DOLLAR SIGNS

0

Ō

0

O

Ō

0

NUMBER OF

LEVEL 1

ERRORS

0

Ö

O.

Ō

0

Ō.

0

NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
0	V
0	Y
ō	Ϋ́
0	Υ
O	Υ

0

O