



U.S. Department of Transportation

National Highway Traffic Safety Administration

### Dear Crash Data Researchers/Users:


Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

\*\*\* \*\*\* \*\*\*





PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

**PSU** 72

CASE NO. 609P

TYPE OF ACCIDENT Car/Ped/Crossing Road-Straight

## A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

Vehicle #1 was passing through an intersection westbound in the first lane of a two lane, undivided roadway. The pedestrian was walking southbound in the crosswalk with a straight path of travel. The vehicle contacted the pedestrian on the left side with its own front. The pedestrian came to rest forward and to the right of the point of impact. The vehicle continued westbound past the intersection and braked slowly to final rest in the same lane.


B. PEDESTRIAN PROFILE							
Pedestrian			Treatment/		Most (TO BE COMPLE	Severe	Injury ZONE CENTER)
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source
01	19	Female	Treated and Released	L-leg	Contusion	1	Bumper


Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	<ul> <li>(1) Minor injury</li> <li>(2) Moderate injury</li> <li>(3) Serious injury</li> <li>(4) Severe injury</li> <li>(5) Critical injury</li> <li>(6) Maximum (untreatable)</li> <li>(7) Injured, unknown severit</li> </ul>

	C. VEHICLE PROFILE					
	Class		В	Most Severe Damage ased on Vehicle Inspection	,	
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description		
01	Subcompact	1991 Honda Civic DX	Front	Minor		

## DO NOT SANITIZE THIS FORM

Sec.







U.S. Department of Transportation
National Highway Traffic Safety
Administration

# PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Administration		Coop Nu	mber-Stratum 6 Ф 9 P		
Primary Sampling Unit Number		Case Nu			
PEDESTRIAN ACCIDENT CC	LLISION DATA		SCALED DIAGRAM		
<ul> <li>document reference point and reference line relative to physical features</li> </ul>	Surface Type	<u>51</u> +	north arrow placed on diagram		
documentation of all accident induced physical evidence including (if applicable):	Surface Condition	•	grade measurements for all applicable roadways		
	Coefficient of Fr	-65	scaled representations of the physical plant including:		
a) vehicle skid marks b) pedestrian contacts with ground or object	Grade (v/h) Mer		all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)		
c) vehicle/pedestrian point of impact (POI)	a) at imp		b) all traffic controls (e.g., lights, signs)		
d) location of pedestrian separation point from vehicle	b) between final re	en impact and U/122	scaled representations of the vehicle and pedestrian at pre-impact, impact, and final rest based upon either:		
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Trav	14/	a) physical evidence, or     b) reconstructed accident dynamics		
documentation of the physical plant including:	Vehicle Travel D	Direction	b) reconstructed accident dynamics		
<ul> <li>all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)</li> </ul>	Number of Trav	el Lenes			
b) all traffic controls (e.g., lights, signs)					
Reference Point: hydrand	NW	Reference Line:	N curb edge		
corner					
		Distance and Direction	Distance and Direction		
Item		from Reference Point	from Reference Line		
Q .P.		1 .	[.3 m N		
KAY	-				
POI		·8 m E	4.3 m S		
PED FRP		3.2 m W	3.1 m 5		
V, FRP FRT	ધ	17.0mW	4. 4 +5		
cross welk	W Icu	,3 m E	. /		
	,	2.5 mE	/		
	E ley	ν-			
	7	N.			
	Na				



# PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

Administration.	SPECIAL STUDIES - INDICATORS
1. Primary Sampling Unit Number	Check (✓) each special study (SS15-SS19 below) that
2. Case Number - Stratum 6 4 9 P	has been completed; code 1 for the checked special studies and 0 for the special studies not checked.
IDENTIFICATION	
3. Number of General Vehicle	6SS15 Administrative Use0
Forms Submitted 0 1	7. <u>✓</u> SS16 Pedestrian Crash Data Study <u>1</u>
4. Date of Accident (Month, Day, Year) 7 4 5 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	8SS17 Impact Fires0_
5. Time of Accident <u>l</u> <u>v</u> <u>v</u>	9SS180
Code reported military time of accident.  NOTE: Midnight = 2400	10SS19
Unknown = 9999	NUMBER OF EVENTS
<del>-</del>	11. Number of Recorded Events in This Accident01
	THE PARTICULAR OF THE PARTICUL

## PEDESTRIAN STUDY CRITERIA

#### **Pedestrian Definition:**

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

## Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

		PEDESTRIAN	ACCIDENT	<b>TEVENTS</b>		
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
12. <u>0</u> <u>1</u>	13. <u>0</u> <u>1</u>	14. <u>\$</u> 1	15. <u>F</u>	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>

# CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

# CODES FOR GENERAL AREA OF DAMAGE (GAD)

# CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

## CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

# U.S. Department of Transportation

## PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number  2. Case Number - Stratum  6	10. Pedestrian's Weight Code actual weight to the nearest kilogram. (999) Unknown
3. Pedestrian Number <u>0 1</u>	<u>1 Φ 9</u> pounds Χ .4536 = <u>Ψ 9 , Ψ</u> kilograms
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month):  (97) 97 years and older (99) Unknown  5. Pedestrian's Sex	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
(1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown  6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify):
7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown	13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify): (99) Unknown
9. Pedestrian's Height - Ground to Shoulder Code to the nearest centimeter. (999) Unknown inches X 2.54 = centimeters	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

15. Pedestrian's First Avoidance Actions (00) No avoidance actions (01) Stopped (02) Accelerated pace (03) Ran away (along vehicle path) (04) Jumped (05) Turned toward vehicle (06) Turned away from vehicle (07) Dove or fell away  Used hand(s) to: (11) Vault corner of vehicle	18. Pedestrian's Arm Orientation at Initial Impact (01) At sides (02) Folded across chest (03) Hands clasped behind back (04) Hands on hips (05) Hands in pockets  One or both arms: (06) Extended upward (07) Extended to side (08) Extended forward bracing (09) Extended, holding object (briefcase, suitcase, etc.) (10) Holding object (young child,
<ul> <li>(12) Vault onto vehicle</li> <li>(13) Brace against vehicle</li> <li>(14) Crouched and braced hands against vehicle</li> <li>(98) Other (specify):</li> <li>(99) Unknown</li> </ul>	grocery bag, etc.) in arm(s) (11) Holding object (young child, grocery bag, etc.) on shoulder(s) or head (98) Other (specify): (99) Unknown
PEDESTRIAN'S ORIENTATION AT IMPACT  16. Pedestrian's Head Orientation at Initial Impact (1) To front (2) To left (3) To right (4) Up (5) Down (8) Other (specify): (9) Unknown	19. Pedestrian's Leg Orientation at Initial Impact (01) Together (02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart- forward leg unknown (06) Left foot off the ground (07) Right foot off the ground (08) Both feet off the ground (98) Other (specify): (99) Unknown  20. Vehicle/Pedestrian's Interaction (01) Carried by vehicle, wrapped position (02) Carried by vehicle, slid to windshield (03) Carried by vehicle, position unknown (04) Passed over vehicle top
at Initial Impact (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown	<ul> <li>(05) Thrown straight forward</li> <li>(06) Thrown forward and left of vehicle</li> <li>(07) Thrown forward and right of vehicle</li> <li>(08) Knocked to pavement, forward</li> <li>(09) Knocked to pavement, left of vehicle</li> <li>(10) Knocked to pavement, right of vehicle</li> <li>(11) Knocked to pavement, run over or dragged by vehicle</li> <li>(12) Shunted to left (corner impacts only)</li> <li>(13) Shunted to right (corner impacts only)</li> <li>(14) Bumped or pushed aside</li> <li>(15) Snagged, rotated</li> <li>(16) Snagged, dragged by vehicle</li> <li>(17) Foot or legs run over</li> <li>(98) Other (specify):</li> <li>(99) Unknown</li> </ul>

		The system is the contained and the contained an	raye .
OFFICIAL RECORDS		INJURY CONSEQUENCES	
<ul> <li>21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown</li> </ul>	<u>9</u> :	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown	<u>5</u>
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	96	(6) Died prior to accident (9) Unknown  26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):	<u> </u>
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown		Nonfatal (3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown	
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify):	<b>Ø</b>	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify):	2
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 6 that the pedestrian stayed in a hospital (61) 61 days or more (99) Unknown	60)
		29. Working Days Lost  Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown	_7_

STOP - VARIABLES 30 THROUGH 37 AF	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured  31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given  32. Arterial Blood Gases (ABG) – HCO <sub>3</sub> (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO <sub>3</sub> (96) ABGs reported, HCO <sub>3</sub> unknown (97) Injured, details unknown (99) Unknown if injured  33. Time to Death  Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	34. 1st Medically Reported Cause of Death  35. 2nd Medically Reported Cause of Death  Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death  (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify):  (97) Other result (includes fatal ruled disease) (specify):  (99) Unknown  37. Number of Recorded Injuries for This Pedestrian  Code the actual number of injuries recorded for this pedestrian.  (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORDS  NO [ ]  UPDATE CANDIDATE?	S INCLUDED WITH INITIAL SUBMISSION? YES [X] NO X YES [X]

Administration

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

72

3. Pedestrian Number

0 1

2. Case Number - Stratum

6 09 P

4. Blank

<u>X</u> <u>X</u>

## **INJURY DATA**

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.


				AIS-90					Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. <u>3</u>	6.8	7.9_	8. <u>0</u> 2	- 9. <u>0</u> 2	- <sub>10.</sub> <u>/</u>	11.2	12. <u>70 0</u>	13. <u>/</u>	14./	152	-16. <u></u>	泛
2nd	18.2	19	20. 9	21. <u>0 4</u>	22.0 <u>)</u>	- 23. <u>/</u>	<sub>24</sub> . <u>2</u>	25. 700	26	27	28. <u></u>	- <sub>29.</sub> <u>2</u>	<u>ک</u>
3rd	31. <u>3</u>	327	33. <u>9</u>	34. <u>02</u>	-35. <u>0</u> 2	36. <u>/</u>	37. <u>2</u>	38, <u>770</u>	39	40. 🚣	41. 2	42. Z	- 43. <u>—</u>
4th	44.3_	457	46. <u>9</u>	47.04	48. <u>0</u> 2	-49. <u> </u>	<sub>50.</sub> <u>~</u>	<sub>51.</sub> <u>77 0</u>	52. <u>/</u>	53	54. <u>~</u>	55. <u></u>	- ユ <sup>56.</sup> —
5th	57	58	59	60	61,	62	63	64	65	66	67	68	69
6th	70	71	72	73	74	75	76	77	78	79	80	81	82
7th	83	84	85	86	87	88	89	90	91	92	93	94	95
8th	96	97	98	99	100	101	102	103	104	105	106	107	108
9th	109	110	111	112	_113	114	115	116	117	118	119	120	121
10th	122	123	124	125	_126	127	128	129	130	131	132	133	134

PEDESTRIAN INJURY DATA AIS-90 Injury Source Type of Specific Source Direct/ Type of Injury Body Anatomic Anatomic Level of A.I.S. Injury Confidence Striking Of Indirect Damage Data Region Structure Structure Injury Severity Aspect Source Level Injury Profile Damage Depth 11th 12th 13th 14th \_ 15th \_ 16th \_\_\_ 17th 18th \_ 19th 20th \_\_ 21st 22nd 23rd \_\_ 24th \_ 25th

Page

## OFFICIAL INJURY DATA — SOFT TISSUE INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



#### Certair **OFFICIAL** (0) Injury not from vehicle contact Probable (1) Autopsy records with or without hospital/ No damage/contact (3) Possible (2) Scratch (Scuff, Cloth Transfer, Smear) medical records Unknown (9) (3) Dent (2) Hospital/medical records other than (4) Large deformation emergency room (e.g., discharge **DIRECT/INDIRECT INJURY** Cracked, fractured, shattered Separated from vehicle (5)summary) Direct contact injury (6) Emergency room records only (including Indirect contact injury Noncontact injury Noncontact injury associated X-rays or other lab reports) (8) Other specify: Injured, unknown source (4) Private physician, walk-in or emergency Unknown (9) clinic STRIKING PROFILE Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (> 15 centimeters) **DAMAGE DEPTH** UNOFFICIAL Injury not from vehicle contact No residual damage (5) Lay coroner report (6) E.M.S. personnel Surface only damage Rounded (contoured) Rounded edge (3) Crush depth >0 to 2 centimeters (7) Interviewee Sharp edge Other (specify): (5) (4)Crush depth > 2 to 5 centimeters (8) Other source (specify): (5) Crush depth >5 to 10 centimeters (8) Other specify: (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region Specific Anatomic Structure** Spine (02) Cervical (04) Thoracic Abbreviated Injury Scale Whole Area (02) Skin - Abrasion (04) Skin - Contusion Minor injury (06) Lumbar Face Moderate injury (3) Neck Serious injury Thorax (06) Skin - Laceration Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02 (4) (5) Severe injury (5) Abdomen (08) Skin - Avulsion Critical injury Maximum (untreatable) (6) Spine (10) Amoutation Upper Extremity (20) Burn (7) Injured, unknown severity Lower Extremity Unspecified Crush Level of Injury (40) Degloving (50) Injury - NFS **Aspect** Specific injuries are consecutive two-digit beginning with O2. assigned (90) Trauma, other than mechanical Type of Anatomic Structure Right Left numbers (1) (2) (3) (4) (5) (6) (7) (8) (9) (0) Whole Area Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness Bilateral Vessels To the extent possible, within the organizational framework of the AIS, 00 Central Anterior Organs (includes muscles/ ligaments) (4) (10) Concussion is assigned to an injury NFS as to Posterior severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity. Superior Inferior Skeletal (includes joints) (6) (9) Head - LOC Unknown Skin Whole region **INJURY SOURCE** FRONT Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify):\_ 793 Right rear wheel /tire 798 Other wheel / tire (specify): 704 Hood ornament (fixed) 749 Right side roof rail 705 Hood ornament (spring loaded) 799 Unknown wheel / tire 750 Right side door surface 751 Right side door handle 706 Headlight 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 753 Right side folding mirror 708 Turn signal/parking lights 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify): 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar Back Components 760 Rear (back) bumper 809 Fuel tank 724 B pillar 810 Rear suspension 761 Tailgate 725 C pillar 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component Accessories 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle 821 Cellular or CB radio antenna Top Components 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar 824 Luggage, ski, or bike rack component 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify): 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):\_ (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground 779 Rear header Right Side Components 948 Other object (specify):

780 Hatchback

781 Rear trunk lid

788 Other top component (specify): \_\_\_\_\_

789 Unknown top component

INJURY SOURCE CONFIDENCE LEVEL

TYPE OF DAMAGE

949 Unknown object in environment

997 Noncontact injury source

999 Unknown injury source

959 Unknown object on contacting vehicle

**SOURCE OF INJURY DATA** 

740 Front fender side surface

741 Front antenna

742 A1 pillar

743 A2 pillar

## OFFICIAL INJURY DATA — SKELETAL INJURIES

## Restrained?

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

unavailable.)

## **Blood Alcohol Level**

(mg/dl)

BAL =

### Glasgow Coma Scale Score

 $GCSS = \frac{1}{3}$ 


#### Units of Blood Given


Units =

#### **Arterial Blood Gases**

PCO<sub>2</sub>


HCO<sub>3</sub>






## OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





U.S. Department of Transportation National Highway Traffic Safety Administration

# PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

	OFFICIAL RECORDS
1. Primary Sampling Unit Number 7 2	-
2. Case Number - Stratum 6 4 P	9. Police Reported Travel Speed 9 9
3. Vehicle Number0_1	less than 0.5 kmph) (160) 159.5 kmph and above
VEHICLE IDENTIFICATION	(999) Unknown
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown	mph X 1.6093 =kmph  10. Speed Limit (000) No statutory limit Code posted or statutory speed limit
5. Vehicle Make (specify):  Honda  Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual.	in kmph (999) Unknown <u>3                                    </u>
6. Vehicle Model (specify):  Civic DX	11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown
Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown  7. Body Type	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test
Note: Applicable codes may be found on the back of this page.	performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number	Source: PAR
2 H G E D G H S 7 M H  1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17  Left justify; Slash zeros and letter Z (Ø and Z)  No VIN—Code all zeros  Unknown—Code all nines	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

## **CODES FOR BODY TYPE**

## CDS APPLICABLE VEHICLES

### Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

#### Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

#### Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

### Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

# Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

#### Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

### **OTHER VEHICLES**

#### Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

### Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)</p>
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

## Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

#### Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight  Code weight to nearest	Nearest kmph  Nearest kmph  (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown  19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown  20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
OTHER DATA  17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown  STOP VARIABLES 18 THROUGH 20  ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown  22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

		1	
23.	Critical Precrash Event 8 Ф	(8	33) Pedalcyclist or other nonmotorist in roadway
	This Vehicle Loss of Control Due To:		(specify):
	(01) Blow out or flat tire	3) (8	34) Pedalcyclist or other nonmotorist approaching
	(02) Stalled engine		roadway (specify):
	(03) Disabling vehicle failure (e.g., wheel fell off)	) (8	35) Pedalcyclist or other nonmotorist—unknown
	(specify):		location (specify):
	(04) Non-disabling vehicle problem (e.g., hood flew		bject or Animal
	up) (specify):		37) Animal in roadway
	(05) Poor road conditions (puddle, pot hole, ice, etc.)	3) (8	38) Animal approaching roadway
	(specify):	В	39) Animal—unknown location
	(06) Traveling too fast for conditions		0) Object in roadway
	(08) Other cause of control loss (specify):		1) Object approaching roadway
	(20)		2) Object—unknown location
	(09) Unknown cause of control loss	(9	8) Other critical precrash event (specify):
	This Vehicle Traveling		
	(10) Over the lane line on left side of travel lane	(8	9) Unknown
	(11) Over the lane line on right side of travel lane	l	
	(12) Off the edge of the road on the left side		ttempted Avoidance Maneuver
	(13) Off the edge of the road on the right side		O) No driver present
	(14) End departure	1	1) No avoidance actions
	(15) Turning left at intersection	•	2) Braking (no lockup)
	(16) Turning right at intersection	4	3) Braking (lockup)
	(17) Crossing over (passing through) intersection		4) Braking (lockup unknown)
	(19) Unknown travel direction		5) Releasing brakes
	Other Motor Vehicle In Lane	1	6) Steering left
	(50) Stopped		7) Steering right
	(51) Traveling in same direction with lower speed		8) Braking and steering left
	(i.e., lower steady speed or decelerating)		9) Braking and steering right
	(52) Traveling in same direction with higher speed		0) Accelerating
	(53) Traveling in opposite direction		1) Accelerating and steering left
	(54) In crossover		2) Accelerating and steering right
	(55) Backing		8) Other action (specify):
	(59) Unknown travel direction of other motor vehicle in lane	(9	9) Unknown
	Other Motor Vehicle Encroaching Into Lane	25 Pr	ecrash Stability After Avoidance Maneuver
	(60) From adjacent lane (same direction)—over left	1	) No driver present
	lane line	(1	•
	(61) From adjacent lane (same direction) – over right	(2	
	lane line	(3	
	(62) From opposite direction—over left lane line		degrees
	(63) From opposite direction—over right lane line	(4	5 · · · · · · · · · · · · · · · · · · ·
	(64) From parking lane	(5	5
	(65) From crossing street, turning into same direction	(8	Other vehicle loss-of-control (specify):
	(66) From crossing street, across path	,,	December of the state of the st
	(67) From crossing street, turning into opposite	(9	Precrash stability unknown
	direction	26 Pr	ecrash Directional Consequences of
(	(68) From crossing street, intended path not known		voidance Maneuver (Corrective Action)
	(70) From driveway, turning into same direction	(0	
	(71) From driveway, across path	(1	
(	(72) From driveway, turning into opposite direction	(2	
	(73) From driveway, intended path not known		maneuver was initiated
	74) From entrance to limited access highway	(3	Vehicle stayed on roadway but left travel lane
	78) Encroachment by other vehicle—details		where avoidance maneuver was initiated
	unknown	(4)	
1	Pedestrian or Pedalcyclist, or Other Nonmotorist		travel lane where avoidance maneuver was
	80) Pedestrian in roadway	,	initiated
	81) Pedestrian approaching roadway	(5)	
	82) Pedestrian—unknown location	(6)	
		(9)	Directional consequences unknown

	ENVIRONMENTAL DATA							
27.	Relation to Junction (0) Non-junction (1) Interchange area  Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	<del>V</del>	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown					
•	(6) Unknown type of non-interchange (9) Unknown if interchange  Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown	1	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)  Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify):  (6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR controls (specify):					
30.	(2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown  Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown	_	(9) Unknown  35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown  36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn					
	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown  Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):	2_	(5) Dusk (9) Unknown  37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown					
	(9) Unknown							

72-609 19 40 1= 3440 m 109 7 91 CIVIL OX f = 0,65 POI to 1-RP= 18m = 59f+ PRT=1.5 Particl broking 0,25 59 = 1.5V + V2 (2)(0,25) (32.2) 0,03412 +1,51 -59=0 V= \_-1.5+ T(1.5-)2-(4) (0.034) (-5-9) 0,068 v = 25 +P3 = 17mph = 27KPh

## PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

72

3. Vehicle Number

2. Case Number - Stratum

<u>6 **P** 9</u> P

## **VEHICLE IDENTIFICATION**

VIN ZHGED6 457MH

Model Year <u>**9**</u>

cm

cm

cm

Vehicle Make (specify): \_\_\_\_

Vehicle Model (specify):

Chic DX

## PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

Steal

94

cm

## **VERTICAL MEASUREMENTS**

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

### **WRAP DISTANCES**

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield


PEV25 Ground to Head Contact

cm

cm v

cm

# **VEHICLE DAMAGE SKETCH**



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: 131 cm

## PEDESTRIAN SIDE CONTACT WORK SHEET **PEV06 Hood Material** PEV08 Hood Length cm PEV09 Hood Width-Forward Opening \_\_\_\_ PEV10 Hood Width-Midway cm PEV11 Hood Width-Rear Opening **VERTICAL MEASUREMENTS** PEV26 Ground Clearance cm PEV27 Side Bumper-Bottom Height cm PEV28 Side Bumper-Top Height PEV29 Centerline of Wheel cm PEV30 Top of Tire cm PEV31 Top of Wheel Well Opening PEV32 Bottom of A-Pillar at Windshield cm PEV33 Top of A-Pillar at Windshield cm PEV34 Top of Side View Mirror LATERAL MEASUREMENTS PEV35 C<sub>L</sub> to A-Pillar at Bottom of Windshield cm PEV36 C<sub>L</sub> to A-Pillar at Top of Windshield PEV37 C<sub>L</sub> to Maximum Side View Mirror Protrusion cm **WRAP DISTANCES** PEV38 Ground to Side/Top Transition cm PEV39 Ground to Hood Edge PEV40 Ground to Centerline of Hood (ORIGIN) PEV41 Ground to Head Contact cm

## **ORIGINAL SPECIFICATIONS**

Wheelbase	98.4	inches	x 2.54	=	<u>25 ø</u> cm
Overall Length	_1 <u>5</u> <u>7</u> <u></u>	inches	x 2.54	=	<u>3 9 9</u> cm
Maximum Width		inches	x 2.54	=	<u>l 6 9</u> cm
Curb Weight	2.127	pounds	x .4536	=	, <u>9 6 4</u> kg
Average Track	57.2	inches	x 2.54	=	<u>145</u> cm
Front Overhang	31.4	inches	x 2.54	=	
Rear Overhang	<u> </u>	inches	x 2.54	=	<u></u> <u></u> cm
Undeformed End Width		inches	x 2.54	=	<u>1 5 ₱</u> cm
Engine Size: cyl./displ.	4 6 4 1	СС	x .001	=	<u>1.5</u> L
		CID	x .0164	=	L

		intochi ocche
	FRONT	
	700 Front bumper	744 B pillar
	701 Front lower valance/spoiler	745 C pillar
	702 Front grille	746 D pillar
	703 Hood edge and/or trim	748 Other pillar (specify):
	704 Hood ornament (fixed)	749 Right side roof rail
	705 Hood ornament (spring loaded)	750 Right side door surface
•	706 Headlight	751 Right side door handle
	707 Retractable headlight door (Open/Closed)	752 Right side mirror fixed housing
	708 Turn signal/parking lights	753 Right side folding mirror
	718 Other front or add on object	754 Right side glazing forward of B pil
	(specify):	755 Right side glazing rearward of B p
	719 Unknown front object	756 Rear antenna
		757 Rear fender or quarter panel
	Left Side Components	758 Other right side object
	720 Front fender side surface	(specify):
	721 Front antenna	759 Unknown right side component
	722 A1 pillar	
	723 A2 pillar	Back Components
	724 B pillar	760 Rear (back) bumper
	725 C pillar	761 Tailgate
	726 D pillar	762 Hatchback, vertical surface
	728 Other pillar	768 Other back component
	(specify):	(specify):
	729 Left side roof rail	769 Unknown back component
	730 Left side door surface	
I	731 Left side door handle	Top Components
	732 Left side mirror fixed housing	770 Hood surface
	733 Left side folding mirror	771 Hood surface reinforced by under
i	734 Left side glazing forward of B pillar	component
	735 Left side glazing rearward of B pillar	772 Front fender top surface
	736 Left side back fender or quarter panel	773 Cowl area
ı	737 Rear antenna	774 Wiper blade & mountings
ı	738 Other left side object	775 Windshield glazing
ı	(specify):	776 Front header
ı	739 Unknown left side component	777 Roof surface
ı	·	778 Backlight glazing
ı	Right Side Components	779 Rear header
ı	740 Front fender side surface	780 Hatchback
I	741 Front antenna	781 Rear trunk lid
ı	742 A1 pillar	788 Other top component (specify):
I	743 A2 pillar	789 Unknown top component


INJURY SOURCE	
	Wheels / tires
B pillar	790 Left front wheel / tire
5 C pillar	791 Right front wheel / tire
D pillar	792 Left rear wheel / tire
Other pillar (specify):	793 Right rear wheel /tire
Right side roof rail	798 Other wheel / tire (specify):
Right side door surface	799 Unknown wheel / tire
Right side door handle	
Right side mirror fixed housing	Undercarriage components
Right side folding mirror	800 Front cross member
Right side glazing forward of B pillar	801 Steering assembly/Front suspension
Right side glazing rearward of B pillar	802 Oil pan
Rear antenna	803 Exhaust system pipe
Rear fender or quarter panel	804 Transmission
Other right side object	805 Drive shaft
(specify):	806 Catalytic converter
Unknown right side component	807 Muffler
	808 Floor pan
Components	809 Fuel tank
Rear (back) bumper	810 Rear suspension
Tailgate	818 Other undercarriage component
Hatchback, vertical surface	(specify):
Other back component	819 Unknown undercarriage component
(specify):	•
Unknown back component	Accessories
	820 Air scoop, deflector
omponents	821 Cellular or CB radio antenna
Hood surface	822 Emergency lights or bar
Hood surface reinforced by under hood	823 Fog lights
component	824 Luggage, ski, or bike rack
Front fender top surface	825 Cargo (specify):
Cowl area	826 Spare tire
Wiper blade & mountings	827 Spotlight
Windshield glazing	828 Other accessory (specify):
Front header	
Roof surface	Other Object or Vehicle in Environment
Backlight glazing	947 Ground
Dankada	040.04

948 Other object (specify):\_\_\_\_\_949 Unknown object in environment 959 Unknown object on contacting vehicle

997 Noncontact injury source

999 Unknown injury source

## **VEHICLE DAMAGE SKETCH**



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: \_\_\_\_ cm

POINTS OF PEDESTRIAN CONTACT  PEDESTRIAN CONTACT WORKSHEET								
CONTACT  ID  LABEL	COMPONENT CONTACTED	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	SEQUENCE #
H	hood	+52 to	52-63	.1	torso	long Huddinal swipe	2 3 9	
ß	Look	\$	44-54	1	forso	<b>,</b>	D2 3 9	
C	w/s frame	-45	64-76	1	ras?	Scrotch marks	2 3 9	
P	bug par	83	514	1	(4)	tionst. mark	1 (2) 3 .9	
E	lead lead	75	45.54	1	101	swife marks	2 3 9	
E	Parisite Vy parel	-45 to-2	70-84		hand	Swipt washe	1011	
G	hood	18	48	Icm		small Jona	<b>D</b> 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
-					•		1 2 3 9	
							1 2 1 9	
	- Table 1						1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
		é					1 2 3 9	
,							1 2 3 9	
							1 2 3 9	
	2 2 2 2 2 2 2 2						1 2 3 9	
							1 2 3 9	
							1 2 3 9	

#### POINTS OF PEDESTRIAN CONTACT CHRONOLOGICAL ORDER OF CONTACTS COMPONENT LONGITUDINAL LATERAL CRUSH CONFIDENCE LEVEL OF LOCATION LOCATION SUSPECTED SUPPORTING PHYSICAL EVIDENCE CONTACT CONTACTED CONTACT POINT CODE CENTIMETERS **BODY REGION** (X) (Y) (Circle) Light Smudst Light Scuts Light Scuts 100 10 0 2 3 9 450 700 **()** 2 3 9 0 2 D -42 (1) 2 3 9 63 770 0 -42 7D239 770 $\odot$ 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 10 1 2 3 9 11 1 2 3 9 12 1 2 3 9 13 1 2 3 9 14 15 1 2 3 9 16 1 2 3 9 17 1 2 3 9 18 1 2 3 9 1 2 3 9 19 1 2 3 9 20 21 1 2 3 9 22 1 2 3 8 23 1 2 3 9 24 1 2 3 9 1 2 3 9 25

VEHICLE DIMENSIONS	
	11. Hood Width Rear Opening  Code to the
4. Original Wheelbase 2 5 \$\phi\$	nearest centimeter
Code to the nearest centimeter	(210) 210 centimeters or more
(999) Unknown	(999) Unknown
(000) Chilliann	55 8
9 <u>8</u> . <u>4</u> inches X 2.54 = <u>2 5 •</u> centimeters	
TO A 1 TO A A 1 TO A 1 TO A 1 A 1 A 1 A 1	12. Hood/Fender Vertical/Lateral Crush From
5. Original Average Track Width 1 4 5	Pedestrian 2
nearest centimeter	(0) Not damaged
(185) 185 centimeters or more	(1) Surface scratching only, no residual crush
(999) Unknown	<ul><li>(2) Minor crush (1-3 centimeters)</li><li>(3) Moderate crush (4-7 centimeters)</li></ul>
2	(4) Severe crush (>7 centimeters)
	(8) Damage present, unknown if damage is from
	pedestrian impact
6. Hood Material 3	(9) Unknown
(1) Plastic	13. Windshield Contact Damage
(2) Fiberglass (3) Steel	From Pedestrian Contact
(3) Steel (4) Aluminum	(0) Not contacted by pedestrian
(5) Stainless Steel	(1) Contacted by pedestrian - not damaged
(8) Other (specify):	<ul><li>(2) Contacted by pedestrian - damaged</li><li>(3) Unknown if contacted by pedestrian - not</li></ul>
(9) Unknown	damaged
7. Hood Original	(4) Unknown if contacted by pedestrian -
Equipment Manufacturer (OEM)	damaged
(1) OEM factory installed hood	(9) Unknown if contacted by pedestrian - unknown if damaged
(2) OEM replacement	unknown ii damayed
(3) Non-OEM replacement (9) Unknown	FRONT CONTACT DAMAGE
(a) Olikilowii	
8. Hood Length <u>\$\psi\$ 9 \$\psi\$</u>	Front Vertical Measurements
Code to the	14. Front Bumper Cover Material
nearest centimeter (180) 180 centimeters or more	(0) No front contact
(180) 180 centimeters or more (999) Unknown	(1) Plastic
	(2) Fiberglass
3 <u>5</u> . <u>4</u> inches X 2.54 = <u>9</u> centimeter	<ul><li>(3) Rubber</li><li>(4) Other (specify):</li></ul>
O Used Wilde Ferminal Opening 1 2 2	(9) Unknown
9. Hood Width Forward Opening 1 3 3 Code to the	1.0
nearest centimeter	15. Front Bumper Reinforcement Material
(210) 210 centimeters or more	(0) No front contact
(999) Unknown	(1) Steel (2) Aluminum
	(3) Stainless Steel
	(4) Other (specify): form
10. Hood Width Midway <u>1</u> <u>3</u> <u>9</u>	(9) Unknown $\rho$ 30
Code to the	16. Front Bumper-Bottom Height
nearest centimeter (210) 210 centimeters or more	Code to the
(999) Unknown	nearest centimeter
10001 0	
	(000) No front contact
<u>5 H</u> . <u>7</u> inches X 2.54 = <u>1 3 9</u> centimeters	(150) 150 centimeters or more

17. Front Bumper-Top Height	23. Ground to Base of Windshield 1 6 ¢
Code to the	Code to the nearest centimeter
(000) No front contact	(000) No front contact
(150) 150 centimeters or more (999) Unknown	(400) 400 centimeters or more (999) Unknown
18. Forward Hood Opening	24. Ground to Top of Windshield 243
Code to the	Code to the nearest centimeter
(000) No front contact	(000) No front contact
(200) 200 centimeters or more (999) Unknown	(500) 500 centimeters or more (999) Unknown
	95 inches X 2.54 = _243 centimeters
19. Front Bumper Lead	25. Ground To Head Contact
(00) No front contact Code to the	nearest centimeter (000) No front contact
nearest centimeter	(400) 400 centimeters or more
(30) 30 centimeters or more (99) Unknown	(998) No head contact (999) Unknown
	inches X 2.54 = centimeters
	centimeters
Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
From Way Distance Heasurements	Side Vertical Measurements
20. Ground to Forward Hood Opening	26. Ground Clearance
Code to the nearest centimeter	26. Ground Clearance Code to the
Code to the	Code to the nearest centimeter
Code to the nearest centimeter (000) No front contact	Code to the
Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more	Code to the nearest centimeter (000) No side contact
Code to the nearest centimeter  (000) No front contact  (200) 200 centimeters or more  (999) Unknown  2 3 .  inches X 2.54 = centimeters	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more
Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown  23. 6 inches X 2.54 = centimeters  21. Ground to Front/Top Transition Point 6 8	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters
Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown  23. 6 inches X 2.54 = centimeters  21. Ground to Front/Top Transition Point 6 8 Code to the nearest centimeter	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
Code to the nearest centimeter  (000) No front contact  (200) 200 centimeters or more  (999) Unknown  23. inches X 2.54 = centimeters  21. Ground to Front/Top Transition Point	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknowninches X 2.54 =centimeters  27. Side Bumper-Bottom HeightCode to the nearest centimeter
Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown  23. 6 inches X 2.54 = centimeters  21. Ground to Front/Top Transition Point 6 8 Code to the nearest centimeter	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 =centimeters  27. Side Bumper-Bottom HeightCode to the nearest centimeter (000) No side contact
Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown  2 3 .  inches X 2.54 = centimeters  21. Ground to Front/Top Transition Point	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknowninches X 2.54 =centimeters  27. Side Bumper-Bottom HeightCode to the nearest centimeter
Code to the nearest centimeter  (000) No front contact (200) 200 centimeters or more (999) Unknown  23. inches X 2.54 = centimeters  21. Ground to Front/Top Transition Point	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 =centimeters  27. Side Bumper-Bottom HeightCode to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
Code to the nearest centimeter  (000) No front contact (200) 200 centimeters or more (999) Unknown  2 3 . 6 inches X 2.54 = centimeters  21. Ground to Front/Top Transition Point 6 8  Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown  2 6 . 7 inches X 2.54 = 6 8 centimeters	Code to the nearest centimeter  (000) No side contact (150) 150 centimeters or more (999) Unknown  inches X 2.54 = centimeters  27. Side Bumper-Bottom Height Code to the nearest centimeter  (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters
Code to the nearest centimeter  (000) No front contact (200) 200 centimeters or more (999) Unknown  2 3 6 inches X 2.54 = centimeters  21. Ground to Front/Top Transition Point 6 8  Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown  26 7 inches X 2.54 = 6 8 centimeters  22. Ground to Rear Hood Opening  Code to the	Code to the nearest centimeter  (000) No side contact (150) 150 centimeters or more (999) Unknown
Code to the nearest centimeter  (000) No front contact (200) 200 centimeters or more (999) Unknown  2 3 6 inches X 2.54 = centimeters  21. Ground to Front/Top Transition Point 6 8  Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown  26 7 inches X 2.54 = 6 8 centimeters  22. Ground to Rear Hood Opening  Code to the nearest centimeter	Code to the nearest centimeter  (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 =centimeters  27. Side Bumper-Bottom HeightCode to the nearest centimeter  (000) No side contact (150) 150 centimeters or more (999) Unknowninches X 2.54 =centimeters
Code to the nearest centimeter  (000) No front contact (200) 200 centimeters or more (999) Unknown  2 3 .	Code to the nearest centimeter  (000) No side contact (150) 150 centimeters or more (999) Unknown
Code to the nearest centimeter  (000) No front contact (200) 200 centimeters or more (999) Unknown  2 3 6 inches X 2.54 = centimeters  21. Ground to Front/Top Transition Point 6 8  Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown  26 7 inches X 2.54 = 6 8 centimeters  22. Ground to Rear Hood Opening  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown	Code to the nearest centimeter  (000) No side contact (150) 150 centimeters or more (999) Unknown
Code to the nearest centimeter  (000) No front contact (200) 200 centimeters or more (999) Unknown  2 3 .	Code to the nearest centimeter  (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 =centimeters  27. Side Bumper-Bottom HeightCode to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknowninches X 2.54 =centimeters  28. Side Bumper-Top HeightCode to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
Code to the nearest centimeter  (000) No front contact (200) 200 centimeters or more (999) Unknown  2 3 6 inches X 2.54 = centimeters  21. Ground to Front/Top Transition Point 6 8  Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown  26 7 inches X 2.54 = 6 8 centimeters  22. Ground to Rear Hood Opening  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown	Code to the nearest centimeter  (000) No side contact (150) 150 centimeters or more (999) Unknown
Code to the nearest centimeter  (000) No front contact (200) 200 centimeters or more (999) Unknown  2 3 6 inches X 2.54 = centimeters  21. Ground to Front/Top Transition Point 6 8  Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown  26 7 inches X 2.54 = 6 8 centimeters  22. Ground to Rear Hood Opening  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown	Code to the nearest centimeter  (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 =centimeters  27. Side Bumper-Bottom HeightCode to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknowninches X 2.54 =centimeters  28. Side Bumper-Top HeightCode to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown

20 Contailing of Milead	Side Lateral Measurements
29. Centerline of Wheel  Code to the	-
nearest centimeter	OF Contacting to A Dillon
(000) No side contact	35. Centerline to A-Pillar  at Bottom of Windshield
(150) 150 centimeters or more	(000) No side contact
(999) Unknown	Code to the
inches X 2.54 = centimeters	nearest centimeter
Inches X 2.34 = Centimeters	(250) 250 centimeters or more
	(999) Unknown
30. Top of Tire <b>** ** ** ** ** ** **</b>	inches X 2.54 = centimeters
Code to the	Centimeters
nearest centimeter (000) No side contact	
(200) 200 centimeters or more	36. Centerline to A-Pillar
(999) Unknown	at Top of Windshield
	Code to the nearest centimeter
inches X 2.54 = centimeters	(000) No side contact
	(250) 250 centimeters or more
31. Top of Wheel Well Opening	(999) Unknown
31. Top of Wheel Well Opening  Code to the	
nearest centimeter	inches X 2.54 = centimeter
(000) No side contact	
(250) 250 centimeters or more	37. Centerline to Maximum Side
(999) Unknown	View Mirror Protrusion
inches X 2.54 = centimeters	Code to the
	nearest centimeter
32. Bottom of A-Pillar at Windshield	(000) No side contact (300) 300 centimeters or more
Code to the	(999) Unknown
nearest centimeter (000) No side contact	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
(250) 250 centimeters or more	inches X 2.54 = centimeter
(999) Unknown	
	Side Wrap Distance Measurements
inches X 2.54 = centimeters	
	20 County of City Tay Tay 11
33. Top of A-Pillar at Windshield	38. Ground to Side/Top Transition  Code to the
Code to the	nearest centimeter
nearest centimeter	(000) No side contact
(000) No side contact	(400) 400 centimeters or more
(300) 300 centimeters or more (999) Unknown	(999) Unknown
(333) Chikhowh	inches V 2 54
inches X 2.54 = centimeters	inches X 2.54 = centimeters
24 Top of Side View Mirror	39. Ground to Hood Edge
34. Top of Side View Mirror  Code to the	Code to the
nearest centimeter	nearest centimeter
(000) No side contact	(000) No side contact (500) 500 centimeters or more
(300) 300 centimeters or more	(999) Unknown
(999) Unknown	
inches X 2.54 = centimeters	inches X 2.54 = centimeters
Continuetors	

		-	 ruge ro
40. Ground to Centerline of Hood	<i>Ф</i> <b>*</b>		
Code to the			
nearest centimeter			
(000) No side contact (700) 700 centimeters or mo	250		
(999) Unknown	JI E		
(555) Chikhemi			
inches X 2.54 =	centimeters		
41 Consumed to Hand Company	AL		
41. Ground to Head Contact  Code to the	$\phi \phi \phi$		
nearest centimeter			
(000) No side contact			
(800) 800 centimeters or mo	ore		
(998) No head contact (999) Unknown			
(999) Ohkhowh			
inches X 2.54 =	centimeters		
	·		
•			



72609P0001001203319710.010000000000101F72000

72609P00010021 10.0 0000000001921604608513104912013001301040199670542009715

1010000000004

72609P00010131 10.0 00000000038902021270011222 72609P00010231 10.0 0000000038904021270011222 72609P00010331 10.0 0000000037902021277011222 72609P00010431 10.0 0000000037904021277011222

72609P01000041 10.0 0000000009137031022HGED6457MH 399904899970096000002

71110180011131211211211

PSU72 CASE 609P

CURRENT VERSION: 10.0

ERROR SUMMARY SCREEN
PEDESTRIAN STUDY

/97

FORM NAME	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
		273	^	V
Pedestrian Accident	13	Ö	1 <sub>0</sub> 3	1
Pedestrian Assessment	Ç.	<b>਼</b>	• 0	Y
Pedestrian Injury	0	0	0	Υ
Pedestrian General Vehic	le O	0	0	Υ
Pedestrian Exterior Vehi		o	o	Υ
Total Inter Errors		o	o	
Total Case Errors	o	o	o	