



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



PEDESTRIAN CASE SUMMARY

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 82

CASE NO. 603P_

TYPE OF ACCIDENT Mini Van / Pedestrian Walking

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. <u>Do not include any personal identifiers.</u>)

Vehicle one was travelling westbound on a two way two lane roadway approaching an intersection with a stop sign. Vehicle one had a very steep grade up to the stop sign which stops before the crosswalk. A pedestrian was walking southbound in the crosswalk when the front of Vehicle one struck her left side pushing her to the right slightly but remained on her feet. Vehicle one was braking to the stop but extended her stop into the crosswalk.

B. PEDESTRIAN PROFILE							
Pedestrian		Treatment/		Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)			
		Sex	Sex Mortality	Body Region	Ana. Struc.	AIS	Injury Source
01	19	Female	None	None	None		

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity

		C. VEH	CLE PROFILE	Most Severe Damage ased on Vehicle Inspection
Vehicle No.	Class of Vehicle	Year/Make/Model	Damage Plane	Damage Description
01	Van	95/Nissan/Quest		Minor smears, slightly pushed in headlight.

DO NOT SANITIZE THIS FORM

External



U.S. Department of Transportation

ACCIDENT COLLISION DIAGRAM

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY National Highway Traffic Safety Administration Indid 603 b PSU No. Case Number - Stratum unrelated 5 lone 2 was Drain-Ref. Pt Curb-Ref Line. 3 Sidmalk

Scale: 1 centimeter =



U.S. Department of Transportation

ACCIDENT COLLISION DIAGRAM

National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM Indicate PSU No. Case Number - Stratum North õ ج ئر Ō, W (U) P.O.Z. 7.1NRP 28ERL **©** Tall War



U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number 2	-		Case Number	-Stratum 6 0 3 P
PEDESTRIAN ACCIDENT COL	LISION DATA C	OLLECTION		SCALED DIAGRAM
document reference point and reference line relative to physical features	Surface Type	John	<u>₩</u> • no	rth arrow placed on diagram
 documentation of all accident induced physical evidence including (if applicable): 	Surface Condition	, <u>vo</u>		ade measurements for all applicable adways
a) vehicle skid marks	Coefficient of Fric	ction <u>a C</u>		aled representations of the physical plant cluding:
b) pedestrian contacts with ground or object	Grade (v/h) Meas	surement	a)	all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)
c) vehicle/pedestrian point of impact (POI)	a) at impa	در الله	(p)	all traffic controls (e.g., lights, signs)
d) location of pedestrian separation point from vehicle	b) between final res	n impact and	pe pe	aled representations of the vehicle and destrian at pre-impact, impact, and final st based upon either:
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Trave	of Direction South	a)	physical evidence, or
documentation of the physical plant including:	Vehicle Travel D	frection Wes	p)	reconstructed accident dynamics
 all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.) 	Number of Trave	l Lanes		
b) all traffic controls (e.g., lights, signs)	1.			
Reference Point: Drain at East Reference Line: 2007 Curr Rage Curr Edge south of Drive Sinlessecting stands				
Item		Distance and from Refere		Distance and Direction from Reference Line
Jose (A)	8			
			·	

Item	Distance and Direction from Reference Point	Distance and Direction from Reference Line
		·
		-

i. Ja

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

2. Case Number - Stratum


IDENTIFICATION

3. Number of General Vehicle Forms Submitted

4. Date of Accident (Month, Day, Year)



5. Time of Accident



Code reported military time of accident.

NOTE: Midnight = 2400

Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. SS15 Administrative Use

7. SS16 Pedestrian Crash Data Study 1

0 8. SS17 Impact Fires

0 SS18

0 10. SS19

NUMBER OF EVENTS

11. Number of Recorded Events in This Accide at

0 1

0

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS						
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
12. <u>0</u> <u>1</u>	13. <u>0</u> <u>1</u>	14. 13	15.	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

National Highway Traffic Safety

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY Administration 1. Primary Sampling Unit Number 10. Pedestrian's Weight Code actual weight to the nearest kilogram. 2. Case Number - Stratum (999) Unknown pounds X .4536 = kilograms 3. Pedestrian Number 0 1 PEDESTRIAN'S CHARACTERISTICS PEDESTRIAN'S PRE-AVOIDANCE ACTIONS 11. Pedestrian Attitude 4. Pedestrian's Age Code actual age at time of accident. (1) Standing (00) Less than one year old (specify by month): (2) Crouching (3) Kneeling (97) 97 years and older (4) Bending at waist (99) Unknown (8) Other (specify):____ (9) Unknown 5. Pedestrian's Sex 12. Pedestrian Motion (1) Male (0) Not moving (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (1) Walking slowly (4) Female - pregnant-2nd trimester (4th-6th month) (2) Walking rapidly (5) Female - pregnant-3rd trimester (7th-9th month) (3) Running or jogging (6) Female - pregnant-term unknown (4) Hopping (9) Unknown (5) Skipping (6) Jumping 6. Pedestrian's Overall Height (7) Falling/stumbling or rising Code actual height to the nearest (8) Other (specify): centimeter. (9) Unknown (999) Unknown inches X 2.54 = ___ centimeters 13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight 7. Pedestrian's Height - Ground to Knee (02) Crossing road, diagonally Code to the nearest (03) Moving in road, with traffic centimeter. (04) Moving in road, against traffic (999) Unknown (05) Off road, approaching road (06) Off road, going away from road inches X 2.54 = ___ centimeters (07) Off road, moving parallel (08) Off road, crossing driveway 8. Pedestrian's Height - Ground to Hip (09) Off road, moving along driveway Code to the nearest (98)Other (specify): _____ centimeter. (99) Unknown (999) Unknown j U _ inches X 2.54 = ____ __ centimeters, 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to **Avoidance Actions** 9. Pedestrian's Height - Ground to Shoulder Facing vehicle (1) Code to the nearest (2)Facing away centimeter. Left side to vehicle (3) (999) Unknown Right side to vehicle (4) Other (specify): inches X 2.54 = ___ _ centimeters (8)

Unknown

7.44.0	
15. Pedestrian's First Avoidance Actions (00) No avoidance actions (01) Stopped (02) Accelerated pace (03) Ran away (along vehicle path) (04) Jumped (05) Turned toward vehicle (06) Turned away from vehicle (07) Dove or fell away Used hand(s) to: (11) Vault corner of vehicle (12) Vault onto vehicle (13) Brace against vehicle (14) Crouched and braced hands against vehicle (98) Other (specify): (99) Unknown	18. Pedestrian's Arm Orientation at Initial Impact (01) At sides (02) Folded across chest (03) Hands clasped behind back (04) Hands on hips (05) Hands in pockets One or both arms: (06) Extended upward (07) Extended to side (08) Extended forward bracing (09) Extended, holding object (briefcase, suitcase, etc.) (10) Holding object (young child, grocery bag, etc.) in arm(s) (11) Holding object (young child, grocery bag, etc.) on shoulder(s) or head (98) Other (specify): (99) Unknown
PEDESTRIAN'S ORIENTATION AT IMPACT 16. Pedestrian's Head Orientation at Initial Impact (1) To front (2) To left (3) To right (4) Up (5) Down (8) Other (specify):	19. Pedestrian's Leg Orientation at Initial Impact (01) Together (02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart-forward leg unknown (06) Left foot off the ground (07) Right foot off the ground (08) Both feet off the ground (08) Other (specify): (99) Unknown 20. Vehicle/Pedestrian's Interaction (01) Carried by vehicle, wrapped position (02) Carried by vehicle, slid to windshield (03) Carried by vehicle top (05) Thrown straight forward (06) Thrown forward and left of vehicle (07) Thrown forward and right of vehicle (08) Knocked to pavement, forward (09) Knocked to pavement, left of vehicle (10) Knocked to pavement, run over or dragged by vehicle (11) Knocked to left (corner impacts only) (13) Shunted to right (corner impacts only) (14) Bumped or pushed aside (15) Snagged, rotated (16) Snagged, dragged by vehicle (17) Foot or legs run over (98) Other (specify): (99) Unknown

OFFICIAL RECORDS		INJURY CONSEQUENCES
OFFICIAL RECORDS		MOONT GONDE GOENGEO
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 	φ	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	-1 /-	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify): Nonfatal (3) Hospitalization (4) Transported and released
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown	Ø	(5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify) (9) Unknown
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	P	(for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

lational .	Accident Sampling System-Crashworthiness Dat	a System: Pedestrian Assessment Form Page 4
	STOP - VARIABLES 30 THROUGH 37 AR	
(at (00 (01 (02	Asgow Coma Scale (GCS) Score Medical Facility) Not injured Injured - not treated at medical facility No GCS Score at medical facility -15) Code the actual value of the initial GCS Score recorded at medical facility.	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death 36. 3rd Medically Reported Cause of Death Code the Pedestrian Injury from line
(99	injured, details unknown injured /	number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death
31. Wa (1) (2)	Yes - blood given (specify units):	 (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease)
(00 (01 (02	rerial Blood Gases (ABG) – HCO ₃ O) Not injured I) Injured, ABGs not measured or reported 2-50) Code the actual value of the HCO ₃	(specify): (99) Unknown
(96 (97	ABGs reported , HCO ₃ unknown Injured, details unknown Unknown if injured	37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian.
(00 (96	Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 +n up through 30 days = 60) Not fatal Fatal - ruled disease Unknown	(00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
Α	ARE ALL APPLICABLE MEDICAL RECORD NO[]	YES[]
	UPDATE CANDIDATE	P NO [YES []

PSU NUMBER
CASE NUMBER
YEAR

82
603P
1996

PEDESTRIAN INJURY FORM

THE FOLLOWING DATA IS NOT INCLUDED IN THIS CASE:

- **X** ENTIRE FORM
- [] PAGE NUMBER (S)

U.S. Department of Transportation National Highway Traffic Safety

PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

dministration	PEDES I NIAN GENER	PEDESTRIAN CRASH DATA STUD
1. Primary Sampling Unit Num	ber $\frac{\sqrt{2}}{\sqrt{2}}$	OFFICIAL RECORDS
2. Case Number - Stratum	_6 O 3 _P	9. Police Reported Travel Speed
3. Vehicle Number	_0_1	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph)
VEHICLE IDENT	FICATION	(160) 159.5 kmph and above (999) Unknown
4. Vehicle Model Year Code the last two digits of (99) Unknown	the model year	mph X 1.6093 =kmph 10. Speed Limit (000) No statutory limit Code posted or statutory speed limit
5. Vehicle Make (specify): Applicable codes are found NASS PCDS Data Collection Editing Manual.	in your n, Coding and	in kmph (999) Unknown mph X 1.6093 = kmph
(99) Unknown 6. Vehicle Model (specify): Applicable codes are found	443	11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown
NASS PCDS Data Collection Editing Manual. (999) Unknown 7. Body Type Note: Applicable codes mathe back of this page.	y be found on $\frac{20}{}$	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number 1. 1. 2. 3. 4. 5. 6. 7. 8. 9. 1. Left justify; Slash zeros and No VIN—Code all zeros. Unknown—Code all nines.	0 11 12 13 14 15 16 17	Source: 13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
		14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (O4) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover,
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- Step van or walk-in van (≤ 4,500 kgs GVWR) (22)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWRI

- Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33)Convertible pickup
- Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- Other light conventional truck type (45)
- Unknown light truck type (48)
- Unknown light vehicle type (automobile, utility, van, or (49)light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 (61)kgs)
- Single unit straight truck (8,850 kgs < GVWR ≤ (62)12,000 kgs)
- Single unit straight truck (> 12,000 kgs (63)GVWR)
- Single unit straight truck, GVWR unknown (64)
- Medium/heavy truck based motorhome (65)
- Truck-tractor with no cargo trailer (67)Truck-tractor pulling one trailer (68)
- (69) Truck-tractor pulling two or more trailers (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- Three-wheel motorcycle or moped (82)
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- Other vehicle type (97)
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown 383 lbs X .4536 = kgs	18. Impact Speed 9. 6 Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source: 16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown Ibs X .4536 =, kgs	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
	PRECRASH DATA
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

Vational Accident Sampling System-Clashworthiness Data	Toystem. Tedestrian denotal ventole Form
23. Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	(00) Halanana
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	Los Assessment Assessment (1)
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present (01) No avoidance actions
(14) End departure	(02) Braking (no lockup)
(15) Turning left at intersection	(03) Braking (lockup)
(16) Turning right at intersection	(04) Braking (lockup unknown)
(17) Crossing over (passing through) intersection (19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering laft
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle	(99) Unknown
in lane	J
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction) - over left	(0) No driver present
lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction) - over right	(2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30 degrees
(62) From opposite direction—over left lane line	(4) Skidding laterally—clockwise rotation
(63) From opposite direction—over right lane line	(5) Skidding laterally—counterclockwise rotation
(64) From parking lane	(8) Other vehicle loss-of-control (specify):
(65) From crossing street, turning into same direction	
(66) From crossing street, across path	(9) Precrash stability unknown
(67) From crossing street, turning into opposite	5
direction	26. Precrash Directional Consequences of
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(0) No driver present (1) No avoidance maneuver
(71) From driveway, across path	(2) Vehicle stayed in travel lane where avoidance
(72) From driveway, turning into opposite direction	maneuver was initiated
(73) From driveway, intended path not known (74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane
(74) From entrance to limited access highway (78) Encroachment by other vehicle—details	where avoidance maneuver was initiated
unknown	(4) Vehicle stayed on roadway, not known if left
Pedestrian or Pedalcyclist, or Other Nonmotorist	travel lane where avoidance maneuver was
(80) Pedestrian in roadway	initiated
(81) Pedestrian approaching roadway	(5) Vehicle departed roadway
(82) Pedestrian—unknown location	(6) Avoidance maneuver initiated off roadway
,,	(9) Directional consequences unknown

	ENVIRO	NME	NTAL DATA
		+	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown 34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing) Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify):
29.	Number of Travel Lanes (1) One (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown	2	(6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR controls (specify): (9) Unknown 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown	7	36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk (9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet
32	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):	_	(4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown

....

	196
	82-603
-	95 Quest 1940F
	miniva~
	Left 1-g & hip
	1=0,6
	Po1 to J=RP = 0,6m = 2 + +
	V = 725 + g $= 7(2)(2)(0.6)(32.2)$ $= 8.8 + PS = 6 mpl = 9.6 KPh$
	=7(2)(2)(0.6)(32.2)
and the delication of the second of the seco	= 8,8 fps = 6 mpl = 9,6 KPh
	•
as any logical color and analysis of the second and any of the second and the sec	
and the state of t	
\(\frac{1}{2}\)	



PEDESTRIAN EXTERIOR VEHICLE FORM

NATIONAL ACCIDENT SAMPLING SYSTEM
PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Vehicle Number

2. Case Number - Stratum

VEHICLE IDENTIFICATION

Model Year

Vehicle Make (specify):

SSan

Vehicle Model (specify):

PEDESTRIAN FRONT CONTACT WORK

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

cm

cm

cm

cm

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

cm

cm

cm

cm

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact

cm

cm

cm


cm

cm

cm

Total


VEHICLE DAMAGE SKETCH




NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

_ cm





9-8-6-5 to 80-11-11-1-12-11

Location of the origin (intercept point of the centerline and the front axles) from the ground:

169

PEDESTRIAN SIDE CONTACT WORK	SHEET
PEV06 Hood Material	
PEV08 Hood Length	cm
PEV09 Hood Width-Forward Opening	cm
PEV10 Hood Width-Midway	cm
PEV11 Hood Width-Rear Opening	cm
VERTICAL MEASUREMENTS	
PEV26 Ground Clearance	cn
PEV27 Side Bumper-Bottom Height	cm
PEV28 Side Bumper-Top Height	cm
PEV29 Centerline of Wheel	cm
PEV30 Top of Tire	cm
PEV31 Top of Wheel Well Opening	cm
PEV32 Bottom of A-Pillar at Windshield	cm
PEV33 Top of A-Pillar at Windshield	cm
PEV34 Top of Side View Mirror	cm
LATERAL MEASUREMENTS	
PEV35 C _L to A-Pillar at Bottom of Windshield	cm
PEV36 C _L to A-Pillar at Top of Windshield	cm
PEV37 C _L to Maximum Side View Mirror Protrusion	cm
WRAP DISTANCES	
PEV38 Ground to Side/Top Transition	
PEV39 Ground to Hood Edge	on
PEV40 Ground to Centerline of Hood (ORIGIN)	cn
PEV41 Ground to Head Contact	cm

VEHICLE DAMAGE SKETCH

NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front exles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front exles) from the ground:

_ cn

· · · Marie

Wheel base Overall Length Maximum Width Curb Weight Was a sinches of the second of	ORIGINAL SPECIFICATIONS					
FRONT 700 Front bumper	Overall Length Maximum Width Curb Weight Average Track Front Overhang Rear Overhang Undeformed End Width	inches cc	x 2.54 =			
778 Backlight glazing 947 Ground Right Side Components 779 Rear header 948 Other object (specify): 740 Front fender side surface 780 Hatchback 949 Unknown object in environment	700 Front bumper 701 Front lower valance/spoiler 702 Front grille 703 Hood edge and/or trim 704 Hood ornament (fixed) 705 Hood ornament (spring loaded) 706 Headlight 707 Retractable headlight door (Open/Closed) 708 Turn signal/parking lights 718 Other front or add on object (specify): 719 Unknown front object Left Side Components 720 Front fender side surface 721 Front antenna 722 A1 pillar 723 A2 pillar 724 B pillar 725 C pillar 726 D pillar 727 Other pillar (specify): 729 Left side door surface 731 Left side door handle 732 Left side mirror fixed housing 733 Left side glazing forward of B pillar 735 Left side glazing rearward of B pillar 736 Left side back fender or quarter panel 737 Rear antenna 738 Other left side object (specify):	744 B pillar 745 C pillar 746 D pillar 748 Other pillar (specify):	790 Left front wheel / tire 791 Right front wheel / tire 792 Left rear wheel / tire 793 Right rear wheel / tire 798 Other wheel / tire (specify): 799 Unknown wheel / tire Undercarriage components 800 Front cross member 801 Steering assembly/Front suspension 802 Oil pan 803 Exhaust system pipe 804 Transmission 805 Drive shaft 806 Catalytic converter 807 Muffler 808 Floor pan 809 Fuel tank 810 Rear suspension 818 Other undercarriage component (specify): 819 Unknown undercarriage component Accessories 820 Air scoop, deflector 821 Cellular or CB radio antenna 822 Emergency lights or bar 823 Fog lights 824 Luggage, ski, or bike rack 825 Cargo (specify): 826 Spare tire 827 Spotlight 828 Other accessory (specify):			

and the second s

	POINTS OF PEDESTRIAN CONTACT								
	PEDESTRIAN CONTACT WORKSHEET								
	ONTACT ID Label	COMPONENT CONTACTED	LONGITUDINAL Location (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	SEQUENCE
	4	Bumper	119	-2/	8	Oky	meaned	2 3 9	<i>:</i> 1
2	7	1st profes	108	-24	0		Swifting)	(A) 2 3 9	3
	个	Bumps	118	-45	Q		meager	1 2 3 9	3
	4	Brooker	128	-46	Ø	S	Chay	$\sqrt{1/2} \cdot 3 \cdot 8$	3
	K	Geillener	92	5	0	Aip	Smen	2 3 9	3
	4	Amelyto	91	-49	.5	40	purediana	JJ 2 1 3	1
	\overline{D}	peag	}	-15	0	Hep'	Smeared	3 9	5
	7	Gerly .	103	-19	Q	4.1	Stoney	(1) 1.1	9
1		Head	83	-40	O	them's	Mouse Street	1)2 3 9	9
	Α_		4	-+0	9	***	Shrin	₩ 238	Q
						•		1 2 3 9	
			7			ک ترین		1 2 3 9	
		Prd H	holding	2.1	10/			1 2 3 9	
		7/2	yes	<u>NL</u>	<u> </u>	1/2		1 2 3 9	
		ch	1861-	f		V		1 2 3 9	
		4 200	1501		,			1 2 3 9	
								1 2 3 9 1 2 3 9	
								1 2 3 9	
								1 2 3 8	
								1 2 3 9	
								1 2 1 9	-
								1 2 3 9	
								1 2 3 9	
									- Application

POINTS OF PEDESTRIAN CONTACT CHRONOLOGICAL ORDER OF CONTACTS								
CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL Location (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	
1							1 2 3 9	
2							1 2 1 9	
3							1 2 3 9	
•							1 27 2 9	
5							1 2 3 9	
8		/		, , .			1 2 3 9	
7							1 2 3 9	
8		A					1 27 3 8	
9		\ \ \	~ ~ ~				1 2 3 9	
10							1 2 3 9	
11							1 2 3 9	
12							1 2 3 9	
13							1 2 3 9	
14							1 2 3 9	
15 18							1 2 3 9	
17							1 2 3 9	
18							1 2 2 9	
19							1 2 3 9	
20							1 2 2 9	
21							1 2 3 9	
22							1 2 3 9	
23							1 2 3 9	
24							1 2 32 9	
25							1 2 3 9	

VEHICLE DIMENSIONS	1 5
1 C	11. Hood Width Rear Opening Code to the
4. Original Wheelbase	nearest centimeter
Code to the	(210) 210 centimeters or more
nearest centimeter (999) Unknown	(999) Unknown
112 2 inches X 2.54 = centimeters	inches X 2.54 = centimeters
494	12. Hood/Fender Vertical/Lateral Crush From
5. Original Average Track Width	Pedestrian
nearest centimeter	(0) Not damaged
(185) 185 centimeters or more	(1) Surface scratching only, no residual crush
(999) Unknown	(2) Minor crush (1-3 centimeters) (3) Moderate crush (4-7 centimeters)
6) A	(4) Severe crush (>7 centimeters)
	(8) Damage present, unknown if damage is from
	pedestrian impact
6. Hood Material	(9) Unknown
(1) Plastic	13. Windshield Contact Damage
(2) Fiberglass	From Pedestrian Contact
(3) Steel	(0) Not contacted by pedestrian
(4) Aluminum (5) Stainless Steel	(1) Contacted by pedestrian - not damaged
(8) Other (specify):	(2) Contacted by pedestrian - damaged
(9) Unknown	(3) Unknown if contacted by pedestrian - not damaged
1	(4) Unknown if contacted by pedestrian -
7. Hood Original Equipment Manufacturer (OEM)	damaged
(1) OEM factory installed hood	(9) Unknown if contacted by pedestrian -
(2) OEM replacement	unknown if damaged
(3) Non-OEM replacement	
(9) Unknown	FRONT CONTACT DAMAGE
8. Hood Length	Front Vertical Measurements
Code to the	3
nearest centimeter	14. Front Bumper Cover Material (0) No front contact
(180) 180 centimeters or more	(1) Plastic
(999) Unknown	(2) Fiberglass
inches X 2.54 = centimeter	(3) Rubber
147	(4) Other (specify):(9) Unknown
9. Hood Width Forward Opening	(5) Unknown
Code to the	15. Front Bumper Reinforcement Material
nearest centimeter (210) 210 centimeters or more	(0) No front contact
(999) Unknown	(1) Steel
	(2) Aluminum (3) Stainless Steel
inches X 2.54 = centimeters	(4) Other (specify):
10. Hood Width Midway	(9) Unknown
Code to the	450
nearest centimeter	16. Front Bumper-Bottom Height $\underline{\underline{\hspace{1cm}}}$ Code to the
(210) 210 centimeters or more	nearest centimeter
(999) Unknown	(000) No front contact
	(150) 150 centimeters or more
inches X 2.54 = centimeters	1
inches X 2.54 = centimeters	(999) Unknown

29.	Centerline of Wheel	000	Side Lateral Measurements
	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown		35. Centerline to A-Pillar at Bottom of Windshield (000) No side contact Code to the
	inches X 2.54 =	centimeters	nearest centimeter (250) 250 centimeters or more (999) Unknown
30.	Top of Tire Code to the	000	inches X 2.54 = centimeters
	nearest centimeter (000) No side contact		36. Centerline to A-Pillar
	(200) 200 centimeters or more (999) Unknown		at Top of Windshield Code to the
	inches X 2.54 =	centimeters	nearest centimeter (000) No side contact (250) 250 centimeters or more
31.	Top of Wheel Well Opening Code to the		(999) Unknowninches X 2.54 =centimeter
	nearest centimeter (000) No side contact	1	
	(250) 250 centimeters or more (999) Unknown		37. Centerline to Maximum Side View Mirror Protrusion
	inches X 2.54 =	centimeters	Code to the nearest centimeter
32.	Bottom of A-Pillar at Windshield Code to the nearest centimeter	ON A	(000) No side contact (300) 300 centimeters or more (999) Unknown
	(000) No side contact (250) 250 centimeters or more (999) Unknown		inches X 2.54 = centimeter
	inches X 2.54 =	centimeters	Side Wrap Distance Measurements:
33.	Top of A-Pillar at Windshield Code to the	000	38. Ground to Side/Top Transition Code to the
	nearest centimeter (000) No side contact	ļ	nearest centimeter (000) No side contact
	(300) 300 centimeters or more (999) Unknown		(400) 400 centimeters or more (999) Unknown
	inches X 2.54 =	centimeters	inches X 2.54 = centimeters
34.	Top of Side View Mirror Code to the nearest centimeter	<u>U</u> <u>U</u> <u>0</u>	39. Ground to Hood Edge Code to the nearest centimeter
	(000) No side contact (300) 300 centimeters or more (999) Unknown		(000) No side contact (500) 500 centimeters or more (999) Unknown
	inches X 2.54 =	centimeters	inches X 2.54 = centimeters

40. Ground to Centerline of Hood Code to the nearest centimeter (000) No side contact (700) 700 centimeters or more (999) Unknown)@ S	,	,	
41. Ground to Head Contact Code to the nearest centimeter (000) No side contact (800) 800 centimeters or more (998) No head contact (999) Unknown	entimeters			
inches X 2.54 = ce	entimeters			
				i v garoni V vije V vije V vije

Siral

82603P00010012 369.001000000000113F72000

82603P00010021 9.00 0000000001921734909214207311013002311030509600165000000

1000000000000 82603P01000041 9.00 0000000009535443204N2DN11W8SD 9904009600176000001 01110280022231212212231

PSU82 CASE 603P

CURRENT VERSION: 9.00

ERROR SUMMARY SCREEN
PEDESTRIAN STUDY



	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	0	0	Y
Pedestrian Assessment	ò	ŏ	ŏ	Ý
Pedestrian Injury	Ō	Ö	Ö	Υ Υ
Pedestrian General Vehicle	● 0	O	0	Y
Pedestrian Exterior Vehic	le O	O	0	Y
Total Inter Errors		0	o	
Total Case Errors	0	o	o	