



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



PEDESTRIAN CASE SUMMARY

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 49

CASE NO. 616P

TYPE OF ACCIDENT Car/Ped/Crossing road straight

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. <u>Do not include</u> any personal identifiers.)

V1 was traveling east on a two-way, two-lane undivided residential street. Vehicles were parked along the north edge of the street in front of an apartment building. Two pedestrians were attempting to cross the street traveling south. They were walking straight across the street toward their residence. P1(616P), a four year-old female was walking slightly ahead of P2(617P) a six year-old female. P1 was holding the right hand of P2 with her left hand as they attempted to cross the street. P1 walked into the left side of V1 near the front edge of the driver's door, striking the A pillar and door. P2 walked into the left side of V1 at the front left wheel well, striking the fender and hood. Both pedestrians were knocked to the pavement forward and to the left of impact. V1 pulled over to the right edge of the street and partially into a driveway and stopped. P1 and P2 were transported and treated and released. V1 was driven.

B. PEDESTRIAN PROFILE											
Pedestrian			Treatment/	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)							
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source				
01	4	Female	Treat/Rel.	upper Extremity	Skeletal	2	Lest outside mirrow				

Body Region	Type of Anatomic Structi
Head	Whole Area
Face	Vessels
Throat	Nerves
Chest	Organs
Abdomen/Pelvis	Skeletal
Spine	Head-LOC
Upper Extremity	Skin-Burn
Lower Extremity	Skin-Other
External	

Abbreviated Injury Scale

- (1) Minor injury
- (2) Moderate injury
- (3) Serious injury
- (4) Severe injury
- (5) Critical injury
- (5) Critical injury
- (6) Maximum (untreatable)
- (7) Injured, unknown severity

	C. VEHICLE PROFILE										
Class			Most Severe Damage Based on Vehicle Inspection								
Vehicle No.	Class of Vehicle	Year/Make/Model	Damage Plane	Damage Description							
0,1	Subcompact car	94/Toyota/Tercel	Left	Small dents and scratches							


DO NOT SANITIZE THIS FORM

ACCIDENT COLLISION DIAGRAM U.S. Department of Transportation NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM National Highway Traffic Safety Administration Case Number-Stratum 6 16 P Indicate PSU No. 49 North < 7 TREE 2 SIDEWALK PILLITE MODILING 5R 1855 RESIDENTIAL PI PI PI-617P 9717-14 SAN 78 \triangle YARD PARKED VEHICLE SIDEWALK ∇ Δ Canta 1 annimator _ 1 0 masora HS Form 4319 11/08

BEST AVAILABLE COPY

PSU No. 49 Case Number-Stratum 6 16 P Indicate North DRIVELAR 6 -11.4 10.2 Delvany

U.S. Department of Transportation National Highway Traffic Safety Administration



PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Administration	•		PEDESIK	AN CRASH DATA STUDY
Primary Sampling Unit Number 49	_	Case N	umber-Stratum	6 1 6 P
PEDESTRIAN ACCIDENT CO	LLISION DATA	COLLECTION	SCALE	D DIAGRAM
document reference point and reference line relative to physical features	Surface Type	<u> A69</u>	* north arrow place	ed on diagram
documentation of all accident induced physical evidence including (if applicable):	Surface Condition		* grade measurem	nents for all applicable
a) vehicle skid marks	Coefficient of Fr	iction <u>, 65</u>	* scaled represent including:	tations of the physical plant
b) pedestrian contacts with ground or object	Grade (v/h) Mes	isurement	crosswalks, markings, m	curb/edge lines, lane edians, pavement markings
c) vehicle/pedestrian point of impact (POI)	a) at impe	act <u>9/122</u>	b) all traffic cor	ntrols (e.g., lights, signs)
d) location of pedestrian separation point from vehicle	b) between	en impact and 9/12	pedestrian at pre	e-impact, impact, and final
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Trav		a) physical evid	dence, or
a) all road/roadway defineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)	Vehicle Travel D	2	b) reconstructe	ed accident dynamics
b) all traffic controls (e.g., lights, signs)				
Item		Distance and Direction		
		from Reference Point	from	Reference Line
CONEHIC AREA OF IM	neter	3.25		0.2h
11 #211 "1"	٠,	3.45	* scaled representations of the physic including: a) all road/roadway delineation (e. crosswalks, curb/edge lines, lar markings, medians, pavement parked vehicles, poles, signs, e b) all traffic controls (e.g., lights, s * scaled representations of the vehicl pedestrian at pre-impact, impact, arest based upon either: a) physical evidence, or b) reconstructed accident dynamic	0.6W
				10 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

- 4.4

Administration	PEDESTRIAN CRASH DATA STUD
AG	SPECIAL STUDIES - INDICATORS
Primary Sampling Unit Number	Check (✓) each special study (SS15-SS19 below) that
2. Case Number - Stratum 6 1 6 P	has been completed; code 1 for the checked special
IDENTIFICATION	studies and 0 for the special studies not checked.
O. Alverdage of Company Mahinto	6SS15 Administrative Use0_
Number of General Vehicle Forms Submitted	7SS16 Pedestrian Crash Data Study1_
4. Date of Accident (Month, Day, Year) 9 6	8SS17 Impact Fires0_
5. Time of Accident 2055	9SS180
Code reported military time of accident. NOTE: Midnight = 2400	10SS190
Unknown = 9999	NUMBER OF EVENTS
·	11. Number of Recorded Events in This Accident 0 1

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

		PEDESTRIAN A	ACCIDEN	T EVENTS		
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
12. <u>0</u> <u>1</u>	13. <u>0 1</u>	14. 0	15	16. <u>7_2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 49	10. Pedestrian's Weight Code actual weight to the nearest
2. Case Number - Stratum 6 P	kilogram. (999) Unknown
3. Pedestrian Number <u>0 1</u>	
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping
6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknowninches X 2.54 =centimeters	(6) Sumpling (7) Falling/stumbling or rising (8) Other (specify): (9) Unknown 13. Pedestrian's Action Relative to Vehicle
7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown inches X 2.54 = centimeters	 (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road
8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	(07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify):
9. Pedestrian's Height - Ground to Shoulder	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify):

PEDESTRIAN'S AVOIDANCE ACTIONS 15. Pedestrian's First Avoidance Actions (00) No avoidance actions (01) Stopped (02) Accelerated pace (03) Ran away (along vehicle path) (04) Jumped (05) Turned toward vehicle (06) Turned away from vehicle (07) Dove or fell away Used hand(s) to: (11) Vault corner of vehicle (12) Vault onto vehicle (13) Brace against vehicle (14) Crouched and braced hands against vehicle (98) Other (specify):	18. Pedestrian's Arm Orientation at Initial Impact (01) At sides (02) Folded across chest (03) Hands clasped behind back (04) Hands on hips (05) Hands in pockets One or both arms: (06) Extended upward (07) Extended to side (08) Extended forward bracing (09) Extended, holding object (briefcase, suitcase, etc.) (10) Holding object (young child, grocery bag, etc.) in arm(s) (11) Holding object (young child, grocery bag, etc.) on shoulder(s) or head (98) Other (specify): LEFT (HAND HOUNG) (99) Unknown
	at Initial Impact <u>7</u> <u>7</u>
PEDESTRIAN'S ORIENTATION AT IMPACT	(01) Together
16. Pedestrian's Head Orientation at Initial Impact (1) To front (2) To left (3) To right (4) Up (5) Down (8) Other (specify): (9) Unknown 17. Pedestrian's Body (Chest) Orientation at Initial Impact (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown	(02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart- forward leg unknown (06) Left foot off the ground (07) Right foot off the ground (08) Both feet off the ground (98) Other (specify): (99) Unknown 20. Vehicle/Pedestrian's Interaction (01) Carried by vehicle, wrapped position (02) Carried by vehicle, slid to windshield (03) Carried by vehicle, position unknown (04) Passed over vehicle top (05) Thrown straight forward (06) Thrown forward and left of vehicle (07) Thrown forward and right of vehicle (08) Knocked to pavement, forward (09) Knocked to pavement, left of vehicle (10) Knocked to pavement, run over or dragged by vehicle (11) Knocked to pavement, run over or dragged by vehicle (12) Shunted to left (corner impacts only) (13) Shunted to right (corner impacts only) (14) Bumped or pushed aside (15) Snagged, dragged by vehicle (17) Foot or legs run over (98) Other (specify): (99) Unknown

OFFICIAL RECORDS		INJURY CONSEQUENCES
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 	0	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	96	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source: P.A.R.		Nonfatal (3) Hospitalization
 23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown 	0	 (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	0	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown
		in the second se

STOP - VARIABLES 30 THROUGH 37 AR	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given 32. Arterial Blood Gases (ABG) – HCO3 (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO3 (96) ABGs reported , HCO3 unknown (97) Injured, details unknown (99) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death up through 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
_	OS INCLUDED WITH INITIAL SUBMISSION? YES [] ? NO [] YES []

Form Approved
O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PEDESTRIAN INJURY FORM

National Highway Traffic Safety Administration

1. Primary Sampling Unit Number

2. Case Number - Stratum

3. Pedestrian Number

4. Blank

X X


INJURY DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90				Injury				# · · · · · · · · · · · · · · · · · · ·		
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth	
1st	5.3	6.8	7. 9	8.02	9. <u>0</u> 2	10. /	11./_	12 730	2 13. 🖊	14. <u>/</u>	15.2	16. 2	17.2	
2nd	18. 3	19.8	20.7	21.0 2	-22. <u>0</u> 2	- 23. <u>/</u>	24. <u>~</u>	25. <u>7 2 0</u>	26. /	27.	282	29. 2	30.2	
3rd	31. <u>3</u>	32. <u>7</u>	33. <u>9</u>	34.D <u></u>	35. <u>0</u> 2	−36. <u>/</u>	37/_	38. <u>73.8</u>	<u>)</u> 39. <u>/</u>	40./_	41. 2	42.2	43	
4th	44.3	45. 7	46.5	47.22	48. <u>0 0</u>	49.2	50. <u>/</u>	51. <u>73</u> 2	F 52.Z	53. <u>/</u>	54. <u>3</u>	55.2	56	
5th	57	58	59	60	61	62	63	64.	65	66	67	68	69	
Sth	70	71	72	73.	74	75.—	78.	77	78	79	80	81.	82	
'th	83	84	85	86	87	88	89	90	91	92	93	94	95	
lth	96	97	98	99:	100:	101	102	108:	104	105	106	107	108	
)th	109	110	111	1121	113:	114	115	116	117	118	119	120	121	
)th	122	123	124	1251	26	127	128	129	130	131	132	133	134	

PEDESTRIAN INJURY DATA												
Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th												
12th								## 144 #11 77 13 #11 ##1				
14th								-		· · · · · · · · · · · · · · · · · · ·		
15th			———						-			
16th												
l 8th												
9th									· 	2 2 5 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		
21st												
2nd												
23rd 24th												
.5th												

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



Probable No damage/contact Scratch (Scuff, Cloth Transfer,Smear) 121 (1) Autopsy records with or without hospital/ (3) **Possible** (2) medical records Unknown (9) (3) Dent (2) Hospital/medical records other than Large deformation DIRECT/INDIRECT INJURY emergency room (e.g., discharge Cracked, fractured, shattered Direct contact injury summary) Separated from vehicle Indirect contact injury Emergency room records only (including (7) Noncontact injury (3) (7) Noncontact injury associated X-rays or other lab reports) (8) Other specify: Injured, unknown source (4) Private physician, walk-in or emergency (9) Unknown STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) Injury not from vehicle contact UNOFFICIAL (1) No residual damage (5) Lay coroner report Flat-Wide (≥ 15 centimeters) Surface only damage (6) E.M.S. personnel Rounded (contoured) Crush depth >0 to 2 centimeters (4) (5) Rounded edge Interviewee Sharp edge Other (specify): (4) Crush depth > 2 to 5 centimeters (8) Other source (specify): Crush depth >5 to 10 centimeters (5) Other specify:_ (8) (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION Spine (02) Cervical (04) Thoracic Specific Anatomic Structure Abbreviated Injury Scale **Body Region** Whole Area (02) Skin - Abrasion (04) Skin - Contusion Minor injury Head (06) Lumbar (2) Moderate injury Face (3) Serious injury Neck (06) Skin - Laceration Vessels, Nerves, Organs, Bones, Joints Severe injury (4)Thorax are assigned consecutive two digit numbers beginning with 02 (5) (08) Skin - Avulsion (5) Critical injury Abdomen (6) Maximum (untreatable) (10) Amoutation (6) Upper Extremity (20) Burn Injured, unknown severity (7) Lower Extremity (30) Level of Injury Crush (8) (40) Degloving (50) Injury - NFS (90) Trauma, other than mechanical Aspect Unspecified assigned Specific injuries are Type of Anatomic Structure consecutive two-digit Right beginning with 02. (2) Left Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness Bilateral Whole Area Central To the extent possible, within the Vesseis organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic (5) Anterior Nerves (3) Organs (includes muscles/ (10) Concussion (6)**Posterior** (4) (7) Superior ligaments) (8) Skeletal (includes joints) Inferior structure. 99 is assigned to any injury NFS as to lesion or severity. Head - LOC (9) Unknown Whole region **INJURY SOURCE** Wheels / tires FRONT 744 B pillar 790 Left front wheel / tire 700 Front bumper 791 Right front wheel / tire 701 Front lower valance/spoiler 745 C pillar 746 D pillar 792 Left rear wheel / tire 702 Front grille 793 Right rear wheel /tire 748 Other pillar (specify): 703 Hood edge and/or trim 749 Right side roof rail 798 Other wheel / tire (specify): 704 Hood ornament (fixed) 799 Unknown wheel / tire 750 Right side door surface 705 Hood ornament (spring loaded) 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify): 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 803 Exhaust system pipe 756 Rear antenna 757 Rear fender or quarter panel 804 Transmission 758 Other right side object 805 Drive shaft Left Side Components 806 Catalytic converter 720 Front fender side surface (specify): 807 Muffler 759 Unknown right side component 721 Front antenna 808 Floor pan 722 A1 pillar 809 Fuel tank 723 A2 pillar Back Components 724 B pillar 760 Rear (back) bumper 810 Rear suspension 818 Other undercarriage component 725 C pillar 761 Tailgate 726 D pillar 762 Hatchback, vertical surface 768 Other back component 819 Unknown undercarriage component 728 Other pillar (specify): (specify): 769 Unknown back component Accessories 820 Air scoop, deflector 729 Left side roof rail 730 Left side door surface 821 Cellular or CB radio antenna 731 Left side door handle Top Components 822 Emergency lights or bar 732 Left side mirror fixed housing 770 Hood surface 823 Fog lights 733 Left side folding mirror 771 Hood surface reinforced by under hood 824 Luggage, ski, or bike rack 734 Left side glazing forward of B pillar component 825 Cargo (specify):_ 772 Front fender top surface 735 Left side glazing rearward of B pillar 736 Left side back fender or quarter panel 826 Spare tire 773 Cowl area 774 Wiper blade & mountings 827 Spotlight 737 Rear antenna 775 Windshield glazing 828 Other accessory (specify): 738 Other left side object 776 Front header (specify): Other Object or Vehicle in Environment 777 Roof surface 739 Unknown left side component 947 Ground 778 Backlight glazing 948 Other object (specify): 779 Rear header **Right Side Components**

780 Hatchback

781 Rear trunk lid

788 Other top component (specify):

789 Unknown top component

INJURY SOURCE CONFIDENCE LEVEL

SOURCE OF INJURY DATA

740 Front fender side surface

741 Front antenna

742 A1 pillar

743 A2 pillar

OFFICIAL

TYPE OF DAMAGE

(0) Injury not from vehicle contact

949 Unknown object in environment

997 Noncontact injury source

999 Unknown injury source

是女"和拉克

959 Unknown object on contacting vehicle


Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)


Blood Alcohol Level

Scale Score

Units of Blood Given

Arterial Blood Gases







National Accident Sampling System-Crashworthiness Data System: Pedestrian Injury Form

OFFICIAL INJURY DATA -INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





PEDESTRIAN GENERAL V	VEHICLE FORM	NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY
----------------------	--------------	---

dministration	PEDESTRIAN CRASH DATA STUDY
1. Primary Sampling Unit Number 49	OFFICIAL RECORDS
2. Case Number - Stratum 6 P	9. Police Reported Travel Speed 9999
3. Vehicle Number <u>0 1</u>	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above
VEHICLE IDENTIFICATION	(999) Unknown
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown	mph X 1.6093 =kmph 10. Speed Limit (000) No statutory limit Code posted or statutory speed limit
5. Vehicle Make (specify): TO YOTA Applicable codes are found in your NASS PCDS Data Collection, Coding and	in kmph (999) Unknown 30 mph X 1.6093 = 48 kmph
Editing Manual. (99) Unknown 6. Vehicle Model (specify): 038	11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown
Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown 7. Body Type Note: Applicable codes may be found on the back of this page.	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number	Source: P.A.R.
TT2EL43T Ø P P 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 Left justify; Slash zeros and letter Z (Ø and Z) No VIN-Code all zeros Unknown-Code all nines	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
·	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Čab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight	Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source: 16. Vehicle Cargo Weight Code weight to nearest	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates PRECRASH DATA
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify:


	<i>^</i>	ŀ		
23. C	Critical Precrash Event <u>& O</u>		(83)	Pedalcyclist or other nonmotorist in roadway
7	This Vehicle Loss of Control Due To:			(specify):
(O1) Blow out or flat tire		(84)	Pedalcyclist or other nonmotorist approaching
	02) Stalled engine			roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)		(85)	Pedalcyclist or other nonmotorist—unknown
	(specify):			location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew		Obje	ect or Animal
	up) (specify):			Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)		(88)	Animal approaching roadway
	(specify):		(89)	Animal—unknown location
	06) Traveling too fast for conditions			Object in roadway
(08) Other cause of control loss (specify):			Object approaching roadway
				Object—unknown location
	09) Unknown cause of control loss	İ	(98)	Other critical precrash event (specify):
	This Vehicle Traveling			· · · · · · · · · · · · · · · · · · ·
	10) Over the lane line on left side of travel lane		(99)	Unknown
	11) Over the lane line on right side of travel lane			\sim 1
	12) Off the edge of the road on the left side	24.		empted Avoidance Maneuver
	13) Off the edge of the road on the right side			No driver present
	14) End departure			No avoidance actions
	15) Turning left at intersection			Braking (no lockup)
	16) Turning right at intersection			Braking (lockup)
	17) Crossing over (passing through) intersection			Braking (lockup unknown)
	19) Unknown travel direction			Releasing brakes
	Other Motor Vehicle In Lane			Steering left
	50) Stopped			Steering right
(51) Traveling in same direction with lower speed	ļ		Braking and steering left
	(i.e., lower steady speed or decelerating)	l		Braking and steering right
	52) Traveling in same direction with higher speed			Accelerating
	53) Traveling in opposite direction			Accelerating and steering left
(54) In crossover			Accelerating and steering right
	55) Backing			Other action (specify):
(59) Unknown travel direction of other motor vehicle		(99)	Unknown
	in lane	l	_	1
	Other Motor Vehicle Encroaching Into Lane	25.		erash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction) - over left			No driver present
	lane line		(1) (2)	No avoidance maneuver Tracking
(61) From adjacent lane (same direction) - over right		(3)	Skidding longitudinally—rotation less than 30
	lane line		10,	degrees
	62) From opposite direction—over left lane line		(4)	Skidding laterally—clockwise rotation
	63) From opposite direction—over right lane line		(5)	Skidding laterally—counterclockwise rotation
	64) From parking lane		(8)	Other vehicle loss-of-control (specify):
	65) From crossing street, turning into same direction			
	66) From crossing street, across path		(9)	Precrash stability unknown
(67) From crossing street, turning into opposite	l		
	direction	26.		crash Directional Consequences of
	68) From crossing street, intended path not known			idance Maneuver (Corrective Action)
	70) From driveway, turning into same direction		(0)	No driver present
	71) From driveway, across path		(1)	No avoidance maneuver
	72) From driveway, turning into opposite direction	l	(2)	Vehicle stayed in travel lane where avoidance maneuver was initiated
	73) From driveway, intended path not known		(3)	Vehicle stayed on roadway but left travel lane
	74) From entrance to limited access highway		(3)	where avoidance maneuver was initiated
(78) Encroachment by other vehicle—details		(4)	Vehicle stayed on roadway, not known if left
_	unknown		,	travel lane where avoidance maneuver was
	Pedestrian or Pedalcyclist, or Other Nonmotorist			initiated
	80) Pedestrian in roadway		(5)	Vehicle departed roadway
	81) Pedestrian approaching roadway		(6)	Avoidance maneuver initiated off roadway
(82) Pedestrian—unknown location		(9)	Directional consequences unknown

	ENVIRONMENTAL DATA						
27.	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	0	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown				
28.	(6) Unknown type of non-interchange (9) Unknown if interchange Trafficway Flow		34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)				
	 Not physically divided (two way traffic) Divided trafficway - median strip without positive barrier Divided trafficway - median strip with positive barrier One way trafficway Unknown 		Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign (7) Warning sign (not RR crossing)				
29.	Number of Travel Lanes (1) One (2) Two	2	(8) Miscellaneous/other controls including RR controls (specify): (9) Unknown				
	 (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown 		35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown				
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown	+	36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk				
31.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown		(9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet				
32.	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify): (9) Unknown	2	 (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown 				

BEST AVAILABLE COPY 49-616 94 TerceL halding sisters 2-ft bood Fronture R collarbone. 850- gro. 1 to 5 houlde walkers registly 20 mph Pre/crash no Avoidain POI to J=RP = 14,7 m = 48ft PR time = 0,25 Sec Partich braking = f = 0,40 $S = V \in \mathcal{F} + \frac{V^2}{2 \cdot 59}$ $48 = 0.75^{-1}V + \frac{(2)(0.4)(32.2)}{(2)(0.4)(32.2)}$ -0.25 ± 16.2572-(4)(0.00 8)(-48) 6.8 fps = 18, Imph = 29.3

		;	,
U.S: Department of Transportation !!ational Highway Traffic Safety Administration PEDESTR	IAN EXTERI	OR VEHICLE FORM	NATIONAL ACCIDENT SAMPLING SYST
Primary Sampling Unit Number	49	3. Vehicle Number	_01
2. Case Number - Stratum 6	16P		
VE	HICLE IDEN	ITIFICATION	
VIN JIZEL43TE	bed.		Model Year 9 4
Vehicle Make (specify):		Vehicle Model (spec	ty): TORCEL 4DR
PEDESTRIAN	FRONT CC	NTACT WORK SI	HEET
	· .		
PEV06 Hood Material			
PEV08 Hood Length			
PEV09 Hood Width-Forward Opening			cm
PEV10 Hood Width-Midway			cm
PEV11 Hood Width-Rear Opening		\prec	cm
PEV14 Front Bumper Cover Material			
PEV15 Front Bumper Reinforcement M	aterial		

VERTICAL MEASUREMENTS	
PEV16 Front Bumper-Bottom Height	 cm
PEV17 Front Bumper-Top Height	 cm
PEV18 Forward Hood Opening	cm
PEV19 Front Bumper Lead	 cm
WRAP DISTANCES	
PEV20 Ground to Forward Hood Opening	 cm
PEV21 Ground to Front/Top Transition Point	 cm
PEV22 Ground to Rear Hood Opening	 cm
PEV23 Ground to Base of Windshield	 cm
PEV24 Ground to Top of Windshield	 cm
PEV25 Ground to Head Contact	 cm



Location of the origin (intercept point of the centerline and the front axles) from the ground:

PEDESTRIAN SIDE CONTACT WORK SI	HEET
PEV06 Hood Material	Large
PEV08 Hood Length	087 cm
PEV09 Hood Width-Forward Opening	17/
PEV10 Hood Width-Midway	
PEV11 Hood Width-Rear Opening	125
PEVIT Hood Width-hear Opening	152 cm
VERTICAL MEASUREMENTS	
PEV26 Ground Clearance	0 22 cm
PEV27 Side Bumper-Bottom Height	024 cm
PEV28 Side Bumper-Top Height	655 cm
PEV29 Centerline of Wheel	0.26 cm
PEV30 Top of Tire	0.55 cm
PEV31 Top of Wheel Well Opening	0 62 cm
PEV32 Bottom of A-Pillar at Windshield	<u>049</u> cm
PEV33 Top of A-Pillar at Windshield	$L^2\Psi$ cm
PEV34 Top of Side View Mirror	09 C -cm
LATERAL MEASUREMENTS	
PEV35 C _L to A-Pillar at Bottom of Windshield	<u> </u>
PEV36 C _L to A-Pillar at Top of Windshield	0 53 / cm
PEV37 C _L to Maximum Side View Mirror Protrusion 76	092 cm
WRAP DISTANCES	
	/0 %0 cm
PEV38 Ground to Side/Top Transition	
PEV39 Ground to Hood Edge	<u>090</u> cm
PEV40 Ground to Centerline of Hood (ORIGIN) 140 +16	156 cm
PEV41 Ground to Head Contact Per No.VE For Nh.S	cm/
nhs Pas	

	ORIGINAL SPECIFICATIONS	
Wheelbase Overall Length Maximum Width Curb Weight Average Track Front Overhang Rear Overhang Undeformed End Width Engine Size: cyl./displ	inches $\times 2.54 =$ 8 o cm inches $\times 2.54 =$ 9 o cm inches $\times 2.54 =$ 1 4 8 cm	
FRONT 700 Front bumper 701 Front lower valance/spoiler 702 Front grille 703 Hood edge and/or trim 704 Hood ornament (fixed) 705 Hood ornament (spring loaded) 706 Headlight 707 Retractable headlight door (Open/Closed) 708 Turn signal/parking lights 718 Other front or add on object (specify):	INJURY SOURCE 744 B pillar 745 C piller 746 C piller 748 Other pillar (specify): 749 Right side roof rail 750 Right side of surface 751 Right side door surface 752 Right side folding mirror 753 Right side folding mirror 754 Right side glazing forward of B pillar 755 Rear antenna 757 Rear fender or quarter panel 758 Other right side object (specify): 759 Unknown right side component 800 Front cross member 801 Steering assembly/Front suspension 802 Oil pan 803 Exhaust system pipe 804 Transmission 805 Pive shaft 806 Catalytic converter 807 Muffler 808 Floor pan 809 Fuel tank 810 Rear suspension 8118 Other undercarriage component (specify): 819 Unknown undercarriage component 810 Rear suspension 8118 Other undercarriage component 818 Other back component 819 Unknown undercarriage component 822 Emergency lights or bar 823 Fog lights 824 Lugage, ski, or bike rack 825 Cargo (specify): 827 Spotlight 828 Other accessory (specify): 827 Spotlight 828 Other accessory (specify): 827 Spotlight 828 Other object (specify): 948 Unknown object in environment	

ું કેપ્યું ફું

VEHICLE DAMAGE SKETCH (DSCRATCHON FENDER(PI) DSCUTPS(PD) GSKIN SMUDGE ON DOOR(PI) ECLOTH TRANSFER OH GYELLOW KUFF ON MIRROR HOUSING (UNIC) BODY SIDE MOULD ING (PI) MAY BE PREVIOUS SAUFF ON FOLLOW (PZ) B) DENT IN HOOD (PZ) - TAPE SATE PI

NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

	POINTS OF PEDESTRIAN CONTACT							
	PEDESTRIAN CONTACT WORKSHEET							
ID LABEL	COMPONENT CONTACTED	LOCATION (XX)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	SEQUENCE #
A	LEFENDER	+15 +781005	-74Horuz	Q	UNK	KUPFS	₫ 2 3 9	4
			·			9	1 2 3 9	
B	Hoon	+19	95 WRAP		HEAD	Deur	1 2 3 9	5-
							1 2 3 9	
C	LF FBNOAR	+11	-82Houz	0	UNIL	SCRATCH	1 2 3 g	6
		+ CI Vans					1 2 2 9	
D	LF Fenoen	-670-21	-77 HORIZ	10	UNK	SCUPTS	1 2 3 9	7-
		11084	780000				1 2 3 9	
E	APILLAR	-49,	-72	Ŷ	UNK	KIN SONDER	1 2 3 9	T
		t'88 vent					1 2 3 9	
F	MOULDING	-62	-824bniz	Ь	LEL	CLOTH TRACKER	~~ 3 9	3
		47vent					1 2 3 9	
6	Doon	-4476 - 90	7LWAAP	0	UNIX	SILINI SMUDGES	1 ② 3 9	2
		74/04				•	1 2 3:9	
14	MIRROR	-72	-92	0	VWIL	Yerlow Sever	1 2 3 9	LNK
		89 VERT					1 2 3 9	
							1 2 3 9	
							1 2 3 9	
					·		1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 1 8	
						,	1 2 3 9	
							1 2 3 9	
							1 2 3 9	

POINTS OF PEDESTRIAN CONTACT CHRONOLOGICAL ORDER OF CONTACTS							
CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN Centimeters	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)
1	730	-120	-62	0	Rieg	choth	1 3 9
2	720		- 5 0	0	(4) Leg	senth	O 11
O	730	-76	-50	0-1	R. ARM coresin	dent	(1) 2 3 9
4	732	-76	-92	0	R: Showledge	Sek #+	(D233
5							1 2 3 9
£ 7							1 2 3 9
å							1 2 3 9
9							1 2 3 9
10							1 2 3 9
11							1 2 3 9
12							1 2 3 9
13							1 2 3 9
14							1 2 3 9
15 18							1 2 3 9
17							1 2 3 9
18							1 2 3 9
19							1 2 3 9
20							1 2 3 9
21							1 2 3 9
22							1 2 3 9
23							1 2 3 9
24							1 2 3 9

VEHICLE DIMENCIONIC	
4. Original Wheelbase 238	11. Hood Width Rear Opening Code to the
Code to the nearest centimeter	nearest centimeter (210) 210 centimeters or more (999) Unknown
(999) Unknown $-93.7 \text{ inches } \times 2.54 = 238 \text{ centimeters}$	inches X 2.54 = centimeters
1 4 4	12. Hood/Fender Vertical/Lateral Crush From
5. Original Average Track Width Code to the nearest centimeter	Pedestrian (0) Not damaged
(185) 185 centimeters or more (999) Unknown	(1) Surface scratching only, no residual crush(2) Minor crush (1-3 centimeters)
$\underline{-55}$. $\underline{7}$ inches $\times 2.54 = \underline{141}$ centimeters	 (3) Moderate crush (4-7 centimeters) (4) Severe crush (>7 centimeters) (8) Damage present, unknown if damage is from
6. Hood Material	pedestrian impact (9) Unknown
(1) Plastic (2) Fiberglass	13. Windshield Contact Damage From Pedestrian Contact
(3) Steel: (4) Aluminum	(0) Not contacted by pedestrian (1) Contacted by pedestrian - not damaged
(5) Stainless Steel (8) Other (specify):	(2) Contacted by pedestrian - damaged (3) Unknown if contacted by pedestrian - not
(9) Unknown	damaged (4) Unknown if contacted by pedestrian -
7. Hood Original Equipment Manufacturer (OEM)	damaged (9) Unknown if contacted by pedestrian -
(1) OEM factory installed hood(2) OEM replacement(3) Non-OEM replacement	unknown if damaged
(9) Unknown	FRONT CONTACT DAMAGE
8. Hood Length Code to the	14. Front Bumper Cover Material
nearest centimeter (180) 180 centimeters or more	(0) No front contact (1) Plastic
(999) Unknown	(2) Fiberglass (3) Rubber
inches X 2.54 = centimeter	(4) Other (specify):(9) Unknown
9. Hood Width Forward Opening Code to the	15. Front Bumper Reinforcement Material
nearest centimeter (210) 210 centimeters or more (999) Unknown	(0) No front contact (1) Steel
	(2) Aluminum (3) Stainless Steel
inches X 2.54 = centimeters 10. Hood Width Midway	(4) Other (specify):(9) Unknown
Code to the nearest centimeter	16. Front Bumper-Bottom Height
(210) 210 centimeters or more (999) Unknown	Code to the nearest centimeter
inches X 2.54 = centimeters	(000) No front contact (150) 150 centimeters or more
	(999) Unknown
	inches X 2.54 = centimeters

17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 18. Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters 19. Front Bumper Lead	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown inches X 2.54 =
(00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
E	SIDE CONTACT DAMAGE
Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
Front Wrep Distance Measurements	SIDE CONTACT DAMAGE
20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 =centimeters 21. Ground to Front/Top Transition Point Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown	

		/	
29.	Centerline of Wheel Code to the	026	Side Lateral Messurements
	nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown		35. Centerline to A-Pillar
	inches X 2.54 =	_	nearest centimeter (250) 250 centimeters or more (999) Unknown
30.	Top of Tire Code to the nearest centimeter	055	inches X 2.54 = centimeters
	(000) No side contact (200) 200 centimeters or more (999) Unknown		36. Centerline to A-Pillar at Top of Windshield Code to the
	inches X 2.54 =		nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown
31.	Top of Wheel Well Opening Code to the nearest centimeter	062	inches X 2.54 = centimeter
	(000) No side contact (250) 250 centimeters or more (999) Unknown		37. Centerline to Maximum Side View Mirror Protrusion
00	inches X 2.54 =	_ centimeters	Code to the nearest centimeter (000) No side contact
32.	Bottom of A-Pillar at Windshield Code to the nearest centimeter		(300) 300 centimeters or more (999) Unknown
	(000) No side contact (250) 250 centimeters or more (999) Unknown		inches X 2.54 = centimeter
	inches X 2.54 =	centimeters	Side Wrap Distance Measurements
33.	Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	124	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown
	inches X 2.54 =	centimeters	inches X 2.54 = centimeters
34.	Top of Side View Mirror Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	096	39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown
	inches X 2.54 =	centimeters	inches X 2.54 = centimeters
		•	

			 	 ragero
40. Ground to Center Code to the nearest center (000) No side control (700) 700 centre (999) Unknown	ne entimeter ontact meters or more	156		
41. Ground to Head (Code to the nearest cee (000) No side coe (800) 800 centile (998) No head coe (999) Unknown	1101010	centimeters		
inch	es X 2.54 =	centimeters		
		·		



49616P00010012 9.00 0000000000421052505608501811011001198990909600241009715

101000000004 49616P00010131 9.00 00000000038902021173011222 49616P00010231 9.00 00000000038902021272011222

49616P00010231 9.00 0000000038902021272011222 49616P00010331 9.00 0000000037902021173011222 49616P00010431 9.00 0000000037522002173221322

49616P01000041 9.00 00000000944903804JT2EL43T0R0 99904809600091000000

92110180011101211210051

PSU49 CASE 616P

CURRENT VERSION: 9.00

ERROR SUMMARY SCREEN PEDESTRIAN STUDY

FORM NAME	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
	^	0	o	V
Pedestrian Accident	0	-	Š) V
Pedestrian Assessment	0	0	Ō	Y
Pedestrian Injury	0	0	O	Υ
Pedestrian General Vehic	le 0	0	O	Υ
Pedestrian Exterior Vehi		0	0	Y
Total Inter Errors		o	0	,
Total Case Errors	0	0	0	