



U.S. Department of Transportation

National Highway Traffic Safety Administration

# Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

\*\*\* \*\*\* \*\*\*



PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 90

606P CASE NO.

TYPE OF ACCIDENT Car/Pedestrian Straight Path

# A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES


(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

Vehicle 1 was westbound on a residential street. The pedestrian was running in a northerly direction across the street. The left front bumper of vehicle 1 struck the pedestrian who fell to the ground.

B. PEDESTRIAN PROFILE										
Pedestrian		_	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)							
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source			
01	8	Male	Hospitalized	L-Foot	Fracture	2	Left Front Tire			

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	<ul> <li>(1) Minor injury</li> <li>(2) Moderate injury</li> <li>(3) Serious injury</li> <li>(4) Severe injury</li> <li>(5) Critical injury</li> <li>(6) Maximum (untreatable)</li> <li>(7) Injured, unknown severit</li> </ul>

	C. VEHICLE PROFILE										
	Class		Most Severe Damage Based on Vehicle Inspection								
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description							
01	Full Size	97/Ford/Crown Victoria	Left Side	Smudge, smears							
	DO NOT SANITIZE THIS FORM										



Administration


# PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number $9$	)		Case	Numbe	er-Stratum <u>6</u> <u>0</u> <u>6</u> <u>P</u>
PEDESTRIAN ACCIDENT CO	LLISION DATA	COLLECTIO	٧ ,.		SCALED DIAGRAM
document reference point and reference line relative to physical features	Surface Type	3	T/AsphaLT	· no	orth arrow placed on diagram
* documentation of all accident induced physical evidence including (if applicable):	Surface Condition	on	DRY		rade measurements for all applicable padways
a) vehicle skid marks	Coefficient of Fr	iction	. 75		caled representations of the physical plant cluding:
b) pedestrian contacts with ground or object	Grade (v/h) Mea	esurement		a)	all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)
c). vehicle/pedestrian point of impact (POI)	a) at impa	act		b)	all traffic controls (e.g., lights, signs)
d) location of pedestrian separation point from vehicle	b) between final re	en impact and est	-	pe	caled representations of the vehicle and edestnan at pre-impact, impact, and final st based upon either.
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Trav	el Direction	<u>5-N</u>	a)	physical evidence, or
documentation of the physical plant including:	Vehicle Travel D	irection	E-W	b)	reconstructed accident dynamics
all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)	Number of Trave	el Lanes	_1		
b) all traffic controls (e.g., lights, signs)					
Reference Point: Sputh EAST	CORNE	Ref	erence Line: Se	201 T	h Curb Live
Item			ance and Direction		Distance and Direction from Reference Line
Vehicle# + Pedestrian # 4	101	9,5m EAST			5.0m North
Vehicle#1 7.R.T.		7.2m EAST			5.5m North
fedestrian#1 7. R.	φ	1	.Om EAS	<u> </u>	4.0m North
EAST - West Roadway W North - South Roadway	idTh				7.7~
North-South Roadway	width				8.5 m
sidewalk					1.0 m
		¥4.			
	-C4				


National Highway Traffic Safety

# **ACCIDENT COLLISION DIAGRAM**

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY



National Highway Traffic Safety



å

# PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

oministration		FEDESTRIAN CINASH DATA	A 3100
	20	SPECIAL STUDIES - INDICATORS	
Primary Sampling Unit Number	40	Check (✓) each special study (SS15-SS19 below)	that
2. Case Number - Stratum	606P	has been completed; code 1 for the checked sp studies and 0 for the special studies not checked.	ecial
IDENTIFICATIO	N		
Number of General Vehicle		6SS15 Administrative Use	_0_
Forms Submitted	0 1	7. <u>✓</u> SS16 Pedestrian Crash Data Study	_1
4. Date of Accident (Month, Day, Year)	y 9 \$	8SS17 Impact Fires	_0
5. Time of Accident	1515	9SS18	0
Code reported military time of NOTE: Midnight = 2400	accident.	10SS19	0
Unknown = 9999		NUMBER OF EVENTS	
•		11. Number of Recorded Events in This Accident	) 1

# PEDESTRIAN STUDY CRITERIA

# Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

### Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS										
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage				
12. <u>0</u> <u>1</u>	13. <u>0 1</u>	14. 04	15	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>				

# CODES FOR CLASS OF VEHICLE

- 00). Not a motor venicle
- Ct' Subcompact/mini wheelbase < 254 cm)
- 02) Compact (wheelbase 2 254 but < 265 cm)
- 03) Intermediate (wheelbase 2 265 out < 273 cm)
- 04) Full size wheelbase ± 278 but < 291 pm:
- (05) Largest (wheelbase > 291 cm)
- (09) Unknown bassenger par size
- 111 Compact utility venicle
- 12' Large utility venicle is 4,500 kgs 3'MMP'
- (13) Passenger van (2,4,500 kgs GVWR)
- (14) Other van % 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (2,4,500 kgs GVWR)
- (19) Unknown light truck type

# CODES FOR GENERAL AREA OF DAMAGE (GAD)

COS APPLICABLE
VEHICLES

- (F) Front
- -R) Right side
- L) Left side
- U' Undercarnage
- 3 Unknown

# CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Callision with Nonfixed Object

(72) Pedestrian

# U.S. Department of Transportation National Highway Traffic Safety Administration

# PEDESTRIAN ASSESSMENT FORM BEST AVAILABLE O.M.B. No. 2127-0021

Form Approved

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number <u>9</u> 0	10x Pedestrian's Weight Code actual weight to the nearest
2. Case Number - Stratum 6 0 6 P	kilogram.
3. Pedestrian Number <u>0 1</u>	$\frac{400}{5} \text{ bounds } \times .4536 = 0.45 \text{ kilograms}$
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month):  (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
5. Pedestrian's Sex  (1) Maie  (2) Female - not reported pregnant  (3) Female - pregnant-1st trimester (1st-3rd month)  (4) Female - pregnant-2nd trimester (4th-6th month)  (5) Female - pregnant-3rd trimester (7th-9th month)  (6) Female - pregnant-term unknown  (9) Unknown  6. Pedestrian's Overall Height  Code actual height to the nearest  centimeter.  (999) Unknown	12. Pedestrian Motion  (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify): (9) Unknown
55 inches X 2.54 = 140 centimeters  7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown	13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road
8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	(06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify): (99) Unknown
9. Pedestrian's Height - Ground to Shoulder Code to the nearest centimeter.  (999) Unknown  inches X 2.54 = centimeters	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

PEDESTRIAN'S AVOIDANCE ACTIONS		
15. Pedestrian's First Avoidance Actions (00) No avoidance actions (01) Stopped (02) Accelerated pace (03) Ran away (along vehicle path) (04) Jumped (05) Turned toward vehicle (06) Turned away from vehicle (07) Dove or fell away  Used hand(s) to: (11) Vault corner of vehicle (12) Vault onto vehicle (13) Brace against vehicle (14) Crouched and braced hands against vehicle (98) Other (specify): (99) Unknown	18. Pedestrian's Arm Orientation at Initial Impact (01) At sides (02) Folded across chest (03) Hands clasped behind back (04) Hands on hips (05) Hands in pockets  One or both arms: (06) Extended upward (07) Extended to side (08) Extended forward bracing (09) Extended, holding object (briefcase, suitcase, etc.) (10) Holding object (young child, grocery bag, etc.) in arm(s) (11) Holding object (young child, grocery bag, etc.) on shoulder(s) or head (98) Other (specify):	06
PEDESTRIAN'S ORIENTATION AT IMPACT	19. Pedestrian's Leg Orientation at Initial Impact (01) Together	04
16. Pedestrian's Head Orientation at Initial Impact (1) To front (2) To left (3) To right (4) Up (5) Down (8) Other (specify): (9) Unknown  17. Pedestrian's Body (Chest) Orientation at Initial Impact (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown	(02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart- forward leg unknown (06) Left foot off the ground (07) Right foot off the ground (08) Both feet off the ground (98) Other (specify): (99) Unknown  20. Vehicle/Pedestrian's Interaction (01) Carried by vehicle, wrapped position (02) Carried by vehicle, slid to windshield (03) Carried by vehicle, position unknown (04) Passed over vehicle top (05) Thrown straight forward (06) Thrown forward and left of vehicle (07) Thrown forward and right of vehicle (08) Knocked to pavement, forward (09) Knocked to pavement, right of vehicle (10) Knocked to pavement, run over or dragged by vehicle (11) Knocked to pavement, run over or dragged by vehicle (12) Shunted to left (corner impacts only) (13) Shunted to right (corner impacts only) (14) Bumped or pushed aside (15) Snagged, dragged by vehicle (17) Foot or legs run over (98) Other (specify): (99) Unknown	e

OFFICIAL RECORDS		INJURY CONSEQUENCES
<ul> <li>21. Police Reported Alcohol Presence For Pedestrian</li></ul>	<u>0</u>	25. Injury Severity (Police Rating)  (0) O - No injury  (1) C - Possible injury  (2) B - Nonincapacitating injury  (3) A - Incapacitating injury  (4) K - Killed  (5) U - Injury, severity unknown
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	96	(6) Died prior to accident (9) Unknown  26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source: YAR		Nonfatal (3) Hospitalization
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown	<u>O</u>	(4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify):
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	<u>O</u>	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
		29. Working Days Lost  Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STUP - VARIABLES SUITHRUUGH ST AN	
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured  31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given  32. Arterial Blood Gases (ABG) – HCO <sub>3</sub> (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO <sub>3</sub> (96) ABGs reported , HCO <sub>3</sub> unknown (97) Injured, details unknown (99) Unknown if injured  33. Time to Death  Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	34. 1st Medically Reported Cause of Death  35. 2nd Medically Reported Cause of Death  Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death  (00) Not fatal or no additional causes  (96) Mode of death given but specific injuries are not linked to cause of death. (specify):  (97) Other result (includes fatal ruled disease) (specify):  (99) Unknown  37. Number of Recorded Injuries for This Pedestrian  Code the actual number of injuries recorded for this pedestrian.  (00) No recorded injuries  (97) Injured, details unknown  (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORDS  NO [ ]  UPDATE CANDIDATE?	YES[]

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY PEDESTRIAN INJURY FORM

National Highway Traffic Safety Administration

1. Primary Sampling Unit Number

3. Pedestrian Number

2. Case Number - Stratum

4. Blank

<u>X X</u>


# **INJURY DATA**

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90					Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. <u>3</u>	6. <u>~</u>	7. <u>9</u>	8. <u>8 4</u>	9. <b>0</b> 2	10. <u>L</u>	11.2	12. <b>79</b> 0	2 13. 🗸	14./	15. <b>½</b>	16. <u> </u>	17.1
2nd	18]_	<b>3</b> .er	20	21. <u>ð þ</u>	<sub>22.</sub> <u>0</u>	_23. <u> </u>	<sub>24.</sub> <u>2</u> -	25. <b>7 9 -</b>	O 26. /	27. 🖊	28. 2	- 29. <u> </u>	30. [
3rd	312	32.6	33. <u></u>	34. <u>22</u>	35. <b>Ø</b> C	) 36.2	_ <sub>37.</sub> <u>}_</u>	38. <u>79</u> 0	≥ <sub>39.</sub>	40. <u>/</u>	41. <u>2</u>	- 42./	43. <u>/</u> _
4th	44. <u>3</u>	45. <u>8</u>	46. 4	47. <u>04</u>	48. <u>O</u> <b>2</b>	-49. <u>/</u>	50. <u>/</u>	51. <u>79</u>	<u>ک                                 </u>	53. <u>/</u>	54. 2	- <sub>55.</sub> <u>/</u>	56. <u>/</u>
5th	57	58. <u>7</u>	<sub>59.</sub> <u> </u>	60 <u>2</u>	-61 <b>0</b> .	2 <sub>62.</sub> 1	63/	64. <u>7<b>3</b> 0</u>	65. <u>/</u>	66. <u>/</u> _	<u>2</u>	- 68.2	- <sub>69.</sub> <u>2</u> -
6th	<sub>70.</sub> <u>3</u>	71. <u>7</u>	72. <u></u>	<sub>73</sub> <u>0</u> 2	74. <u>0</u> )	<del>- 7</del> 5. <u>/</u>	76. <u>2</u> -	<u>,,94</u>	7 <sub>78.</sub> <u>(</u>	79.[	<u>C</u> 18	. <u>Q</u>	<u>ட</u> ை
7th	83. 7	84	85. <u>¶</u>	86. 🖸 🐊	87. <u>0</u> <b>2</b>	<del>-8</del> 8. <u>/</u>	89	90. <u>94</u>	7 <sub>91.</sub> <u>/</u>	92	93	94. 🔼	<u>Q</u> ., 0
8th	96. 3	97. <u>6</u>	98. 🔨	99. <u>O</u> <b>2</b>	тоо. <u>О</u>	)_ <sub>T01</sub> . <u>/</u> _	1027	<sub>103.</sub> 94	7104	105.	106. 🔼	107. 🙋	100_
9th	109. 3	110	, <sub>111</sub> . <u>9</u>	112.04	113. <u>O</u>	<u>-</u> 114.∠	115	116. <u>9 U</u>	<u> </u>	118	119. 🙋	120.2	121. 0
10th	122	123	124. 4	125.6	1 <sub>26.</sub> <u>D</u>	¥127. <u>(</u>	128	129. 9 U	7130	131. 🖊	132.	133. 🛆	134.
<b>1</b>	and the second												

	PEDESTRIAN INJURY DATA											
Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th	<del>-</del>	_			<del></del>	_		_		_	<u></u>	_
13th	_	_				_		_	_	— —	<del>-</del>	
14th	<u>—</u>	<del></del>		 	— , — ,	_		<u>-</u> -	— —	— —	— —	_ ; _
16th	_	— —		—— ——		<u>-</u>		<u> </u>	— —	— —	<del>-</del>	
18th	_	— —	—— ———————————————————————————————————								<u></u>	1
20th		_						<del>-</del>		<del>-</del>		
21st 22nd		<del>-</del>										
23rd					— X			를 보기를 기타 기타 기타 기타 기타 기타 기타 기타 기타 기타				
25th			· .									

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



### **SOURCE OF INJURY DATA** INJURY SOURCE CONFIDENCE LEVEL TYPE OF DAMAGE Injury not from vehicle contact Certain **OFFICIAL** Probable No damage/contact (1) Autopsy records with or without hospital/ (3) Possible (2)Scratch (Scuff, Cloth Transfer, Smear) medical records (9) Unknown (3) Dent (2) Hospital/medical records other than (4) Large deformation **DIRECT/INDIRECT INJURY** emergency room (e.g., discharge (5) Cracked, fractured, shattered summary) Direct contact injury Separated from vehicle (6) Indirect contact injury (3) Emergency room records only (including Noncontact injury Noncontact injury Other specify: associated X-rays or other lab reports) Injured, unknown source Private physician, walk-in or emergency Unknown (9) STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) Injury not from vehicle contact No residual damage UNOFFICIAL (1) (5) Lay coroner report Surface only damage (6) E.M.S. personnel Rounded (contoured) Crush depth >0 to 2 centimeters Rounded edge (7) Interviewee Crush depth > 2 to 5 centimeters Sharp edge Other (specify): (5)(8) Other source (specify): Crush depth > 5 to 10 centimeters (8) Other specify: (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION Spine (02) Cervical (04) Thoracic Abbreviated Injury Scale **Body Region Specific Anatomic Structure** Minor injury Head Whole Area Moderate injury (02) Skin - Abrasion (04) Skin - Contusion (06) Lumbar (2)(2) Face Serious injury (3) Neck (06) Skin - Laceration Vessels, Nerves, Organs, Bones, Joints (4) Severe injury Thorax (5) (08) Skin - Avulsion are assigned consecutive two digit numbers beginning with 02 Critical injury (5) Abdomen Maximum (untreatable) (10) Amoutation (6) Spine (20) Burn (7)Injured, unknown severity **Upper Extremity** (30) Crush (40) Degloving (50) Injury - NFS Level of Injury Lower Extremity Aspect (9) Unspecified Specific injuries assigned consecutive two-digit beginning with 02. Right Left Type of Anatomic Structure Trauma, other than mechanical numbers (1) (2) (3) Bilateral Whole Area Head - LOC To the extent possible, within the organizational framework of the AIS, 00 (02) Length of LOC (04, 06, 08) Level of Consciousness Central Vessels Anterior (5) (3) Nerves is assigned to an injury NFS as to (6) Posterior (4) Organs (includes muscles/ (10) Concussion severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity. Superior Inferior (7)ligaments) (8) Skeletal (includes joints) Head - LOC Unknown (6)(0) Whole region **INJURY SOURCE** Wheels / tires **FRONT** 790 Left front wheel / tire 700 Front bumper 744 B pillar 791 Right front wheel / tire 701 Front lower valance/spoiler 745 C pillar 746 D pillar 792 Left rear wheel / tire 702 Front grille 748 Other pillar (specify): 793 Right rear wheel /tire 703 Hood edge and/or trim 798 Other wheel / tire (specify): 749 Right side roof rail 704 Hood ornament (fixed) 799 Unknown wheel / tire 750 Right side door surface 705 Hood ornament (spring loaded) 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 755 Right side glazing rearward of B pillar 802 Oil pan (specify):\_ 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 720 Front fender side surface 758 Other right side object 805 Drive shaft (specify): 806 Catalytic converter 759 Unknown right side component 807 Muffler 721 Front antenna 808 Floor pan 722 A1 pillar 723 A2 pillar 809 Fuel tank **Back Components** 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailoate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component <u>Accessories</u> 820 Air scoop, deflector 730 Left side door surface 731 Left side door handle Top Components 821 Cellular or CB radio antenna 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar 824 Luggage, ski, or bike rack component 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):\_ 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 774 Wiper blade & mountings 827 Spotlight 737 Rear antenna 775 Windshield glazing 828 Other accessory (specify): 738 Other left side object 776 Front header (specify): 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground

779 Rear header

781 Rear trunk lid

788 Other top component (specify): \_\_\_

789 Unknown top component

780 Hatchback

948 Other object (specify):

997 Noncontact injury source

999 Unknown injury source

949 Unknown object in environment

959 Unknown object on contacting vehicle

Right Side Components

741 Front antenna

742 A1 pillar

743 A2 pillar

740 Front fender side surface

# OFFICIAL INJURY DATA — SKELETAL INJURIES

### Restrained?

\_\_ No

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

Yes

unavailable.)

Blood Alcohol Level (mg/dl)

BAL = \_\_\_\_

Glasgow Coma Scale Score

GCSS =

Units of Blood Given

Units +


Arterial Blood Gases


Ph = .

PO. =

200.

HCO<sub>3</sub>







ES métabaral 17 (3) & 5,600 & 28,600 &

# OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





U.S. Department of Transportation National Highway Traffic Safety Administration

# PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 9 0	OFFICIAL RECORDS
2. Case Number - Stratum 6 0 6 P	9. Police Reported Travel Speed 9 9 9
3. Vehicle Number <u>0 1</u>	Code to the nearest kmph (NOTE: 000 means
	less than 0.5 kmph) (160) 159.5 kmph and above
VEHICLE IDENTIFICATION	(999) Unknown
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown	mph X 1.6093 =kmph  10. Speed Limit (000) No statutory limit
5. Vehicle Make (specify):  Applicable codes are found in your	Code posted or statutory speed limit in kmph (999) Unknown  30mph X 1.6093 = 098 kmph
NASS PCDS Data Collection, Coding and Editing Manual. (99) Unknown	11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported
6. Vehicle Model (specify):  Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown	(8) No driver present (9) Unknown  12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused
7. Body Type Note: Applicable codes may be found on the back of this page.	(96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number	Source: YAR
Left justify; Slash zeros and letter Z (0 and Z) No VIN—Code all zeros Unknown—Code all nines	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

# **CODES FOR BODY TYPE**

# CDS APPLICABLE VEHICLES

# Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

### Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

# Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

### Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

# Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

### Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

# OTHER VEHICLES

### Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

## Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

# Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

# Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight  Code weight to nearest 10 kilograms.	18. Impaçt Speed
(045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown $03.725$ lbs $\times .4536 = 1.690$ kgs $1689.6$	Nearest kmph  (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown  19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown  20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates  PRECRASH DATA
·	1
OTHER DATA  17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown  22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn
Vita elektrick in the state of the section of the s	<ul> <li>(12) Backing up (other than for parking position)</li> <li>(13) Negotiating a curve</li> <li>(14) Changing lanes</li> <li>(15) Merging</li> <li>(16) Successful avoidance maneuver to a previous critical event</li> <li>(97) Other (specify):</li> <li>(98) No driver present</li> <li>(99) Unknown</li> </ul>

23 0	Critical Precrash Event 8 0	(8	33) Pedalcyclist or other nonmotorist in roadway
	This Vehicle Loss of Control Due To:		(specify):
•	01) Blow out or flat tire	1 18	34) Pedalcyclist or other nonmotorist approaching
•	02) Stalled engine	, '`	roadway (specify):
	03) Disabling vehicle failure (e.g., wheel fell off)	18	35) Pedalcyclist or other nonmotorist—unknown
	(specify):		location (specify):
((	04) Non-disabling vehicle problem (e.g., hood flew		bject or Animal
	up) (specify):		37) Animal in roadway
(0	05) Poor road conditions (puddle, pot hole, ice, etc.)		38) Animal approaching roadway
	(specify):		39) Animal—unknown location
((	06) Traveling too fast for conditions		90) Object in roadway
((	08) Other cause of control loss (specify):	,	91) Object approaching roadway
		1	92) Object—unknown location
(6	09) Unknown cause of control loss	(9	98) Other critical precrash event (specify):
	This Vehicle Traveling		
(	10) Over the lane line on left side of travel lane	(9	99) Unknown
(	11) Over the lane line on right side of travel lane		<b>^</b> 7
(	12) Off the edge of the road on the left side	24. A	ttempted Avoidance Maneuver
(	13) Off the edge of the road on the right side	((	00) No driver present
(	14) End departure	(0	01) No avoidance actions
(	15) Turning left at intersection	((	02) Braking (no lockup)
	16) Turning right at intersection	(0	03) Braking (lockup)
	17) Crossing over (passing through) intersection	(0	04) Braking (lockup unknown)
	19) Unknown travel direction	(0	05) Releasing brakes
Ċ	Other Motor Vehicle In Lane	((	06) Steering left
(	50) Stopped	(0	07) Steering right
	51) Traveling in same direction with lower speed	(0	08) Braking and steering left
	(i.e., lower steady speed or decelerating)	(0	9) Braking and steering right
(	52) Traveling in same direction with higher speed	(1	0) Accelerating
	53) Traveling in opposite direction	(1	1) Accelerating and steering left
	54) In crossover	(1	2) Accelerating and steering right
(	55) Backing	(9	98) Other action (specify):
(:	59) Unknown travel direction of other motor vehicle	(9	99) Unknown
	in lane	ĺ	.7.
C	Other Motor Vehicle Encroaching Into Lane		recrash Stability After Avoidance Maneuver
(	60) From adjacent lane (same direction)—over left		)) No driver present
	lane line		No avoidance maneuver
(+	61) From adjacent lane (same direction)—over right	1	<ul><li>2) Tracking</li><li>3) Skidding longitudinally—rotation less than 30</li></ul>
	lane line	, ,	degrees
	62) From opposite direction—over left lane line	(2	Skidding laterally – clockwise rotation
	63) From opposite direction—over right lane line	(5	- · · · · · · · · · · · · · · · · · · ·
	64) From parking lane	(8	Other vehicle loss-of-control (specify):
	65) From crossing street, turning into same direction		
	66) From crossing street, across path	(9	) Precrash stability unknown
(1	67) From crossing street, turning into opposite		
	direction		recrash Directional Consequences of
	68) From crossing street, intended path not known		voidance Maneuver (Corrective Action)
	70) From driveway, turning into same direction	(0	•
	71) From driveway, across path	(1	
	72) From driveway, turning into opposite direction	(2	<ol> <li>Vehicle stayed in travel lane where avoidance maneuver was initiated</li> </ol>
	73) From driveway, intended path not known	(3	
	74) From entrance to limited access highway	10	where avoidance maneuver was initiated
(	78) Encroachment by other vehicle—details	(4	
_	unknown	,	travel lane where avoidance maneuver was
	Pedestrian or Pedalcyclist, or Other Nonmotorist		initiated
	80) Pedestrian in roadway	(5	
	81) Pedestrian approaching roadway	(6	
()	82) Pedestrian—unknown location	(9	Directional consequences unknown

	ENVIRONME	ENTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area  Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	33. Roadway Surface Condition  (1) Dry  (2) Wet  (3) Snow and slush  (4) Ice  (5) Sand, dirt or oil  (8) Other (specify):  (9) Unknown
28.	(6) Unknown type of non-interchange (9) Unknown if interchange  Trafficway Flow	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)
	<ul> <li>(1) Not physically divided (two way traffic)</li> <li>(2) Divided trafficway - median strip without positive barrier</li> <li>(3) Divided trafficway - median strip with positive barrier</li> <li>(4) One way trafficway</li> <li>(9) Unknown</li> </ul>	Regulatory or School Zone Sign (Not RR Crossing)  (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify):  (6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR
29.	Number of Travel Lanes (1) One (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown	controls (specify):  (9) Unknown  35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
30.	Roadway Alignment  (1) Straight (2) Curve right (3) Curve left (9) Unknown	36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Daylight
31.	Roadway Profile  (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown	(5) Dusk (9) Unknown  37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet
32.	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):  (9) Unknown	<ul> <li>(4) Snow</li> <li>(5) Fog</li> <li>(6) Rain and fog</li> <li>(7) Sleet and fog</li> <li>(8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify):</li> <li>(9) Unknown</li> </ul>

90-606

6-440 m

97 Crown VIU

8 40 m

55'1

フのブ

f=0,65 POITO FRP=1,5 m=5f+

V= 7(2)(5-)(0.65-)(32,2) = 14.5 fps = 9.8 mph = 15.8 KPh


16 KPh

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

BEST AVAILABLE

ministration			PEDESTRIAN CRASH DATA STUD
Primary Sampling Unit Number	90	3. Vehicle Number	0 1
2. Case Number - Stratum	600P		

VEHICLE IDENT	TIFICATION
VIN 2 FA L P 7 L W 4 VX	Model Year 97
Vehicle Make (specify): FORD (Police Cor)	Vehicle Model (specify): CROWN VICTORIA
PEDESTRIAN FRONT CO	NTACT WORK SHEET
PEV06 Hood Material	
PEV08 Hood Length	cm
PEV09 Hood Width-Forward Opening	
PEV10 Hood Width-Midway	cm
PEV11 Hood Width-Rear Opening	cm
PEV14 Front Bumper Cover Material	
PEV15 Front Bumper Reinforcement Material	
VERTICAL MEAS	SUREMENTS
PEV16 Front Bumper-Bottom Height	cm
PEV17 Front Bumper-Top Height	cm
PEV18 Forward Hood Opening	cm
PEV19 Front Bumper Lead	cm
WRAP DIST	ANCES
PEV20 Ground to Forward Hood Opening	cm
PEV21 Ground to Front/Top Transition Point	cm
PEV22 Ground to Rear Hood Opening	cm
PEV23 Ground to Base of Windshield	cm
PEV24 Ground to Top of Windshield	cm
PEV25 Ground to Head Contact	cm



PEDESTRIAN SIDE	CONTACT WORK SHEET
PEV06 Hood Material	HARD Rubber
PEV08 Hood Length	<u> </u>
PEV09 Hood Width-Forward Opening	1 4 1 cm
PEV10 Hood Width-Midway	15 <u>4</u> cm
PEV11 Hood Width-Rear Opening	<u> </u>
VERTICAL	MEASUREMENTS
PEV26 Ground Clearance	<u>D 1 9</u> cm
PEV27 Side Bumper-Bottom Height	0 3 5 cm
PEV28 Side Bumper-Top Height	<u>n 5 5</u> cm
PEV29 Centerline of Wheel	0 3 2 cm
PEV30 Top of Tire	<u>o 65</u> cm
PEV31 Top of Wheel Well Opening	0 1 × 4 cm
PEV32 Bottom of A-Pillar at Windshield	<u>094</u> cm
PEV33 Top of A-Pillar at Windshield	. 1 3 8 cm
PEV34 Top of Side View Mirror	112 cm
LATERAL	MEASUREMENTS
PEV35 C <sub>1</sub> to A-Pillar at Bottom of Windshield	<u>081</u> cm
PEV36 C <sub>z</sub> to A-Pillar at Top of Windshield	<u>0</u> <u>4</u> <u>1</u> cm
PEV37 C <sub>L</sub> to Maximum Side View Mirror Protrusion	n <u>( 0 \$</u> cm
WRAF	P DISTANCES
PEV38 Ground to Side/Top Transition	<u>090</u> cm
PEV39 Ground to Hood Edge	<u>b 9 6 ~ cm</u>
PEV40 Ground to Centerline of Hood (ORIGIN)	1 1 4 cm
PEV41 Ground to Head Contact	00

# ORIGINAL SPECIFICATIONS

Wheelbase	114.4 inches	x 2.54 =	<u> 2 9 0</u> cm
Overall Length	212.0 inches	x 2.54 =	<u>538</u> cm
Maximum Width	077.8 inches		<u> 198</u> cm
Curb Weight	3.725 pounds	x .4536 =	1.690kg
Average Track	$\rho 63.3$ inches	x 2.54 =	<u>/ 6 /</u> cm
Front Overhang	039.3 inches		_/ <i>D</i> <b>D</b> cm
Rear Overhang	051.5 inches	x 2.54 =	<u>/ 3 /</u> cm
Undeformed End Width	062.9 inches	x 2.54 =	
Engine Size: cyl./displ.	4600 cc	x .001 =	4.6 L
	3 8 0 CID	× .0164 =	<u>4.6</u>

	INJURY SOURCE	
FRONT		Wheels / tires
700 Front bumper	744 B pillar	790 Left front wheel / tire
701 Front lower valance/spoiler	745 C pillar	791 Right front wheel / tire
702 Front grille	746 D pillar	792 Left rear wheel / tire
703 Hood edge and/or trim	748 Other pillar (specify):	793 Right rear wheel /tire
704 Hood ornament (fixed)	749 Right side roof rail	798 Other wheel / tire (specify):
705 Hood ornament (spring loaded)	750 Right side door surface	799 Unknown wheel / tire
706 Headlight	751 Right side door handle	
707 Retractable headlight door (Open/Closed)	752 Right side mirror fixed housing	Undercarriage components
708 Turn signal/parking lights	753 Right side folding mirror	800 Front cross member
718 Other front or add on object	754 Right side glazing forward of B pillar	801 Steering assembly/Front suspension
(specify):	755 Right side glazing rearward of B pillar	802 Oil pan
719 Unknown front object	756 Rear antenna	803 Exhaust system pipe
	757 Rear fender or quarter panel	804 Transmission
Left Side Components	758 Other right side object	805 Drive shaft
720 Front fender side surface	(specify):	806 Catalytic converter
721 Front antenna	759 Unknown right side component	807 Muffler
722 A1 pillar		808 Floor pan
723 A2 pillar	Back Components	809 Fuel tank
724 B pillar	760 Rear (back) bumper	810 Rear suspension
725 C pillar	761 Tailgate	818 Other undercarriage component
726 D pillar	762 Hatchback, vertical surface	(specify):
728 Other pillar	768 Other back component	819 Unknown undercarriage component
(specify):	(specify):	-
29 Left side roof rail	769 Unknown back component	Accessories
730 Left side door surface		820 Air scoop, deflector
731 Left side door handle	Top Components	821 Cellular or CB radio antenna
732 Left side mirror fixed housing	770 Hood surface	822 Emergency lights or bar
33 Left side folding mirror	771 Hood surface reinforced by under hood	823 Fog lights
34 Left side glazing forward of B pillar	component	824 Luggage, ski, or bike rack
735 Left side glazing rearward of B pillar	772 Front fender top surface	825 Cargo (specify):
736 Left side back fender or quarter panel	773 Cowl area	826 Spare tire
37 Rear antenna	774 Wiper blade & mountings	827 Spotlight
738 Other left side object	775 Windshield glazing	828 Other accessory (specify):
(specify):	776 Front header	
739 Unknown left side component	777 Roof surface	Other Object or Vehicle in Environment
	778 Backlight glazing	947 Ground
light Side Components	779 Rear header	948 Other object (specify):
40 Front fender side surface	780 Hatchback	949 Unknown object in environment
41 Front antenna	781 Rear trunk lid	959 Unknown object on contacting vehicle
42 A1 pillar	788 Other top component (specify):	
43 A2 pillar	789 Unknown top component	999 Unknown injury source

# **VEHICLE DAMAGE SKETCH**

NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axies) from the ground 114 cm

			POINTS	OF PEDEST	RIAN CONTA	CT		
			PEDEST	RIAN CONTA	CT WORKSH	et É		
CONTACT ID LABEL	COMPONENT Contacted	LONGITUDINAL Location (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	SEQUENCE #
12	Whee/	-04	+141	0	Legs	Jn. 4783	2 3 9	/
A	MITTAL	-128	F102	O	Sheulder	Son ATChes	Ø2 3 9	Z
D	Ferrer	- 30	+ 82	0	Knees	· /	Ø 2 3 9	3
-# <del>5</del>	- 77 =	+0A+	1-80	0	7	1/	D2 3 9	4
							1 2 3 9	
							1 2 3 9	
E	Fender	+16	-100	0		Smear	2 3 9	1
$\mathcal{B}$	Fenda	A30)	-86	0		Smear	<b>△</b> 2 3 9	2
F	Tire	405	-144	0	Less-	- Smear	1 2 3 9	/
							1 2 3 9	
						•	1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 7 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
					-		1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	

					RIAN CONTACT		
	ī .	Ī	CHRONE	LOGICAL ORI	DER OF CONTACTS	<u> </u>	ī
CONTACT #	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL - LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT ( <i>Circle</i> )
15	190	10	141	0	1. Fost	Pet was	A)2 3 9
2/2	790	4	141	Ð	L. Food	1,	70239
3/	790	4	, ,	0	L. Foot	٠.	D <sup>2 3 9</sup>
43	790	0 25	DD	0	t. knes		2 3 9
5 <b>ß</b>	720	-30	86	D	R-should	Scutt	O 2 3 9
- 6	grous						1 2 3 9
7							1 2 3 9
8							1 2 3 9
9							1 2 3 9
10	V						1 2 3 9
11							1 2 3 9
12							1 2 3 9
13							1 2 3 9
14							1 2 3 9
15							1 2 3 9
16							1 2 3 9
17							1 2 3 9
18							1 2 3 9
19							1 2 3 9
20							1 2 3 9
21							1 2 3 9
22							1 2 3 9
23							1 2 3 9
24							1 2 3 9
25							1 2 3 9

<b>VEHICLE DIMENSIONS</b>	11. Hood Width Rear Opening
• • •	Code to the
4. Original Wheelbase 290	nearest centimeter
Code to the	(210) 210 centimeters or more
nearest centimeter (999) Unknown	(999) Unknown
,	5-2h-2 V 2 E4 1 1 6
$\frac{1}{4} \cdot \frac{4}{4}$ . $\frac{4}{4}$ inches $\times 2.54 = \frac{290}{5}$ centimeters	inches X 2.54 = centimeters
5. Original Average Track Width / (e)	12. Hood/Fender Vertical/Lateral Crush From
Code to the	Pedestrian
nearest centimeter	(1) Surface scratching only, no residual crush
(185) 185 centimeters or more	(2) Minor crush (1-3 centimeters)
(999) Unknown	(3) Moderate crush (4-7 centimeters)
$\underline{}$ $\underline{}$ inches $\times 2.54 = \underline{}$ centimeters	(4) Severe crush (>7 centimeters)
_ <u></u>	(8) Damage present, unknown if damage is from pedestrian impact
2 \	(9) Unknown
6. Hood Material	(0, 0, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,
<ul><li>(1) Plastic</li><li>(2) Fiberglass</li></ul>	13. Windshield Contact Damage
(3) Steel	From Pedestrian Contact
(4) Aluminum	(0) Not contacted by pedestrian (1) Contacted by pedestrian - not damaged
(5) Stainless Steel	(2) Contacted by pedestrian - damaged
(8) Other (specify):	(3) Unknown if contacted by pedestrian - not
(9) Unknown	damaged
7. Hood Original	(4) Unknown if contacted by pedestrian - damaged
Equipment Manufacturer (OEM)	(9) Unknown if contacted by pedestrian -
/1\ OEM feeten/installed bood	
(1) OEM factory installed hood	unknown if damaged
(2) OEM replacement	unknown if damaged
· ·	unknown if damaged FRONT CONTACT DAMAGE
<ul><li>(2) OEM replacement</li><li>(3) Non-OEM replacement</li><li>(9) Unknown</li></ul>	
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length	FRONT CONTACT DAMAGE Front Vertical Measurements
<ul><li>(2) OEM replacement</li><li>(3) Non-OEM replacement</li><li>(9) Unknown</li></ul>	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the  nearest centimeter	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the  nearest centimeter (180) 180 centimeters or more (999) Unknown	Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = 1 21 centimeter	Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify):
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the  nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = 1 21 centimeter  9. Hood Width Forward Opening	Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the  nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = 1 21 centimeter  9. Hood Width Forward Opening  Code to the	Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify):
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the  nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = 1 21 centimeter  9. Hood Width Forward Opening  Code to the  nearest centimeter	Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = 1 21 centimeter  9. Hood Width Forward Opening  Code to the nearest centimeter (210) 210 centimeters or more	Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the  nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = 1 21 centimeter  9. Hood Width Forward Opening  Code to the  nearest centimeter (210) 210 centimeters or more (999) Unknown	Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the  nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = 1 21 centimeter  9. Hood Width Forward Opening  Code to the  nearest centimeter (210) 210 centimeters or more (999) Unknown	Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the  nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = 1 21 centimeter  9. Hood Width Forward Opening  Code to the  nearest centimeter (210) 210 centimeters or more (999) Unknown  inches X 2.54 = 141 centimeters	Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the  nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = 1 21 centimeter  9. Hood Width Forward Opening  Code to the  nearest centimeter (210) 210 centimeters or more (999) Unknown	Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the  nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = 1 21 centimeter  9. Hood Width Forward Opening  Code to the  nearest centimeter (210) 210 centimeters or more (999) Unknown  inches X 2.54 = 1 1 centimeters (210) 210 centimeters or more (999) Unknown  inches X 2.54 = 1 1 centimeters  10. Hood Width Midway  Code to the  nearest centimeter	Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height  \[ \int \int \int \int \int \int \int \int
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = 1 21 centimeter  9. Hood Width Forward Opening  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  inches X 2.54 = 1 12 centimeters (210) 210 centimeters or more (999) Unknown  Code to the nearest centimeter (210) 210 centimeters or more	Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = 1 21 centimeter  9. Hood Width Forward Opening  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  inches X 2.54 = 1 1 centimeters (210) 210 centimeters or more (999) Unknown  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = 1 21 centimeter  9. Hood Width Forward Opening  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  inches X 2.54 = 1 1 centimeters (210) 210 centimeters or more (999) Unknown  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = 1 21 centimeter  9. Hood Width Forward Opening  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  inches X 2.54 = 1 12 centimeters (210) 210 centimeters or more (999) Unknown  Code to the nearest centimeter (210) 210 centimeters or more	Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact

17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown	23. Ground to Base of Windshield  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
18. Forward Hood Opening  Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	24. Ground to Top of Windshield  Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	25. Ground To Head Contact  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
Tion may Distance measurement	Side Vertical Measurements
20. Ground to Forward Hood Opening  Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown  inches X 2.54 = centimeters	26. Ground Clearance  Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
21. Ground to Front/Top Transition Point D D  Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeters	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
22. Ground to Rear Hood Opening  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown  inches X 2.54 = centimeters	28. Side Bumper-Top Height  Code to the nearest centimeter  (000) No side contact (150) 150 centimeters or more (999) Unknown  inches X 2.54 = 0 55 centimeters

• •	O to the of Minard	32	Side Lateral Measurements
29.			
	Code to the nearest centimeter		
	(000) No side contact		35. Centerline to A-Pillar $\underline{\mathcal{D}} \ \underline{\mathcal{S}} \ \underline{\mathcal{I}}$
	(150) 150 centimeters or more		at Bottom of Windshield
	(999) Unknown		(000) No side contact
			Code to the
	$0/2.5$ inches $\times 2.54 = 0.32$ centi	meters	nearest centimeter
	Man from 1977 1977 1977 1977 1977 1977 1977 197		(250) 250 centimeters or more
	Λ	, _	(999) Unknown
30.		65	$034.2$ inches $\times 2.54 = 041$ centimeters
	Code to the		D J 4 . Unicites X 2.34 = [7] If I certificates
	nearest centimeter		
	(000) No side contact		36. Centerline to A-Pillar $\mathcal{D} \mathcal{L}_{2}$
	(200) 200 centimeters or more		at Top of Windshield
	(999) Unknown		Code to the
	$0.25.5$ inches $\times 2.54 = 0.65$ cent	meters	nearest centimeter
	<u> </u>	etci3	(000) No side contact
			(250) 250 centimeters or more
31.	Top of Wheel Well Opening	72	(999) Unknown
	Code to the		0.26.3 inches X 2.54 = $0.61$ centimeter
1	nearest centimeter		D 2
	(000) No side contact		
	(250) 250 centimeters or more		37. Centerline to Maximum Side ) 0 8
	(999) Unknown	].	View Mirror Protrusion
	$\underline{0}  \underline{2}  \underline{8}  .  \underline{3}  \text{inches } \times 2.54 = \underline{0}  \underline{7}  \underline{2}  \text{cent}$	meters	Code to the
	•	. ( )	nearest centimeter
32.	Bottom of A-Pillar at Windshield	94	(000) No side contact
	Code to the		(300) 300 centimeters or more
	nearest centimeter		(999) Unknown
	(000) No side contact		$042.5$ inches $\times 2.54 = 108$ centimeter
	(250) 250 centimeters or more		
	(999) Unknown		
	$0.31$ . $0$ inches $\times 2.54 = 0.94$ centi	meters	Side Wrap Distance Measurements
	<u></u>		_
	,	2 0	38. Ground to Side/Top Transition $\underline{D} \ \underline{Q} \ \underline{D}$
33.	Top of A-Pillar at Windshield	38	Code to the
	Code to the		nearest centimeter
	nearest centimeter		(000) No side contact
	(000) No side contact		(400) 400 centimeters or more
	(300) 300 centimeters or more (999) Unknown		(999) Unknown
			$035$ $\pm$ inches $\times 2.54 = 090$ centimeters
	$654.3$ inches $\times 2.54 = 138$ centi	meters	J J . I mones x 2.54 - U _ Centimeters
			. 0 /
			39. Ground to Hood Edge 0 9 6
34.	•	12	Code to the
	Code to the		nearest centimeter
	nearest centimeter		(000) No side contact
	(000) No side contact (300) 300 centimeters or more		(500) 500 centimeters or more
	(999) Unknown		(999) Unknown
			$037.7$ inches $\times 2.54 = 096$ centimeters
	$\underline{O44}$ . $\underline{O}$ inches $\times 2.54 = \underline{112}$ centi	meters	

			<del></del>	 
	Ground to Centerline of Hood  Code to the nearest centimeter  (000) No side contact  (700) 700 centimeters or more  (999) Unknown  Code S. Sinches × 2.54 = 11  Ground to Head Contact  Code to the nearest centimeter  (000) No side contact  (800) 800 centimeters or more  (998) No head contact	174 4 centimeters 998		
İ	(999) Unknown			
	inches X 2.54 =	centimeters		
			•	
	,			
İ				