



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU _ 82

CASE NO. $_$ 646 P

TYPE OF ACCIDENT CAR/PEDESTRIAN WALKING

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

> A vehicle was eastbound on a 2-lane, 2-way street decelerating and slowing to a stop at an intersection. A pedestrian was walking southbound at the same intersection when the front of the vehicle struck the right side of the pedestrian. The pedestrian was thrown slightly forward of the vehicle as it came to an abrupt stop.

	B. PEDESTRIAN PROFILE.									
Pedestrian			Treatment/	atment/ (TO BE COMPLETED BY ZONE CENTER)						
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source			
01	79	Female	Hospitalized	Lower. Extremity	skeletal	3	thoo Surface			

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity

4	C. VEHICLE PROFILE							
	Class		В	Most Severe Damage ased on Vehicle Inspection				
Vehicle No.		Year/Make/Model	Damage Plane	Damage Description				
01	Intermediate	93/Ford/Taurus SHO	Front	Minor smears and scuffs				
					and the second			

ACCIDENT COLLISION DIAGRAM U.S. Department of Transportation National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY PSU No. XO Case Number – Stratum Indicate North Didawalk ال. 4 "

HS Form 431B (8/95)

ACCIDENT COLLISION DIAGRAM

National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY PSU No. Indicate North Case Number - Stratum

Scale: 1 centimeter = __



PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number <u> </u>	_ Case N	lumber-Stratum 6 4 0 P
PEDESTRIAN ACCIDENT CO	SCALED DIAGRAM	
document reference point and reference line relative to physical features	Surface Type	* north arrow placed on diagram
documentation of all accident induced physical evidence including (if applicable):	Surface Condition \(\frac{\fir}{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac}\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\fi	 grade measurements for all applicable roadways
a) vehicle skid marks	Coefficient of Friction 160-370	 scaled representations of the physical plant including:
b) pedestrian contacts with ground or object	Grade (v/h) Measurement	all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)
c) vehicle/pedestrian point of impact (POI)	a) at impact $\frac{\sqrt{160}}{200}$	b) all traffic controls (e.g., lights, signs)
d) location of pedestrian separation point from vehicle	b) between impact and sinal rest	 scaled representations of the vehicle and pedestrian at pre-impact, impact, and final rest based upon either:
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Travel Direction Sant	a) physical evidence, or
documentation of the physical plant including:	Vehicle Travel Direction 2000	b) reconstructed accident dynamics
all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)	Number of Travel Lanes	
b) all traffic controls (e.g., lights, signs)		
Reference Point:		
Item	Distance and Direction from Reference Point	
NONE	Soparent	
	VV	
		·

		T
Item	Distance and Direction from Reference Point	Distance and Direction from Reference Line
		·

•

U.S. Department of Transportation

National Highway Traffic Safety Administration

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

- 1. Primary Sampling Unit Number
- 2. Case Number Stratum



IDENTIFICATION

3. Number of General Vehicle Forms Submitted

4. Date of Accident (Month, Day, Year)



5. Time of Accident

Code reported military time of accident.

NOTE: Midnight = 2400 Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

SS15 Administrative Use

7. ✓ SS16 Pedestrian Crash Data Study 1

8. SS17 Impact Fires 0

SS18 _0_

_0 SS19

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

0 1

0

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS								
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage		
12. <u>0</u> <u>1</u>	13. <u>0 1</u>	14. <u>O</u> <u>3</u>	15.	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>		

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

1. 1. 1. 1.

National Highway Traffic Safety Administration O.M.B. NO. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

		\$ 2	2 (1)
		1. Primary Sampling Unit Number	10. Pedestrian's Weight
		11	Code actual weight to the nearest
		2 Care Number 24-4-4	kilogram.
	•	2. Case Number - Stratum 6 TVP	(999) Unknown
		3. Pedestrian Number0_1	$\frac{1}{2}$ pounds × .4536 = $\frac{5}{4}$ kilograms
•			
		PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
		70	TEDESTRIAN STRE-AVOIDANCE ACTIONS
		4. Pedestrian's Age	11. Pedestrian Attitude
		Code actual age at time of accident.	(1) Standing
		(00) Less than one year old (specify by month):	(2) Crouching
		(97) 97 years and older	(3) Kneeling
		(99) Unknown	(4) Bending at waist
			(8) Other (specify):(9) Unknown
		5. Pedestrian's Sex	(a) Olikilowii
		(1) Male	12. Pedestrian Motion
		(2) Female - not reported pregnant	(0) Not moving
		(3) Female - pregnant-1st trimester (1st-3rd month)	(1) Walking slowly
		(4) Female - pregnant-2nd trimester (4th-6th month)	(2) Walking rapidly
		(5) Female - pregnant-3rd trimester (7th-9th month)(6) Female - pregnant-term unknown	(3) Running or jogging
		(9) Unknown	(4) Hopping
		167	(5) Skipping
		6. Pedestrian's Overall Height	(6) Jumping
		Code actual height to the nearest	(7) Falling/stumbling or rising
		centimeter. (999) Unknown	(8) Other (specify):
		, A	(a) Chichiann
		<u>0</u> inches X 2.54 = centimeters	13. Pedestrian's Action Relative to Vehicle
	,	* O1	(00) Stopped
	+	7. Pedestrian's Height - Ground to Knee	(01) Crossing road, straight
	ģ	Code to the nearest	(02) Crossing road, diagonally
,	7-	centimeter. 43 3	(03) Moving in road, with traffic
Į	•	(555) 5	(04) Moving in road, against traffic
H.	66	inches X 2.54 = centimeters 0 8	(05) Off road, approaching road
J		continueters	(06) Off road, going away from road (07) Off road, moving parallel
,	4	a Redestrictle United Committee United	(08) Off road, crossing driveway
S	7	8. Pedestrian's Height - Ground to Hip Code to the nearest	(09) Off road, moving along driveway
×	J		(98) Other (specify):
ド	J	centimeter. (999) Unknown	(99) Unknown
	8	129	4
な	~	inches X 2.54 = centimeters	14. Pedestrian's Body (Chest) Orientation
Measurmets		794	Relative to Striking Vehicle Prior to
Ę		9. Pedestrian's Height - Ground to Shoulder	Avoidance Actions
3		Code to the nearest centimeter.	(1) Facing vehicle (2) Facing away
a,		centimeter. (999) Unknown	(3) Left side to vehicle
۲ ۶			(4) Right side to vehicle
1		inches X 2.54 = centimeters	(8) Other (specify):
			(9) Unknown

PEDESTRIAN'S AVOIDANCE ACTIONS 18. Pedestrian's Arm Orientation at Initial Impact (01) At sides 15. Pedestrian's First Avoidance Actions (02) Folded across chest (03) Hands clasped behind back (00) No avoidance actions (01) Stopped(02) Accelerated pace (04) Hands on hips (05) Hands in pockets (03) Ran away (along vehicle path) (04) Jumped One or both arms: (05) Turned toward vehicle (06) Turned away from vehicle (06) Extended upward (07) Extended to side (08) Extended forward bracing (07) Dove or fell away (09) Extended, holding object (briefcase, suitcase, etc.) Used hand(s) to: (11) Vault corner of vehicle (10) Holding object (young child, grocery bag, etc.) in arm(s) (12) Vault onto vehicle (11) Holding object (young child, grocery (13) Brace against vehicle (14) Crouched and braced hands against vehicle (98) Other (specify): _____ bag, etc.) on shoulder(s) or head (98) Other (specify): (99) Unknown (99) Unknown 19. Pedestrian's Leg Orientation at Initial Impact (01) Together PEDESTRIAN'S ORIENTATION AT IMPACT (02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart- forward leg unknown (06) Left foot off the ground 16. Pedestrian's Head Orientation at Initial Impact (07) Right foot off the ground (1) To front (08) Both feet off the ground (2) To left (98) Other (specify):_____ (3) To right (99) Unknown (4) Up (5) Down 20. Vehicle/Pedestrian's Interaction (8) Other (specify):____ (01) Carried by vehicle, wrapped position (9) Unknown (02) Carried by vehicle, slid to windshield (03) Carried by vehicle, position unknown (04) Passed over vehicle top 17. Pedestrian's Body (Chest) Orientation (05) Thrown straight forward at Initial Impact (06) Thrown forward and left of vehicle (1) Facing vehicle (07) Thrown forward and right of vehicle (2) Facing away (08) Knocked to pavement, forward (3) Left side to vehicle (09) Knocked to pavement, left of vehicle (4) Right side to vehicle (10) Knocked to pavement, right of vehicle (8) Other (specify):_____ (11) Knocked to pavement, run over or (9) Unknown dragged by vehicle (12) Shunted to left (corner impacts only) (13) Shunted to right (corner impacts only) (14) Bumped or pushed aside (15) Snagged, rotated (16) Snagged, dragged by vehicle (17) Foot or legs run over (98) Other (specify):_____

(99) Unknown

tational Accident Campling Cystem-Crashw	orthiness Da	ta Oystem. r edestrian Assessment i Onn	raye.
OFFICIAL RECORDS		INJURY CONSEQUENCES	
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 		25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown	+
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	- ~	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify): Nonfatal (3) Hospitalization	<u>3</u>
 23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown 	Φ	(4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown	~)
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	<u></u>	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown	4
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 6 that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown	
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown	1

STOP - VARIABLES 30 THROUGH 37 AR	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death 36. 3rd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death
31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units):	(00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease)
32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported, HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured	(specify):(99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of
Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORD NO []	YES [/]
UPDATE CANDIDATE?	NO M AFR []

Administration


U.S. Department of Transportation National Highway Traffic Safety

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

- 1. Primary Sampling Unit Number
- 2. Case Number Stratum



- 3. Pedestrian Number
- 4. Blank

0 1

INJURY DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90					Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. 2	e. <u>8</u>	7. <u>5</u>	8. <u>/ 6</u>	9. <u>/ ()</u>	10.2	11. <u> </u>	12,700	13. 🖊	14. 📗	15	16.2	2_ 17
2nd	18. 2	19. 8	20.5	21.26	22. <u>D</u> 4	23.3	24.]	25. 700	26/	27	28. <u>3</u>	29. 2	30. <u> —</u>
3rd	31. <u>7</u>	32. <u>7</u>	33. 9	34. <u>0 4</u>	35. <u>0</u> 2	_36	37. <u>/</u>	38. <u>7 / 8</u>	39. <u>/</u>	40. 1	41. <u>3</u>	422	-43.2-
4th	44	45	46	47	48	49	50	51	52	53	54.	55	56
5th	57	58	59	60	61	62	63	64	65 :	66	67	68	69
6th	70	71	72	73	74	75	76	77	78.	79	80	81	82:
7th	83	84.	85. <u> </u>	86	87.	88	89	90:	91	92.	93:	94	95
8th	96	97	98	99	100	101	102	103	104	105	106,	107	108
9th	109	110	111	112.	113.	114	115	116,	117.	118	119.	120	121
10th	122	123.	124.	125	126	127	128	129	130	131	132	133	134

Source		Type of	AIS-90 Specific					Injury Source	Direct/		Туре	
of Injury Data	Body Region	Anatomic Structure	Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Confidence Level	Indirect Injury	Striking Profile	Of Damage	Damage Depth
Ith				-								-
2th												
						e limiter Agin, per						
8th												
					n in the second							
lth			 									
ith												
5th	-											
7th		_								<u> </u>		
Jal.												
Bth												
9th												
· · · · · · · · · · · · · · · · · · ·	·											
Oth	-		******									
1st		-										
ind								-				
3rd												
4th												
5th												

SOURCE OF INJURY DATA INJURY SOURCE CONFIDENCE LEVEL TYPE OF DAMAGE Injury not from vehicle contact Certain **OFFICIAL** No damage/contact (1) Autopsy records with or without hospital/ (3) Possible Scratch (Scuff, Cloth Transfer, Smear) medical records Unknown (2) Hospital/medical records other than (4) Large deformation **DIRECT/INDIRECT INJURY** emergency room (e.g., discharge (5) Cracked, fractured, shattered summary) Direct contact injury Indirect contact injury Separated from vehicle (6) Emergency room records only (including Noncontact injury Noncontact injury associated X-rays or other lab reports) (8) Other specify: (7) Injured, unknown source (4) Private physician, walk-in or emergency Unknown STRIKING PROFILE **DAMAGE DEPTH** (0) Injury not from vehicle contact (1) Flat-Narrow (<15 centimeters) (2) Flat-Wide (> 15 centimeters) UNOFFICIAL (0) Injury not from vehicle contact No residual damage Surface only damage Crush depth >0 to 2 centimeters (5) Lay coroner report Rounded (contoured) (2) (3) (6) E.M.S. personnel (4) Rounded edge (7) Interviewee Sharp edge Other (specify): (4) Crush depth > 2 to 5 centimeters (8) Other source (specify): (5) Crush depth > 5 to 10 centimeters (8) Other specify:_ (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region** Specific Anatomic Structure Spine (02) Cervical (04) Thoracic Abbreviated Injury Scale Minor injury Head Whole Area (02) Skin - Abrasion (04) Skin - Contusion Moderate injury (2) (3) Face (06) Lumbar (2) Neck (3) Serious injury Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit (4) (06) Skin - Laceration Severe injury Thorax Abdomen (08) Skin - Avulsion (5) Critical injury Maximum (untreatable) (6) Spine (10) Amoutation numbers beginning with 02 (6) **Upper Extremity** (20) Burn Injured, unknown severity Lower Extremity (30) Crush Level of Injury (40) Degloving (50) Injury - NFS (90) Trauma, other than mechanical (9) Unspecified Aspect Specific injuries are assigned Type of Anatomic Structure two-digit consecutive numbers Right beginning with 02. (2) Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness Bilateral Whole Area (3) To the extent possible, within the organizational framework of the AIS, 00 is as found to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic Central (2) Vessels (4)Anterior (3) Nerves Organs (includes muscles/ (6) Posterior (7) ligaments) Superior Skeletal (includes joints) (5) Inferior Head - LOC structure. 99 is assigned to any injury (9) Unknown NFS as to lesion or severity. Whole region (9) **INJURY SOURCE** FRONT Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 792 Left rear wheel / tire 702 Front grille 746 D pillar 703 Hood edge and/or trim 748 Other pillar (specify): 793 Right rear wheel /tire 749 Right side roof rail 704 Hood ornament (fixed) 798 Other wheel / tire (specify): _ 705 Hood ornament (spring loaded) 799 Unknown wheel / tire 750 Right side door surface 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components Bug 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object (specify): 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission 805 Drive shaft Left Side Components 758 Other right side object 806 Catalytic converter 720 Front fender side surface (specify): 759 Unknown right side component 807 Muffler 721 Front antenna 722 A1 pillar 808 Floor pan 809 Fuel tank 723 A2 pillar **Back Components** 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 819 Unknown undercarriage component 728 Other pillar 768 Other back component (specify): (specify): 729 Left side roof ... il 769 Unknown back component **Accessories** 820 Air scoop, deflector 730 Left side door surface 821 Cellular or CB radio antenna 731 Left side door handle Top Components 822 Emergency lights or bar 732 Left side mirror fixed housing 770 Hood surface 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 824 Luggage, ski, or bike rack 825 Cargo (specify):____ 734 Left side glazing forward of B pillar component 735 Left side glazing rearward of B pillar 772 Front fender top surface 826 Spare tire 736 Left side back fender or quarter panel 773 Cowl area 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 828 Other accessory (specify):_ 738 Other left side object 775 Windshield glazing (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground 948 Other object (specify): Right Side Components 779 Rear header

780 Hatchback

781 Rear trunk lid

788 Other top component (specify): _

789 Unknown top component

949 Unknown object in environment

997 Noncontact injury source

999 Unknown injury source

959 Unknown object on contacting vehicle


740 Front fender side surface


741 Front antenna

742 A1 pillar

743 A2 pillar

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained)

No
Yes

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

Blood Alcohol Level (mg/dl)

BAL =

Glasgow Coma Scale Score

GCSS =

Units of Blood Given

Units =

Arterial Blood Gases


Ph = _-. PO₂ = ___


PCO₂

HCO₃

Comminuted fx Rfibular head

Transperse, displaced for Prox. tibia







1 99

OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

	92	OFFICIAL RECORDS
Primary Sampling Unit Number	1000	$\alpha 1 \gamma$
2. Case Number - Stratum	64VP	9. Police Reported Travel Speed
3. Vehicle Number	0_1	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above
VEHICLE IDENTIFICAT	ION	(999) Unknown
4. Vehicle Model Year Code the last two digits of the mo (99) Unknown	del year $\frac{\sqrt{3}}{2}$	mph X 1.6093 =kmph 10. Speed Limit (000) No statutory limit Code posted or statutory speed limit
5. Vehicle Make (specify):	79	in kmph (999) Unknown 5 mph X 1.6093 = kmph
Applicable codes are found in your NASS PCDS Data Collection, Codi Editing Manual. (99) Unknown	ng and	11. Police Reported Alcohol Presence For Driver (0) No alcohol present
6. Vehicle Model (specify);	017	(1) Yes alcohol present (7) Not reported (8) No drive present
Applicable codes are found in your NASS PCDS Data Collection, Codi Editing Manual. (999) Unknown		12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit – 0.xx)
7. Body Type Note: Applicable codes may be for the back of this page.	und on	(95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number		Source:
Left justify; Slash zeros and letter No VIN—Code all zeros Unknown—Code all nines	Z (Ø and Z)	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
		14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen
		(specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover,
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- Other van type (Hi-Cube Van, Kary) (specify): (28)
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45)Other light conventional truck type
- (48)Unknown light truck type
- Unknown light vehicle type (automobile, utility, van, or (49)light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- Single unit straight truck (> 12,000 kgs (63)GVWR)
- Single unit straight truck, GVWR unknown (64)
- Medium/heavy truck based motorhome (65)
- Truck-tractor with no cargo trailer (67)Truck-tractor pulling one trailer (68)
- Truck-tractor pulling two or more trailers (69)
- (70)Truck-tractor (unknown if pulling trailer)
- Unknown medium/heavy truck type (78)
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- Moped (motorized bicycle)
- Three-wheel motorcycle or moped (82)
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- Snowmobile (91)
- (92) Farm equipment other than trucks
- Construction equipment other than trucks (93)
- Other vehicle type (97)
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight — Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown — 3309	Note: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown 19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates PRECRASH DATA
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

23. Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane) m
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver $\underline{\underline{\mathcal{W}}}$
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(02) Braking (no lockup)
(16) Turning right at intersection	(03) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing (59) Unknown travel direction of other motor vehicle	(98) Other action (specify):
in lane	(33) (31)
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction)—over left	(0) No driver present
lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction) – over right	(2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30
(62) From opposite direction—over left lane line	degrees
(63) From opposite direction—over right lane line	(4) Skidding laterally—clockwise rotation
(64) From parking lane	(5) Skidding laterally—counterclockwise rotation (8) Other vehicle loss-of-control (specify):
(65) From crossing street, turning into same direction	(a) Other vehicle loss-of-control (specify).
(66) From crossing street, across path	(9) Precrash stability unknown
(67) From crossing street, turning into opposite	1
direction	26. Precrash Directional Consequences of
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(O) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(73) From driveway, intended path not known	maneuver was initiated
(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane where avoidance maneuver was initiated
(78) Encroachment by other vehicle—details	(4) Vehicle stayed on roadway, not known if left
unknown	travel lane where avoidance maneuver was
Pedestrian or Pedalcyclist, or Other Nonmotorist	initiated
(80) Pedestrian in roadway	(5) Vehicle departed roadway
(81) Pedestrian approaching roadway	(6) Avoidance maneuver initiated off roadway
(82) Pedestrian—unknown location	(Q) Directional consequences unknown

	ENVIRO	NME	NTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	$ \omega $	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
	(6) Unknown type of non-interchange(9) Unknown if interchange	ı	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)
28.	 Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown 	+	Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign (7) Warning sign (not RR crossing)
29.	Number of Travel Lanes (1) One	$\overline{\mathcal{T}}$	(8) Miscellaneous/other controls including RR controls (specify):
	 (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown 	1	(9) Unknown 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown	1	36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Duck
31.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown	<u>, </u>	(5) Dusk (9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet (4) Snow
32.	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify): (9) Unknown	*	(5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify):


	62-090P	- Y V
		•
	93 Ford Tourus	
	72 / 01 0 /20/03	70 Va 4
	Dat 4 = 0 0 = ============================	79 10 1=
	POI to FRP Z.2m=7,2	f 6-7
	f=0,65	118#
	Tura Right Wit 7-8 mpl	
	1-10 mph	right Lig Ankle Honce
	After broking	
	Real/10-0,55,	co) -
	·	
	$S = Vt + \frac{V^2}{279}$	
	· · · · · · · · · · · · · · · · · · ·	
	7.2 = 0.5V + 0. QA V2	
	$V^2 + 0.5V - 7.2 = 0$	
	_ 0.5 ± 70.5 - (4)(0.0	124) 1.2
	V=	
	= 9.8 fPS = 1.7 mp	h = 10,7 KPh.
-,		
		
•		

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

2. Case Number - Stratum



3. Vehicle Number

VEHICLE IDENTIFICATION

Model Year

Vehicle Make (specify):

Vehicle Model (specify):

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length


PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material



VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

cm	1
cm	./
cm	
cm	/
	cm cm

WRAP DISTANC

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening


PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact

and com	
080	cm
086	cm
196	cm /
509	cm
783	cm
<u>000</u>	NHV -
	200 280 280 280 280 280 280 280 280 280

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

	PEDESTRIAN SIDE CONTACT WORK SHEET	
PEV06	Hood Material	
PEV08	Hood Length	cm
PEV09	Hood Width-Forward Opening	cm
PEV10	Hood Width-Midway	cm
PEV11	Hood Width-Rear Opening	cm
	VERTICAL MEASUREMENTS	
PEV26	Ground Clearance	cn
PEV27	Side Bumper-Bottom Height	cm
PEV28	Side Bumper-Top Height	cm
PEV29	Centerline of Wheel	cm
PEV30	Top of Tire	cm
PEV31	Top of Wheel Well Opening	cm
PEV32	Bottom of A-Pillar at Windshield	cm
PEV33	Top of A-Pillar at Windshield	cm
PEV34	Top of Side View Mirror	cm
	LATERAL MEASUREMENTS	
PEV35	C _L to A-Pillar at Bottom of Windshield	cm
PEV36	C _L to A-Pillar at Top of Windshield	cn
PEV37	C _L to Maximum Side View Mirror Protrusion	cm
	WRAP DISTANCES	
PEV38	Ground to Side/Top Transition	cn
	Ground to Hood Edge	сп
	Ground to Centerline of Hood (ORIGIN)	сп
DE\/41	Ground to Head Contact	cn

VEHICLE DAMAGE SKETCH

Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

ORIGINAL SPECIFICATIONS Wheelbase inches $\times 2.54$ Overall Length inches $\times 2.54$ CM Maximum Width inches \times 2.54 CM pounds \times .4536 = Curb Weight inches x 2.54 Average Track Front Overhang inches $\times 2.54$ Rear Overhang inches $\times 2.54$ Undeformed End Width inches $\times 2.54$ Engine Size: cyl./displ. ___ _ _ x .001 CC CID x .0164 =INJURY SOURCE Wheels / tires **FRONT** 790 Left front wheel / tire 700 Front bumper 744 B pillar 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 746 D pillar 792 Left rear wheel / tire 702 Front grille 703 Hood edge and/or trim 748 Other pillar (specify):_ 793 Right rear wheel /tire 798 Other wheel / tire (specify): _ 749 Right side roof rail 704 Hood ornament (fixed) 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 753 Right side folding mirror 800 Front cross member 708 Turn signal/parking lights 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 802 Oil pan 755 Right side glazing rearward of B pillar (specify): 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission 758 Other right side object 805 Drive shaft Left Side Components 806 Catalytic converter (specify): 720 Front fender side surface 721 Front antenna 759 Unknown right side component 807 Muffler 808 Floor pan 722 A1 pillar 809 Fuel tank 723 A2 pillar Back Components 810 Rear suspension 724 B pillar 760 Rear (back) bumper 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 819 Unknown undercarriage component 768 Other back component 728 Other pillar (specify): (specify): 769 Unknown back component Accessories 729 Left side roof rail 730 Left side door surface 820 Air scoop, deflector 821 Cellular or CB radio antenna 731 Left side door handle Top Components 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 823 Fog lights 771 Hood surface reinforced by under hood 733 Left side folding mirror 824 Luggage, ski, or bike rack 734 Left side glazing forward of B pillar component 825 Cargo (specify):____ 772 Front fender top surface 735 Left side glazing rearward of B pillar 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 774 Wiper blade & mountings 827 Spotlight 737 Rear antenna 828 Other accessory (specify):__ 738 Other left side object 775 Windshield glazing 776 Front header (specify): Other Object or Vehicle in Environment 739 Unknown left side component 777 Roof surface 947 Ground 778 Backlight glazing 948 Other object (specify):_ 779 Rear header Right Side Components 949 Unknown object in environment 780 Hatchback 740 Front fender side surface 959 Unknown object on contacting vehicle 741 Front antenna 781 Rear trunk lid 788 Other top component (specify): _ 997 Noncontact injury source 742 A1 pillar 999 Unknown injury source 743 A2 pillar 789 Unknown top component

POINTS OF PEDESTRIAN CONTACT								
PEDESTRIAN CONTACT WORKSHEET								
CONTACT ID LABEL	COMPONENT Contacted	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)	SEQUENCE
D	Healligh	11-18	50	scuff	loop -		2 3 9	
8	,	5-79	-LOO'	502/1	Strul		2 3 5	
6	footbal	S-89	30	suff	Cont		2 3 9	
	v	T-89	<u>-45</u>	Sull	Street		₩2 3 #	
4	Hospita	D-82	-53	serf	Boy		2 3 9	
<u> </u>	17 (4	458	-12-	-mug	MAG	የ ሎጰ	<u> </u>	
2	Bull o	3-75	<u>-n</u>	Streak	Book		1 2 3 9	
D	gal	4-61		-sml-go	U	-	1 2 3 9	
512B	(J=	169)				No sichnes	2 3 9	
	pumper	_	-50 th/60	- 1	400	When La 4	1(2)3 8	1
0	Headlight	91	-50	Scuff	AU B	Chipatt area	2 3 9	12
8	(2)	91	-60		11 14hhai	0 0	D 2 3 8	<u> </u>
9	HOERAL	87	770	Seuf (P)		Cost Andrew	(i) 2 3 9 (c) 2 3 9	2
1	1 250	8-7	-73 -42	any	0	200		<u>u</u>
4	ABORD EW	2 6 7	5	Smiles	Day 1	min men	() ² ³ ³	4
7	6.10	94	<u> </u>	When	Recol	(20)	1 2 3 9	5
T 0	C 11	900		Strent	bugn	Hong	1 2 3 9	2
E	المحالا	/3	-6/0	Smulte	Ridem	Smok Streat	1) 2 3 9	6
	1 long 0	7)	VW	strack)	7 - 1 - 2 - 2 - 2	1 2 3 8	5
							1 2 3 9	
							1 2 1 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	

POINTS OF PEDESTRIAN CONTACT CHRONOLOGICAL ORDER OF CONTACTS

CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN Centimeters	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)
1						·	1 2 3 9
2							1 2 3 9
3							1 2 3 9
•							1 2 3 9
5							1 2 3 9
8							1 2 3 9
7							1 2 3 9
t							1 2 3 8
9							1 2 3 9
10							1 2 3 9
11							1 2 3 9
12							1 2 3 9
13							1 2 3 9
14							1 2 3 9
15							1 2 3 9
18							1 2 3 8
17							1 2 3 9
18							1229
19							1 2 3 9
20							1 2 3 9
21							1 2 3 9
22							1 2 3 9
23							1 2 3 9
24							1 2 3 8
25							1 2 3 9

VELUCI E DIMENCIONO	1110
VEHICLE DIMENSIONS	11. Hood Width Rear Opening
4. Original Wheelbase	Code to thenearest centimeter
Code to the	(210) 210 centimeters or more
nearest centimeter	(999) Unknown
(999) Unknown	
centimeters	inches X 2.54 = centimeters
	12. Hood/Fender Vertical/Lateral Crush From
5. Original Average Track Width \(\ldots \frac{\delta}{2} \)	Pedestrian Pedestrian
Code to the	(0) Not damaged
nearest centimeter (185) 185 centimeters or more	(1) Surface scratching only, no residual crush
(999) Unknown	(2) Minor crush (1-3 centimeters)
	(3) Moderate crush (4-7 centimeters) (4) Severe crush (>7 centimeters)
$\frac{1}{2}$. $\frac{1}{2}$ inches X 2.54 = $\frac{1}{2}$ centimeters	(8) Damage present, unknown if damage is from
	pedestrian impact
6. Hood Material	(9) Unknown
(1) Plastic	13 Windshield Contact Damass
(2) Fiberglass	13. Windshield Contact Damage From Pedestrian Contact
(3) Steel	(0) Not contacted by pedestrian
(4) Aluminum (5) Stainless Steel	(1) Contacted by pedestrian - not damaged
(8) Other (specify):	(2) Contacted by pedestrian - damaged
(9) Unknown	(3) Unknown if contacted by pedestrian - not damaged
1	(4) Unknown if contacted by pedestrian -
7. Hood Original	damaged
Equipment Manufacturer (OEM) (1) OEM factory installed hood	(9) Unknown if contacted by pedestrian -
(2) OEM replacement	unknown if damaged
(3) Non-OEM replacement	
(9) Unknown	FRONT CONTACT DAMAGE
8. Hood Length	Front Vertical Measurements
Code to the	2
nearest centimeter	14. Front Bumper Cover Material (0) No front contact
(180) 180 centimeters or more	(1) Plastic
(999) Unknown	(2) Fiberglass
. inches X 2.54 = centimeter	(3) Rubber
	(4) Other (specify):
9. Hood Width Forward Opening	(9) Unknown
Code to the	15. Front Bumper Reinforcement Material
nearest centimeter (210) 210 centimeters or more	(0) No front contact
(999) Unknown	(1) Steel
	(2) Aluminum (3) Stainless Steel
inches X 2.54 = centimeters	(4) Other (specify):
10. Hood Width Midway	(9) Unknown
Code to the	$() \neq \lambda'$
nearest centimeter	16. Front Bumper-Bottom Height Ode to the
(210) 210 centimeters or more	nearest centimeter
(999) Unknown	(000) No front contact
. inches X 2.54 = centimeters	(150) 150 centimeters or more
	(999) Unknown
	1

17.	Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown
	inches X 2.54 = centimeters	inches X 2.54 = centimeters
18.	Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown
	inches X 2.54 = centimeters	inches X 2.54 = entimeters
19.	Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
	inches X 2.54 = centimeters	inches X 2.54 = centimeters
	Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
	1 1011 11100 Distance incusummin	
		Side Vertical Measurements
20.	Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknowninches X 2.54 =centimeters	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more
	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 =centimeters Ground to Front/Top Transition Point Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 =centimeters 27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more

29.	Centerline of Wheel	$\overline{\mathcal{O}}$	Side Lateral Measurements
	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown		35. Centerline to A-Pillar at Bottom of Windshield (000) No side contact Code to the
	inches X 2.54 =	centimeters	nearest centimeter (250) 250 centimeters or more (999) Unknown
30.	Top of Tire Code to the	000	inches X 2.54 = centimeters
	nearest centimeter (000) No side contact (200) 200 centimeters or more (999) Unknown		36. Centerline to A-Pillar at Top of Windshield Code to the
	inches X 2.54 =	centimeters	nearest centimeter (000) No side contact (250) 250 centimeters or more
31.	Top of Wheel Well Opening Code to the	000	(999) Unknown inches X 2.54 = centimeter
	nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown		37. Centerline to Maximum Side View Mirror Protrusion
	inches X 2.54 =	centimeters	Code to the nearest centimeter
32.	Bottom of A-Pillar at Windshield Code to the nearest centimeter	700	(000) No side contact (300) 300 centimeters or more (999) Unknown
	(000) No side contact (250) 250 centimeters or more (999) Unknown		inches X 2.54 = centimeter
	inches X 2.54 =	centimeters	Side Wrap Distance Measurements
33.	Top of A-Pillar at Windshield Code to the nearest centimeter	000	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact
	(000) No side contact (300) 300 centimeters or more (999) Unknown		(400) 400 centimeters or more (999) Unknown
	inches X 2.54 =	centimeters	inches X 2.54 = centimeters
34.	Top of Side View Mirror Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	<u>000</u>	39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown
	inches X 2.54 =	centimeters	inches X 2.54 = centimeters

40.	Ground to Centerline of Hood Code to the nearest centimeter (000) No side contact (700) 700 centimeters or more (999) Unknown	900		
41.	Ground to Head Contact Code to the nearest centimeter (000) No side contact (800) 800 centimeters or more (998) No head contact	centimeters		
	(999) Unknown inches X 2.54 =	centimeters		



82646P00010012 958.051000000000103F72000

82646P00010021 8.05 0000000007921524305112405411014001409030809600132149715 1010000000003

82646P00010131 8.05 00000000028516102170011322 82646P00010231 8.05 00000000028526043170011322 82646P00010331 8.05 00000000077904021171811322

82646P01000041 8.05 0000000009312017041FALP54P7PA

11110280011131211112211

PSU82 CASE 646P

CURRENT VERSION: 8.05

ERROR SUMMARY SCREEN PEDESTRIAN STUDY

96

	UMBER OF OLLAR SIG	NUMBER OF LEVEL 1 NS ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	0	0	Y
Pedestrian Assessment	ō	Õ	ō	Ÿ
Pedestrian Injury	0	Ō	Ō	Y
Pedestrian General Vehicle	0	0	0	Y
Pedestrian Exterior Vehicl	e 0	0	O	Y
Total Inter Errors		0	o	
Total Case Errors	o	o	o	