



U.S. Department of Transportation

National Highway Traffic Safety Administration

### Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

\*\*\* \*\*\* \*\*\*



### PEDESTRIAN CASE SUMMARY

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

**PSU** 49

CASE NO. 628P

TYPE OF ACCIDENT Car/Ped crossing driveway

### A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. <u>Do not include any personal identifiers</u>.)


Vehicle 1, originally heading west made a left turn into a driveway/service road and was in the process of making a right turn to continue west on the service road. The pedestrian was walking west in this same driveway/service road. The left front of the vehicle collided with the pedestrian. It is unsure whether the pedestrian fell down. The pedestrian was treated and released and the vehicle was driven from the scene.

B. PEDESTRIAN PROFILE										
Pedestrian			Treatment/	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)						
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source			
01	38	Male	T & R	(B) Hip	Contusion	1	Hood edge			

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	<ul> <li>(1) Minor injury</li> <li>(2) Moderate injury</li> <li>(3) Serious injury</li> <li>(4) Severe injury</li> <li>(5) Critical injury</li> <li>(6) Maximum (untreatable)</li> <li>(7) Injured, unknown severity</li> </ul>

C. VEHICLE PROFILE									
	Class		Most Severe Damage Based on Vehicle Inspection						
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description					
01	Compact	91 Chevy Corsica	Front	Light					


### DO NOT SANITIZE THIS FORM



HS Form 431B (1/96)

\*U.S. GPO: 1996-405-552/35316


Scale: 1 centimeter =



HS Form 431B (1/96)

Scale: 1 centimeter =

meters





# PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number 4	_	Case Number	-Stratum <u>6 2 8 P</u>
PEDESTRIAN ACCIDENT CO	LISION DATA COLLECTION		SCALED DIAGRAM
document reference point and reference line relative to physical features	Surface Type	-onvell. no	rth arrow placed on diagram
documentation of all accident induced physical evidence including (if applicable):	Surface Condition		ade measurements for all applicable adways
a) vehicle skid marks	Coefficient of Friction		aled representations of the physical plant cluding:
b) pedestrian contacts with ground or object	Grade (v/h) Measurement	/->	all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)
c) vehicle/pedestrian point of impact (POI)	a) at impact	// b)	all traffic controls (e.g., lights, signs)
d) location of pedestrian separation point from vehicle	b) between impact and final rest	pe pe	aled representations of the vehicle and destrian at pre-impact, impact, and final st based upon either.
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Travel Direction	a)	physical evidence, or
documentation of the physical plant including:	Vehicle Travel Direction	b)	reconstructed accident dynamics
all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)	Number of Travel Lanes	Dividiry	
b) all traffic controls (e.g., lights, signs)			
Reference Point:		ee Line: \$ 5	CUID
Item	·	and Direction ference Point	Distance and Direction from Reference Line
PR		9	1.2N
According to Drine:			
Pol, FR, FR.	7	0.1 2	0.6N
According to PED:			
PO			4.25
FRPI	·	9.9	5.05
FRV.		0-7	4.55
' )			
			No employed permit in the second permit in the seco

### PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

۱.	<b>Primary</b>	Sampling	Unit Number
----	----------------	----------	-------------


2. Case Number - Stratum

IDENTIFICATION

3. Number of General Vehicle Forms Submitted

0 1

4. Date of Accident (Month, Day, Year)



5. Time of Accident

Code reported military time of accident.

NOTE: Midnight = 2400

Unknown = 9999

### SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. \_\_\_\_SS15 Administrative Use

7. SS16 Pedestrian Crash Data Study 1

8. \_\_\_SS17 Impact Fires

9. \_\_\_\_SS18 \_\_\_\_ 0

10. SS19

### **NUMBER OF EVENTS**

11. Number of Recorded Events in This Accident

0 1

0

0

0

### PEDESTRIAN STUDY CRITERIA

#### **Pedestrian Definition:**

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

#### Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

		PEDESTRIAN ACCIDENT EVENTS								
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage				
12. <u>0</u> <u>1</u>	13. <u>0 1</u>	14. 02	15. <u>-</u>	16. <u>7 2</u>	17. <u>0</u> <u>0</u>	<b>18</b> . <u>0</u>				

# CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

# CODES FOR GENERAL AREA OF DAMAGE (GAD)

# CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

### CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian



National Highway Traffic Safety Administration

### PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1.	Primary Sampling Unit Number 4 9	10. Pedestrian's Weight  Code actual weight to the nearest
2.	Case Number - Stratum 6 2 8 P	kilogram. (999) Unknown
3.	Pedestrian Number <u>0 1</u>	150 pounds x .4536 = $68.04$ kilograms
	PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4.	Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
5.	Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping
6.	Pedestrian's Overall Height  Code actual height to the nearest centimeter.  (999) Unknown	(6) Jumping (7) Falling/stumbling or rising (8) Other (specify):
7.	Pedestrian's Height - Ground to Knee Code to the nearest centimeter.  (999) Unknown	13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic
8.	Pedestrian's Height - Ground to Hip Code to the nearest centimeter.  (999) Unknown	(05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify):
9.	Pedestrian's Height - Ground to Shoulder Code to the nearest centimeter.  (999) Unknowninches X 2.54 = centimeters	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

PEDESTRIAN'S AVOIDANCE ACTIONS	
FEDESTRIAN S AVOIDANCE ACTIONS	18. Pedestrian's Arm Orientation
	at Initial Impact
	(01) At sides
15. Pedestrian's First Avoidance Actions	(02) Folded across chest
(00) No avoidance actions	(03) Hands clasped behind back
` '	
, , , , , , , , , , , , , , , , , , , ,	(04) Hands on hips
(02) Accelerated pace	(05) Hands in pockets
(03) Ran away (along vehicle path)	
(04) Jumped	One or both arms:
(05) Turned toward vehicle	(06) Extended upward
(06) Turned away from vehicle	(07) Extended to side
(07) Dove or fell away	(08) Extended forward bracing
	(09) Extended, holding object
Used hand(s) to :	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against vehicle	bag, etc.) on shoulder(s) or head
(98) Other (specify):	(98) Other (specify):
(99) Unknown	(99) Unknown
(55) CHRICWII	(55) Chalowii
	19. Pedestrian's Leg Orientation
	at Initial Impact
	(01) Together
PEDESTRIAN'S ORIENTATION AT IMPACT	(02) Apart-laterally
	(03) Apart-right leg forward
	(04) Apart-left leg forward
16. Pedestrian's Head Orientation	(05) Apart- forward leg unknown
at Initial Impact	(06) Left foot off the ground
(1) To front	(07) Right foot off the ground
(2) To left	(08) Both feet off the ground
(3) To right	(98) Other (specify):
(4) Up	(99) Unknown
(5) Down	20 Vahiala/Badastrianla Intersetion 05
(8) Other (specify):	20. Vehicle/Pedestrian's Interaction
	(01) Carried by vehicle, wrapped position
(9) Unknown	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
47. Dodostriania Body (Chart) Cristation	(04) Passed over vehicle top
17. Pedestrian's Body (Chest) Orientation	(05) Thrown straight forward
at Initial Impact	(06) Thrown forward and left of vehicle
(1) Facing vehicle	(07) Thrown forward and right of vehicle
(2) Facing away	(08) Knocked to pavement, forward
(3) Left side to vehicle	(09) Knocked to pavement, left of vehicle
(4) Right side to vehicle	(10) Knocked to pavement, right of vehicle
(8) Other (specify):	(11) Knocked to pavement, run over or
(9) Unknown	dragged by vehicle
·	(12) Shunted to left (corner impacts only)
	(13) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside
	(15) Snagged, rotated
	(16) Snagged, dragged by vehicle
•	(17) Foot or legs run over
	(98) Other (specify):
	(99) Unknown

OFFICIAL RECORDS	INJURY CONSEQUENCES
21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	(5) U - Injury, severity unknown (6) Died prior to accident (9) Unknown  26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source: No Indication on PAR  23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown	Nonfatal (3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify):  (9) Unknown
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify):
	28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
	29. Working Days Lost  Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

RE COMPLETED BY THE ZONE CENTER
34. 1st Medically Reported Cause of Death  35. 2nd Medically Reported Cause of Death  Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify):  (97) Other result (includes fatal ruled disease) (specify): (99) Unknown  37. Number of Recorded Injuries for This Pedestrian  Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
S INCLUDED WITH INITIAL SUBMISSION?  YES[]  NO[] YES[]

Administration

U.S. Department of Transportation **National Highway Traffic Safety** 

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Pedestrian Number

2. Case Number - Stratum

4. Blank

### **INJURY DATA**


Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.


		AIS-90							Injury			SW	
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
lst	5.2	6. <u>8</u>	7. <u>9</u>	8. <u>0.4</u>	<u>د ه .</u> و	<b>−</b> 10. <u>/</u>	11	12.703	13. 🖊	14./_	15. 3	16. <u>3</u>	17.3
2nd	18.7	19. <u>8</u>	20. <u>9</u>	21,04	22. 0 2		24. /_	25. <u>70 4</u>	26	27	28. 3	29.}_	30.}_
Srd	31. <u>7</u>	32. <u>Y</u>	33.9	34. <u>6 2</u>	<sup>−</sup> 35. <u>0</u> 2	- <sub>38.</sub> _/	37. <u>2</u>	- <sub>38.</sub> 947	39	40, <u>/</u>	41. 💆	42. 💇	43. 💆
4th	44	45	46	47	48	49	50	51,	52	53	54	55	56
5th	57	58	59	60:	61	62	63	64	65. <u> </u>	66	67	68	69
3th	70	71	72	73	74	75	76	77	78	79	80	81	82
7th	83	84	85	86	87	88	89	90	91	92	93	94	95
3th	96	97	98	99	100	101	102	103	104	105	106	107	108
9th	109	110	114	112	113	114	115	116	117	118	119	120	121
Oth	122	123	124	125	126	_ 127,	128	129	130:	131	132	133	134

	F				PEDES	STRIA	ILNI V	JRY DA	ΤΑ				
	Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
, 11th			_				_		_	_		_	
12th	<del></del>	_	-				_		_	_			
13th	-		_			—			—		_		
14th		_	_							—			
15th			-			—	-		_		_	—	
16th 17th			_			_			_	—			
18th									_			<del></del>	
19th		-	_				_						
20th													_
21st			-						_				
22nd												<del>-</del>	
23rd 24th													
25th			_						_			_	

-15676

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





Page

#### SOURCE OF INJURY DATA INJURY SOURCE CONFIDENCE LEVEL TYPE OF DAMAGE Certain (0) Injury not from vehicle contact **OFFICIAL** Probable No damage/contact Scratch (Scuff, Cloth Transfer,Smear) (5) Autopsy records with or without hospital/ Possible medical records (9) Unknown (3) Dent (2) Hospital/medical records other than (4) emergency room (e.g., discharge Large deformation **DIRECT/INDIRECT INJURY** (5) Cracked, fractured, shattered summary) Direct contact injury (6) Separated from vehicle Emergency room records only (including Indirect contact injury Noncontact injury (7) Noncontact injury associated X-rays or other lab reports) (8) Other specify: Injured, unknown source Private physician, walk-in or emergency (9) Unknown clinic STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) UNOFFICIAL Injury not from vehicle contact No residual damage (5) Lay coroner report Flat-Wide (≥ 15 centimeters) (6) E.M.S. personnel Surface only damage (3) Rounded (contoured) (4) Rounded edge Crush depth >0 to 2 centimeters (7) Interviewee Crush depth > 2 to 5 centimeters Crush depth > 5 to 10 centimeters Sharp edge Other (specify): (4)(8) Other source (specify): (5) (8) Other specify:\_ (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION Abbreviated Injury Scale **Body Region Specific Anatomic Structure** Spine (02) Cervical (04) Thoracic (06) Lumbar Whole Area (02) Skin - Abrasion (04) Skin - Contusion (06) Skin - Laceration (08) Skin - Avulsion Head Minor injury Moderate injury Serious injury (2) (3) (3) (4) Neck Thorax Vessels, Nerves, Organs, Bones, Joints Severe injury (5) Abdomen are assigned consecutive numbers beginning with 02 (5)Critical injury (10) Amputation Spine (6) Maximum (untreatable) Upper Extremity Lower Extremity (7) (8) (20) Burn Injured, unknown severity (30) Crush Level of Injury Unspecified (40) Degloving **Aspect** (50) Injury - NFS Specific injuries assigned are Type of Anatomic Structure consecutive two-digit beginning with 02. (90) Trauma, other than mechanical Right Left Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness Whole Area Bilateral (3) Vessels To the extent possible, within the Central organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity. (3) Nerves (5) Anterior (10) Concussion (4) Organs (includes muscles/ Posterior (6) ligaments) (7) Superior Skeletal (includes joints) (5) Inferior Head - LOC (9) Unknown Whole region **INJURY SOURCE FRONT** Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify): 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify): 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar **Back Components** 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 818 Other undercarriage component 761 Tailgate 726 D pillar 762 Hatchback, vertical surface 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component Accessories 820 Air scoop, deflector 730 Left side door surface 731 Left side door handle Top Components 770 Hood surface 821 Cellular or CB radio antenna 732 Left side mirror fixed housing 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar component 824 Luggage, ski, or bike rack 772 Front fender top surface 735 Left side glazing rearward of B pillar 825 Cargo (specify):\_ 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):\_ (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground

779 Rear header

781 Rear trunk lid

788 Other top component (specify): \_

789 Unknown top component

780 Hatchback

948 Other object (specify):

997 Noncontact injury source

999 Unknown injury source

949 Unknown object in environment

959 Unknown object on contacting vehicle

Corp. 1097.2

Page 3

Right Side Components

741 Front antenna

742 A1 pillar

743 A2 pillar

740 Front fender side surface

### OFFICIAL INJURY DATA — SKELETAL INJURIES

#### Restrained?

\_\_\_ No

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

Yes

<sup>'es</sup> unavailable.)

## Blood Alcohol Level (mg/dl)

BAL =

### Glasgow Coma Scale Score

 $GCSS = \sum$ 

#### Units of Blood Given

Units = \_\_\_\_


### **Arterial Blood Gases**


Ph = \_.\_\_

PO<sub>2</sub>= \_\_\_\_

PCO<sub>2</sub>


HCO3 \_\_\_\_






## OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





U.S. Department of Transportation National Highway Traffic Safety Administration

### PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number	OFFICIAL RECORDS
2. Case Number - Stratum 6 2 6 P	9. Police Reported Travel Speed 9 9 9
3. Vehicle Number01	Code to the nearest kmph (NOTE: 000 means
VEHICLE IDENTIFICATION	less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown
VEHICLE IDENTIFICATION	mph X 1.6093 = kmph
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown	10. Speed Limit 000) No statutory limit
5. Vehicle Make (specify): Chevrolet  Applicable codes are found in your	Code posted or statutory speed limit in kmph (999) Unknown  4 O mph x 1.6093 = 6 4 kmph
NASS PCDS Data Collection, Coding and Editing Manual. (99) Unknown	11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present
6. Vehicle Model (specify): 019	(7) Not reported (8) No driver present (9) Unknown
Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused
7. Body Type Note: Applicable codes may be found on the back of this page.	(96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number	Source: PAR
G   LT 53 G 5 M E	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present
	(9) Unknown  14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

### **CODES FOR BODY TYPE**

### CDS APPLICABLE VEHICLES

### Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

### Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

### Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

### Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

## Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota,
  Arrow Pickup [foreign], Ranger, Courier, S-10, T-10,
  LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up,
  Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500.)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

### Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

### **OTHER VEHICLES**

### Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

### Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)</p>
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

## Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

#### Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight  Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown	18. Impact Speed  Nearest kmph  (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above
7638   lbs X .4536 =   97 kgs    Source:  16. Vehicle Cargo Weight	(999) Unknown  19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown  20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
	PRECRASH DATA
OTHER DATA  17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown  STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown  22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

Y/0	
23. Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
(co) constant and constant (co)	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	(ob) Canor Challen proceeds over topoury).
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	1007 011111101111
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(O2) Braking (no lockup)
(16) Turning right at intersection	(03) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	- · · · · · · · · · · · · · · · · · · ·
Other Motor Vehicle In Lane	(05) Releasing brakes
(50) Stopped	(06) Steering left
	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating) (52) Traveling in same direction with higher speed	(09) Braking and steering right
	(10) Accelerating
(53) Traveling in opposite direction (54) In crossover	(11) Accelerating and steering left
(55) Backing	(12) Accelerating and steering right (98) Other action (specify):
(59) Unknown travel direction of other motor vehicle	(99) Unknown
in lane	(99) OTIKITOWIT
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction) – over left	(0) No driver present
lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction) – over right	(2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30
(62) From opposite direction—over left lane line	degrees
(63) From opposite direction—over right lane line	(4) Skidding laterally—clockwise rotation
(64) From parking lane	(5) Skidding laterally—counterclockwise rotation
(65) From crossing street, turning into same direction	(8) Other vehicle loss-of-control (specify):
(66) From crossing street, across path	(0) Proceeds atability walknown
(67) From crossing street, turning into opposite	(9) Precrash stability unknown
direction	26. Precrash Directional Consequences of
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(O) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(73) From driveway, intended path not known	maneuver was initiated
(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane
(78) Encroachment by other vehicle—details	where avoidance maneuver was initiated
λ unknown	(4) Vehicle stayed on roadway, not known if left
Pedestrian or Pedalcyclist, or Other Nonmotorist	travel lane where avoidance maneuver was
(80) Pedestrian in readway Dr. Vew 34	initiated
(81) Pedestrian approaching roadway	(5) Vehicle departed roadway
(82) Pedestrian—unknown location	(6) Avoidance maneuver initiated off roadway (9) Directional consequences unknown
	i iai puecupia Collaguugiicga Uliklivyyii

	ENVIRONME	NTAL DATA
27.	Relation to Junction  (0) Non-junction  (1) Interchange area	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush
	Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	(4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
,	(6) Unknown type of non-interchange (9) Unknown if interchange	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)
28.	Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown	Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify):  (6) Unknown sign (7) Warning sign (not RR crossing)
29.	Number of Travel Lanes (1) One (2) Two	(8) Miscellaneous/other controls including RR controls (specify):  (9) Unknown
	<ul> <li>(3) Three</li> <li>(4) Four</li> <li>(5) Five</li> <li>(6) Six</li> <li>(7) Seven or more</li> <li>(9) Unknown</li> </ul>	35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown	36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn
31.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown	(5) Dusk (9) Unknown  37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet
32.	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):  (9) Unknown	<ul> <li>(4) Snow</li> <li>(5) Fog</li> <li>(6) Rain and fog</li> <li>(7) Sleet and fog</li> <li>(8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify):</li> <li>(9) Unknown</li> </ul>
	•••	

U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

<u>49</u>

3. Vehicle Number

IFICATION

0 1

2. Case Number - Stratum

			<u> </u>
VEH	ICLE	IDE	NT

VIN 191LT 5395ME

Model Year 9 /

Vehicle Make (specify):

Therry

Vehicle Model (specify):

Corring

### PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

Steel	
110	cm
134	cm
1 4 4	cm
11 - 48	cm
Plastie.	·
Wetallie	

Λ

### **VERTICAL MEASUREMENTS**

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

32	- cm	
46	cm	
<u>64</u>	cm	
6	cm	/

### **WRAP DISTANCES**

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point


PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact

### **VEHICLE DAMAGE SKETCH**




Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

	PEDESTRIAN SIDE CONTACT WORK SHEET	
PEV06	Hood Material	
PEV08	Hood Length	cm
PEV09	Hood Width-Forward Opening	cm
PEV10	Hood Width-Midway	_ cm
PEV11	Hood Width-Rear Opening	_ cm
	VERTICAL MEASUREMENTS	
PEV26	Ground Clearance	cm
PEV27	Side Bumper-Bottom Height	cm
PEV28	Side Bumper-Top Height	cm
PEV29	Centerline of Wheel	cm
PEV30	Top of Tire .	cm
PEV31	Top of Wheel Well Opening	cm
PEV32	EV32 Bottom of A-Pillar at Windshield	
PEV33	Top of A-Pillar at Windshield	cm
PEV34	Top of Side View Mirror	cm
	LATERAL MEASUREMENTS	
PEV35	C <sub>L</sub> to A-Pillar at Bottom of Windshield	cm
PEV36	PEV36 C <sub>L</sub> to A-Pillar at Top of Windshield	
PEV37	C <sub>L</sub> to Maximum Side View Mirror Protrusion	cn
	WRAP DISTANCES	
	Ground to Side/Top Transition	cn
İ	Ground to Hood Edge	СП
	Ground to Centerline of Hood (ORIGIN)	cn
PEV4	Ground to Head Contact	cn

#### ORIGINAL SPECIFICATIONS Wheelbase inches $\times 2.54$ Overall Length inches $\times 2.54$ Maximum Width inches $\times 2.54$ Curb Weight pounds $\times$ .4536 = Average Track inches x = 2.54Front Overhang inches $\times 2.54$ Rear Overhang inches $\times 2.54$ Undeformed End Width inches $\times 2.54$ Engine Size: cyl./displ. x .001 T-4 2.28 CID x . 0164 =**INJURY SOURCE FRONT** Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 748 Other pillar (specify):\_ 703 Hood edge and/or trim 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): \_ 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front cross member 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify):\_ 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 803 Exhaust system pipe 756 Rear antenna 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar **Back Components** 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component **Accessories** 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle 821 Cellular or CB radio antenna Top Components 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar 824 Luggage, ski, or bike rack component 772 Front fender top surface 735 Left side glazing rearward of B pillar 825 Cargo (specify):\_\_ 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):\_ (specify): \_ 776 Front header 739 Unknown left side component Other Object or Vehicle in Environment 777 Roof surface 778 Backlight glazing 947 Ground 948 Other object (specify):\_ Right Side Components 779 Rear header 949 Unknown object in environment 740 Front fender side surface 780 Hatchback 959 Unknown object on contacting vehicle 741 Front antenna 781 Rear trunk lid 788 Other top component (specify): \_ 742 A1 pillar 997 Noncontact injury source 999 Unknown injury source 743 A2 pillar 789 Unknown top component

### **VEHICLE DAMAGE SKETCH**



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

\_ cr

POINTS OF PEDESTRIAN CONTACT  PEDESTRIAN CONTACT WORKSHEET								
CONTACT ID Label	COMPONENT Contacted	LONGITUDINAL Location (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT ( <i>Circle</i> )	SEQUENCE /
C	Bunger Bunger Bunger Bunger REFERDER Hord	109	35	0	Leg	Smear Scrape Scott Deat	1 2 3 9	
<u></u>	Bunger	94	68	0	<u> 46</u>	rut	1 2 2 9	
Ŋ	BUMPI	81	76	O	leg	Scrape	1 2 3 9	
<u> </u>	13,0141	74_	87	0	lef	Self	1 2 🕖 9	
1/2	RFForder	76	69	l	i,	Deg F	1 2 3) 9	
$\mathcal{L}$	Hord	49	51	1	1	11	1 2 1 9	
F	l,	8 [ <b>5</b> 2	43		j	(1	12)39	
Fr	1	sr.	36		1	9	1911	
							1 2 3 9	
							1 2 3 8	
					•		1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
			·				1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9 9	
<u></u>	<u> </u>			<u> </u>	<u> </u>			

#### POINTS OF PEDESTRIAN CONTACT **CHRONOLOGICAL ORDER OF CONTACTS** COMPONENT LONGITUDINAL LATERAL CRUSH CONFIDENCE LEVEL OF LOCATION LOCATION CONTACT CONTACTED CONTACT POINT IN SUSPECTED SUPPORTING PHYSICAL EVIDENCE CODE CENTIMETERS (X) (Y) BODY REGION (Circle) P Hip 43 703 (T) 2 3 9 1 86 450 R. Gg 704 0 71)2 3 9 2 3 1 2 3 9 1 2 3 9 1 2:3 9 5 1 2 3 9 6 7 1 2 3 9 1 2 3 8 8 1 2 3 9 1 2 3 9 10 1 2 3 9 11 1 2 3 9 12 1 2 3 9 13 1 2 3 9 14 1 2 3 9 15 1 2 3 9 16 1 2 3 9 17 1 2 3 9 18 1 2 3 9 19 1 2 3 9 20 1 2 3 9 21 1 2 3 9 22 1 2. 3 9 23 1 2 3 8 24 1 2 3 9 25

VEHICLE DIMENSIONS	11 Hood Width Boar Opening 148
4. Original Wheelbase Z63	11. Hood Width Rear Opening ( 7 0 )  Code to the
4. Original Wheelbase	nearest centimeter
nearest centimeter	(210) 210 centimeters or more (999) Unknown
(999) Unknown	(333) Olikilowii
inches X 2.54 = centimeters	inches X 2.54 = centimeters
	12. Hood/Fender Vertical/Lateral Crush From
5. Original Average Track Width	Pedestrian
Code to the nearest centimeter	(0) Not damaged
(185) 185 centimeters or more	(1) Surface scratching only, no residual crush
(999) Unknown	(2) Minor crush (1-3 centimeters) (3) Moderate crush (4-7 centimeters)
	(4) Severe crush (>7 centimeters)
inches X 2.54 = centimeters	(8) Damage present, unknown if damage is from
~	pedestrian impact (9) Unknown
6. Hood Material	(9) Unknown
(1) Plastic (2) Fiberglass	13. Windshield Contact Damage
(3) Steel	From Pedestrian Contact
(4) Aluminum	(0) Not contacted by pedestrian (1) Contacted by pedestrian - not damaged
(5) Stainless Steel	(2) Contacted by pedestrian - damaged
(8) Other (specify):	(3) Unknown if contacted by pedestrian - not
nound 1	damaged (4) Unknown if contacted by pedestrian -
7. Hood Original	damaged
Equipment Manufacturer (OEM) \ /	(9) Unknown if contacted by pedestrian -
(1) OEM factory installed hood	
<ul><li>(1) OEM factory installed hood</li><li>(2) OEM replacement</li></ul>	unknown if damaged
7. Hood Original Equipment Manufacturer (OEM) (1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement	unknown if damaged
(9) Unknown	unknown if damaged FRONT CONTACT DAMAGE
(9) Unknown  8. Hood Length	unknown if damaged
(9) Unknown  8. Hood Length  Code to the	unknown if damaged FRONT CONTACT DAMAGE
(9) Unknown  8. Hood Length	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact
(9) Unknown  8. Hood Length  Code to the  nearest centimeter	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic
8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact
(9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeter	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify):
(9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeter	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
(9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeter  9. Hood Width Forward Opening Code to the	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown
(9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeter  9. Hood Width Forward Opening Code to the nearest centimeter	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact
(9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeter  9. Hood Width Forward Opening Code to the	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel
(9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeter  9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum
(9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeter  9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum
(9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeter  9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel
(9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeter  9. Hood Width Forward Opening  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  inches X 2.54 = centimeters (210) 210 centimeters or more (999) Unknown  Code to the	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
(9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeter  9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  inches X 2.54 = centimeters (210) 210 centimeters or more (999) Unknown  Code to the nearest centimeter	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):
(9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeter  9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  inches X 2.54 = centimeters (210) 210 centimeters or more (999) Unknown  Code to the nearest centimeter (210) 210 centimeters or more	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height Code to the nearest centimeter
(9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeter  9. Hood Width Forward Opening  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  inches X 2.54 = centimeters (210) 210 centimeters or more (999) Unknown  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact
(9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeter  9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  inches X 2.54 = centimeters (210) 210 centimeters or more (999) Unknown  Code to the nearest centimeter (210) 210 centimeters or more	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height Code to the nearest centimeter
(9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeter  9. Hood Width Forward Opening  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  inches X 2.54 = centimeters (210) 210 centimeters or more (999) Unknown  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height  Code to the  nearest centimeter (000) No front contact (150) 150 centimeters or more

Tractional Acoustic Camping Cycles Crack Continuous Date	Toystelli. I cacothan Extend Vehicle Form 1 ago
17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown	23. Ground to Base of Windshield  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
18. Forward Hood Opening  Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	24. Ground to Top of Windshield  Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	25. Ground To Head Contact  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
FIGHT WITED DISTRICT WEEDSWEITERTS	Side Vertical Measurements
	Side vertical measurements
20. Ground to Forward Hood Opening  Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown  inches X 2.54 = centimeters  21. Ground to Front/Top Transition Point 77 4  Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeters	26. Ground Clearance  Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown  inches X 2.54 = centimeters  27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
22. Ground to Rear Hood Opening  Code to the nearest centimeter (000) No front contact	28. Side Bumper-Top Height  Code to the  nearest centimeter  (000) No side contact
(400) 400 centimeters or more (999) Unknown inches X 2.54 = centimeters	(150) 150 centimeters or more (999) Unknown
(999) Unknown	

29.	Centerline of Wheel	000	Side Lateral Messurements
	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknowninches X 2.54 =	centimeters	35. Centerline to A-Pillar at Bottom of Windshield (000) No side contact Code to the nearest centimeter (250) 250 centimeters or more (999) Unknown
30.	Top of Tire  Code to the nearest centimeter  (000) No side contact  (200) 200 centimeters or more	<u>000</u>	inches X 2.54 = centimeters  36. Centerline to A-Pillar
31.	(999) Unknowninches X 2.54 =  Top of Wheel Well Opening	centimeters	at Top of Windshield Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown
	Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown		37. Centerline to Maximum Side View Mirror Protrusion
32.	Bottom of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more	centimeters	Code to the nearest centimeter  (000) No side contact  (300) 300 centimeters or more  (999) Unknowninches X 2.54 =centimeter
	(999) Unknown inches X 2.54 =	centimeters	Side Wrap Distance Measurements
33.	Top of A-Pillar at Windshield  Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	000	38. Ground to Side/Top Transition  Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown
	inches X 2.54 =	centimeters	inches X 2.54 = centimeters
34.	Top of Side View Mirror Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	000	39. Ground to Hood Edge  Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown
	inches X 2.54 =	centimeters	inches X 2.54 = centimeters
Ì			

40. Ground to Centerline of Hood  Code to the nearest centimeter (000) No side contact (700) 700 centimeters or more (999) Unknown	
41. Ground to Head Contact Code to the nearest centimeter  (000) No side contact (800) 800 centimeters or more (998) No head contact (999) Unknown	
inches X 2.54 = centimeters	
	•
·	

969.040000000000116540100001 49628P00000011 

49628P000100121207969.041000000000102F72000

9.04 00000000381168460941430681107200120199051990014100991 49628P00010021

1010000000003

9.04 00000000038904021170311333 49628P00010131 9.04 00000000078904021170611333 49628P00010231

9.04 00000000078902021294711000 49628P00010331

**3**99990640960012000000 9.04 0000000009120019041G1LT53G5ME 49628P01000041

89311015022242331110051

9.04 000000000263141311101341441481014032046064060680741821 49628P01000051

0000000000000

PSU49 CASE 628P

CURRENT VERSION: 9.04

ERROR SUMMARY SCREEN PEDESTRIAN STUDY



FORM NAME	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	O	0	Y
Pedestrian Assessment	Ö	Ö	ŏ	Ÿ
Pedestrian Injury	Ŏ	Ö	0	Υ
Pedestrian General Vehi	<del>-</del>	Ö	o	Υ
Pedestrian Exterior Veh		0	O	Υ
Total Inter Errors		o	0	
Total Case Errors	0	o	o	

