



U.S. Department of Transportation


National Highway
Traffic Safety
Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.





PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

PSU 40

CASE NO 62

TYPE OF ACCIDENT CAR/REJECTRIAN PROSING ROAD STRAIGH

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.) VEhICLE #1, TRAVELLING EAST ON A TWO WAY STREET WITH ONE LANE IN EITHER DIRECTION, CAME UPON SCHOOL BUSSES PULLING AWAY FROM THE CURB IN THE OPPOSITE DIRECTION. VEHICLE BEGAN TO SLOW DOWN WHEN THREE PEDESTRIANS RAN OUT INTO STREET, CROSSING from NORTH TO SOUTH WHEN ONE OF THE PEDESTRIANS WAS STRUCK BY VEHICLE #1 WITH THE RIGHT FRONT BUMPER. PEL. WAS KNOCKED TO THE PAVEMENT IN FRONT OF VEHICLE #1. PED. WAS TAKEN TO HOSPITAL, TREATED AND RELEASED!

B. PEDESTRIAN PROFILE								
Pedestrian	_	_	Treatment/		Injury ZONE CENTER)			
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source	
01	7	M	MINOR	UPPER LEG (THIGH)	ABRASION	,	FRONT BUMPER	

Body Region	Type of Anatomic Structure
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other
External	OKIII OKIIO

Abbreviated Injury Scale

- (1) Minor injury (2) Moderate injury
- (3) Serious injury
- (4) Severe injury
- (5) Critical injury
- (6) Maximum (untreatable) (7) Injured, unknown severity

C. VEHICLE PROFILE Most Severe Damage Based on Vehicle Inspection Class Vehicle of Year/Make/Model Damage Damage No. Vehicle Plane Description FISO PICKUP 97 FORD (+150 01 FRONT MINOR

DO NOT SANITIZE THIS FORM



U.S. Department of Transportation


ACCIDENT COLLISION DIAGRAM

National Highway Traffic Safety Administration

HS Form 431B (1/95)

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

Scale: 1 centimeter = _






 $\hbox{ U.S. Department of Transportation}\\$

ACCIDENT COLLISION DIAGRAM

National Highway Traffic Safety
Administration

NATIONAL ACCIDENT SAMPLING SYSTEM
CRASHWORTHINESS DATA SYSTEM



Scale: 1 centimeter = _

meters



PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

		TEDESTRIAN CRASH DATA STUDY				
Primary Sampling Unit Number <u> </u>		Number-Stratum 6 2 9 P				
PEDESTRIAN ACCIDENT CO	DLLISION DATA COLLECTION	SCALED DIAGRAM				
document reference point and reference line relative to physical features	Surface Type	north arrow placed on diagram				
documentation of all accident induced physical evidence including (if applicable):	Surface Condition	grade measurements for all applicable roadways				
a) vehicle skid marks	Coefficient of Friction	scaled representations of the physical plant including:				
b) pedestrian contacts with ground or object	Grade (v/h) Measurement	all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings,				
c) vehicle/pedestrian point of impact (POI)		parked vehicles, poles, signs, etc.)				
	a) at impact	b) all traffic controls (e.g., lights, signs)				
d) location of pedestrian separation point from vehicle	b) between impact and final rest	 scaled representations of the vehicle and pedestrian at pre-impact, impact, and final rest based upon either: 				
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Travel Direction	a) physical evidence, or				
documentation of the physical plant including:	Vehicle Travel Direction	b) reconstructed accident dynamics				
all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)	Number of Travel Lanes					
b) all traffic controls (e.g., lights, signs)						
Item	Distance and Direction from Reference Poir	Diotarios and Direction				
\mathbb{R}, \mathbb{P}	0.0	0.65				

Item	Distance and Direction	Distance and Direction
	from Reference Point	from Reference Line
		·
•		
		1
		·

(

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY


1. Primary Sampling Unit Number	40
0 O N 1 01 1	299

Case Number - Stratum

IDENTIFICATION

- 3. Number of General Vehicle Forms Submitted
- 0 1

4. Date of Accident (Month, Day, Year)



5. Time of Accident

537

Code reported military time of accident.

NOTE: Midnight = 2400

Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. ____SS15 Administrative Use

0

7. ____SS16 Pedestrian Crash Data Study

1

8. ____SS17 Impact Fires

0

9. ____SS18 ____

0

10. SS19

0

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

0 1

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

		PEDESTRIAN	ACCIDENT	EVENTS		
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
12. <u>0</u> <u>1</u>	13. <u>0 1</u>	14. / 5	15. <u>F</u>	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

.S. Department of Transportation

Administration

National Highway Traffic Safety

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 10. Pedestrian's Weight 020 Code actual weight to the nearest kilogram. 2. Case Number - Stratum (999) Unknown Pedestrian Number ____ pounds X .4536 = ____ kilograms PEDESTRIAN'S CHARACTERISTICS PEDESTRIAN'S PRE-AVOIDANCE ACTIONS 4. Pedestrian's Age 11. Pedestrian Attitude Code actual age at time of accident. (1) Standing (00) Less than one year old (specify by month): (2) Crouching (3) Kneeling (97) 97 years and older (4) Bending at waist (99) Unknown (8) Other (specify): (9) Unknown 5. Pedestrian's Sex (1) Male 12. Pedestrian Motion (2) Female - not reported pregnant (0) Not moving (3) Female - pregnant-1st trimester (1st-3rd month) (1) Walking slowly (4) Female - pregnant-2nd trimester (4th-6th month) (2) Walking rapidly (5) Female - pregnant-3rd trimester (7th-9th month) (3) Running or jogging (6) Female - pregnant-term unknown (4) Hopping (9) Unknown (5) Skipping (6) Jumping 6. Pedestrian's Overall Height (7) Falling/stumbling or rising Code actual height to the nearest (8) Other (specify):____ centimeter. (999) Unknown (9) Unknown inches X 2.54 = ____ centimeters 13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight 7. Pedestrian's Height - Ground to Knee (02) Crossing road, diagonally Code to the nearest centimeter. (03) Moving in road, with traffic (999) Unknown (04) Moving in road, against traffic (05) Off road, approaching road ___ inches X 2.54 = ___ centimeters (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway 8. Pedestrian's Height - Ground to Hip (09) Off road, moving along driveway Code to the nearest (98) Other (specify): _____ centimeter. (999) Unknown (99) Unknown inches X 2.54 = ___ centimeters 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to **Avoidance Actions** 9. Pedestrian's Height - Ground to Shoulder / 0 0 (1) Facing vehicle Code to the nearest centimeter. (2) Facing away (999) Unknown (3) Left side to vehicle (4) Right side to vehicle inches X 2.54 = ___ _ centimeters (8) Other (specify): Unknown

15. Pedestrian's First Avoidance Actions (00) No avoidance actions (01) Stopped (02) Accelerated pace (03) Ran away (along vehicle path) (04) Jumped (05) Turned toward vehicle (06) Turned away from vehicle (07) Dove or fell away Used hand(s) to: (11) Vault corner of vehicle (12) Vault onto vehicle (13) Brace against vehicle (14) Crouched and braced hands against vehicle (98) Other (specify): (99) Unknown	18. Pedestrian's Arm Orientation at Initial Impact (01) At sides (02) Folded across chest (03) Hands clasped behind back (04) Hands on hips (05) Hands in pockets One or both arms: (06) Extended upward (07) Extended to side (08) Extended forward bracing (09) Extended, holding object (briefcase, suitcase, etc.) (10) Holding object (young child, grocery bag, etc.) in arm(s) (11) Holding object (young child, grocery bag, etc.) on shoulder(s) or head (98) Other (specify):
PEDESTRIAN'S ORIENTATION AT IMPACT 16. Pedestrian's Head Orientation at Initial Impact (1) To front (2) To left (3) To right (4) Up (5) Down (8) Other (specify): (9) Unknown 17. Pedestrian's Body (Chest) Orientation at Initial Impact (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown	19. Pedestrian's Leg Orientation at Initial Impact (01) Together (02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart-forward leg unknown (06) Left foot off the ground (07) Right foot off the ground (08) Both feet off the ground (98) Other (specify): (99) Unknown 20. Vehicle/Pedestrian's Interaction (01) Carried by vehicle, wrapped position (02) Carried by vehicle, slid to windshield (03) Carried by vehicle top (05) Thrown straight forward (06) Thrown forward and left of vehicle (07) Thrown forward and right of vehicle (08) Knocked to pavement, forward (09) Knocked to pavement, left of vehicle (10) Knocked to pavement, run over or dragged by vehicle (11) Knocked to left (corner impacts only) (13) Shunted to right (corner impacts only) (14) Bumped or pushed aside (15) Snagged, dragged by vehicle (17) Foot or legs run over (98) Other (specify): (99) Unknown

OFFICIAL RECORDS		INJURY CONSEQUENCES			
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 	_0_	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown			
 22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given 	nol Test Result For Pedestrian e actual value (decimal implied e first digit—0.xx) Test refused None given AC (Alcohol Content) test performed, results unknown (6) Diec (9) Unk (9) Unk (1) Fata (1) Fata				
Source:		Nonfatal (3) Hospitalization			
 23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown 	_0_	(4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify):			
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	<u>0</u>	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown			
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown			
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown			

SHOR VARVABLES 30 BEROUGH 37-AF	REGONDERSONS THE ZONE GENTIER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (2) Yes - blood given (32) Arterial Blood Gases (ABG) – HCO3 (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO3 (96) ABGs reported, HCO3 unknown (97) Injured, details unknown (99) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORD NO [] UPDATE CANDIDATE?	YES [/]



Administration


U.S. Department of Transportation National Highway Traffic Safety

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

- 1. Primary Sampling Unit Number
- 2. Case Number Stratum



3. Pedestrian Number

4. Blank


DATA


Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

					AIS-90					Injury				
	ر.	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
or na	1st	Jyv. 5 <u>-3</u>	6. 8	7. 9	8. <u>U</u>	-9. <u>() -2</u>	10/	11. <u>/</u>	12. <u>700</u>	13. <u>/</u>	14/	15. 2	16. <u>~</u>	172
B	2nd	2 18. 7	19. 💆	20.9	21. <u>0</u> 4	22. <u>0</u> 2	- 23. <u> </u>	24. 1	25. <u>70</u> 0	26/	27/	28. _	29	2 <u>0</u> 2
	3rd	31	32	33	34	35	36	37	38	39	40	41	42	43
	4th	44	45	46	47	48	49	50	51	52	53	54	55	56
	5th	57	58	59	60	61	62	63	64	65	66	67	68	69
	6th	70	71	72	73	74	75	76	77	78	79	80	81	82
	7th	83	84	85	86	87	88	89	90	91	92	93	94	95
	8th	96	97	98	99	100	101	102	103	104	105	106	107	108
	9th	109	110	111	112	113	114	115	116	117	118	119	120	121
	10th	122	123	124	125	126	127	128	129	130	131	132	133	134
													· · · · · · · · · · · · · · · · · · ·	

					PEDE	STRIA	N INJU	RY DAT	ΓΑ				
0	Source f Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th													- Annother -
12th	-						MATERIAL STATE OF THE STATE OF						
13th				Alanharian Walterland	<u></u>						-		
14th				NORTH MARKET									
15th							_			Autoritation			and described to the second
16th		-										_	
17th		******					Manageria						-
18th			Martine States				Acrosoftman						
19th			Market Control				***************************************						
20th	*********				-				Acceptance				
21st			_				Williams						
22nd											Andrews		
23rd										-			
24th		-											
25th _					-					******			

EK', PT HIT BY SLOW MOVING VEH. ON RT LEG





Page

National Accident Sampling System-Crashworthiness Data System: Pedestrian Injury Form

SOURCE OF INJURY DATA INJURY SOURCE CONFIDENCE LEVEL TYPE OF DAMAGE Injury not from vehicle contact **OFFICIAL** Probable (1) Autopsy records with or without hospital/ No damage/contact Scratch (Scuff, Cloth Transfer, Smear) medical records Unknown (3) Dent (2) Hospital/medical records other than emergency room (e.g., discharge Large deformation DIRECT/INDIRECT INJURY Cracked, fractured, shattered Separated from vehicle summary) Direct contact injury Emergency room records only (including Indirect contact injury Noncontact injury associated X-rays or other lab reports) Noncontact injury Other specify: Injured, unknown source (4) Private physician, walk-in or emergency Unknown STRIKING PROFILE Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) DAMAGE DEPTH (0) Injury not from vehicle contact (1) No residual damage UNOFFICIAL (5) Lay coroner report Surface only damage Crush depth >0 to 2 centimeters (6) E.M.S. personnel Rounded (contoured) (4) (5) Rounded edge Interviewee Sharp edge Other (specify): Crush depth > 2 to 5 centimeters Crush depth > 5 to 10 centimeters Other source (specify): Other specify: (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region Specific Anatomic Structure** Spine (02) Cervical (04) Thoracic **Abbreviated Injury Scale** Whole Area (02) Skin - Abrasion (04) Skin - Contusion Head Minor injury Face (06) Lumbar Moderate injury Serious injury Neck (4) (5) Thorax Abdomen (06) Skin - Laceration <u>Vessels, Nerves, Organs, Bones, Joints</u> are assigned consecutive two digit numbers beginning with 02 (4) Severe injury (08) Skin - Avulsion (5) Critical injury Maximum (untreatable) (10) Amputation Spine Upper Extremity Lower Extremity (20) Burn Injured, unknown severity (8) (30) Crush Level of Injury Degloving Injury - NFS Unspecified (40) (50) Specific injuries are consecutive two-digit beginning with 02. assigned Type of Anatomic Structure Right Left (90)Trauma, other than mechanical numbers Whole Area (3) (4) Bilateral (02) Length of LOC (04, 06, 08) Level of Consciousness Vessels To the extent possible, within the Central organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity. Nerves Anterior (4) Organs (includes muscles/ (10) Concussion (6) (7) Posterior ligaments) Skeletal (includes joints) Superior Inferior (6) (9) Head - LOC Unknown Skin Whole region **INJURY SOURCE** Wheels / tires 790 Left front wheel / tire 700 Front bumper 744 B pillar 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify):_ 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): _ 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify): 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 723 A2 pillar 808 Floor pan Back Components 760 Rear (back) bumper 809 Fuel tank 724 B pillar 810 Rear suspension 761 Tailgate 725 C pillar 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component Accessories 820 Air scoop, deflector 821 Cellular or CB radio antenna 730 Left side door surface 731 Left side door handle Top Components 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 734 Left side glazing forward of B pillar 771 Hood surface reinforced by under hood 823 Fog lights 824 Luggage, ski, or bike rack 825 Cargo (specify):____ component 735 Left side glazing rearward of B pillar 736 Left side back fender or quarter panel 772 Front fender top surface 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):_ (specify): 776 Front header

777 Roof surface

779 Rear header

∠781 Rear trunk lid

780 Hatchback

778 Backlight glazing

788 Other top component (specify): _

789 Unknown top component

Other Object or Vehicle in Environment 947 Ground

949 Unknown object in environment

959 Unknown object on contacting vehicle

948 Other object (specify):

997 Noncontact injury source

999 Unknown injury source

739 Unknown left side component

Right Side Components

741 Front antenna

742 A1 pillar

743 A2 pillar

740 Front fender side surface

OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

No

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

unavailable.)

Blood Alcohol Level (mg/dl)

BAL =

Glasgow Coma Scale Score

GCSS = 15


Units of Blood Given


Units =

Arterial Blood Gases

PCO,


HCO₃






OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

9. Police Reported Travel Speed 499 Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph)
Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph)
(160) 159.5 kmph and above (999) Unknown
mph X 1.6093 = kmph 10. Speed Limit
Code posted or statutory speed limit in kmph (999) Unknown mph X 1.6093 =kmph
11). Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown
12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present
(99) Unknown Source:
Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer (69) Truck-tractor pulling two or mo
- (69) Truck-tractor pulling two or more trailers(70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest	18. Impact Speed + 999 Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source:	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates PRECRASH DATA
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP -VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

3.	Critical Precrash Event		(83)	Pedalcyclist or other nonmotorist in roadway
	This Vehicle Loss of Control Due To:	l	,00,	(specify):
	(01) Blow out or flat tire		(84)	Pedalcyclist or other nonmotorist approaching
	(02) Stalled engine		••	roadway (specify):
	(03) Disabling vehicle failure (e.g., wheel fell off)		(85)	Pedalcyclist or other nonmotorist—unknown
	(specify):			location (specify):
	(04) Non-disabling vehicle problem (e.g., hood flew		Obje	ect or Animal
	up) (specify):			Animal in roadway
•	(05) Poor road conditions (puddle, pot hole, ice, etc.)		(88)	Animal approaching roadway
	(specify):			Animal—unknown location
	(06) Traveling too fast for conditions (08) Other cause of control loss (specify):			Object in roadway
	(Ob) Other cause of control loss (specify):		(91)	Object approaching roadway
	(09) Unknown cause of control loss		(92)	Object—unknown location
	This Vehicle Traveling		(98)	Other critical precrash event (specify):
	(10) Over the lane line on left side of travel lane		(00)	Halana
	(11) Over the lane line on right side of travel lane		(99)	Unknown
	(12) Off the edge of the road on the left side	24) }	mpted Avoidance Maneuver
	(13) Off the edge of the road on the right side	とご	1001	No driver present
	(14) End departure			No avoidance actions
	(15) Turning left at intersection			Braking (no lockup)
	(16) Turning right at intersection	·		Braking (lockup)
	(17) Crossing over (passing through) intersection			Braking (lockup unknown)
	(19) Unknown travel direction		(05)	Releasing brakes
	Other Motor Vehicle In Lane			Steering left
	(50) Stopped		(07)	Steering right
	(51) Traveling in same direction with lower speed			Braking and steering left
	(i.e., lower steady speed or decelerating)			Braking and steering right
	(52) Traveling in same direction with higher speed (53) Traveling in opposite direction			Accelerating
	(54) In crossover		(11)	Accelerating and steering left
	(55) Backing		(12)	Accelerating and steering right
	(59) Unknown travel direction of other motor vehicle		(98)	Other action (specify):
	in lane		(99)	Unknown
	Other Motor Vehicle Encroaching Into Lane	25.	Prec	rash Stability After Avoidance Maneuver / 👤
	(60) From adjacent lane (same direction) - over left		(0)	No driver present
	lane line		(1)	No avoidance maneuver
	(61) From adjacent lane (same direction) - over right		(2)	Tracking
	lane line		(3)	Skidding longitudinally-rotation less than 30
	(62) From opposite direction—over left lane line	1	(4)	degrees
	(63) From opposite direction—over right lane line		(4) (5)	Skidding laterally—clockwise rotation
	(64) From parking lane		(8)	Skidding laterally—counterclockwise rotation Other vehicle loss-of-control (specify):
	(65) From crossing street, turning into same direction		(-/	outer verticle loss-of-control (specify):
	(66) From crossing street, across path(67) From crossing street, turning into opposite	1	(9)	Precrash stability unknown
	direction			•
	(68) From crossing street, intended path not known	Į 26.	Fred	erash Directional Consequences of
	(70) From driveway, turning into same direction	\sim	∕ A∨o	idance Maneuver (Corrective Action)
	(71) From driveway, across path		(0) (1)	No driver present No avoidance maneuver
	(72) From driveway, turning into opposite direction		(2)	Vehicle stayed in travel lane where avoidance
	(73) From driveway, intended path not known		\—/	maneuver was initiated
	(74) From entrance to limited access highway		(3)	Vehicle stayed on roadway but left travel lane
	(78) Encroachment by other vehicle—details			where avoidance maneuver was initiated
	unknown		(4)	Vehicle stayed on roadway, not known if left
	Pedestrian or Pedalcyclist, or Other Nonmotorist			travel lane where avoidance maneuver was
	(80) Pedestrian in roadway	}	(5)	initiated Vehicle departed readous.
	(81) Pedestrian approaching roadway		(6)	Vehicle departed roadway Avoidance maneuver initiated off roadway
	(82) Pedestrian—unknown location	I	101	b

(9) Directional consequences unknown

		ENVIRO	NIVIE	NTAL DATA
27.	(0) (1) <i>Non</i> (2) (3) (4)	tion to Junction Non-junction Interchange area Interchange Intersection Intersection-related Drive, alley access related Other non-interchange (specify):	3	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
28	(9)	Unknown type of non-interchange Unknown if interchange ficway Flow	,	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)
20.	(1) (2) (3) (4)	Not physically divided (two way traffic) Divided trafficway - median strip without positive barrier Divided trafficway - median strip with positive barrier One way trafficway Unknown		Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign (7) Warning sign (not RR crossing)
29.	(1) (2) (3)	nber of Travel Lanes One Two Three Four	2	(8) Miscellaneous/other controls including RR controls (specify): (9) Unknown
	(5) (6)	Five Six Seven or more Unknown		35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
30.	(1)	dway Alignment Straight Curve right Curve left Unknown		36) Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn
31.	(1) (2) (3) (4) (5)	dway Profile Level Uphill Grade (>2%) Downhill Grade (>2%) Hillcrest Sag Unknown	_/	(5) Dusk (9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet
32.	(1) (2) (3) (4) (5)	dway Surface Type Concrete Bituminous (asphalt) Brick or Block Slag, gravel or stone Dirt Other (specify):	2	 (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown
	(3)	Challowit		

PEDESTRIAN EXTERIOR VEHICLE FORM NA

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

6 29 P

3. Vehicle Number

0 1

2. Case Number - Stratum

VEHICLE IDENTIFICATION

VIN LETD X 1 72 X VN:

Model Year $\frac{9}{7}$

Vehicle Make (specify):

FORA

Vehicle Model (specify):

F150

PEDESTRIAN FRONT CONTACT WORK SHEET

FORD F150 SUPER CIL Style Side 4,2 UG

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

PLASTIC STEEL

160 cm

cm

cm

cm

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

<u>44</u> cm

70 cm

 $-\frac{99}{15}$ cm

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact

99

cm

1.16 cm

cm

228


cm

108

cm_

DRIGIN 190

VEHICLE DAMAGE SKETCH




NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: 190 cm

PEDESTRIAN SIDE CONTACT WORK S	HEET	
PEV06 Hood Material		
PEV08 Hood Length		
PEV09 Hood Width-Forward Opening		cm
PEV10 Hood Width-Midway		
PEV11 Hood Width-Rear Opening		cm
		cm
VERTICAL MEASUREMENTS		
PEV26 Ground Clearance		cm
PEV27 Side Bumper-Bottom Height		cm
PEV28 Side Bumper-Top Height		cm
PEV29 Centerline of Wheel		cm
PEV30 Top of Tire		cm
PEV31 Top of Wheel Well Opening		cm
PEV32 Bottom of A-Pillar at Windshield		cm
PEV33 Top of A-Pillar at Windshield		cm
PEV34 Top of Side View Mirror		cm
LATERAL MEASUREMENTS		
PEV35 C _L to A-Pillar at Bottom of Windshield		
PEV36 C _L to A-Pillar at Top of Windshield		cm
PEV37 C _L to Maximum Side View Mirror Protrusion		cm
E TANAMAS CIGO VION MINO PROLIGION		cm
WRAP DISTANCES		
PEV/29 Ground to Cido/Tow Towns		
PEV38 Ground to Side/Top Transition		cm
PEV40 Ground to Hood Edge		cm
PEV40 Ground to Centerline of Hood (ORIGIN)		cm
PEV41 Ground to Head Contact		cm

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

Maalbaa	138.8	و مام ما	0.54	•	~ 3
Wheelbase					53 cm
Overall Length	222.3	inches	x 2.54		<u>(</u>
Maximum Width	<u> </u>	inches	x 2.54	= 2	<u>0</u> 2 cm
Curb Weight	4.045	pounds	x .4536	= <u>/</u> , <u>\$</u>	34,8 kg /83
Average Track		inches	x 2.54	=	Cm
Front Overhang		inches	x 2.54	=	cm
Rear Overhang	<u> </u>	inches	x 2.54	=	cm
Undeformed End Width		inches	x 2.54	=	cm
Engine Size: cyl./disp	1	СС	x .001	=	L
		CID	x .0164	=	L
	INJURY SO	OURCE			
FRONT 700 Front bumper 701 Front lower valance/spoiler 702 Front grille 703 Hood edge and/or trim 704 Hood ornament (fixed) 705 Hood ornament (spring loaded) 706 Headlight 707 Retractable headlight door (Open/Closed) 708 Turn signal/parking lights 718 Other front or add on object (specify): 719 Unknown front object Left Side Components 720 Front fender side surface 721 Front antenna 722 A1 pillar 723 A2 pillar 724 B pillar	79 79 79 79 79 79 79 79 80 80 80 80 80 80 80 80 80 80	els / tires 10 Left front wheel / 11 Right front wheel / 12 Left rear wheel / tire 13 Right rear wheel / tire 14 Other wheel / tire 15 Unknown wheel / 16 Ercarriage components 10 Front cross member 11 Steering assembly 12 Oil pan 13 Exhaust system pi 14 Transmission 15 Drive shaft 16 Catalytic converte 17 Muffler 18 Floor pan 19 Fuel tank 10 Rear suspension	/ tire ire (specify): tire \$ er /Front suspension pe		
726 D pillar 728 Other pillar (specify):	762 Hatchback, vertical surfaces 768 Other back component (specify): 769 Unknown back components 770 Hood surface 771 Hood surface reinforced component 772 Front fender top surface 773 Cowl area 774 Wiper blade & mounting	ent I by under hood	81 	(Specify):	rriage component or o antenna or bar ike rack
728 Other pillar (specify):	768 Other back component (specify): 769 Unknown back components 770 Hood surface 771 Hood surface reinforced component 772 Front fender top surface	ent I by under hood	81 Acce 82 82 82 82 82 83 83 83 84 85 87 87 87	(specify):	rriage component or o antenna or bar ike rack specify):

ORIGINAL SPECIFICATIONS

POINTS OF PEDESTRIAN CONTACT PEDESTRIAN CONTACT WORKSHEET CONTACT COMPONENT LONGITUDINAL LATERAL CRUSH CONFIDENCE LEVEL OF SEQUENCE 10 CONTACTED LOCATION LOCATION 1N SUSPECTED SUPPORTING PHYSICAL EVIDENCE CONTACT POINT LABEL **(Y**) CENTIMETERS **BODY REGION** (Circle) Thigh Smudge HANL Smudge \bigcirc 2 3 9 1 2 (3)9 1 2 3 9

POINTS OF PEDESTRIAN CONTACT

CHRONOLOGICAL ORDER OF CONTACTS


CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	1	DENCE L NTACT P (<i>Circle)</i>	
1							1	2 3	3 9
2							1	2 3	3 9
3							1	2 3	3 9
4							1	2 3	3 9
5							1	2 3	3 9
6							1	2 3	3 9
,							1	2 3	3 9
9							1	2 3	3 9
						***************************************	1	2 3	3 9
10							1	2 3	1 9
11							1	2 3	3 9
12							1	2 3	9
13	***************************************						1	2 3	3 9
14							1	2 3	9
15							1	2 3	3 9
16							1	2 3	9
17							1	2 3	3 9
18							1	2 3	1 9
19							1	2 3	3 9
20							1	2 3	1 9
21							1	2 3	3 9
22							1	2 3	9
23			60				1	2 3	3 9
24							1	2 3	1 9
25							1	2 3	3 9

VEHICLE DIMENSIONS	11. Hood Width Rear Opening
4 0 1 1 1 1 2 5 2	11. Hood Width Rear Opening Code to the
4. Original Wheelbase Code to the	nearest centimeter
nearest centimeter	(210) 210 centimeters or more
(999) Unknown	(999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
5. Original Average Track Width 9999	12. Hood/Fender Vertical/Lateral Crush From Pedestrian
nearest centimeter	(0) Not damaged
(185) 185 centimeters or more	(1) Surface scratching only, no residual crush
(999) Unknown	(2) Minor crush (1-3 centimeters)
	(3) Moderate crush (4-7 centimeters)
inches X 2.54 = centimeters	(4) Severe crush (>7 centimeters)(8) Damage present, unknown if damage is from
	pedestrian impact
6. Hood Material	(9) Unknown
(1) Plastic	12 Windshield Contact D
(2) Fiberglass	13. Windshield Contact Damage From Pedestrian Contact
(3) Steel	(0) Not contacted by pedestrian
(4) Aluminum (5) Stainless Steel	(1) Contacted by pedestrian - not damaged
(8) Other (specify):	(2) Contacted by pedestrian - damaged
(9) Unknown	(3) Unknown if contacted by pedestrian - not
—	damaged
7. Hood Original	(4) Unknown if contacted by pedestrian - damaged
Equipment Manufacturer (OEM) (1) OEM factory installed hood	(9) Unknown if contacted by pedestrian -
	unknown if demand
(2) OEM replacement	unknown if damaged
(2) OEM replacement(3) Non-OEM replacement	diktiowii ii damaged
	FRONT CONTACT DAMAGE
(3) Non-OEM replacement (9) Unknown	_
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the	FRONT CONTACT DAMAGE Front Vertical Measurements
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify):
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters (210) 210 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters 10. Hood Width Midway Code to the	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters 10. Hood Width Midway Code to the nearest centimeter	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters 10. Hood Width Midway Code to the	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact

18. Forward Hood Opening Code to the nearest centimeters or more (999) Unknown 19. Front Bumper Lead (00) No front contact (200) 200 centimeters or more (999) Unknown 19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown 19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown 19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown 21. Ground to Front/Top Transition Point Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown 21. Ground to Front/Top Transition Point Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown 22. Ground to Rear Hood Opening Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown 22. Ground to Rear Hood Opening Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (1999) Unknown 22. Ground to Rear Hood Opening Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (1999) Unknown 22. Ground to Rear Hood Opening Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (1999) Unknown 22. Ground to Rear Hood Opening Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (1999) Unknown 22. Ground to Rear Hood Opening Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (1999) Unknown 22. Ground to Rear Hood Opening Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (1999) Unknown 22. Ground to Rear Hood Opening Code to the nearest centimeter (180) 180 centimeters or more (180) Unknown 22. Ground to Rear Hood Opening Code to the nearest centimeter (180) No front contact (180) 180 centimeters or more (180) Unknown 23. Ground to Front/Top Transition Point Code to the nearest centimeter (180) No fro	17.	Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown	070	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown	228
19. Front Bumper Lead	18.	Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	099	24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown	318
20. Ground to Forward Hood Opening Code to the	19.	Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	- 45	Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown	<u> </u>
20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown Code to the nearest centimeter (000) No side contact (180) 180 centimeters or more (999) Unknown Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown 21. Ground to Front/Top Transition Point Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown		Front Wrap Distance Measur	ements	SIDE CONTACT DAMA	GE
I I			- 0		

29.	Centerline of Wheel	000	Side Lateral Measurem	ents
	Code to the			
	nearest centimeter		35. Centerline to A-Pillar	000
	(000) No side contact (150) 150 centimeters or more		at Bottom of Windshield	ω
	(999) Unknown		(000) No side contact	
	(555) Chilliann		Code to the	
	inches X 2.54 =	centimeters	nearest centimeter	
		•	(250) 250 centimeters or more	
20	Ton of Time	50 O	(999) Unknown	
30.	Top of Tire Code to the	$\omega \omega \omega$	inches X 2.54 =	
	nearest centimeter			centimeters
	(000) No side contact			A A =
	(200) 200 centimeters or more		36. Centerline to A-Pillar	
	(999) Unknown		at Top of Windshield	0 0
		•	Code to the nearest centimeter	
	inches X 2.54 =	centimeters	(000) No side contact	
			(250) 250 centimeters or more	
31.	Top of Wheel Well Opening	000	(999) Unknown	
	Code to the	4 4 4 4		
	nearest centimeter	.•	inches X 2.54 =	centimeter
	(000) No side contact (250) 250 centimeters or more			_
	(999) Unknown		37. Centerline to Maximum Side	\bigcirc
	,		View Mirror Protrusion	
	inches X 2.54 =	centimeters	Code to the	
22	Doddon of A Dill		nearest centimeter (000) No side contact	
32.	Bottom of A-Pillar at Windshield Code to the	DD	(300) 300 centimeters or more	
	nearest centimeter		(999) Unknown	
	(000) No side contact			
	(250) 250 centimeters or more		inches X 2.54 =	centimeter
	(999) Unknown			***************************************
	inches X 2.54 =	centimeters	Side Wrap Distance Measu	rements
		centimeters		***************************************
00	T	.	38. Ground to Side/Top Transition	$\triangle \wedge \Diamond$
33.	Top of A-Pillar at Windshield Code to the	$\mathcal{Q}\mathcal{Q}\mathcal{Q}$	Code to the	
	nearest centimeter		nearest centimeter	
	(000) No side contact		(000) No side contact	
	(300) 300 centimeters or more		(400) 400 centimeters or more	
	(999) Unknown		(999) Unknown	
	inches V O F 4	_	inches X 2.54 =	centimeters
	inches X 2.54 =	centimeters		
			00.0	A A A
34.	Top of Side View Mirror	$O \cap O$	39. Ground to Hood Edge Code to the	
	Code to the	5 5 5	nearest centimeter	
	nearest centimeter (000) No side contact	-	(000) No side contact	
	(300) 300 centimeters or more		(500) 500 centimeters or more	
	(999) Unknown		(999) Unknown	
			inches X 2.54 =	anat:
	inches X 2.54 =	centimeters		centimeters
	_			

40.	(000) (700)	d to Centerline of Hood Code to the nearest centimeter No side contact 700 centimeters or more Unknown	000		
	<u> </u>	inches X 2.54 =	centimeters		
41.	(000) (800) (998)	d to Head Contact Code to the nearest centimeter No side contact 800 centimeters or more No head contact Unknown	000		
		inches X 2.54 =	centimeters		
			centimeters		
			·		
			. .		
					-
				·	
		•			



PSU40 CASE 629P

1996 PEDESTRIAN ACCIDENT FORM

IDENTIFICATION

3. Number of General Vehicle Forms Submitted

4. Date of Accident (Month, Day, Year)
5. Time of Accident (military time)

1537

SPECIAL STUDIES - INDICATORS

6. SS15 0 7. SS16 1 8. SS17 0 9. SS18 0 10. SS19 0

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident 01

01

PSU40 CASE 629P

1996 PEDESTRIAN ACCIDENT FORM

PEDESTRIAN ACCIDENT EVENTS

Accident Sequence Number	Vehicle Number	Class of Vehicle	General Area of Damage	Veh. Num. or Obj. Cont.	Class of Vehicle	General Area of Damage
	***************************************	···· ··· ··· ··· ··· ··· ··· ··· ···	*** **** **** **** ****	**** **** **** **** **** **** **** ****	***************************************	
12. 01	13. 01	14. 15	15. F	16. 72	17. 00	18. 0

011

INTRA ERRORS

01******* NO ERRORS *******

001

PSU40 1996 PEDESTRIAN ASSESSMENT FORM CASE 629P VEHICLE 01 PEDESTRIAN 01

PEDESTRIAN'S CHARACTERISTICS

4.	Pedestrian's	Age	07
5.	Pedestrian's	Sex	1
6.	Pedestrian's	Overall Height	122
7.	Pedestrian's	Height - Ground to Knee	34
8.	Pedestrian's	Height - Ground to Hip	071
9.	Pedestrian's	Height - Ground to Shoulder	100
10.	Pedestrian's	Weight	020
PEDE	ESTRIAN'S PRE-	-AVOIDANCE ACTIONS	
11.	Pedestrian's	Attitude	1
12.	Pedestrian's	Motion	3
13.	Pedestrian's	Actions Relative to Vehicle	01
14.	Pedestrian's	Body (Chest) Orientation Relative	
	to Striking '	Vehicle Prior to Avoidance Actions	4

PEDESTRIAN'S AVOIDANCE ACTIONS 15. Pedestrian's First Avoidance Actions

PEDESTRIAN'S ORIENTATION AT IMPACT	
16. Pedestrian's Head Orientation at Initial Impact	3
17. Pedestrian's Body (Chest) Orientation at Initial Impact	4
18. Pedestrian's Arm Orientation at Initial Impact	08
19. Pedestrian's Leg Orientation at Initial Impact	02
20. Vehicle/Pedestrian's Interaction	05
OFFICIAL RECORDS	
21. Police Reported Alcohol Presence For Pedestrian	0
22. Alcohol Test Result For Pedestrian	96
23. Police Reported Other Drug Presence For Pedestrian	O
24. Other Drug Specimen Test Result For Pedestrian	O

13

INJURY CONSEQUENCES	
25. Injury Severity (Police Rating)	1
26. Treatment - Mortality	4
27. Type of Medical Facility (for Initial Treatment)	2
28. Hospital Stay	00
29. Working Days Lost	97
(COMPLETED BY THE ZONE CENTER)	
30. Glasgow Coma Scale Score	97
31. Was the Pedestrian Given Blood?	9
32. Arterial Blood Gases	97
33. Time to Death	00
34. 1st Medically Reported Cause of Death	00
35. 2nd Medically Reported Cause of Death	00
36. 3rd Medically Reported Cause of Death	00
37. Number of Recorded Injuries for This Pedestrian	97
O1	

PSU40 CASE 629P VEHICLE 01

VEHICLE WEIGHT ITEMS

15. Vehicle Curb Weight

22. Pre-Event Vehicle Movement

1996 PEDESTRIAN GENERAL VEHICLE FORM

9,990

01

VEHICLE IDENTIFICATION 4. Vehicle Model Year 97 5. Vehicle Make 12 6. Vehicle Model 481 7. Body Type 31 8. Vehicle Identification Number 1FTDX172XVN OFFICIAL RECORDS 9. Police Reported Travel Speed 999 10. Speed Limit 048 11. Police Reported Alcohol Presence For Driver 7 12. Alcohol Test Result For Driver 96 13. Police Reported Other Drug Presence 7 14. Other Drug Specimen Test Result for Driver 0

16. Vehicle Cargo Weight 0,000 OTHER DATA 17. Vehicle Special Use (This Trip) 0 RECONSTRUCTION DATA (COMPLETED BY THE ZONE CENTER) 18. Impact Speed +999 19. Accuracy Range of Impact Speed Estimate 9 20. Data Source of Impact Speed 0 PRECRASH DATA 21. Driver's Attention to Driving 1

PRECRASH DATA (continued) 23. Critical Precrash Event 24. Attempted Avoidance Maneuver 25. Precrash Stability After Avoidance Maneuver 26. Precrash Directional Consequences of Avoidance Manuver (Corrective Action) 2

ENV:	IRONMENTAL DATA	
27.	Relation to Junction	3
28.	Trafficway Flow	1
29.	Number of Travel Lanes	2
30.	Roadway Alignment	1
31.	Roadway Profile	1
32.	Roadway Surface Type	2
33.	Roadway Surface Condition	1
34.	Traffic Control Device	O
35.	Traffic Control Device Functioning	Q
36.	Light Conditions	1
37.	Atmospheric Conditions	1
01		

PSU40 CASE 629P VEHICLE 01

1996 PEDESTRIAN EXTERIOR VEHICLE FORM

VEHICLE DIMENSIONS

4.	Original Wheelbase	353
5.	Original Average Track Width	999
6.	Hood Material	1
7.	Hood Original Equip. Manufacturer	1
8.	Hood Length	103
9.	Hood Width Forward Opening	160
10.	Hood Width Midway	160
11.	Hood Width Rear Opening	168
12.	Hood/Fender Vertical/Lateral	
	Crush From Pedestrian	1
13.	Windshield Contact Damage From	
	Pedestrian Contact	O

FRONT CONTACT DAMAGE

FRONT VERTICAL MEASUREMENTS

14. Front Bumper Cover Material 16. Front Bumper-Bottom Height 18. Forward Hood Opening	044	5. Front Bumper Reinforcement Ma 7. Front Bumper-Top Height 9. Front Bumper Lead	at. 1 070 15	
FRONT WRAP DISTANCE MEASUREMENTS				
20. Ground to Fwd. Hood Opening	099	. Ground to Front/Top Transitio	on Pt 110	
22. Ground to Rear Hood Opening	211	3. Ground to Base of Windshield	228	
24. Ground to Top of Windshield	318	5. Ground to Head Contact	108	

SIDE CONTACT DAMAGE

SIDE VERTICAL MEASUREMENTS

26.	Ground Clearance	000
27.	Side Bumper-Bottom Height	000
28.	Side Bumper-Top Height	000
29.	Centerline of Wheel	000
30.	Top of Tire	000
31.	Top of Wheel Well Opening	000
32.	Bottom of A-Pillar at Windshield	000
33.	Top of A-Pillar at Windshield	000
34.	Top of Side View Mirror	000

SIDE CONTACT DAMAGE (continued)

SIDE LATERAL MEASUREMENTS

35.	Centerline	to	A-Pillar a	at Bottom	of Windshield	000
36.	Centerline	to	A-Pillar a	at Top of	Windshield	000
37.	Centerline	to	Maximum S	ide View h	Mirror Protrusion	000

SIDE WRAP DISTANCE MEASUREMENTS

38.	Ground	to	Side/Top Transition	000
39.	Ground	to	Hood Edge	000
40.	Ground	to	Centerline of Hood (Origin)	000
41.	Ground	to	Head Contact	000
O				

UPDATE 47

CASE 629P

1996 PEDESTRIAN ACCIDENT FORM

IDENTIFICATION

3. Number of General Vehicle Forms Submitted

4. Date of Accident (Month, Day, Year)

5. Time of Accident (military time)

01 1537

SPECIAL STUDIES - INDICATORS

6. SS15 0 7. SS16 1 8. SS17 0 9. SS18 0 10. SS19 0

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident 01

PSU40 CASE 629P

1996 PEDESTRIAN ACCIDENT FORM

PEDESTRIAN ACCIDENT EVENTS

Accident			General	Veh. Num.		General
Sequence	Vehicle	Class of	Area of	Crr	Class of	Area of
Number	Number	Vehicle	Damage	Obj. Cont.	Vehicle	Damage
***** ***** ***** ***** **** ****			***************************************		**** **** **** **** **** **** ****	**** **** **** **** **** ****
12. 01	13. 01	14. 15	15. F	16. 72	17. 00	18. 0

PSU40

1996 PEDESTRIAN INJURY FORM

CASE 629P

VEHICLE 01 PEDESTRIAN 01

PEDESTRIAN INJURY DATA

		Body	Anat.	Spec. Anat. Struc.	of	AIS	Asp.		Inj. Source Conf. Level	Indir.	Str.	of	
	7110 1100 1100 1100 1100							,				**** **** ****	
01. 02.	*****			************	*********			**************	*****	*****	*****		

PSU40 CASE 629P

1996 PEDESTRIAN INJURY FORM

VEHICLE 01 PEDESTRIAN 01

PEDESTRIAN INJURY DATA

	Source of		Type of	Spec.	Lev.				Inj. Source	Dir./		Type	
		-		Anat. Struc.			Asp.			Indir. Inj.			
		**** **** ****		*** *** *** *** ***								***************************************	
01.	3	8	9	02	02	1	1.	700	1.	1.	2	2	1
02.	7	8	9	() of	02	1	1.	700	1	1	2	2	1

1996 PEDESTRIAN GENERAL VEHICLE FORM

PSU40 CASE 629P VEHICLE 01

VEHICLE IDENTIFICATION

4.	Vehicle	Model	Year		97
5.	Vehicle	Make			12
6.	Vehicle	Model			481
7.	Body Typ) (=			31

8. Vehicle Identification Number 1FTDX172XVN

OFFICIAL RECORDS

9.	Police Reported Travel Speed	999
10.	Speed Limit	048
11.	Police Reported Alcohol Presence For Driver	7
12.	Alcohol Test Result For Driver	96
13.	Police Reported Other Drug Presence	7
14.	Other Drug Specimen Test Result for Driver	\circ

VEHICLE WEIGHT ITEMS

15.	Vehicle	Curb Weight	9,990
16.	Vehicle	Cargo Weight	0,000

OTHER DATA

17. Vehicle Special Use (This Trip) 0

RECONSTRUCTION DATA (COMPLETED BY THE ZONE CENTER)

18.	Impac	:t Speed		-t-'::)'::)'::
19.	Accur	racy Range	of Impact Speed Estimate	9
20.	Data	Source of	Impact Speed	0

PRECRASH DATA

21.	Driver's A	ttention	to Driving	1.
22.	Pre-Event '	Vehicle	Movement	01

PRECRASH DATA (continued) 23. Critical Precrash Event 80 24. Attempted Avoidance Maneuver 02 25. Precrash Stability After Avoidance Maneuver 2 26. Precrash Directional Consequences of Avoidance Manuver (Corrective Action) 2

IRONMENTAL DATA					
Relation to Junction	3				
. Trafficway Flow					
Number of Travel Lanes	2				
Roadway Alignment	1				
Roadway Profile	1				
Roadway Surface Type	2				
Roadway Surface Condition	1				
Traffic Control Device	0				
Traffic Control Device Functioning	0				
Light Conditions	1.				
Atmospheric Conditions	1				
	Relation to Junction Trafficway Flow Number of Travel Lanes Roadway Alignment Roadway Profile Roadway Surface Type Roadway Surface Condition Traffic Control Device Traffic Control Device Functioning Light Conditions				

PSU40 ' CASE 629P VEHICLE 01

1996 PEDESTRIAN EXTERIOR VEHICLE FORM

VEHICLE DIMENSIONS

4.	Original Wheelbase	353
5.	Original Average Track Width	999
6.	Hood Material	1.
7.	Hood Original Equip. Manufacturer	1
8.	Hood Length	103
9.	Hood Width Forward Opening	160
10.	Hood Width Midway	160
11.	Hood Width Rear Opening	168
12.	Hood/Fender Vertical/Lateral	
	Crush From Pedestrian	1
13.	Windshield Contact Damage From	
	Pedestrian Contact	0

FRONT CONTACT DAMAGE

16. Front Bumper-Bottom Height		17. Front Bumper-Top Height	1 070 15
FRONT WRAP DISTANCE MEASUREMENTS			
20. Ground to Fwd. Hood Opening	099	21. Ground to Front/Top Transition Pt	110
		- ·	228
24. Ground to Top of Windshield	318	25. Ground to Head Contact	108

SIDE CONTACT DAMAGE

SIDE VERTICAL MEASUREMENTS

26.	Ground Clearance	000
27.	Side Bumper-Bottom Height	000
28.	Side Bumper-Top Height	000
29.	Centerline of Wheel	000
30.	Top of Tire	000
31.	Top of Wheel Well Opening	000
32.	Bottom of A-Pillar at Windshield	000
33.	Top of A-Fillar at Windshield	000
34.	Top of Side View Mirror	000

SIDE CONTACT DAMAGE (continued)

SIDE LATERAL MEASUREMENTS

35.	Centerline	to	A-Pillar at Bottom of Windshield	000
36.	Centerline	to	A-Pillar at Top of Windshield	000
37.	Centerline	to	Maximum Side View Mirror Protrusion	000

SIDE WRAP DISTANCE MEASUREMENTS

38.	Ground	to	Side/Top Transition	000
39.	Ground	to	Hood Edge	000
40.	Ground	to	Centerline of Hood (Origin)	000
41.	Ground	to	Head Contact	000
0				

1 CHANGES

PEDESTRIAN 01

PSU40 CASE 629P

VEHICLE 01

1996 PEDESTRIAN ASSESSMENT FORM

4

PEDESTRIAN'S CHARACTERISTICS 4. Pedestrian's Age 07 5. Pedestrian's Sex 1 6. Pedestrian's Overall Height 122 7. Pedestrian's Height - Ground to Knee 34 8. Pedestrian's Height - Ground to Hip 071 Pedestrian's Height - Ground to Shoulder 100 10. Pedestrian's Weight 020 PEDESTRIAN'S PRE-AVOIDANCE ACTIONS 11. Pedestrian's Attitude 1 12. Pedestrian's Motion 3 13. Pedestrian's Actions Relative to Vehicle 01 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions

PEDESTRIAN'S AVOIDANCE ACTIONS 15. Pedestrian's First Avoidance Actions		13
PEDESTRIAN'S ORIENTATION AT IMPACT 16. Pedestrian's Head Orientation at Initial Impact 17. Pedestrian's Body (Chest) Orientation at Initial 18. Pedestrian's Arm Orientation at Initial Impact 19. Pedestrian's Leg Orientation at Initial Impact 20. Vehicle/Pedestrian's Interaction	Impact	3 4 08 03 08
OFFICIAL RECORDS 21. Police Reported Alcohol Presence For Pedestrian 22. Alcohol Test Result For Pedestrian 23. Police Reported Other Drug Presence For Pedestria 24. Other Drug Specimen Test Result For Pedestrian	นา	0 96 0 0
27. Type of Medical Facility (for Initial Treatment) 28. Hospital Stay	1 4 2 00 97	
33. Time to Death 34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death 36. 3rd Medically Reported Cause of Death	15 1 01 00 00 00 00 00	

PSU40 1996 PEDESTRIAN INJURY FORM CASE 629P

VEHICLE 01 PEDESTRIAN 01

PEDESTRIAN INJURY DATA

		_		Spec. Anat. Struc.	of		Asp.		Conf.		Str.		Dmg.
01.	3	8	9	02 04		1		700 700	1 1	1 1	2 2	2 2 2	2 2

1996 PEDESTRIAN GENERAL VEHICLE FORM

VEHICLE IDENTIFICATION 4. Vehicle Model Year 5. Vehicle Make 6. Vehicle Model 7. Body Type 8. Vehicle Identification Number	97 12 481 31 1FTDX172XVN
OFFICIAL RECORDS 9. Police Reported Travel Speed 10. Speed Limit 11. Police Reported Alcohol Presence For Driver 12. Alcohol Test Result For Driver 13. Police Reported Other Drug Presence 14. Other Drug Specimen Test Result for Driver	999 048 0 96 0
VEHICLE WEIGHT ITEMS 15. Véhicle Curb Weight	. 990

15. Véhicle Curb Weight 16. Vehicle Cargo Weight	9,990 0,000
OTHER DATA 17. Vehicle Special Use (This Trip)	0
RECONSTRUCTION DATA (COMPLETED BY THE ZONE CE 18. Impact Speed 19. Accuracy Range of Impact Speed Estimate 20. Data Source of Impact Speed	+999
PRECRASH DATA 21. Driver's Attention to Driving 22. Pre-Event Vehicle Movement	1 01

PRECRASH DATA (continued) 23. Critical Precrash Event 24. Attempted Avoidance Maneuver 25. Precrash Stability After Avoidance Maneuver 26. Precrash Directional Consequences of Avoidance Manuver (Corrective Action)

ENVIRONMENTAL DATA 27. Relation to Junction 3 28. Trafficway Flow 1 29. Number of Travel Lanes 2 30. Roadway Alignment 1 31. Roadway Profile 1 32. Roadway Surface Type 33. Roadway Surface Condition 1 34. Traffic Control Device 0 35. Traffic Control Device Functioning 0 36. Light Conditions 5 37. Atmospheric Conditions 1 011

INTRA ERRORS

OGG2171 1 If AVOIDANCE MANEUVER PGV24 equals 01, then PRECRASH GG2172 STABILITY PGV25 must equal 1.

20. Data Source of Impact Speed

21. Driver's Attention to Driving

22. Pre-Event Vehicle Movement

PRECRASH DATA

1996 PEDESTRIAN GENERAL VEHICLE FORM

VEHICLE IDENTIFICATION 4. Vehicle Model Year 97 5. Vehicle Make 12 6. Vehicle Model 481 7. Body Type 8. Vehicle Identification Number 1FTDX172XVN OFFICIAL RECORDS 9. Police Reported Travel Speed 999 10. Speed Limit 048 11. Police Reported Alcohol Presence For Driver 0 12. Alcohol Test Result For Driver 96 13. Police Reported Other Drug Presence 0 14. Other Drug Specimen Test Result for Driver O VEHICLE WEIGHT ITEMS 15. Vehicle Curb Weight 9,990 16. Vehicle Cargo Weight 0,000 OTHER DATA 17. Vehicle Special Use (This Trip) RECONSTRUCTION DATA (COMPLETED BY THE ZONE CENTER) 18. Impact Speed +999 19. Accuracy Range of Impact Speed Estimate 9

0

1

PRECRASH DATA (continued) 23. Critical Precrash Event 80 24. Attempted Avoidance Maneuver 01 25. Precrash Stability After Avoidance Maneuver 1 26. Precrash Directional Consequences of Avoidance Manuver (Corrective Action) 1

ENV:	IRONMENTAL DATA	
27.	Relation to Junction	3
28.	Trafficway Flow	1
29.	Number of Travel Lanes	2
30.	Roadway Alignment	1
31.	Roadway Profile	1
32.	Roadway Surface Type	2
33.	Roadway Surface Condition	1
34.	Traffic Control Device	0
35.	Traffic Control Device Functioning	O
36.	Light Conditions	5
37.	Atmospheric Conditions	1
(°)		

Final UPDAFE 97 PAPARAL COMPLE

1

PSU40 CASE 629F 1996 PEDESTRIAN ACCIDENT FORM

IDENTIFICATION

3. Number of General Vehicle Forms Submitted

4. Date of Accident (Month, Day, Year)

5. Time of Accident (military time)

SPECIAL STUDIES - INDICATORS

6. SS15 0 7. SS16 1 8. SS17 0 9. SS18 0 10. SS19 0

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident 01

PSU40 CASE 629P

1996 PEDESTRIAN ACCIDENT FORM

PEDESTRIAN ACCIDENT EVENTS

Accident		enn	General	Veh. Num.	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	General Area of Damage	
Sequence Number	Vehicle Number	Class of Vehicle	Area of Damage	or Obj. Cont.	Class of Vehicle		
		was per sent to be app and the sent to be					
12. 01	13. 01	14. 15	15. F	16. 72	17. 00	18. 0	

PSU40 1996 PEDESTRIAN ASSESSMENT FORM CASE 629P VEHICLE 01 PEDESTRIAN 01

PEDESTRIAN'S CHARACTERISTICS	
4. Pedestrian's Age	07
5. Pedestrian's Sex	1
6. Pedestrian's Overall Height	122
7. Pedestrian's Height - Ground to Knee	34
8. Pedestrian's Height - Ground to Hip	071
9. Pedestrian's Height - Ground to Shoulder	100
10. Pedestrian's Weight	020
PEDESTRIAN'S PRE-AVOIDANCE ACTIONS	
11. Pedestrian's Attitude	1
12. Pedestrian's Motion	3
13. Pedestrian's Actions Relative to Vehicle	01
14. Pedestrian's Body (Chest) Orientation Relati	ve
to Striking Vehicle Prior to Avoidance Actio	ns 4

PEDESTRIAN'S AVOIDANCE ACTIONS 15. Pedestrian's First Avoidance Actions	13
PEDESTRIAN'S ORIENTATION AT IMPACT 16. Pedestrian's Head Orientation at Initial Impact 17. Pedestrian's Body (Chest) Orientation at Initial Impact 18. Pedestrian's Arm Orientation at Initial Impact 19. Pedestrian's Leg Orientation at Initial Impact	3 4 08 03
20. Vehicle/Pedestrian's Interaction OFFICIAL RECORDS	08
21. Police Reported Alcohol Presence For Pedestrian 22. Alcohol Test Result For Pedestrian 23. Police Reported Other Drug Presence For Pedestrian 24. Other Drug Specimen Test Result For Pedestrian	0 96 0 0

INJURY CONSEQUENCES	
25. Injury Severity (Police Rating)	1
26. Treatment - Mortality	<u>::</u> -
27. Type of Medical Facility (for Initial Treatment)	2
28. Hospital Stay	00
29. Working Days Lost	97
(COMPLETED BY THE ZONE CENTER)	
30. Glasgow Coma Scale Score	15
31. Was the Pedestrian Given Blood?	1
32. Arterial Blood Gases	01
33. Time to Death	00
34. 1st Medically Reported Cause of Death	00
35. 2nd Medically Reported Cause of Death	00
36. 3rd Medically Reported Cause of Death	00
37. Number of Recorded Injuries for This Pedestrian	02
01	

PSU40 1996 PEDESTRIAN INJURY FORM CASE 629P

VEHICLE 01 PEDESTRIAN 01

PEDESTRIAN INJURY DATA

		Body	Anat.	Spec. Anat. Struc.	of	AIS	Asp.	Inj.	Conf.	Dir./ Indir. Inj.	Str.	o f	Dma.
01. 02.	3 7	8 8	9 9	02 04		1 1		700 700	Ţ Ţ	1	2	2	2

1996 PEDESTRIAN GENERAL VEHICLE FORM

VEHICLE IDENTIFICATION 4. Vehicle Model Year 97 5. Vehicle Make 12 6. Vehicle Model 481 7. Body Type 31 1FTDX172XVN 8. Vehicle Identification Number OFFICIAL RECORDS 9. Folice Reported Travel Speed 999 10. Speed Limit 048 11. Police Reported Alcohol Presence For Driver 0 12. Alcohol Test Result For Driver 96 13. Police Reported Other Drug Presence 0 14. Other Drug Specimen Test Result for Driver 0

VEHICLE WEIGHT ITEMS 15. Vehicle Curb Weight 16. Vehicle Cargo Weight	1,840 0,000
OTHER DATA 17. Vehicle Special Use (This Trip)	0
RECONSTRUCTION DATA (COMPLETED BY THE ZONE CE 18. Impact Speed 19. Accuracy Range of Impact Speed Estimate 20. Data Source of Impact Speed	NTER) +999 9 0
PRECRASH DATA 21. Driver's Attention to Driving 22. Pre-Event Vehicle Movement	1 01

PRECRASH DATA (continued) 23. Critical Precrash Event 24. Attempted Avoidance Maneuver 25. Precrash Stability After Avoidance Maneuver 26. Precrash Directional Consequences of Avoidance Manuver (Corrective Action)

ENVIRONMENTAL DATA 27. Relation to Junction 3 28. Trafficway Flow 1 29. Number of Travel Lanes 2 30. Roadway Alignment 1 31. Roadway Profile 1 32. Roadway Surface Type 2 33. Roadway Surface Condition 1 34. Traffic Control Device 35. Traffic Control Device Functioning () 0 36. Light Conditions 37. Atmospheric Conditions 1 01

PSU40 CASE 629P VEHICLE 01

1996 PEDESTRIAN EXTERIOR VEHICLE FORM

1

VEH:	ICLE DIMENSIONS	
4.	Original Wheelbase	353
5.	Original Average Track Width	999
6.	Hood Material	1.
7.	Hood Original Equip. Manufacturer	1
8.	Hood Length	103
9.	Hood Width Forward Opening	160
10.	Hood Width Midway	160
11.	Hood Width Rear Opening	168
12.	Hood/Fender Vertical/Lateral	

Crush From Pedestrian 13. Windshield Contact Damage From

13. Windshield Contact Damage From Pedestrian Contact O

FRONT CONTACT DAMAGE

044	17. Front Bumper-Top Height	1 070 15
099 211		110 228 108

SIDE CONTACT DAMAGE

SIDE VERTICAL MEASUREMENTS

26.	Ground Clearance	000
27.	Side Bumper-Bottom Height	000
28.	Side Bumper-Top Height	000
29.	Centerline of Wheel	000
30.	Top of Tire	000
31.	Top of Wheel Well Opening	000
32.	Bottom of A-Pillar at Windshield	000
33.	Top of A-Pillar at Windshield	000
34.	Top of Side View Mirror	000

SIDE CONTACT DAMAGE (continued)

SIDE LATERAL MEASUREMENTS

35.	Centerline	to	A-Pillar	at	Bottom	of Wir	ndshield	000
36.	Centerline	to	A-Pillar	at	Top of	Windsl	nield	000
37.	Centerline	to	Maximum (Side	· View M	Mirror	Protrusion	000

SIDE WRAP DISTANCE MEASUREMENTS

38.	Ground	to	Side/Top Transition	000
39.	Ground	to	Hood Edge	000
40.	Ground	to	Centerline of Hood (Origin)	000
41.	Ground	to	Head Contact	000
0				

40629P00000011	04000000000115370100001
000000000000000 01	
40629P00010012 4339 969.	041000000000115F72000
40629P00010021 9.	04 0000000000711223407110002013014133408030809600142009715
1010000000002	
40629P00010131 9.	04 00000000038902021170011222
	.04 00000000078904021170011222
40629P01000041 9.	04 0000000009712481311FTDX172XVNB 99904809600184000099
9901018001113121121005	51
40629P01000051 9.	04 0000000003539991110316016016810110440700991509911021122
8318108000000000000000	000000000000000000000000000000000000000
40629P999999900000000	000000000000000000000000000000000000000
0000000000000	

PSU40 CASE 629P

CURRENT VERSION: 9.04

ERROR SUMMARY SCREEN PEDESTRIAN STUDY

FORM NAME	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	n	0	V
	-	.	-	ı
Pedestrian Assessment	\circ	0	O	Υ
Pedestrian Injury	\circ	O	0	Y
Pedestrian General Vehic	le o	0	0	Υ
Pedestrian Exterior Vehi	cle O	0	O	Υ
Total Inter Errors		0	0	
Total Case Errors	٥	0	\circ	