



U.S. Department of Transportation

National Highway Traffic Safety Administration

# Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).


If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

\*\*\* \*\*\* \*\*\*



AUTO SAFETY HOTLINE (800) 424-9393 Wash, D.C. Area 366-0123



# PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

**PSU** 82

**CASE NO.** 633 P

TYPE OF ACCIDENT <u>CAR/PEDESTRIAN</u> IN ROADWAY

# A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

Vehicle #1 was southbound in lane 2 of a 4-lane, 2-way street.

A pedestrian crossed the roadway westbound midblock of the street.

The left side and front corner of Vehicle #1 impacted the pedestrian \$ and her right lowers leg was run over. Driver of Vehicle #1 locked up the brakes to final rest and pedestrian fell to the ground and laid near the back left corner of Vehicle #1.

Front bumper + left front fender

B. PEDESTRIAN PROFILE							
Pedestrian			Treatment/		Most (TO BE COMPLE	Severe	Injury ZONE CENTER)
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source
01	24	Female	Hospitalized	Lower. Extremity	Skeletal	3	Bumper

### **Body Region** Type of Anatomic Structure Head Whole Area Face Vessels **Throat** Nerves Chest **Organs** Abdomen/Pelvis Skeletal Spine Head-LOC **Upper Extremity** Skin-Burn **Lower Extremity** Skin-Other External

# **Abbreviated Injury Scale**

- (1) Minor injury (2) Moderate injury (3) Serious injury
- (4) Severe injury
- (5) Critical injury
- (6) Maximum (untreatable)
- (7) Injured, unknown severity

	C. VEHICLE PROFILE							
	Class		Most Severe Damage Based on Vehicle Inspection					
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description				
01	Compact	95/Ford/Mustang	Front <del>Left</del>	Minor - smears, smudge				



**ACCIDENT COLLISION DIAGRAM** 

NATIONAL ACCIDENT SAM PEDESTRIAN CRASH SYSTEM A STUDY

National Highway Traffic Safety Administration Indicate PSU No. <u>6</u> Case Number-Stratum 633 P North baking lane 99 99 Reference H. FΔ



U.S. Department of Transportation

# **ACCIDENT COLLISION DIAGRAM**

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM National Highway Traffic Safety Administration Indicate PSU No. Case Number-Stratum North

# U.S. Department of Transportation National Highway Traffic Safety Administration

# PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

gen in agraduating proceditions in applications

Primary Sampling Unit Number 5		Case I	Number-S	Stratum 6 33 P
PEDESTRIAN ACCIDENT COLL	LISION DATA CO	DLLECTION	l	SCALED DIAGRAM
document reference point and reference line relative to physical features	Surface Type	Concreto	* north	arrow placed on diagram
documentation of all accident induced physical evidence including (if applicable):	Surface Condition	par		e measurements for all applicable ways
a) vehicle skid marks	Coefficient of Frict	ion <u>\$6</u>	* scale	od representations of the physical plant ding:
b) pedestrian contacts with ground or object	Grade (v/h) Measu	rement (		all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)
c) vehicle/pedestrian point of impact (POI)	a) at impaci	<u> </u>	b) a	all traffic controls (e.g., lights, signs)
d) location of pedestrian separation point from vehicle	b) between final rest	impact and $\frac{1}{\sqrt{3}}$	pede	ed representations of the vehicle and estrian at pre-impact, impact, and final based upon either:
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Travel	Direction Woot	а) ј	physical evidence, or
documentation of the physical plant including:	Vehicle Travel Dire	ection Somula	b) ı	reconstructed accident dynamics
all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)	Number of Travel	Lanes 4		
b) all traffic controls (e.g., lights, signs)				
Reference Point: Light Pro	<b>#</b>	Reference Line: We	31 O	
Item		Distance and Direction from Reference Point		Distance and Direction from Reference Line
(1) Lock up Skil Ma	VR			
L.F. TIR	e Begins	5.SS		5.8E 5.8E
11 11	End	- Ilio S		5.8E
Redestrian Final foot	Bood			
		7.6 <b>S</b>		6.3E
47	Stains	7.8 <b>S</b>		6.4E
approximate POI		6.85		

# PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

2. Case Number - Stratum

# **IDENTIFICATION**

3. Number of General Vehicle Forms Submitted

0 1

4. Date of Accident (Month, Day, Year)



5. Time of Accident

Code reported military time of accident.

NOTE: Midnight = 2400

Unknown = 9999

# SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. \_\_\_\_SS15 Administrative Use

7. SS16 Pedestrian Crash Data Study 1

8. SS17 Impact Fires

\_0\_

SS18

0

\_SS19 10.

0

# NUMBER OF EVENTS

Number of Recorded Events in This Accident

0 1

# PEDESTRIAN STUDY CRITERIA

### **Pedestrian Definition:**

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

### Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS							
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage	
12. <u>0</u> <u>1</u>	13. <u>0 1</u>	14. <u>Q</u> 2	15. A	16. <u>7 2</u>	17. <u>0 0</u>	18. <u>0</u>	

# CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

# CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

# CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

# U.S. Department of Transportation

# PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

National Highway Traffic Safety

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY Administration 1. Primary Sampling Unit Number 10. Pedestrian's Weight Code actual weight to the nearest kilogram. 2. Case Number - Stratum (999) Unknown pounds X .4536 = \_\_\_\_ kilograms Pedestrian Number PEDESTRIAN'S CHARACTERISTICS PEDESTRIAN'S PRE-AVOIDANCE ACTIONS 11. Pedestrian Attitude 4. Pedestrian's Age Code actual age at time of accident. (1) Standing (00) Less than one year old (specify by month): (2) Crouching (3) Kneeling (97) 97 years and older (4) Bending at waist (99) Unknown (8) Other (specify): (9) Unknown 5. Pedestrian's Sex 12. Pedestrian Motion (1) Male (0) Not moving (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (1) Walking slowly (4) Female - pregnant-2nd trimester (4th-6th month) (2) Walking rapidly (5) Female - pregnant-3rd trimester (7th-9th month) (3) Running or jogging (6) Female - pregnant-term unknown (4) Hopping (9) Unknown (5) Skipping (6) Jumping 6. Pedestrian's Overall Height (7) Falling/stumbling or rising Code actual height to the nearest (8) Other (specify):\_\_\_\_\_ centimeter. (9) Unknown (999) Unknown \_\_\_\_\_ inches X 2.54 = \_\_\_\_ \_\_ centimeters 13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight 7. Pedestrian's Height - Ground to Knee (02) Crossing road, diagonally Code to the nearest (03) Moving in road, with traffic centimeter. (04) Moving in road, against traffic (999) Unknown (05) Off road, approaching road (06) Off road, going away from road \_\_\_\_ inches X 2.54 = \_\_\_\_ centimeters (07) Off road, moving parallel (08) Off road, crossing driveway 8. Pedestrian's Height - Ground to Hip (09) Off road, moving along driveway Code to the nearest (98) Other (specify): \_\_\_\_\_ centimeter. (99) Unknown (999) Unknown inches X 2.54 = \_\_\_\_ centimeters 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to **Avoidance Actions** 9. Pedestrian's Height - Ground to Shoulder Facing vehicle (1) Code to the nearest Facing away (2) centimeter. Left side to vehicle (3) (999) Unknown Right side to vehicle (4) inches X 2.54 = \_\_\_\_ centimeters Other (specify):

Unknown

# PEDESTRIAN'S AVOIDANCE ACTIONS

- 15. Pedestrian's First Avoidance Actions
- QQ
- (00) No avo dance actions(01) Stopped
- (02) Accelerated pace
- (03) Ran away (along vehicle path)
- (04) Jumped
- (05) Turned toward vehicle
- (06) Turned away from vehicle
- (07) Dove or fell away

# Used hand(s) to:

- (11) Vault corner of vehicle
- (12) Vault onto vehicle
- (13) Brace against vehicle
- (14) Crouched and braced hands against vehicle
- (98) Other (specify): \_\_\_\_\_
- (99) Unknown


# PEDESTRIAN'S ORIENTATION AT IMPACT

- 16. Pedestrian's Head Orientation at Initial Impact
- 1

- (1) To front
- (2) To left
- (3) To right
- (4) Up
- (5) Down
- (8) Other (specify):\_\_\_
- (9) Unknown
- 17. Pedestrian's Body (Chest) Orientation at Initial Impact



- (1) Facing vehicle
- (2) Facing away
- (3) Left side to vehicle
- (4) Right side to vehicle
- (8) Other (specify):\_\_
- (9) Unknown



- 18. Pedestrian's Arm Orientation at Initial Impact
  - npact
  - (01) At sides
  - (02) Folded across chest
  - (03) Hands clasped behind back
  - (04) Hands on hips
  - (05) Hands in pockets

## One or both arms:

- (06) Extended upward
- (07) Extended to side
- (08) Extended forward bracing
- (09) Extended, holding object (briefcase, suitcase, etc.)
- (10) Holding object (young child, grocery bag, etc.) in arm(s)
- (11) Holding object (young child, grocery bag, etc.) on shoulder(s) or head
- (98) Other (specify):\_
- (99) Unknown
- 19. Pedestrian's Leg Orientation at Initial Impact



- (02) Apart-laterally
- (03) Apart-right leg forward
- (04) Apart-left leg forward
- (05) Apart- forward leg unknown
- (06) Left foot off the ground
- (07) Right foot off the ground
- (08) Both feet off the ground
- (98) Other (specify):\_\_\_\_
- (99) Unknown
- 20. Vehicle/Pedestrian's Interaction
  - (01) Carried by vehicle, wrapped position
  - (02) Carried by vehicle, slid to windshield
  - (03) Carried by vehicle, position unknown
  - (04) Passed over vehicle top
  - (05) Thrown straight forward
  - (06) Thrown forward and left of vehicle
  - (07) Thrown forward and right of vehicle
  - (08) Knocked to pavement, forward
  - (09) Knocked to pavement, left of vehicle
  - (10) Knocked to pavement, right of vehicle
  - (11) Knocked to pavement, run over or dragged by vehicle
  - (12) Shunted to left (corner impacts only)
  - (13) Shunted to right (corner impacts only)
  - (14) Bumped or pushed aside
  - (15) Snagged, rotated
  - (16) Snagged, dragged by vehicle
  - (17) Foot or legs run over
  - (98) Other (specify):\_\_\_\_\_
  - (99) Unknown

03

12

OFFICIAL RECORDS	INJURY CONSEQUENCES
	2
21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	(6) Died prior to accident (9) Unknown  26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source:	Nonfatal (3) Hospitalization
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported	(4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify):  (9) Unknown
(9) Unknown  24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify):
	28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
	29. Working Days Lost  Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOP - VARIABLES 30 THROUGH 37 AR	RECOMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured  31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given  32. Arterial Blood Gases (ABG) – HCO3 (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO3 (96) ABGs reported , HCO3 unknown (97) Injured, details unknown (99) Unknown if injured  33. Time to Death  Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	34. 1st Medically Reported Cause of Death  35. 2nd Medically Reported Cause of Death  Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death  (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify):  (97) Other result (includes fatal ruled disease) (specify): (99) Unknown  37. Number of Recorded Injuries for This Pedestrian  Code the actual number of injuries recorded for this pedestrian.  (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORD  NO [V]  UPDATE CANDIDATE	OS INCLUDED WITH INITIAL SUBMISSION?  YES [ ]  NO [ ] YES [V]

Administration

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

8 <u>2</u> 2

3. Pedestrian Number

0 1

2. Case Number - Stratum

P 4. Blank

<u>X</u> <u>X</u>

# **INJURY DATA**

Record below the actual injuries sustained by this pedestrian in **CHRONOLOGICAL** order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90					Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. <u>3</u>	6. <u>8</u>	<u>7. 9</u>	8.02	9. <u>0 2</u>	- 10. <u>L</u>	11	12. 700	13. <u>/</u>	14	15. 2	16. 2	17.2
2nd	2 18:	19. <u>8</u>	20. <u>5</u>	21. <u>l b</u>	22. <u>  O</u>	23. 2	24. <u> </u>	<sub>25.</sub> 700	26. 👤	27. 1	<sub>28.</sub> _2	- <sub>29</sub> , <b>Z</b> -	- <sub>30.</sub> _2
3rd	31.2	32. <u>8</u>	33. <u>5</u>	34. <u>3 4</u>	35. <u>2-2</u>	. <sub>36.</sub> <u>3</u>	37. <u>/</u>	38, <u>70</u> 0	39. <u>/</u>	46	41	- <sub>42.</sub> <u>Z</u>	- <sub>43.</sub> <u>Z</u>
4th	44	45. <u>8</u>	46. 9	47. <u>06</u>	48. 0 2			51. <u>70</u>			<sub>54.</sub> 2	- <sub>55.</sub> <u>2</u>	/ <sub>56.</sub> _2
5th	<sub>57.</sub> <u>Z</u>	586	59. <u>9</u>	<sub>60,0</sub> 2	61. <u>0 }</u>			64. <u>7</u> 9 1			67. <u>2</u>	68	69
6th	<sub>70.</sub> Z	71. <u>8</u>	72. <u>5</u>	73. <u>2</u> <u>2</u>	-74. <u>0</u> <u>0</u>	) 75. <u>J</u> .	-76. <u> </u>	77. <u>79 C</u>	) 78. <u> </u>	79. <u>/</u>	80. 2	81. <u>2</u>	82. 2
7th	83	84.	85	86	87	88	89	90:	91	92	93:	94	95
8th	96.	97	98	99	100	101	102	103	104	105	106	107	108
9th	109	110	111	112	113	114	115	116	_ 117	118	119	120	121,
l Oth	122	123	124	125	126	127	128	129	130	131	132	133	134

HS Form 04351 (10/95)

This report is authorized by P.L. 89-563, Title 1, Section 106, 108, and 112. While you are not required to respond, your cooperation is needed to make the results of this data collection effort comprehensive, accurate, and timely.


				PEDES	STRIA	ULMI V	RY DAT	A				
Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1th												
2th	_											
3th									-			—
4th												<u> </u>
1일의 - 12년 1일 - 12일 - 12일 1일 - 12일 - 12												
5th						<del></del>		_				-
6th												-
7th												
r Maria di Para di Maria Maria di Maria												
8th	-					-						
9th	is and the second of the secon							<u></u> -				-
Oth		<del></del>			-						<del></del> -	
1st												
			<del></del>			<del></del>		_				
2nd												
						<del></del>		_				
3rd												
4th												<u></u>
5th												


.

...

### INJURY SOURCE CONFIDENCE LEVEL TYPE OF DAMAGE SOURCE OF INJURY DATA (1) Certain (2) Probable (0) Injury not from vehicle contact OFFICIAL No damage/contact (1) Autopsy records with or without hospital/ Possible Scratch (Scuff, Cloth Transfer, Smear) medical records (9) Unknown (3) Dent (2) Hospital/medical records other than Large deformation **DIRECT/INDIRECT INJURY** emergency room (e.g., discharge Cracked, fractured, shattered (1) Direct contact injury(2) Indirect contact injury summary) (6) Separated from vehicle (3) Emergency room records only (including (7) Noncontact injury Noncontact injury associated X-rays or other lab reports) Other specify: (8) (7) Injured, unknown source (4) Private physician, walk-in or emergency Unknown STRIKING PROFILE Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥15 centimeters) Rounded (contoured) **DAMAGE DEPTH** (0) Injury not from vehicle contact UNOFFICIAL (1) No residual damage (5) Lay coroner report Surface only damage Crush depth >0 to 2 centimeters (6) E.M.S. personnel (3)Rounded edge (7) Interviewee Crush depth > 2 to 5 centimeters Crush depth > 5 to 10 centimeters Sharp edge Other (specify): Other source (specify): Other specify:\_ (9) Police (9) Unknown (9) Unknown PEDESTRIAN INJURY CLASSIFICATION Specific Anatomic Structure Spine (02) Cervical (04) Thoracic Abbreviated Injury Scale **Body Region** Minor injury Whole Area (02) Skin - Abrasion (04) Skin - Contusion Head (06) Lumbar (2) (3) (4) Moderate injury Serious injury (2) Face (3) (4) (5) Neck (06) Skin - Laceration Vessels, Nerves, Organs, Bones, Joints Severe injury Thorax (08) Skin - Avulsion are assigned consecutive (5) Critical injury Abdomen (10) Amputation numbers beginning with 02 (6) Maximum (untreatable) (6) Spine Injured, unknown severity (20) Burn (7) **Upper Extremity** Level of Injury Lower Extremity (30) Crush (8) **Aspect** Unspecified (9) (40) Degloving (50) Injury - NFS Specific injuries are assigned Trauma, other than mechanical consecutive (1) Right Type of Anatomic Structure two-digit numbers beginning with 02. (3) (4) Bilateral Central Whole Area (O2) Length of LOC (O4, O6, O8) Level of Consciousness To the extent possible, within the organizational framework of the AIS, 00 Vessels (5) Anterior (3) (4) Nerves is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic (6) (7) (8) Posterior Organs (includes muscles/ Superior Skeletal (includes joints) Head - LOC Inferior Unknown structure. 99 is assigned to any injury (6) NFS as to lesion or severity. Whole region **INJURY SOURCE** Wheels / tires **FRONT** 790 Left front wheel / tire 700 Front bumper 744 B pillar 701 Front lower valance/spoiler 791 Right front wheel / tire 745 C pillar 702 Front grille 746 D pillar 792 Left rear wheel / tire 748 Other pillar (specify): 793 Right rear wheel /tire 703 Hood edge and/or trim 749 Right side roof rail 750 Right side door surface 798 Other wheel / tire (specify): 704 Hood ornament (fixed) 799 Unknown wheel / tire 705 Hood ornament (spring loaded) 751 Right side door handle 706 Headlight 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 755 Right side glazing rearward of B pillar 802 Oil pan (specify): 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 804 Transmission 757 Rear fender or quarter panel 758 Other right side object 805 Drive shaft Left Side Components 806 Catalytic converter (specify): 720 Front fender side surface 759 Unknown right side component 807 Muffler 721 Front antenna 808 Floor pan 722 A1 pillar 809 Fuel tank 723 A2 pillar **Back Components** 724 B pillar 760 Rear (back) bumper 810 Rear suspension 761 Tailgate 818 Other undercarriage component 725 C pillar 762 Hatchback, vertical surface (specify): 726 D pillar 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 769 Unknown back component 729 Left side roof rail Accessories 820 Air scoop, deflector 730 Left side door surface Top Components 821 Cellular or CB radio antenna 731 Left side door handle 822 Emergency lights or bar 770 Hood surface 732 Left side mirror fixed housing 771 Hood surface reinforced by under hood 823 Fog lights 733 Left side folding mirror 824 Luggage, ski, or bike rack 825 Cargo (specify): 734 Left side glazing forward of B pillar component 772 Front fender top surface 735 Left side glazing rearward of B pillar 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 828 Other accessory (specify):\_ 738 Other left side object 775 Windshield glazing (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground 779 Rear header 948 Other object (specify): Right Side Components 740 Front fender side surface 780 Hatchback 949 Unknown object in environment 781 Rear trunk lid 959 Unknown object on contacting vehicle 741 Front antenna 997 Noncontact injury source 788 Other top component (specify): \_\_\_ 742 A1 pillar 999 Unknown injury source 789 Unknown top component 743 A2 pillar

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





Page

# OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

\_\_\_ No

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

Yes

unavailable.)

Blood Alcohol Level (mg/dl)

BAL = (), +opiates

Glasgow Coma Scale Score

GCSS = 15

Units of Blood Given

Units =

**Arterial Blood Gases** 

Ph = \_\_\_\_\_ PO<sub>2</sub> = \_\_\_\_


PCO<sub>2</sub>

HCO<sub>3</sub>

Ixdista Pfibula


2,853422.3, displayed xdista (R) libia


Ix 2 Bmotatarsal



# OFFICIAL INJURY DATA - INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)







U.S. Department of Transportation National Highway Traffic Safety

# PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

dministration	PEDESTRIAN CRASH DATA STUE
1. Primary Sampling Unit Number	OFFICIAL RECORDS
2. Case Number - Stratum 6 33 P	9. Police Reported Travel Speed 9
3. Vehicle Number	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown	mph X 1.6093 = kmph  10. Speed Limit (000) No statutory limit Code posted or statutory speed limit
5. Vehicle Make (specify):  Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual.	in kmph (999) Unknown 5 mph X 1.6093 = kmph
6. Vehicle Model (specify):  Applicable codes are found in your NASS PCDS Data Collection, Coding and	11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown
Editing Manual. (999) Unknown  7. Body Type Note: Applicable codes may be found on the back of this page.	Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number  \( \begin{align*}         \begin{align*}         & alig	Source:  13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

# **CODES FOR BODY TYPE**

# CDS APPLICABLE VEHICLES

# Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

# Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

# Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

# Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

# Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

# Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

# **OTHER VEHICLES**

### Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

### Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

# Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

### Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight  Code weight to nearest 10 kilograms.  (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown  Source:  16. Vehicle Cargo Weight  Code weight to nearest 10 kilograms.  (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown	Nearest kmph  (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown  19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown  20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation
, lbs X .4536 =, kgs	(2) Police calculation (3) Driver/witness/police estimates  PRECRASH DATA  21. Driver's Attention to Driving
17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown  STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	(Prior to Recognition of Critical Event)  (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown  22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

National Accident Sampling System-Crashworthiness Di	ata System: Pedestrian General Vehicle Form Pa
23. Critical Precrash Event	(92) Radalayalist or other nonmatorist in ready as
	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
(	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	(00) Gallor Granda programm Gveric (specify).
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	(33) GIRIOWII
	24 Attempted Avaidance Manager
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(02) Braking (no lockup)
(16) Turning right at intersection	(03) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(05) Steering oft
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	> (09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle	(99) Unknown
in lane	\ \( \tag{2.11}
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction)—over left	(0) No driver present
lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction)—over right	(2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30
(62) From opposite direction—over left lane line	degrees
	(4) Skidding laterally—clockwise rotation
(63) From opposite direction—over right lane line	(5) Skidding laterally—counterclockwise rotation
(64) From parking lane	(8) Other vehicle loss-of-control (specify):
(65) From crossing street, turning into same direction	<u> </u>
(66) From crossing street, across path	(9) Precrash stability unknown
(67) From crossing street, turning into opposite	
direction	26. Precrash Directional Consequences of
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(0) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(73) From driveway, intended path not known	maneuver was initiated
(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane
(78) Encroachment by other vehicle—details	where avoidance maneuver was initiated
unknown	(4) Vehicle stayed on roadway, not known if left
Pedestrian or Pedalcyclist, or Other Nonmotorist	travel lane where avoidance maneuver was
(80) Pedestrian in roadway	initiated
(81) Pedestrian approaching roadway	(5) Vehicle departed roadway
1017 i edestrian approaching roduway	(6) Avoidance maneuver initiated off roadway

(9) Directional consequences unknown

(82) Pedestrian—unknown location

	ENVIROI	NME	NTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area	Ø	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice
	<ul> <li>(2) Intersection</li> <li>(3) Intersection-related</li> <li>(4) Drive, alley access related</li> <li>(5) Other non-interchange (specify):</li> </ul>		(5) Sand, dirt or oil (8) Other (specify): (9) Unknown
28	<ul><li>(6) Unknown type of non-interchange</li><li>(9) Unknown if interchange</li><li>Trafficway Flow</li></ul>	1	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)
20.	<ol> <li>Not physically divided (two way traffic)</li> <li>Divided trafficway - median strip without positive barrier</li> <li>Divided trafficway - median strip with positive barrier</li> <li>One way trafficway</li> <li>Unknown</li> </ol>		Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify):
29.	Number of Travel Lanes (1) One	4	<ul> <li>(7) Warning sign (not RR crossing)</li> <li>(8) Miscellaneous/other controls including RR controls (specify):</li> <li>(9) Unknown</li> </ul>
	<ul> <li>(2) Two</li> <li>(3) Three</li> <li>(4) Four</li> <li>(5) Five</li> <li>(6) Six</li> <li>(7) Seven or more</li> <li>(9) Unknown</li> </ul>	(	(9) Unknown  35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown	_ <del> </del> 2	36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk
31.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown	<u>)</u>	(9) Unknown  37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet
32.	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify): (9) Unknown	<u>L</u>	<ul> <li>(4) Snow</li> <li>(5) Fog</li> <li>(6) Rain and fog</li> <li>(7) Sleet and fog</li> <li>(8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify):</li> <li>(9) Unknown</li> </ul>

82-633 2440F 95 mustary Fr. Nure - R. Ley 12405 buill Puck - L-ft should-Wilking rowning Trung blue Jans Tre Shirt L.ft Side fonder POI to FAP = 5.7m = 18,7 f = 0.70V(2)(18.7)(0.7)(32.2)= 29 fPS = 19.7 mph = 31.8 KPh 32KP4

Administration

# PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Vehicle Number

2. Case Number - Stratum

<b>VEHICLE</b>	<b>IDENTIF</b>	ICATION

Vehicle Make (specify):

Vehicle Model (specify):

# PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Mat

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

cm

cm

cm

cm

# **VERTICAL MEASUREMENTS**

- PEV16 Front Bumper-Bottom Height
- PEV17 Front Bumper-Top Height
- PEV18 Forward Hood Opening
- PEV19 Front Bumper Lead

038	cm
055	cm

cm

cm


cm

# **WRAP DISTANCES**

- PEV20 Ground to Forward Hood Opening
- PEV21 Ground to Front/Top Transition Point
- PEV22 Ground to Rear Hood Opening
- PEV23 Ground to Base of Windshield
- PEV24 Ground to Top of Windshield
- PEV25 Ground to Head Contact

cm cm cm cm cm

# **VEHICLE DAMAGE SKETCH**



Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) NOTES: and the front exles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front exles) from the ground:

Location of the origin (intercept point of the centerline and the front axles) from the ground:

VIN	Model Year
Vehicle Make (specify):	Vehicle Model (specify):
Hood Widths Rear Opening  Midway  Forward Opening  WRAP  Windshield  Base	Hood Material  Front Bumper Reinforcement Material  Hood Length  Bumper Lead  VERTICAL  VERTICAL
NOTES: Sketch all pedestrien contacts, include the size and depth in (lateral) and the front suice (langitudinal) in continuation, de- tire basis, direction of estadages, soulf on electronic cas.).	in contimeters. Locate the pedestrian contacts from the intercept point of the contentine members which might be blocked in reconstructing the accident (e.g., grace in
Location of the origin (intercept point of the centerline and the	

# VEHICLE DAMAGESKETCH Head Wrap Contact


NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axies (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of strictions, scuff on sidewalls, etc.).


Location of the origin (intercept point of the centerline and the front axles) from the ground:


CIT

PEDESTRIAN SIDE C	CONTACT WORK SHEET
PEV06 Hood Material	Plastic
PEV08 Hood Length	$\frac{12}{1}$ cm
PEV09 Hood Width-Forward Opening	124 cm
PEV10 Hood Width-Midway	125 cm
PEV11 Hood Width-Rear Opening	126 cm
VERTICAL N	MEASUREMENTS
PEV26 Ground Clearance	019 cm
PEV27 Side Bumper-Bottom Height	$\overline{0}\overline{2}\overline{4}$ cm
PEV28 Side Bumper-Top Height	<u>057</u> cm
PEV29 Centerline of Wheel	$\overline{\bigcirc}$ $\overline{3}$ $\overline{1}$ cm
PEV30 Top of Tire	<u>062</u> cm
PEV31 Top of Wheel Well Opening	<u>○</u> → 1 cm
PEV32 Bottom of A-Pillar at Windshield	<u> </u>
PEV33 Top of A-Pillar at Windshield	127 cm
PEV34 Top of Side View Mirror	<u>102</u> cm
LATERAL N	MEASUREMENTS
PEV35 C <sub>L</sub> to A-Pillar at Bottom of Windshield	<u> </u>
PEV36 C <sub>L</sub> to A-Pillar at Top of Windshield	<u>063</u> cm
PEV37 C <sub>L</sub> to Maximum Side View Mirror Protrusion	<u>98</u> cm
WRAP	DISTANCES
DEV/29 Ground to Side/Ten Transition	08(,
PEV38 Ground to Side/Top Transition	
PEV39 Ground to Hood Edge PEV40 Ground to Centerline of Hood (ORIGIN)	
PEV41 Ground to Head Contact	$\frac{1}{9}$
1 E 4 7 1 Glouing to Head College	

# VEHICLE DAMAGE SKETCH









NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: \_\_\_\_\_ cm

	ORIGINAL SPECIFICATION	ONS
Wheelbase Overall Length	$\frac{1}{1} \frac{0}{0} \frac{1}{1} \cdot \frac{3}{5}$ inches	$x = 2.54 = \frac{3}{4} \frac{57}{6} \frac{\text{cm}}{1}$
Maximum Width Curb Weight	$\frac{1}{2}$	$\times 2.54 = \frac{1}{3} \frac{1}{9} \frac{1}{6} cm$ $\times .4536 = \frac{1}{3} \frac{1}{9} \frac{1}{6} cm$
Average Track 57.2		$\times 2.54 = 15$ cm
Front Overhang	inches	x 2.54 = cm
Rear Overhang	inches	x 2.54 = cm
Undeformed End Width	inches	x 2.54 = cm
Engine Size: cyl./disp	1 cc	$\times .001 = \underbrace{3.8} L \widehat{C}$
Dwath of Tike.	= 23 cm CID	× .0164 = L
Front Teach with :	=\530MJUBY SOURCE	motical
FRONT 700 Front bumper 701 Front lower valance/spoiler 702 Front grille 703 Hood edge and/or trim 704 Hood ornament (fixed)	744 B pillar 745 C pillar 746 D pillar 748 Other pillar (specify):	Wheels / tires 790 Left front wheel / tire 791 Right front wheel / tire 792 Left rear wheel / tire 793 Right rear wheel / tire
705 Hood ornament (treel) 705 Hood ornament (spring loaded) 706 Headlight 707 Retractable headlight door (Open/Closed) 708 Turn signal/parking lights 718 Other front or add on object (specify):	749 Right side roof rail 750 Right side door surface 751 Right side door handle 752 Right side mirror fixed housing 753 Right side folding mirror 754 Right side glazing forward of B pillar 755 Right side glazing rearward of B pillar	798 Other wheel / tire (specify): 799 Unknown wheel / tire  Undercarriage components 800 Front cross member 801 Steering assembly/Front suspension 802 Oil pan 803 Exhaust system pipe
Left Side Components 720 Front fender side surface 721 Front antenna 722 A1 pillar	757 Rear fender or quarter panel 758 Other right side object (specify):	804 Transmission 805 Drive shaft806 Catalytic converter 807 Muffler 808 Floor pan
723 A2 pillar 724 B pillar 725 C pillar 726 D pillar 728 Other pillar	Back Components 760 Rear (back) bumper 761 Tailgate 762 Hatchback, vertical surface 768 Other back component	809 Fuel tank 810 Rear suspension 818 Other undercarriage component (specify): 819 Unknown undercarriage component
(specify): 729 Left side roof rail 730 Left side door surface 731 Left side door handle 732 Left side mirror fixed housing	(specify):	Accessories  820 Air scoop, deflector  821 Cellular or CB radio antenna  822 Emergency lights or bar
733 Left side folding mirror 734 Left side glazing forward of B pillar 735 Left side glazing rearward of B pillar 736 Left side back fender or quarter panel 737 Rear antenna	771 Hood surface reinforced by under hood component 772 Front fender top surface 773 Cowl area 774 Wiper blade & mountings	824 Luggage, ski, or bike rack 825 Cargo (specify): 826 Spare tire 827 Spotlight
738 Other left side object (specify): 739 Unknown left side component  Right Side Components	775 Windshield glazing 776 Front header 777 Roof surface 778 Backlight glazing 779 Rear header	828 Other accessory (specify):  Other Object or Vehicle in Environment 947 Ground 948 Other object (specify):
740 Front fender side surface 741 Front antenna 742 A1 pillar	780 Hatchback 781 Rear trunk lid	949 Unknown object in environment 959 Unknown object on contacting vehicle 997 Noncontact injury source





Ground to Head Co	ntact
-------------------	-------

NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axise (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in the bead, direction of strictions, souff on eidewalls, etc.).

Location of the origin (intercept point of the centerline and the front sides) from the ground: 176

	POINTS OF PEDESTRIAN CONTACT								
		-		PEDEST	RIAN CONTA	CT WORKSH	ET.		
	CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT ( <i>Circle)</i>	SEQUENCE #
8	A	Bunger	111 to 116	-51 to-61	0	Q Leg	Blue scuff	1 2 3 9	(
٥	T	5383	154	-08	0	13 12 14 14 14 15 15 15 15 15 15 15 15 15 15 15 15 15	smean	<b>√</b> 2 3 8	6
	K	٧ <i>١</i> ,	69	-131	0	",	. "	2 3 9	7
٩	W	Hacklight	36	- <del>}</del> 2	0	(2) لعبها	Smile	(1) 2 1 8	7)
	P	SideBinga	, 78	113	0	D Kree 1	Blue Jeans	N 2 3 9	4
	N	9 2	40	190	0	10 14	( ) JA )	V233	4
	R		37 +" -35	170 <u>te 110</u>	OB)	rost/ple	3011	1 2 3 9	5
	~~~~	Drag	4	-98	0	والمساك	Scatter 14	13233	Q
	D	" ",	-39	-84	<u> </u>	Hemond	" "	1 2 3 9	6
		Ofenley	-/0	-84	3		streen/street/	1 2 3 3 5	4
	M	11 11	-50	-109	0	Hamp	h h	1 2 3 9	<u></u>
	L	SIDE BOX	-82	-07-	0	P 11	وبنعيار كيميار	1 1/2 2 2	<del>)</del>
								1 2 3 9	
								1 2 2 9	
								1 2 3 9	
								1 2 3 9	
								1 2 3 9	
								1 2 3 9	
***								1 2 3 9	
								1 2 3 9	
*								1 2 3 9	
***************************************								1 2 1 9	
								1 2 3 9	
								1 2 3 9	
								1 2 3 9	

# POINTS OF PEDESTRIAN CONTACT -- PEDESTRIAN # 1

# PEDESTRIAN CONTACT WORKSHEET PAGE

CONTACT I D LABEL	COMPONENT CONTACTED (CODE or OBJECT)	LONGITUDINAL	LATERAL LOCATION	CRUSH IN CM	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT
- A	Bunke	111/6/16	-51 +.61"		L) Leg	Blue Jeans Street	1) 2 3 9
1	Side	134	-48		meen.	10	1 2 3 9
	Briter	109	\$ 139)		Lown /	<b>9</b>	1 2 3 9
W.	1 deadlight	18:00	-72		Sundye street		1 2 3 9
1	Sille	75	I-57		OV.	Blue Jean	1 2 3 9
1	pmpe	46	I-50		Preg	scuff	1 2 3 9
	Tiee	32-10-32	T-0		Foot ankle	smoor swils	1 2 3 9
E.	(L) Fender	2	-93		1 - 6.	scratch scullo	1 2 3 9
1	18/0	-37	~84		Gemy	Streak	1 2 3 9
S	Deorde	-10	1-83		NE THE		1 2 3 9
11 V '	× - 0 0	-60	I-68		som/	smen Stacks	1 2 3 9
	Sille Door	-82	I-73		Homes	standed	1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
		-					1 2 3 9
							1 2 3 9
			**				1 2 3 9
				<del></del>			1 2 3 9
							1 2 3 9
							1 2 3 9
tyst, wolfans, it							1 2 3 9
				,			1 2 3 9
<b>.</b>							1 2 3 9
							1 2 3 9



1 2 3 9

V. 34

### POINTS OF PEDESTRIAN CONTACT CHRONOLOGICAL ORDER OF CONTACTS LONGITUDINAL LATERAL COMPONENT CRUSH CONFIDENCE LEVEL OF CONTACT CONTACTED LOCATION LOCATION SUSPECTED SUPPORTING PHYSICAL EVIDENCE CONTACT POINT CODE CENTIMETERS (Y) **BODY REGION** 111 to 116 R. les 1 A Blue Seem -51 to 2 3 9 700 0 1. \*\* 200 (T) i i i" 1. 11 フッつ 0, **3** 2. 3 9 10 ( VIA 700 ı, *f*. ., ٠. (1)2 3 9 +3,2032 R. Fost 0 5 R 790 2 3 9 170 P. Foor . 2 Q2 3 8 /, ں 77 7 1 2 3 9 1 2 3 8 1 2 3 9 18 1 2 3 9 11 1 2 3 9 12 1 2 3 9 13 1 2 3 9 14 1 2 3 9 15 1 2 3 9 1 2 3 9 18 17 1 2 3 9 18 1 2 3 9 1 2 3 9 19 20 1 2 3 9 1 2 3 9 21 1 2 3 9 1 2 3 9 23 1 2 3 8 24


25

VEHICLE DIMENSIONS	120
4. Original Wheelbase Sode to the	11. Hood Width Rear Opening  Code to the nearest centimeter
nearest centimeter (999) Unknown	(210) 210 centimeters or more (999) Unknown
	inches X 2.54 = centimeters
5. Original Average Track Width  Code to the nearest centimeter	12. Hood/Fender Vertical/Lateral Crush From Pedestrian (0) Not damaged (1) Surface scratching only, no residual crush
(185) 185 centimeters or more (999) Unknown $\underline{59.85}_{\text{inches } \times 2.54} = \underline{152}_{\text{centimeters}}$	<ul><li>(2) Minor crush (1-3 centimeters)</li><li>(3) Moderate crush (4-7 centimeters)</li></ul>
	<ul> <li>(4) Severe crush (&gt;7 centimeters)</li> <li>(8) Damage present, unknown if damage is from pedestrian impact</li> </ul>
6. Hood Material	(9) Unknown
(1) Plastic (2) Fiberglass	13. Windshield Contact Damage From Pedestrian Contact
(3) Steel (4) Aluminum	(O) Not contacted by pedestrian
(5) Stainless Steel	<ul><li>(1) Contacted by pedestrian - not damaged</li><li>(2) Contacted by pedestrian - damaged</li></ul>
(8) Other (specify):(9) Unknown	(3) Unknown if contacted by pedestrian - not
7	damaged (4) Unknown if contacted by pedestrian -
7. Hood Original	damaged
Equipment Manufacturer (OEM) (1) OEM factory installed hood	(9) Unknown if contacted by pedestrian -
(2) OEM replacement	unknown if damaged
(3) Non-OEM replacement (9) Unknown	FRONT CONTACT DAVIAGE
1 2	Eront Vertical Measurements
8. Hood Length	
Code to the	
nearest centimeter	14. Front Bumper Cover Material Y
nearest centimeter (180) 180 centimeters or more	(0) No front contact
nearest centimeter (180) 180 centimeters or more (999) Unknown	(0) No front contact
nearest centimeter (180) 180 centimeters or more	(0) No front contact (1) Plastic
nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter  9. Hood Width Forward Opening Code to the	(0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown
nearest centimeter (180) 180 centimeters or more (999) Unknown	(0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact
nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter  9. Hood Width Forward Opening Code to the	(0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel
nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter  9. Hood Width Forward Opening Code to thenearest centimeter (210) 210 centimeters or more (999) Unknown	(0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
nearest centimeter (180) 180 centimeters or more (999) Unknown	(0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):
nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =centimeter  9. Hood Width Forward Opening Code to thenearest centimeter (210) 210 centimeters or more (999) Unknowninches X 2.54 =centimeters  10. Hood Width Midway	(0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
nearest centimeter (180) 180 centimeters or more (999) Unknown	(0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height
nearest centimeter  (180) 180 centimeters or more  (999) Unknown	(0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
nearest centimeter  (180) 180 centimeters or more  (999) Unknown	(0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height  Code to the  nearest centimeter (000) No front contact
nearest centimeter  (180) 180 centimeters or more  (999) Unknown	(0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height Code to the nearest centimeter

17. Front Bumper-Top Height  Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown	23. Ground to Base of Windshield  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown
18. Forward Hood Opening  Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	24. Ground to Top of Windshield  Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
Erone Miran Distance Managements	SIDE CONTACT DAMAGE
Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
Front Wrap Distance Measurements  20. Ground to Forward Hood Opening  Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown  inches X 2.54 = centimeters	SIDE CONTACT DAMAGE  Side Vertical Measurements  26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
20. Ground to Forward Hood Opening  Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Side Vertical Measurements  26. Ground Clearance  Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more

29.	Centerline of Wheel	(	Side Lateral Measurements
	Code to the	<del>\</del>	
	nearest centimeter (000) No side contact		35. Centerline to A-Pillar
	(150) 150 centimeters or more		at Bottom of Windshield
	(999) Unknown		(000) No side contact
		l	Code to the nearest centimeter
	inches X 2.54 = centimeters	!	(250) 250 centimeters or more
	$\mathcal{O}($		(999) Unknown
30.	Top of Tire	<u> </u>	teches V 2 E4
	Code to the		inches X 2.54 = centimeters
	nearest centimeter (000) No side contact		$\omega(2)$
	(200) 200 centimeters or more		36. Centerline to A-Pillar
	(999) Unknown		at Top of Windshield
			Code to the nearest centimeter
	inches X 2.54 = centimeters		(000) No side contact
		1	(250) 250 centimeters or more
31.	Top of Wheel Well Opening	<u> </u>	(999) Unknown
	Code to the		. inches X 2.54 = centimeter
	nearest centimeter (000) No side contact		
	(250) 250 centimeters or more		097
	(999) Unknown		37. Centerline to Maximum Side
			View Mirror Protrusion Code to the
	inches X 2.54 = centimeters	_	nearest centimeter
22	Bottom of A-Pillar at Windshield	1	(000) No side contact
JZ.	Code to the	+	(300) 300 centimeters or more
	nearest centimeter	!	(999) Unknown
	(000) No side contact		inches X 2.54 = centimeter
	(250) 250 centimeters or more (999) Unknown	ا	
	(000) Challetti	١	Side Wrap Distance Measurements
	inches X 2.54 = centimeters	١	
	` ~ ′	<b>`</b>	
33.	Top of A-Pillar at Windshield	<b>ヤ</b> 「	38. Ground to Side/Top Transition $\bigcirc \underline{\delta} \underline{\phi}$
<b>.</b>	Code to the	_ <u>k</u>	Code to the nearest centimeter
	nearest centimeter		(000) No side contact
	(000) No side contact		(400) 400 centimeters or more
	(300) 300 centimeters or more (999) Unknown		(999) Unknown
	(GOO) C.I.K.I.G.VII.		inches X 2.54 = centimeters
	inches X 2.54 = centimeters	ا	
	1 4 7	\	1 ()(a)
34.	Top of Side View Mirror	ノ	39. Ground to Hood Edge Code to the
	Code to the		nearest centimeter
	nearest centimeter	١	(000) No side contact
	(000) No side contact (300) 300 centimeters or more	ا	(500) 500 centimeters or more
	(999) Unknown		(999) Unknown
		١	inches X 2.54 = centimeters
	inches X 2.54 = centimeters		
		ا	

40.	Ground to Centerline of Hood  Code to the nearest centimeter (000) No side contact (700) 700 centimeters or more (999) Unknown	170	
41.	Ground to Head Contact Code to the nearest centimeter (000) No side contact (800) 800 centimeters or more (998) No head contact (999) Unknown	centimeters	
	inches X 2.54 =	_ centimeters	
	4		
			i



000000000000000 01 82633P00010012 969.001000000000102F72000 82633P00010021 9.00 000000002421574108413005012014001411031200002231059715 1010000000006 82633P00010131 9.00 00000000038902021170011222 9.00 00000000028516102170011222 82633P00010231 82633P00010331 9.00 00000000028534223170011222 82633P00010431 9.00 00000000028906021170011222 82633P00010531 9.00 00000000028902021179011222 9.00 00000000028522002179011222 82633P00010631 9.00 000000009512003011FALF45T1SF 82633P01000041 22110180033201413110011 82633P01000051 9.00 0000000002571521212112412512610110380550690907407320022 0300998019024057031062071089127102080063098086106170998

PSU82 CASE 633P

00000000000000

CURRENT VERSION: 9.00

ERROR SUMMARY SCREEN PEDESTRIAN STUDY

/96

	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	O	0	0	
Pedestrian Assessment	Ō	Õ	Ö	Ý
Pedestrian Injury	Ō	Ō	Ō	Ÿ
Pedestrian General Vehicl	<b>O</b>	0	0	Υ
Pedestrian Exterior Vehic	le o	0	0	Υ
Total Inter Errors		0	0	
Total Case Errors	O	0	0	