



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***





PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU _82__

CASE NO. 638P

TYPE OF ACCIDENT Van Turning / Pedestrian Walking

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

Vehicle one was northbound in the curb lane 5 of a one way street with lane one restricted for busses only. Vehicle one began a left turn at an intersection where the front of V1 impacted the left side of a pedestrian who was walking southbound in a crosswalk. The impact knocked the pedestrian off balance and landed on her back.

B. PEDESTRIAN PROFILE									
Pedestrian			Treatment/	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)					
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source		
01	48	female	Treated/ Released	Hip	contasio-	1	Gr. 11		


Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity

	C. VEHICLE PROFILE Most Severe Damage Based on Vehicle Inspection							
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description				
01	Van	90/Ford/Econoline	Front	Minor - smears, smudges				

DO NOT SANITIZE THIS FORM

U.S. Department of Transportation

ACCIDENT COLLISION DIAGRAM






ACCIDENT COLLISION DIAGRAM

National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Scale: 1 centimeter = __

_ meters



U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

ુંસ્

Primary Sampling Unit Number 8			Case Number	er-Stratum 6 3 P
PEDESTRIAN ACCIDENT CO	LLISION DATA C	OLLECTION		SCALED DIAGRAM
document reference point and reference line relative to physical features	Surface Type	Conc	ele ·	orth arrow placed on diagram
documentation of all accident induced physical evidence including (if applicable):	Surface Condition	, <u>Qe</u>		rade measurements for all applicable codways
a) vehicle skid marks	Coefficient of Fric	tion <u>80-</u>		caled representations of the physical plant ncluding:
b) pedestrian contacts with ground or object	Grade (v/h) Meas	surement		all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)
c) vehicle/pedestrian point of impact (POI)	a) at impa	a <u>//d/</u>	<u></u>	all traffic controls (e.g., lights, signs)
d) location of pedestrian separation point from vehicle	b) between final res	impact and	97 l	caled representations of the vehicle and edestrian at pre-impact, impact, and final est based upon either:
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Trave	Direction Som	2th a)	physical evidence, or
* documentation of the physical plant including:	Vehicle Travel Di		(d TaeM	reconstructed accident dynamics
all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)	Number of Trave	Lanes <u>L</u>		
b) all traffic controls (e.g., lights, signs)				
Reference Point: Jones of Bin	lding	Reference	Line: Sant	Curb Edge
Item			nd Direction rence Point	Distance and Direction from Reference Line
(VI) ostimated quic	le stat)		
with 1.6 M of	Impa	S		
0				
				,
			,	

Administration

National Highway Traffic Safety

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number


2. Case Number - Stratum



IDENTIFICATION

3. Number of General Vehicle Forms Submitted

4. Date of Accident (Month, Day, Year)



5. Time of Accident

Code reported military time of accident.

NOTE: Midnight = 2400 Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. ____SS15 Administrative Use

7. ____SS16 Pedestrian Crash Data Study _1

8. ____SS17 Impact Fires 0

9. ____SS18 _____ 0

10. ____SS19 ____ 0

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

0

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS									
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage			
12. <u>0</u> <u>1</u>	13. <u>0 1</u>	14.	15.	16. <u>7 2</u>	17. <u>0 0</u>	18. <u>0</u>			

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

National Highway Traffic Safety Administration

1. Primary Sampling Unit Number 2. Case Number - Stratum 3. Pedestrian Number 0 1	10. Pedestrian's Weight Code actual weight to the nearest kilogram. (999) Unknown
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown 5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month)	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify): (9) Unknown 12. Pedestrian Motion (0) Not moving (1) Walking slowly
(4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown 6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown	 (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify): (9) Unknown
7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknowninches X 2.54 =centimeters 8. Pedestrian's Height - Ground to Hip	13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway
Code to the nearest centimeter. (999) Unknowninches X 2.54 =centimeters 9. Pedestrian's Height - Ground to Shoulder Code to the nearest	(09) Off road, moving along driveway (98) Other (specify): (99) Unknown 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle
centimeter. (999) Unknown inches X 2.54 = centimeters	(2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify):

This report is authorized by P.L. 89-563, Title 1, Section 106, 108, and 112. While you are not required to respond, your HS Form 435H (7/95) cooperation is needed to make the results of this data collection effort comprehensive, accurate and timely.

entransis of the State of the S

National Accident Camping Cyclem Clarent	
PEDESTRIAN'S AVOIDANCE ACTIONS	18. Pedestrian's Arm Orientation
- 0	at Initial Impact
$\mathcal{O}(\mathcal{V})$	(01) At sides
15. Pedestrian's First Avoidance Actions	(02) Folded across chest
(00) No avoidance actions	(03) Hands clasped behind back
(01) Stopped	(04) Hands on hips
(02) Accelerated pace	(05) Hands in pockets
(03) Ran away (along vehicle path)	
(04) Jumped	One or both arms:
(05) Turned toward vehicle	(06) Extended upward
(06) Turned away from vehicle	(07) Extended to side
(07) Dove or fell away	(08) Extended forward bracing
	(09) Extended, holding object
Used hand(s) to :	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Nolding object (young child, grocery bag, etc.) on shoulder(s) or head
(14) Crouched and braced hands against vehicle	bag, etc.) of shoulder(s) of head 1-
(98) Other (specify):(99) Unknown	(99) Unknown
(99) Unknown	(33) CHRICWII
	19. Pedestrian's Leg Orientation
	at Initial Impact
PEDESTRIAN'S ORIENTATION AT IMPACT	(01) Together
PEDESTRIAN S ORIENTATION AT IMIT ACT	(02) Apart-laterally
	(03) Apart-right leg forward
	(04) Apart-left leg forward
16. Pedestrian's Head Orientation	(05) Apart- forward leg unknown
at Initial Impact	(06) Left foot off the ground
(1) To front	(07) Right foot off the ground
(2) To left	(08) Both feet off the ground (98) Other (specify):
(3) To right	(99) Unknown
(4) Up	(66) 51111111111
(5) Down	20. Vehicle/Pedestrian's Interaction
(8) Other (specify):	(01) Carried by vehicle, wrapped position
(9) Unknown	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
17 Pedestrian's Rady (Chest) Orientation	(04) Passed over vehicle top
17. Pedestrian's Body (Chest) Orientation at Initial Impact	(05) Thrown straight forward
(1) Facing vehicle	(06) Thrown forward and left of vehicle
(2) Facing away	(07) Thrown forward and right of vehicle
(3) Left side to vehicle	(08) Knocked to pavement, forward
(4) Right side to vehicle	(09) Knocked to pavement, left of vehicle (10) Knocked to pavement, right of vehicle
(8) Other (specify):	(11) Knocked to pavement, right of vehicle
(9) Unknown	dragged by vehicle
	(12) Shunted to left (corner impacts only)
	(13) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside
	(15) Snagged, rotated
	(16) Snagged, dragged by vehicle
	(17) Foot or legs run over
	(98) Other (specify):
	(99) Unknown

and the second s

lational Accident Sampling System-Crash	worthiness Dai	ta System: Pedestrian Assessment Form Page 3
OFFICIAL RECORDS		INJURY CONSEQUENCES
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 	<u>Q</u>	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given		(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify): Nonfatal (3) Hospitalization (4) Transported and released
 23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown 	Φ	(5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen,	<u></u>	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

and the second second

STOP - VARIABLES 30 THROUGH 37 AR	E COMPLETED BY THE ZONE CENTER
	er skulle kussikken er en er en er en
30. Glasgow Coma Scale (GCS) Score	34. 1st Medically Reported Cause of Death
(at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility	35. 2nd Medically Reported Cause of Death
(02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical	36. 3rd Medically Reported Cause of Death
facility. (97) Injured, details unknown (99) Unknown if injured	Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to
31. Was the Pedestrian Given Blood?	this pedestrian's death (00) Not fatal or no additional causes
(1) No - blood not given(2) Yes - blood given	(96) Mode of death given but specific injuries are not linked to cause of death. (specify):
(specify units):(9) Unknown if blood given	(97) Other result (includes fatal ruled disease)
32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured	(specify): (99) Unknown
(01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported, HCO ₃ unknown	37. Number of Recorded Injuries for
(97) Injured, details unknown (99) Unknown if injured	This Pedestrian Code the actual number of injuries recorded for this pedestrian.
33. Time to Death	(00) No recorded injuries (97) Injured, details unknown
Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24	(99) Unknown if injured
hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up	
through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease	
(99) Unknown	
ARE ALL APPLICABLE MEDICAL RECORD	S INCLUDED WITH INITIAL SUBMISSION?
	YES [4]
UPDATE CANDIDATE?	P NO[Y YES[]
	- -

National Highway Traffic Safety Administration

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

= 3<u>8</u> =

3. Pedestrian Number

0 1

2. Case Number - Stratum

P 4. Blank

<u>_X_X</u>

INJURY DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

	Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. <u>3</u>	6. <u>Y</u>	7.2	8. <u>0</u> 4	<u>,02</u>	10	12=	12. <u>70 0</u>	13. <u>L</u>	14	15. 2	16.2	1,2
2nd	18. <u>Z</u>	198	20/	21. <u>04</u>	22 0 2	- _{23.} <u> </u>	24	25. <u>70 2</u>	- _{26.} <u>/</u>	27	282_	29	30
Srd	31.	32. <u> </u>	33.5	34. <u>1</u>	35. <u>20</u>	36	37. <u> </u>	эв. <u>947</u>	39	40	410	42.0	43. <u>O</u>
4th	44.3	45	469	47. <u>0 4</u>	48. <u>6</u> <u>2</u>	49. 1	_{50.} <u>6</u>	51. 94	7 52	53	54. 🙋	_{55.} <u>O</u>	56.€
5th	57	58	59.2	60. <u>0 2</u>	61. <u>0 Z</u>	62	63. <u>6</u>	64. 947	65.	68.]	67. <u>O</u>	68. <u>D</u>	Q.ea
6th	70	71	72	73,	74	75	76	n	78	79	80	81	82
7th	83	84	85	86	87	88	89	90	91	92	93	94	95
8th	96	97	98	99	100	101	102	103	104	105	106	107	108
9th	109	110	111	112	113	114	115	116	117	118	119	120	121
10th	122	123	124	125	126	127	128	129	. 130	131	132	133	134


HS Form 0435I (10/95)

This report is authorized by P.L. 89-563, Title 1, Section 106, 108, and 112. While you are not required to respond, your cooperation is needed to make the results of this data collection effort comprehensive, accurate, and timely.

	PEDESTRIAN INJURY DATA											
Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th												
						_			_			
2th	—	—	——		—	_		_	—		—	
3th									_			_
4th						_		_	_			_
Fal												
5th	_	_	——		_	_				—	—	
6th												
7th	_					_		_		_	—	
8th												
9th	-	—			—	—		—	—	—	—	
Oth					—	_						
:1st												_
2nd												
						_						
.3rd		_				_		_			_	—
4th	—	_			_	_		_	_	_	-	—
?5th												_

INJURY SOURCE CONFIDENCE LEVEL **SOURCE OF INJURY DATA** TYPE OF DAMAGE Certain Probable (0) Injury not from vehicle contact **OFFICIAL** (1) No damage/contact (1) Autopsy records with or without hospital/ Possible Scratch (Scuff, Cloth Transfer, Smear) medical records (9) Unknown (3) Dent (2) Hospital/medical records other than Large deformation (4)emergency room (e.g., discharge DIRECT/INDIRECT INJURY Cracked, fractured, shattered (5) summary) Direct contact injury Separated from vehicle Emergency room records only (including Indirect contact injury (7) Noncontact injury Noncontact injury associated X-rays or other lab reports) (8) Other specify: Injured, unknown source (4) Private physician, walk-in or emergency (9) Unknown STRIKING PROFILE (0) Injury not from vehicle contact (1) Flat-Narrow (<15 centimeters) (2) Flat-Wide (≥ 15 centimeters) (3) Rounded (contoured) **DAMAGE DEPTH** UNOFFICIAL (0) Injury not from vehicle contact No residual damage (5) Lay coroner report Surface only damage (6) E.M.S. personnel Rounded edge (3) Crush depth > 0 to 2 centimeters (7) Interviewee Crush depth > 2 to 5 centimeters Crush depth > 5 to 10 centimeters Sharp edge Other (specify): (8) Other source (specify): (5)Other specify: (8) (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region Specific Anatomic Structure Abbreviated Injury Scale** <u>Spine</u> (02) Cervical (04) Thoracic Whole Area (02) Skin - Abrasion (04) Skin - Contusion Minor injury Moderate injury Head (06) Lumbar (2) Face Serious injury (3) Neck (4) (5) (6) (06) Skin - Laceration (08) Skin - Avulsion Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02 Thorax Severe injury (5) (6) Abdomen Critical injury Spine (10) Amputation Maximum (untreatable) **Upper Extremity** (20) Burn Injured, unknown severity (8) **Lower Extremity** (30) Crush Level of Injury (40) Degloving (50) Injury - NFS **Aspect** Unspecified Specific injuries assigned are consecutive two-digit beginning with 02. Type of Anatomic Structure (90) Trauma, other than mechanical Right (2) (3) Left Bilateral Whole Area Head - LOC (02) Length of LOC To the extent possible, within the organizational framework of the AIS, 00 Vessels Central Nerves (04, 06, 08) Level of Consciousness Anterior is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity. (6) (7) (4) Organs (includes muscles/ (10) Concussion Posterior ligaments) Skeletal (includes joints) Superior Head - LOC (9) Unknown Whole region Skin **INJURY SOURCE** Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 745 C pillar 701 Front lower valance/spoiler 791 Right front wheel / tire 746 D pillar 702 Front grille 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify): 793 Right rear wheel /tire 749 Right side roof rail 798 Other wheel / tire (specify): _ 704 Hood ornament (fixed) 750 Right side door surface 799 Unknown wheel / tire 705 Hood ornament (spring loaded) 751 Right side door handle 706 Headlight 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 755 Right side glazing rearward of B pillar 802 Oil pan (specify):_ 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission 758 Other right side object 805 Drive shaft Left Side Components 806 Catalytic converter (specify): 720 Front fender side surface 807 Muffler 721 Front antenna 759 Unknown right side component 808 Floor pan 722 A1 pillar 723 A2 pillar **Back Components** 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 762 Hatchback, vertical surface 726 D pillar (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component **Accessories** 820 Air scoop, deflector 821 Cellular or CB radio antenna 730 Left side door surface 731 Left side door handle Top Components 822 Emergency lights or bar 732 Left side mirror fixed housing 770 Hood surface 823 Fog lights 733 Left side folding mirror 771 Hood surface reinforced by under hood 824 Luggage, ski, or bike rack 734 Left side glazing forward of B pillar component 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify): 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 774 Wiper blade & mountings 827 Spotlight 737 Rear antenna 828 Other accessory (specify):_ 775 Windshield glazing 738 Other left side object (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground 779 Rear header 948 Other object (specify): Right Side Components 949 Unknown object in environment 780 Hatchback 740 Front fender side surface 959 Unknown object on contacting vehicle 741 Front antenna 781 Rear trunk lid 997 Noncontact injury source 788 Other top component (specify): _ 742 A1 pillar 789 Unknown top component 999 Unknown injury source 743 A2 pillar

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



National Accident Sampling System-Crashworthiness Data System: Pedestrian Injury Form

_				
R	AS1	rai	ine	A7

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

unavailable.)

Blood Alcohol Level (mg/dl)

Glasgow Coma Scale Score


GCSS =


Units of Blood Given

Units = _

Arterial Blood Gases

HCO₃ __







National Accident Sampling System-Crashworthiness Data System: Pedestrian Injury Form

OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





U.S. Department of Transportation National Highway Traffic Safety

PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

dministration	PEDESTRIAN CRASH DATA STUL
1. Primary Sampling Unit Number	OFFICIAL RECORDS
2. Case Number - Stratum 6 3 P	9. Police Reported Travel Speed
3. Vehicle Number <u>0 1</u>	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above
VEHICLE IDENTIFICATION	(999) Unknown
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown	mph X 1.6093 =kmph 10. Speed Limit (000) No statutory limit Code posted or statutory speed limit
5. Vehicle Make (specify): Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual.	in kmph (999) Unknown 30 mph X 1.6093 = kmph
6. Vehicle Model (specify): Applicable codes are found in your	11. Police Reported Alcohol Presence For Driver (O) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown
NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown 7. Body Type Note: Applicable codes may be found on the back of this page.	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 Left justify; Slash zeros and letter Z (0 and Z) No VIN—Code all zeros Unknown—Code all nines	Source: 13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500.)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)</p>
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown H, H, Bs X.4536 = 1,862 kgs	18. Impact Speed Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source: 16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown kgs	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates PRECRASH DATA
	\bigcirc
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): Ocker

23.	Critical Precrash Event	(83) Pedalcyclist	or other nonmotorist in roadway
	This Vehicle Loss of Control Due To:	(specify):	
	(01) Blow out or flat tire	(84) Pedalcyclist	or other nonmotorist approaching
	(02) Stalled engine	roadway (sp	ecify):
	(03) Disabling vehicle failure (e.g., wheel fell off) (specify):	(85) Pedalcyclist location (spe	or other nonmotorist—unknown ecify):
	(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal	
	up) (specify):	(87) Animal in ro	adway
	(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal appr	
	(specify):	(89) Animal-uni	
	(06) Traveling too fast for conditions	(90) Object in roa	adway
	(08) Other cause of control loss (specify):	(91) Object appro	
		(92) Object-unk	nown location
	(09) Unknown cause of control loss	(98) Other critica	I precrash event (specify):
	This Vehicle Traveling		0
	(10) Over the lane line on left side of travel lane	(99) Unknown	
	(11) Over the lane line on right side of travel lane		
	(12) Off the edge of the road on the left side	4. Attempted Avoid	ance Maneuver
	(13) Off the edge of the road on the right side	(00) No driver pr	esent
	(14) End departure	(01) No avoidance	e actions
	(15) Turning left at intersection	(02) Braking (no	lockup)
	(16) Turning right at intersection	(03) Braking (loc	kup)
	(17) Crossing over (passing through) intersection	(04) Braking (loc	kup unknown) مرات المرات الم
	(19) Unknown travel direction	(05) Releasing br	akes 🐠 🚧
	Other Motor Vehicle In Lane	(06) Steering left	1 > -
	(50) Stopped	(07) Steering rigit	س ہو ہو گئی nt
	(51) Traveling in same direction with lower speed	(08) Braking and	
	(i.e., lower steady speed or decelerating)	(09) Braking and	steering right
	(52) Traveling in same direction with higher speed	(10) Accelerating	
	(53) Traveling in opposite direction	-	and steering left
	(54) In crossover	_	and steering right
	(55) Backing	(98) Other action	(specify):
	(59) Unknown travel direction of other motor vehicle	(99) Unknown	~
	in lane		AG A Silama Managana A
	Other Motor Vehicle Encroaching Into Lane	-	After Avoidance Maneuver
	(60) From adjacent lane (same direction)—over left	(0) No driver pr	
	lane line	(2) Tracking	e maneuver
	(61) From adjacent lane (same direction)—over right		gitudinally-rotation less than 30
	lane line	degrees	,
	(62) From opposite direction—over left lane line		erally-clockwise rotation
	(63) From opposite direction—over right lane line	(5) Skidding lat	erally—counterclockwise rotation
	(64) From parking lane	(8) Other vehicle	e loss-of-control (specify):
	(65) From crossing street, turning into same direction		
	(66) From crossing street, across path	(9) Precrash sta	ibility unknown
	(67) From crossing street, turning into opposite direction)C D Dii-	not consequence of
	(68) From crossing street, intended path not known		nal Consequences of uver (Corrective Action)
	(70) From driveway, turning into same direction	(0) No driver pr	
	(71) From driveway, across path		ce maneuver
	(72) From driveway, turning into opposite direction	, , , , , , , , , , , , , , , , , , , ,	red in travel lane where avoidance
	(73) From driveway, intended path not known	maneuver w	
	(74) From entrance to limited access highway		red on roadway but left travel lane
	(78) Encroachment by other vehicle—details	where avoid	lance maneuver was initiated
	unknown		red on roadway, not known if left
	Pedestrian or Pedalcyclist, or Other Nonmotorist		where avoidance maneuver was
	(80) Pedestrian in roadway	initiated	
	(81) Pedestrian approaching roadway	(5) Vehicle dep	
	(82) Pedestrian—unknown location		naneuver initiated off roadway
	Inter a constituit and a constituit constituit	(9) Directional	consequences unknown


	ENVIRONME	NTA	AL D	АТА
(0) (1) <i>Non-l</i> (2) (3) (4)	ion to Junction Non-junction Interchange area Interchange Intersection Intersection-related Drive, alley access related Other non-interchange (specify):	33.	(1) (2) (3) (4) (5) (8)	dway Surface Condition Dry Wet Snow and slush Ice Sand, dirt or oil Other (specify): Unknown
(9)	Unknown type of non-interchange Unknown if interchange	34.	(O)	fic Control Device No traffic control(s) Trafficway traffic control signal (not RR crossing)
(1) (2) (3) (4) (9) (4)	icway Flow Not physically divided (two way traffic) Divided trafficway - median strip without positive barrier Divided trafficway - median strip with positive barrier One way trafficway Unknown		(2) (3) (4) (5) (6) (7)	Yield sign School zone sign Other sign (specify): Unknown sign Warning sign (not RR crossing) Miscellaneous/other controls including RR
(1) (2) (3) (4) (5) (6) (7) (5)	One Two Three Four Five Six Seven or more Unknown	35.	Traff (0) (1) (2)	controls (specify): Unknown fic Control Device Functioning No traffic control Not Functioning Functioning Unknown
(1) (2) (3) (way Alignment Straight Curve right Curve left Unknown	36.	(1) (2) (3) (4)	t Conditions Daylight Dark Dark, but lighted Dawn Dusk
(1) L (2) L (3) L (4) H (5) S	Uphill Grade (>2%) Downhill Grade (>2%) Hillcrest	37.	(9) Atmo (1) (2) (3)	Unknown ospheric Conditions No adverse atmospheric related driving conditions Rain Sleet
(1) (2) E (3) E (4) S (5) [way Surface Type Concrete Bituminous (asphalt) Brick or Block Slag, gravel or stone Dirt Other (specify): Unknown		(5) (6) (7) (8)	Snow Fog Rain and fog Sleet and fog Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): Unknown

82-638 90 FLONO/IN 48 YOF 3540 m pid mol son Pid Pessenyer. H.d. ruk, Know D holding R Pock+ f=0.40 PR + = 0,5 FRP to POI = 1.8m = 5.9ft. $6.9 = 0.5 V + \frac{v^2}{(2)(0.8)(32-2)}$ 0.019 V 20.019v2+0.5V-5,9=0 -0.5 1 7(0.5)2-(4) (0.019) (-3,9) 0,039 V=8.7 fPS = 5,98mph = 9,4KPh 10 KPh

U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

- 1. Primary Sampling Unit Number
- 2. Case Number Stratum



3. Vehicle Number

Vehicle Make (specify):

Vehicle Model (specify):

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

cm

cm

cm

cm

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

cm cm cm cm

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact

cm cm cm


cm

cm

cm

National Accident Sampling System-Crashworthiness Date	a System: Redestrien Exterior Vehicle Form Pege 2
VIN TO THICT TO A PA	Vehicle Model (specify): Konsilmo 50
Hood Widths Rear Opening Midway Forward Opening WRAP Windshield Base 10 39 20 10 20 10 20 10 20 10 20 10 20 2	Hood Material Front Bumper Reinforcement Material See Hood Length Bumper Lead VERTICAL PROPERTICAL PROPERTICAL PROPERTICAL
NOTES: Sketch all pedestrien contests, include the size and depth in continue (leteral) and the front sides itemplaudinall in commissions distributed about the book direction of graphical soull on eldowalls, etc.). Location of the origin (intercept point of the contedios and the front and	serveribles which might be upone in reconstructing the assistant (e.g., green in
and the second and th	and the second of the second o


The second secon



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the p (lateral) and the front axies (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in

Location of the origin (intercept point of the centerline and the front axles) from the ground:

VEHICLE DAMAGE SKETCH




NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axies (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

PEDESTRIAN SIDE CONTACT W	VORK SHEET
PEV06 Hood Material	
PEV08 Hood Length	cm
PEV09 Hood Width-Forward Opening	cm
PEV10 Hood Width-Midway	cm
PEV11 Hood Width-Rear Opening	cm
VEDTICAL MEACUREMEN	ITO
VERTICAL MEASUREMEN	115
PEV26 Ground Clearance	cn
PEV27 Side Bumper-Bottom Height	cn
PEV28 Side Bumper-Top Height	cn
PEV29 Centerline of Wheel	cn
PEV30 Top of Tire	cn
PEV31 Top of Wheel Well Opening	cn
PEV32 Bottom of A-Pillar at Windshield	cn
PEV33 Top of A-Pillar at Windshield	cm
PEV34 Top of Side View Mirror	cm
LATERAL MEASUREMENT	's \
PEV35 C _L to A-Pillar at Bottom of Windshield	cm
PEV36 C _L to A-Pillar at Top of Windshield	cm
PEV37 C _L to Maximum Side View Mirror Protrusion	cm
WRAP DISTANCES	
PEV38 Ground to Side/Top Transition	cm
PEV39 Ground to Hood Edge	cm
PEV40 Ground to Centerline of Hood (ORIGIN)	cm
PEV41 Ground to Head Contact	cm
LVTI Glound to riesa Contact	

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front exies (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: ____ cm

	ORIGINAL SPECIFICATION	ONS	
Wheelbase Overall Length 49 Maximum Width Curb Weight Average Track Front Overhang Rear Overhang Undeformed End Width Engine Size: cyl./displ	inches inches inches pounds inches inches inches inches inches inches inches cc	x 2.54 = cm x 2.54 = cm x 2.54 = cm x .4536 =	
FRONT 700 Front bumper 701 Front lower valance/spoiler 702 Front grille 703 Hood edge and/or trim 704 Hood ornament (fixed) 705 Hood ornament (spring loaded) 706 Headlight 707 Retractable headlight door (Open/Closed) 708 Turn signal/parking lights 718 Other front or add on object (specify):	INJURY SOURCE 744 B pillar 745 C pillar 746 D pillar 748 Other pillar (specify): 749 Right side roof rail 750 Right side door surface 751 Right side door handle 752 Right side mirror fixed housing 753 Right side folding mirror 754 Right side glazing forward of B pillar 755 Right side glazing rearward of B pillar 756 Rear antenna 757 Rear fender or quarter panel 758 Other right side object (specify): 759 Unknown right side component Back Components 760 Rear (back) bumper 761 Tailgate 762 Hatchback, vertical surface 768 Other back component (specify): 769 Unknown back component Top Components 770 Hood surface 771 Hood surface 771 Hood surface reinforced by under hood component 772 Front fender top surface 773 Cowl area	Wheels / tires 790 Left front wheel / tire 791 Right front wheel / tire 792 Left rear wheel / tire 793 Right rear wheel / tire 798 Other wheel / tire (specify): 799 Unknown wheel / tire Undercarriage components 800 Front cross member 801 Steering assembly/Front suspension 802 Oil pan 803 Exhaust system pipe 804 Transmission 805 Drive shaft 806 Catalytic converter 807 Muffler 808 Floor pan 809 Fuel tank 810 Rear suspension 818 Other undercarriage component (specify): 819 Unknown undercarriage component Accessories 820 Air scoop, deflector 821 Cellular or CB radio antenna 822 Emergency lights or bar 823 Fog lights 824 Luggage, ski, or bike rack 825 Cargo (specify): 826 Spare tire	_
737 Rear antenna 738 Other left side object (specify): 739 Unknown left side component Right Side Components 740 Front fender side surface 741 Front antenna 742 A1 pillar 743 A2 pillar	774 Wiper blade & mountings 775 Windshield glazing 776 Front header 777 Roof surface 778 Backlight glazing 779 Rear header 780 Hatchback 781 Rear trunk lid 788 Other top component (specify):	827 Spotlight 828 Other accessory (specify):	

e e e

	POINTS OF PEDESTRIAN CONTACT								
	PEDESTRIAN CONTACT WORKSHEET								
CONTACT ID LABEL	COMPONENT	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	SEQUENCE #	
K	and Below	1367-121	-43	0	(Dley	one below bunker	2 3 9	1	
<u>L</u>	Gill	104	-50	Q	<u> </u>	Seepad Stream	1(2)2 9	2	
M	Seill	96	-49	0	Dside	Fabric/forallel Strenges	1 2 3 9	3	
N	Moog The	B	-30	Q	oj.Z.	Light Smeaning	Q: : :	1	
P	" "	67	-57	0	N //	W W	2 3 9	4	
4	Vpod/	56	-50	0	And	Source)	3 211	מ	
5	``	49	-72	Q	• • • • • • • • • • • • • • • • • • • •	5 show	2 3 9	5	
1	Hood	43	-60	0	Epen	Swift \	A2 1 1	Ь	
U	٠,	140	-52	0	(1)	W/SWIPE	1 2 3 9	Q	
						J	1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 8		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
	1					<u> </u>		<u> </u>	

POINTS OF PEDESTRIAN CONTACT CHRONOLOGICAL ORDER OF CONTACTS							
CONTACT #	COMPONENT LONGITUDINAL LATERAL CRUSH		SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF NCE CONTACT POINT (Circle)			
1 K	700	130	-43	0	Lknee	Smalye	1 2 3 9
2 N	703	96	-49	3	Hip	5 m i - Y-	0211
3				٠ . ٠	uries		18, 27, 3 , 9 ,
4	12	- 50 - 50		1 1 3			10 22 3 9
5	0 1	- 500	rsle	grow	2		1 23 3 9
ŧ							11 2 3 9
7							1 2 3 9
a a							1 2 3 9
9							t∺ 2./ 3 9
10							187281 4
11							1 2 3 9
12							1 2 1 9
13							1 2 3 9
14							10203.9
15							1 2 3 9
18							1 2 3 9
17							1 2 3 9
18							1 2 2 9
19							1 2 3 9
20							19:20:3:3
21							1 2 3 9
22							10203.0
23	,						1: 2: 3 9
24							17.22.0 0
25 `							17 22 309

VEHICLE DIMENSIONS	11. Hood Width Rear Opening
251	Code to the
4. Original Wheelbase Sode to the	nearest centimeter
nearest centimeter	(210) 210 centimeters or more
(999) Unknown	(999) Unknown
	· · · · · · · · · · · · · · · · · · ·
\2 \(\) inches X 2.54 = centimeters	inches X 2.54 = centimeters
<u> </u>	12. Hood/Fender Vertical/Lateral Crush From
5. Original Average Track Width	Pedestrian Pedestrian
Code to the	(0) Not damaged
nearest centimeter	(1) Surface scratching only, no residual crush
(185) 185 centimeters or more (999) Unknown	(2) Minor crush (1-3 centimeters)
· \	(3) Moderate crush (4-7 centimeters)
	(4) Severe crush (>7 centimeters)
	(8) Damage present, unknown if damage is from
2	pedestrian impact
6. Hood Material	(9) Unknown
(1) Plastic	13. Windshield Contact Damage
(2) Fiberglass	From Pedestrian Contact
(3) Steel	(0) Not contacted by pedestrian
(4) Aluminum	(1) Contacted by pedestrian - not damaged
(5) Stainless Steel (8) Other (specify):	(2) Contacted by pedestrian - damaged
(9) Unknown	(3) Unknown if contacted by pedestrian - not
(9) OTIKITOWIT	damaged
7. Hood Original	(4) Unknown if contacted by pedestrian -
Equipment Manufacturer (OEM)	damaged (9) Unknown if contacted by pedestrian
(1) OEM factory installed hood	(9) Unknown if contacted by pedestrian - unknown if damaged
(2) OEM replacement	diikilowii ii damayed
(3) Non-OEM replacement	
(9) Unknown	FRONT CONTACT DAMAGE
8. Hood Length	Front Vertical Measurements
Code to the	1
nearest centimeter	14. Front Bumper Cover Material
(180) 180 centimeters or more	(0) No front contact
(999) Unknown	(1) Plastic
I	(2) Fiberglass (3) Rubber
inches X 2.54 = centimeter	(4) Other (specify):
1 11-1 Wilde Farmand Opening 17	(9) Unknown
9. Hood Width Forward Opening Code to the	(5)
nearest centimeter	15. Front Bumper Reinforcement Material
(210) 210 centimeters or more	(0) No front contact
(999) Unknown	(1) Steel
,555, 1	(2) Aluminum
inches X 2.54 = centimeters	(3) Stainless Steel (4) Other (specify):
121	(4) Other (specify):(9) Unknown
10. Hood Width Midway	
Code to the	16. Front Bumper-Bottom Height
nearest centimeter (210) 210 centimeters or more	Code to the
(999) Unknown	nearest centimeter
(222) CHAIDWII	(000) No front contact
inches X 2.54 = centimeters	(150) 150 centimeters or more
	(999) Unknown
	inches X 2 54 = centimeters

17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 18. Forward Hood Opening Code to the nearest contimeters	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown inches X 2.54 = centimeters 24. Ground to Top of Windshield Code to the
nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown inches X 2.54 = 25. Ground To Head Contact Code to thenearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact
(99) Unknown inches X 2.54 = centimeters	(999) Unknowninches X 2.54 = centimeters
Front Wran Distance Measuramente	SIDE CONTACT DAMAGE
Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters 21. Ground to Front/Top Transition Point Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeters	Side Vertical Measurements 26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown

29. Centerline of Wheel	<u>500</u>	Side Lateral Messurements
Code to the	_	0 - 2
nearest centimeter		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
(000) No side contact		35. Centerline to A-Pillar
(150) 150 centimeters or more		at Bottom of Windshield
(999) Unknown		(000) No side contact
(999) Olikilowii		Code to the
		nearest centimeter
inches X 2.54 =	centimeters	(250) 250 centimeters or more
		(999) Unknown
	QQQ	(666) 6
30. Top of Tire	<u> </u>	inches X 2.54 = centimeters
Code to the		
nearest centimeter		240
(000) No side contact		10 Companying to A Billion (10 (2))
(200) 200 centimeters or more		36. Centerline to A-Pillar
(999) Unknown		at Top of Windshield
•••••		Code to the
. inches X 2.54 =	centimeters	nearest centimeter
		(000) No side contact
		(250) 250 centimeters or more
Od Ton of Mile of Mich Onomina	000	(999) Unknown
31. Top of Wheel Well Opening		
Code to the		inches X 2.54 = centimeter
nearest centimeter		
(000) No side contact		220
(250) 250 centimeters or more		37. Centerline to Maximum Side
(999) Unknown		View Mirror Protrusion
		Code to the
inches X 2.54 =	centimeters	
	000	nearest centimeter
32. Bottom of A-Pillar at Windshield		(000) No side contact
Code to the		(300) 300 centimeters or more
nearest centimeter		(999) Unknown
(000) No side contact		
(250) 250 centimeters or more		inches X 2.54 = centimeter
(999) Unknown		
(000) 011111101111		Fide Mary Distance Managements
inches X 2.54 =	centimeters	Side Wrap Distance Measurements
		O(2)
	660	38. Ground to Side/Ton Transition
33. Top of A-Pillar at Windshield	()00	38. Ground to Side/Top Transition
· · · · · · · · · · · · · · · · · · ·		Code to the
Code to the		nearest centimeter
nearest centimeter		(000) No side contact
(000) No side contact		(400) 400 centimeters or more
(300) 300 centimeters or more		(999) Unknown
(999) Unknown	•	
		inches X 2.54 = centimeters
inches X 2.54 =	centimeters	
	^ •	
	(300)	39. Ground to Hood Edge
34. Top of Side View Mirror		Code to the
Code to the		nearest centimeter
nearest centimeter		(000) No side contact
(000) No side contact		• • • • • • • • • • • • • • • • • •
(300) 300 centimeters or more		(500) 500 centimeters or more
(999) Unknown		(999) Unknown
(333) Challotti		to the Mark
. inches X 2.54 =	centimeters	inches X 2.54 = centimeters
·i_iiliiiiiii		

40. Ground to Centerline of Hood Code to the nearest centimeter (000) No side contact (700) 700 centimeters or more (999) Unknown	000	·	
41. Ground to Head Contact Code to the nearest centimeter (000) No side contact (800) 800 centimeters or more (998) No head contact	centimeters		
(999) Unknown inches X 2.54 =	centimeters		



82638P0000001 1 000000000000000 01 82638P00010012 969.001000000000114F72000 82638P00010021 9.00 000000004821684808913707011013003398030809600241000115 1010000000005 82638P00010131 9.00 00000000038904021270011222 82638P00010231 9.00 00000000038904021270211222 9.00 00000000037514201194711000 82638P00010331 82638P00010431 9.00 00000000031904021694711000 82638P00010531 9.00 00000000031902021694711000 82638P01000041 9.00 000000009012461211FTDE14NXLH 01181015011134511111211 82638P01000051 9.00 00000000351999310541701711710041038054101091021221621

0000000000000

PSU82 CASE 638P CURRENT VERSION: 9.00 ERROR SUMMARY SCREEN PEDESTRIAN STUDY

FORM NAME	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	o	. 0	0	Y
Pedestrian Assessment	0	0	0	Y
Pedestrian Injury	0	0	0	Υ
Pedestrian General Vehicl	le O	0	O	Υ
Pedestrian Exterior Vehic	le O	0	o	Y
Total Inter Errors		0	0	
Total Case Errors	٥	0	0	