



U.S. Department of Transportation

National Highway
Traffic Safety
Administration

Dear Crash Data Researchers/Users:


Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***





PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

90 PSU

CASE NO. 625P

TYPE OF ACCIDENT Light Truck/Pedestrian straight path

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)


Vehicle 1 was southbound on a roadway and the pedestrian was crossing the road in a crosswalk in a westerly direction. The front of vehicle 1 struck the right side of the pedestrian, who then fell to the ground onto her left side.

	B. PEDESTRIAN PROFILE						
Pedestrian Treatment/ (TO BE				Most (TO BE COMPLE	Most Severe Injury O BE COMPLETED BY ZONE CENTER)		
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source
01	49	Female	Treated and Released	No injuries			

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity

	C. VEHICLE PROFILE					
	Class		1	Most Severe Damage Based on Vehicle Inspection		
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description		
01	Compact Pickup	96/Chevrolet/Pickup	Front	Scratches, smears		

DO NOT SANITIZE THIS FORM




ACCIDENT COLLISION DIAGRAM

NATIONAL ACCIDENT SAMPLING SYSTEM

CRASHWORTHINESS

TA SYSTEM



U.S. Department of Transportation National Highway Traffic Safety

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

BEST AVAILABLE

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY Administration Case Number-Stratum 6 25 Primary Sampling Unit Number 9 0 SCALED DIAGRAM PEDESTRIAN ACCIDENT COLLISION DATA COLLECTION document reference point and reference line Surface Type north arrow placed on diagram relative to physical features documentation of all accident induced physical grade measurements for all applicable Surface Condition roadways evidence including (if applicable):: scaled representations of the physical plant Coefficient of Friction including: a) vehicle skid marks a) all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement pedestrian contacts with ground or object markings, parked vehicles, poles, signs, Grade (v/h) Measurement b) all traffic controls (e.g., lights, signs) a) at impact c) vehicle/pedestrian point of impact (POI) between impact and scaled representations of the vehicle and d) location of pedestrian separation point frompedestrian at pre-impact, impact, and final final rest rest based upon either: Pedestrian Travel Direction EAST TO Wes f) final resting points (FRP) for pedestrian and physical evidence, or Vehicle Travel Direction South To EAS documentation of the physical plant including: reconstructed accident dynamics Number of Travel Lanes a) all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.) b) - all traffic controls (e.g., lights, signs) Reference Point: TRAFFIE SIGNAL Reference Line: _
Light Pole (North EAST CORNER) VORTh CURB Distance and Direction Distance and Direction Item from Reference Point from Reference Line DRGIN 1.8m NORTH

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

0 1

Administration			0.00
Di Caralla Hait Niveshar	90	SPECIAL STUDIES - INDICATORS	
Primary Sampling Unit Number		Check (✓) each special study (SS15-SS19 below) 1	hat
2. Case Number - Stratum	<u>6 2 3 P</u>	has been completed, code 1 for the checked spe	
IDENTIFICATION		studies and 0 for the special studies not checked.	
2. Number of Conoral Vehicle		6SS15 Administrative Use	0
Number of General Vehicle Forms Submitted	0_1_		
		7. <u>✓</u> SS16 Pedestrian Crash Data Study	_1_
4. Date of Accident	8		
(Month,Day,Year)	9 1	8SS17 Impact Fires	0
	8/2		_
5. Time of Accident	<u> </u>	9SS18	_0
Code reported military time of acci	dent.		_
NOTE: Midnight = 2400		10SS19	_0
Unknown = 9999		NUMBER OF EVENTS	
		11. Number of Recorded Events	

PEDESTRIAN STUDY CRITERIA

in This Accident

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

		PEDESTRIAN .	ACCIDENT	FEVENTS		
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
12. <u>0 1</u>	13. <u>0</u> <u>1</u>	14. 0 3	15. <u>F</u>	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (T1) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)


CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian



PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 90 2. Case Number - Stratum 625P	10. Pedestrian's Weight Code actual weight to the nearest kilogram. (999) Unknown
3. Pedestrian Number <u>0 1</u>	pounds X .4536 = kilograms
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping
6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown	(6) Jumping(7) Falling/stumbling or rising(8) Other (specify):(9) Unknown
inches X 2.54 = centimeters 7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown inches X 2.54 = centimeters 8. Pedestrian's Height - Ground to Hip Code to the nearest	13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway
centimeter. (999) Unknowninches X 2.54 =centimeters 9. Pedestrian's Height - Ground to Shoulder99 Code to the nearest centimeter. (999) Unknowninches X 2.54 =centimeters	(98) Other (specify):

PEDESTRIAN'S AVOIDANCE ACTIONS 15. Pedestrian's First Avoidance Actions (00) No avoidance actions (01) Stopped (02) Accelerated pace (03) Ran away (along vehicle path) (04) Jumped (05) Turned toward vehicle (06) Turned away from vehicle (07) Dove or fell away Used hand(s) to: (11) Vault corner of vehicle (12) Vault onto vehicle (13) Brace against vehicle (14) Crouched and braced hands against vehicle (98) Other (specify):	18. Pedestrian's Arm Orientation at Initial Impact (01) At sides (02) Folded across chest (03) Hands clasped behind back (04) Hands on hips (05) Hands in pockets One or both arms: (06) Extended upward (07) Extended to side (08) Extended forward bracing (09) Extended, holding object (briefcase, suitcase, etc.) (10) Holding object (young child, grocery bag, etc.) in arm(s) (11) Holding object (young child, grocery bag, etc.) on shoulder(s) or head (98) Other (specify):
PEDESTRIAN'S ORIENTATION AT IMPACT 16. Pedestrian's Head Orientation at Initial Impact (1) To front (2) To left (3) To right (4) Up (5) Down (8) Other (specify): (9) Unknown 17. Pedestrian's Body (Chest) Orientation at Initial Impact (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown	19. Pedestrian's Leg Orientation at Initial Impact (01) Together (02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart-forward leg unknown (06) Left foot off the ground (07) Right foot off the ground (08) Both feet off the ground (98) Other (specify): (99) Unknown 20. Vehicle/Pedestrian's Interaction (01) Carried by vehicle, wrapped position (02) Carried by vehicle, slid to windshield (03) Carried by vehicle, position unknown (04) Passed over vehicle top (05) Thrown straight forward (06) Thrown forward and left of vehicle (07) Thrown forward and right of vehicle (08) Knocked to pavement, forward (09) Knocked to pavement, right of vehicle (10) Knocked to pavement, right of vehicle (11) Knocked to pavement, run over or dragged by vehicle (12) Shunted to left (corner impacts only) (13) Shunted to right (corner impacts only) (14) Bumped or pushed aside (15) Snagged, dragged by vehicle (16) Snagged, dragged by vehicle

47,71

OFFICIAL RECORDS		INJURY CONSEQUENCES
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 	<u>0</u>	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	96	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source: 23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported	7	Nonfatal (3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown
 (9) Unknown 24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained 	0	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify):
(9) Unknown		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

Page 4

STOP - VARIABLES 30 THROUGH 37 AF	RECOMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death 36. 3rd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to
31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given	this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease)
32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported, HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured	(97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian.
23. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	(00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORDS NO []	
UPDATE CANDIDATE?	NO[] YES[]

PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

ummistration:	OFFICIAL RECORDS
1. Primary Sampling Unit Number 90	
2. Case Number - Stratum 6 2 5 P	9. Police Reported Travel Speed 9 9 9
3. Vehicle Number01 VEHICLE IDENTIFICATION	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown	mph X 1.6093 =kmph 10. Speed Limit
Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (99) Unknown	(999) Unknown 35 mph x 1.6093 = 056 kmph 11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported
6. Vehicle Model (specify): S-10 Yick-21 Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown	(8) No driver present (9) Unknown 12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given
7. Body Type Note: Applicable codes may be found on the back of this page.	(97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown Source: PAR
8. Vehicle Identification Number 1 C C S T A A 3 T B Left justify; Slash zeros and letter Z (0 and Z) No VIN—Code all zeros Unknown—Code all nines	13. Police Reported Other Drug Presence For Driver (O) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)</p>
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

47.86

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest	18. Impact Speed Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source: 16. Vehicle Cargo Weight	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
	4
17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning left
ARE COMPLETED BY THE ZONE CENTER	 (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

3

National A	ccident Sampling System-Crashworthiness Dat	a System	: Pedestrian General Vehicle Form	Page
23 Critic	al Precrash Event / 5	(83)	Pedalcyclist or other nonmotorist in roa	adwav
	Vehicle Loss of Control Due To:	,,,,,	(specify):	,
	Blow out or flat tire	(84)	Pedalcyclist or other nonmotorist appro	paching
	Stalled engine	, ,,,,	roadway (specify):	· · · · · J
	Disabling vehicle failure (e.g., wheel fell off)	(85)	Pedalcyclist or other nonmotorist—unk	nown
	(specify):	(33)	location (specify):	
(04)	Non-disabling vehicle problem (e.g., hood flew	Ohie	ect or Animal	
			Animal in roadway	
(OE)	up) (specify):		Animal approaching roadway	
		4	Animal—unknown location	
1061	(specify): Traveling too fast for conditions	1 '	Object in roadway	
	Other cause of control loss (specify):	1	Object in roadway Object approaching roadway	
(08)	Other cause of control loss (specify).		Object approaching roadway Object—unknown location	
(00)	Unknown cause of control loss		Other critical precrash event (specify):	
		130,	Other chitical prechash event (specify).	
	Vehicle Traveling Over the lane line on left side of travel lane	/991	Unknown	
		(33)	OTIKITOWIT	S
	Over the lane line on right side of travel lane	24 4#0	empted Avoidance Maneuver	02
	Off the edge of the road on the left side	1	No driver present	<u> </u>
	Off the edge of the road on the right side	1	No avoidance actions	
	End departure	1	Braking (no lockup)	
	Turning left at intersection		•	
	Turning right at intersection		Braking (lockup) Braking (lockup unknown)	
	Crossing over (passing through) intersection	į.	•	
	Unknown travel direction	4	Releasing brakes	
	r Motor Vehicle In Lane		Steering left Steering right	
	Stopped	1	Braking and steering left	
	Traveling in same direction with lower speed		Braking and steering right	
	(i.e., lower steady speed or decelerating)	1	Accelerating	
	Traveling in same direction with higher speed	B .	Accelerating Accelerating and steering left	
	Traveling in opposite direction		Accelerating and steering right	•
	In crossover	•	Other action (specify):	
	Backing Unknown travel direction of other motor vehicle	1	Unknown	
	in lane	100/	CHRIOWH	_
-	r Motor Vehicle Encroaching Into Lane	25. Prec	rash Stability After Avoidance Maneuve	er I
	From adjacent lane (same direction)—over left	•	No driver present	
_	lane line		No avoidance maneuver	
	From adjacent lane (same direction)—over right		Tracking	
	lane line	(3)	Skidding longitudinally - rotation less th	nan 30
	From opposite direction—over left lane line		degrees	
	From opposite direction—over right lane line		Skidding laterally—clockwise rotation	
	From parking lane	1	Skidding laterally—counterclockwise ro	itation
	From crossing street, turning into same direction	(8)	Other vehicle loss-of-control (specify):	
	From crossing street, across path	(9)	Precrash stability unknown	
	From crossing street, turning into opposite	(3)	Treclasti stability utikilovvii	
	direction	26 Prec	rash Directional Consequences of	7
	From crossing street, intended path not known		dance Maneuver (Corrective Action)	
	From driveway, turning into same direction		No driver present	
	From driveway, across path		No avoidance maneuver	
	From driveway, turning into opposite direction	(2)	Vehicle stayed in travel lane where avo	idance
	From driveway, intended path not known		maneuver was initiated	
	From entrance to limited access highway	(3)	Vehicle stayed on roadway but left trav	
	Encroachment by other vehicle—details		where avoidance maneuver was initiate	
	unknown	(4)	Vehicle stayed on roadway, not known	
Pedes	strian or Pedalcyclist, or Other Nonmotorist		travel lane where avoidance maneuver	was
	Pedestrian in roadway	(5)	initiated	
(04)	B. () () () () () () () () () ((5)	Vehicle departed roadway	

(6) Avoidance maneuver initiated off roadway

(9) Directional consequences unknown

(81) Pedestrian approaching roadway

(82) Pedestrian-unknown location

-78

	ENVIRO	NIVIE	ENTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	<u>3</u>	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
28	(6) Unknown type of non-interchange(9) Unknown if interchangeTrafficway Flow	4	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)
20.	 Not physically divided (two way traffic) Divided trafficway - median strip without positive barrier Divided trafficway - median strip with positive barrier One way trafficway Unknown 		Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign (7) Warning sign (not RR crossing)
29.	Number of Travel Lanes (1) One (2) Two (3) Three	X	(8) Miscellaneous/other controls including RR controls (specify): (9) Unknown
	 (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown 		35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown	1	36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk
31.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown	1	(9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet
32.	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):	3	 (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown

90-625

96-5-10 PU

44 YOF

49 Y OF

of Impact. Driver with took on broke at Impact. Driver with took on broke allowed vehicle to roll forward to check for cross Traffic coming from her right. No injuries to Ped as result of impact. Speed of vehicle at impact estimated at 2mph

2 mph = 3KPh



S. Department of Transportation National Highway Traffic Safety **Administration**

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Vehicle Number

0 1

2. Case Number - Stratum

VEHICLE IDENTIFICATION

VIN 16 CC5 1443 T8.

Model Year 26

Vehicle Make (specify): CHEVORLET

Vehicle Model (specify): 5-16

5500/

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material	5/661
PEV08 Hood Length	<u> </u>
PEV09 Hood Width-Forward Opening	<u>/</u> <u>J</u> <u>7</u> cm
PEV10 Hood Width-Midway	<u> </u>
PEV11 Hood Width-Rear Opening	141 cm
PEV14 Front Bumper Cover Material	METAI

PEV15 Front Bumper Reinforcement Material

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height	048	cm
PEV17 Front Bumper-Top Height	060	cm
PEV18 Forward Hood Opening	083	
PEV19 Front Bumper Lead	008	cm

WRAP DISTANCES

	- (17
PEV20 Ground to Forward Hood Opening	<u>O_&_/</u> , cm
PEV21 Ground to Front/Top Transition Point	<u>09</u> 4 cm
PEV22 Ground to Rear Hood Opening	<u> </u>
PEV23 Ground to Base of Windshield	$\frac{200}{2}$ cm
PEV24 Ground to Top of Windshield	269 cm
PEV25 Ground to Head Contact	$\underline{\mathscr{O}}$ $\underline{\mathscr{O}}$ $\underline{\mathscr{O}}$ cm

VEHICLE DAMAGE SKETCH -3-SMEAR -5-SMEAR -GI-SCRATCH Smear-H G-Smear

NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:



	PEDESTRIAN SIDE CONTACT WORK SHE	ৰা	
DEVOS	Llood Material		
	Hood Material		_ /
	Hood Length		cm
	Hood Width-Forward Opening		cm
	Hood Width-Midway		c y n
PEV11	Hood Width-Rear Opening	/	cm
	VERTICAL MEASUREMENTS		
PEV26	Ground Clearance		cm
PEV27	Side Bumper-Bottom Height		cm
PEV28	Side Bumper-Top Height	<i></i>	cm
PEV29	Centerline of Wheel		cm
PEV30	Top of Tire		cm
PEV31	Top of Wheel Well Opening		cm
PEV32 I	Bottom of A-Pillar at Windshield		cm
PEV33	Top of A-Pillar at Windshield		cm
PEV34	Top of Side View Mirror		cm
	LATERAL MEASUREMENTS		
551/05			
	C _L to A-Pillar at Bottom of Windshield		cm
	C _L to A-Pillar at Top of Windshield		cm
PEV37 (C _L to Maximum Side View Mirror Protrusion		cm
	WRAP DISTANCES		
PEV38 (Ground to Side Top Transition		cm
PEV39 (Ground to Hood Edge		cm
PEV40 (Ground to Centerline of Hood (ORIGIN)		cm
PEV41 (Ground to Head Contact		cm

ORIGINAL SPECIFICATIONS


Wheelbase	<u>/ 0 8 3</u> ii	nches x	2.54 =	275 cm
Overall Length	/88.7 it	nches x	2.54 =	<u>479</u> cm
Maximum Width	0 6 7.9 ir	nches x	2.54 =	<u> 1</u> <u>7</u> 2 cm
Curb Weight	3.070 po	ounds x	.4536 =	1.392 kg
Average Track	<u>056.2</u> ir	nches x	2.54 =	<u> 1 43</u> cm
Front Overhang	0 32.6 ir	nches x	2.54 =	<u>8</u> 83 cm
Rear Overhang	0 43.6 ir	nches x	2.54 =	<u>/ / 6</u> cm
Undeformed End Width	0 5 3.2 ir	nches x	2.54 =	$\mathcal{L} \mathcal{L} \mathcal{S}$ cm
Engine Size: cyl./displ	. <u>2200</u> co	с х	.001 =	2.7 L
1-TVK F-TVK	<u>/ 3 3</u> CI	ID x	.0164 =	<u>2.2</u> L

	INJURY SOURCE	
FRONT		Wheels / tires
700 Front bumper	744 B pillar	790 Left front wheel / tire
701 Front lower valance/spoiler	745 C pillar	791 Right front wheel / tire
02 Front grille	746 D pillar	792 Left rear wheel / tire
'03 Hood edge and/or trim	748 Other pillar (specify):	793 Right rear wheel /tire
04 Hood ornament (fixed)	749 Right side roof rail	798 Other wheel / tire (specify):
05 Hood ornament (spring loaded)	750 Right side door surface	799 Unknown wheel / tire
06 Headlight	751 Right side door handle	
07 Retractable headlight door (Open/Closed)	752 Right side mirror fixed housing	Undercarriage components
08 Turn signal/parking lights	753 Right side folding mirror	800 Front cross member
18 Other front or add on object	754 Right side glazing forward of B pillar	801 Steering assembly/Front suspension
(specify):	755 Right side glazing rearward of B pillar	802 Oil pan
19 Unknown front object	756 Rear antenna	803 Exhaust system pipe
·	757 Rear fender or quarter panel	804 Transmission
eft Side Components	758 Other right side object	805 Drive shaft
20 Front fender side surface	(specify):	806 Catalytic converter
21 Front antenna	759 Unknown right side component	807 Muffler
22 A1 pillar	• · · · · · · · · · · · · · · · · · · ·	808 Floor pan
23 A2 pillar	Back Components	809 Fuel tank
24 B pillar	760 Rear (back) bumper	810 Rear suspension
25 C pillar	761 Tailgate	818 Other undercarriage component
26 D pillar	762 Hatchback, vertical surface	(specify):
8 Other pillar	768 Other back component	819 Unknown undercarriage component
(specify):	(specify):	
29 Left side roof rail	769 Unknown back component	Accessories
O Left side door surface		820 Air scoop, deflector
1 Left side door handle	Top Components	821 Cellular or CB radio antenna
32 Left side mirror fixed housing	770 Hood surface	822 Emergency lights or bar
33 Left side folding mirror	771 Hood surface reinforced by under hood	823 Fog lights
34 Left side glazing forward of B pillar	component	824 Luggage, ski, or bike rack
35 Left side glazing rearward of B pillar	772 Front fender top surface	825 Cargo (specify):
36 Left side back fender or quarter panel	773 Cowl area	826 Spare tire
37 Rear antenna	774 Wiper blade & mountings	827 Spotlight
38 Other left side object	775 Windshield glazing	828 Other accessory (specify):
(specify):	776 Front header	
39 Unknown left side component	777 Roof surface	Other Object or Vehicle in Environment
	778 Backlight glazing	947 Ground
ght Side Components	779 Rear header	948 Other object (specify):
40 Front fender side surface	780 Hatchback	949 Unknown object in environment
41 Front antenna	781 Rear trunk lid	959 Unknown object on contacting vehicle
42 A1 pillar	788 Other top component (specify):	997 Noncontact injury source
42 A2 -illa-	780 Unknown ton component	999 Unknown injury source

789 Unknown top component

999 Unknown injury source

743 A2 pillar



Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

-	POINTS OF PEDESTRIAN CONTACT							
	PEDES			RIAN CONTA	CT WORKSH	EET		
CONTACT IO LABEL	COMPONENT CONTACTED	LONGITUDINAL Location (X)	LATERAL Location (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)	SEQUENCE #
6	Bumper	+105	-10	0	leg	Snexr Smest	<u>1</u> 2 3 9	/
I	Bumpey	+ 98	_64	0	les,	Smess	1)2 3 9	
14	Hogde	+ 12	-09	0	Hand	Smear	1 2 3 9	/
ر	Nood	+ 61	- 51	0	Hard	Smess	(1)2 3 9	2
61	Fender	+58	- 72	0	Les,	Strate 4	2 3 9	2
8	Nop d	+ 3 <i>l</i>	- 48	0)dona	SmeAR	D 2 3 9	3
	_						1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 3	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	

POINTS OF PEDESTRIAN CONTACT CHRONOLOGICAL ORDER OF CONTACTS

CONTACT #	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)
1							1 2 3 9
2							1 2 3 9
3							1 2 3 9
4							1 2 3 9
5							1 2 3 9
6							1 2 3 9
7							1 2 3 9
8							1 2 3 9
9							1 2 3 9
10							1 2 1 9
11							1 2 3 9
12							1 2 1 9
13							1 2 3 9
14							1 2 3 9
15							1 2 3 9
16							1 2 3 9
17							1 2 3 9
18							1 2 3 9
19 20							1 2 3 9
							1 2 3 9
21 22							1 2 3 9
							1 2 3 9
23							1 2 3 9
24							1 2 3 9
25							1 2 3 9

Code to the nearest centimeter (999) Unknown Loss 3 inches x 2.54 = 2.75 centimeters 5. Original Average Track Width		
nearest centimeter (210) 210 centimeters or more (999) Unknown		
(999) Unknown \(\)		nearest centimeter
5. Original Average Track Width		(999) Unknown
5. Original Average Track Width Code to the nearest centimeter (185) 185 centimeters or more (1999) Unknown Office 2 inches x 2.54 = 143 centimeters 6. Hood Material (1) Plastic (2) Fiberglass (3) Steel (4) Aluminum (5) Stainless Steel (8) Other (specify): (9) Unknown (1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (3) Non-OEM replacement (3) Unknown if contacted by pedestrian - not damaged (2) Contacted by pedestrian - not damaged (3) Unknown if contacted by pedestrian in outlanged (9) Unknown if contacted by pedestrian in outlanged (1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (3) Non-OEM replacement (3) Unknown if contacted by pedestrian - not damaged (4) Unknown if contacted by pedestrian - not damaged (9) Unknown if contacted by pedestrian - not damaged (9) Unknown if contacted by pedestrian - not damaged (1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (3) Unknown if contacted by pedestrian - not damaged (1) Unknown if contacted by pedestrian - not damaged (2) OEM replacement (3) Unknown if contacted by pedestrian - not damaged (1) Unknown if contacted by pedestrian - not damaged (2) OEM replacement (3) Unknown if contacted by pedestrian - not damaged (4) Unknown if contacted by pedestrian - not damaged (1) Unknown if contacted by pedestrian in Ontontacted by pedestria	108.3 inches $\times 2.54 = 275$ centimeters	0.55 . $\underline{5}$ inches $\times 2.54 = \underline{74}$ centimeters
6. Hood Material (1) Plastic (2) Fiberglass (3) Steel (4) Aluminum (5) Stainless Steel (8) Other (specify): (9) Unknown 7. Hood Original Equipment Manufacturer (OEM) (1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 0 40	Code to the nearest centimeter (185) 185 centimeters or more (999) Unknown	Pedestrian (0) Not damaged (1) Surface scratching only, no residual crush (2) Minor crush (1-3 centimeters) (3) Moderate crush (4-7 centimeters) (4) Severe crush (>7 centimeters) (8) Damage present, unknown if damage is from
(2) Fiberglass (3) Steel (4) Aluminum (5) Stainless Steel (8) Other (specify): (9) Unknown 7. Hood Original Equipment Manufacturer (OEM) (1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (3) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 0 40 1 inches x 2.54 = 1 2 centimeter (210) 210 centimeters or more (999) Unknown 0 53 2 inches x 2.54 = 1 3 7 centimeters (2) OEM replacement (3) Non-OEM replacement (4) Unknown if contacted by pedestrian - not damaged (5) Unknown if contacted by pedestrian - not damaged (6) Unknown if contacted by pedestrian - not damaged (7) Unknown if contacted by pedestrian - not damaged (8) Unknown if contacted by pedestrian - not damaged (9) Unknown if contacted by pedestrian - not damaged (9) Unknown if contacted by pedestrian - not damaged (1) Unknown if contacted by pedestrian - not damaged (1) Unknown if contacted by pedestrian - not damaged (2) Contacted by pedestrian - not damaged (3) Unknown if contacted by pedestrian - not damaged (4) Unknown if contacted by pedestrian - not damaged (6) Unknown if contacted by pedestrian - not damaged (7) Unknown if contacted by pedestrian - not damaged (8) Unknown if contacted by pedestrian - not damaged (9) Unknown if contacted by pedestrian - not damaged (1) Unknown if contacted by pedestrian - not damaged (1) Unknown if contacted by pedestrian - not damaged (1) Unknown if contacted by pedestrian - not damaged (2) Unknown if contacted by pedestrian - not damaged (3) Unknown if contacted by pedestrian - not damaged (4) Unknown if contacted by pedestrian - not damaged (5) Unknown if contacted by pedestrian - not damaged (6) Unknown if contacted by pedestrian - not damaged (8) Unknown if contacted by pedestrian - not damaged (9) Unknown if contacted by pedestrian - not damaged (1) Unknown if contacted by pedestrian - not damaged (1) Unknown if contacted by pedestrian - not damaged (1) Unknown if contacted by pedestrian - not damaged (2) Unknown if contacted by pedestr		(9) Unknown
A Hood Original Equipment Manufacturer (OEM)	(2) Fiberglass(3) Steel(4) Aluminum(5) Stainless Steel(8) Other (specify):	From Pedestrian Contact (0) Not contacted by pedestrian (1) Contacted by pedestrian - not damaged (2) Contacted by pedestrian - damaged (3) Unknown if contacted by pedestrian - not damaged
8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown OUD Inches X 2.54 = IDD centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown OS3 Pinches X 2.54 = IST centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown OS3 Pinches X 2.54 = IST centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown	Equipment Manufacturer (OEM) (1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement	damaged (9) Unknown if contacted by pedestrian - unknown if damaged
Code to the nearest centimeter (180) 180 centimeters or more (1999) Unknown O 40. I inches x 2.54 = I 0 centimeter 9. Hood Width Forward Opening I 3 7 Code to the nearest centimeter (210) 210 centimeters or more (1999) Unknown O 53. I inches x 2.54 = I 3 7 centimeters 10. Hood Width Midway I 3 8 Code to the nearest centimeter (210) 210 centimeters or more (210) 210 centimeters or more (210) 210 centimeters (210) 210 centimeter (210) 210 centimeters (210) 210 centimeter (210) 210 centimeters (210) 210 centimeter (210) 210 centimeters or more		
9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 053.9 inches x 2.54 = / 37 centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown	Code to the nearest centimeter (180) 180 centimeters or more	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass
Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown D 53 . 9 inches × 2.54 = / 37 centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown D 5 4 . 3 inches × 2.54 = / 3 8 centimeters Code to the nearest centimeter (999) Unknown Code to the nearest centimeter (999) Unknown Code to the nearest centimeter (999) Unknown	040 . 1 inches $\times 2.54 = 102$ centimeter	
nearest centimeter (210) 210 centimeters or more (999) Unknown O 53 . 9 inches × 2.54 = / 3 7 centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown O 5 + 3 inches × 2.54 = / 3 8 centimeters 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown		(9) Unknown
10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown Obline (210) 2 inches × 2.54 = 138 centimeters Obline (3) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown	nearest centimeter (210) 210 centimeters or more	(0) No front contact (1) Steel
Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown Oblin 3 inches x 2.54 = 138 centimeters 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown		(4) Other (specify):
1 1// A A inchae V 7 EA = I J 🕶 B	Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more

. • •.

17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown D 2 3 6 inches × 2.54 = 06 0 centimeters	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown 278.7 inches X 2.54 = 700 centimeters
18. Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown 032.6 inches x 2.54 = 083 centimeters	24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown Description:
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
$\underline{D}\underline{D}\underline{3}$. \underline{I} inches X 2.54 = $\underline{D}\underline{D}\underline{S}$ centimeters	inches X 2.54 = centimeters
Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
	Side Vertical Measurements
20. Ground to Forward Hood Opening	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 27. Side Bumper-Bottom Height
nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown D34.2 inches x 2.54 = 587 centimeters 21. Ground to Front/Top Transition Point 294	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters

			Side Lateral Measurements
29.	Centerline of Wheel	000	One Eartha Madain Control
	Code to the		
	nearest centimeter		35. Centerline to A-Pillar
	(000) No side contact		
	(150) 150 centimeters or more		at Bottom of Windshield
	(999) Unknown		(000) No side contact
	(555) CHRIIGWII		Code to the
			nearest centimeter
	inches X 2.54 =	_ centimeters	(250) 250 centimeters or more
			(999) Unknown
		000	(
30.	Top of Tire	000	inches X 2.54 = centimeters
	Code to the		Continueters
	nearest centimeter		
	(000) No side contact		0 6 6
	(200) 200 centimeters or more		36. Centerline to A-Pillar DDDD
	(999) Unknown		at Top of Windshield
	(555) CHRIOWII		Code to the
			nearest centimeter
	inches X 2.54 =	_ centimeters	(000) No side contact
	•		(250) 250 centimeters or more
		2 2	(999) Unknown
31.	Top of Wheel Well Opening	000	(333) GIRIOWII
	Code to the		No.
	nearest centimeter		inches X 2.54 = centimeter
	(000) No side contact		
	(250) 250 centimeters or more		~ ~ ~
			37. Centerline to Maximum Side $\mathcal{O} \mathcal{O} \mathcal{O}$
	(999) Unknown		View Mirror Protrusion
			Code to the
	inches X 2.54 =	_ centimeters	nearest centimeter
		0	(000) No side contact
32.	Bottom of A-Pillar at Windshield	000	
	Code to the		(300) 300 centimeters or more
	nearest centimeter		(999) Unknown
	(000) No side contact		
	(250) 250 centimeters or more		inches X 2.54 = centimeter
	(999) Unknown		
	(999) OTKHOWIT		
			Side Wrap Distance Measurements
	inches X 2.54 =	_ centimeters	
	•		
		\wedge	38. Ground to Side/Top Transition
33.	Top of A-Pillar at Windshield	000	Code to the
	Code to the		nearest centimeter
	nearest centimeter		(000) No side contact
	(000) No side contact		(400) 400 centimeters or more
	(300) 300 centimeters or more		·
	(999) Unknown		(999) Unknown
	(555) OHRHOWH		
			centimeters
	inches X 2.54 =	_ centimeters	
		A A A	39. Ground to Hood Edge
34.	Top of Side View Mirror	000	Code to the
	Code to the		nearest centimeter
	nearest centimeter		(000) No side contact
	(000) No side contact		·
	(300) 300 centimeters or more		(500) 500 centimeters or more
	(999) Unknown		(999) Unknown
	(JJJ) UIRIUWII		
			inches X 2.54 = centimeters
	inches X 2.54 =	_ centimeters	

. • • •

40.	Ground to Cente Code to the nearest center.	he	000	
	(000) No side co (700) 700 centi	ontact meters or more		
	(999) Unknown			
	inch	nes X 2.54 =		
41.	Ground to Head Code to the	he	000	
	nearest ce (000) No side ce			
	(800) 800 centi (998) No head of	meters or more		
	(999) Unknown			
	inch	nes X 2.54 =	centimeters	
				·