



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

TYPE OF ACCIDENT Car thru parking lot/Ped walking: CASE NO. $_^{615~\mathrm{P}}$ 82 PSU

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

> Vehicle #1 was eastbound on a 2-lane, 2-way area of a parking lot. A pedestrian was walking south in the lot and alerted to Vehicle #1. The pedestrian then turned toward Vehicle #1 and was struck on the left side by the front left corner of Vehicle #1. The impact flipped the pedestrian to the left side of Vehicle #1 as it came to a stop.

	B. PEDESTRIAN PROFILE							
Pedestrian			Treatment/		Most (TO BE COMPLE	Severe	Injury ZONE CENTER)	
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source	
01	17	Male	Treated & released	D 1ez	contusion	1	bumper	

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severit

	Class	C VEH	ICLE PROFIL	Most Severe Damage Based on Vehicle Inspection
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description
01	Intermediate	92/Honda/Accord	Front	Minor smears, streaks


DO NOT SANITIZE THIS FORM




U.S. Department of Transportation

ACCIDENT COLLISION DIAGRAM

National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY







U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Administration						
Primary Sampling Unit Number 2	_		Case	Number	r-Stratum <u>6</u>	<u>5</u> P
PEDESTRIAN ACCIDENT CO	LLISION DATA	COLLECTION	0.1		SCALED DIAGRA	M
document reference point and reference line relative to physical features	Surface Type		Special States	· no	rth arrow placed on diagram	m
documentation of all accident induced physical evidence including (if applicable):	Surface Conditio	u 7	on		ade measurements for all a adways	pplicable
a) vehicle skid marks	Coefficient of Fri	ction	00		aled representations of the cluding:	physical plant
b) pedestrian contacts with ground or object	Grade (v/h) Mea	surement		a)	all road/roadway delineat crosswalks, curb/edge lin markings, medians, pave parked vehicles, poles, si	nes, lane ment markings,
c) vehicle/pedestrian point of impact (POI)	a) at impa	6	133		all traffic controls (e.g., lig	
d) location of pedestrian separation point from vehicle	b) between final res	n impact and	122	pe	aled representations of the destrian at pre-impact, impat based upon either:	
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Trave	ol Direction S	- L	a)	physical evidence, or	
 documentation of the physical plant including: 	Vehicle Travel D	irection. <u>V</u>	ent	b)	reconstructed accident dy	/namics
all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)	Number of Trave	l Lanes	<u> </u>			
b) all traffic controls (e.g., lights, signs).						
Reference Point: Drain at S east and E Pull Lot	South-	Referer	nce Line: So	nth King	lmb Ed Stalls	72
Item			e and Direction		Distance and I	
		1101111		^		
Approximate sheer of	Infac	b had	no Re	krs	mel	
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\			() <u> </u>	`		
- Frank Rest. Le	cutin	SK (Sedesta	2 win	at Frie	
Daire	sale -	Poo	Roll	11	at trial	Rash
			O		•	
-2.6 - 2.0	MI	Ray	People .	D (4	Zenes to	mo?
C 11 0 5.5		V-W-C		,		
	<u> </u>		····			

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number


2. Case Number - Stratum

IDENTIFICATION

3. Number of General Vehicle Forms Submitted

1

4. Date of Accident (Month, Day, Year)



5. Time of Accident

Code reported military time of accident.

NOTE: Midnight = 2400

Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. ____SS15 Administrative Use

7. ✓ SS16 Pedestrian Crash Data Study 1

8. SS17 Impact Fires 0

9. ____SS18 _____ _0_

10. SS19 0

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

0 1

0

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

		PEDESTRIAN	ACCIDENT	TEVENTS		
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
12. <u>0</u> <u>1</u>	13. <u>0</u> <u>1</u>	14. <u>0</u> 3	15.	16. <u>7</u> <u>2</u>	17. <u>0 0</u>	18. <u>0</u>

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation

1

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

National Highway Traffic Safety NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY Administration

1. Primary Sampling Unit Number 2. Case Number - Stratum 6	10. Pedestrian's Weight Code actual weight to the nearest kilogram. (999) Unknown
3. Pedestrian Number <u>0 1</u>	<u> 50</u> pounds X .4536 = kilograms
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown 6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify):
7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown	13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify):
9. Pedestrian's Height - Ground to Shoulder Code to the nearest centimeter. (999) Unknowninches X 2.54 =centimeters	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify):

PEDESTRIAN'S AVOIDANCE ACTIONS

- 15. Pedestrian's First Avoidance Actions
 - (00) No avoidance actions
 - (01) Stopped

 - (02) Accelerated pace(03) Ran away (along vehicle path)
 - (04) Jumped

 - (05) Turned toward vehicle(06) Turned away from vehicle
 - (07) Dove or fell away

Used hand(s) to:

- (11) Vault corner of vehicle
- (12) Vault onto vehicle
- (13) Brace against vehicle

PEDESTRIAN'S ORIENTATION AT IMPACT

- 16. Pedestrian's Head Orientation at Initial Impact
 - (1) To front
 - (2) To left
 - (3) To right
 - (4) Up
 - (5) Down
 - (8) Other (specify):_____
 - (9) Unknown
- 17. Pedestrian's Body (Chest) Orientation at Initial Impact
 - (1) Facing vehicle
 - (2) Facing away
 - (3) Left side to vehicle
 - (4) Right side to vehicle
 - (8) Other (specify):_____
 - (9) Unknown

- 18. Pedestrian's Arm Orientation at Initial Impact
 - (01) At sides
 - (02) Folded across chest
 - (03) Hands clasped behind back
 - (04) Hands on hips
 - (05) Hands in pockets

One or both arms:

- (06) Extended upward
- (07) Extended to side
- (08) Extended forward bracing
- (09) Extended, holding object (briefcase, suitcase, etc.)
- (10) Holding object (young child, grocery bag, etc.) in arm(s)
- (11) Holding object (young child, grocery bag, etc.) on shoulder(s) or head
- (98) Other (specify):
- (99) Unknown
- 19. Pedestrian's Leg Orientation at Initial Impact
 - (01) Together
 - (02) Apart-laterally
 - (03) Apart-right leg forward-
 - (04) Apart-left leg forward
 - (05) Apart- forward leg unknown
 - (06) Left foot off the ground
 - (07) Right foot off the ground
 - (08) Both feet off the ground
 - (98) Other (specify):_____
 - (99) Unknown
- 20. Vehicle/Pedestrian's Interaction
 - (01) Carried by vehicle, wrapped position
 - (02) Carried by vehicle, slid to windshield
 - (03) Carried by vehicle, position unknown
 - (04) Passed over vehicle top
 - (05) Thrown straight forward
 - (06) Thrown forward and left of vehicle
 - (07) Thrown forward and right of vehicle
 - (08) Knocked to pavement, forward
 - (09) Knocked to pavement, left of vehicle
 - (10) Knocked to pavement, right of vehicle
 - (11) Knocked to pavement, run over or dragged by vehicle
 - (12) Shunted to left (corner impacts only)
 - (13) Shunted to right (corner impacts only)
 - (14) Bumped or pushed aside
 - (15) Snagged, rotated
 - (16) Snagged, dragged by vehicle
 - (17) Foot or legs run over
 - (98) Other (specify):_____
 - (99) Unknown









OFFICIAL RECORDS	INJURY CONSEQUENCES
21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify): Nonfatal (3) Hospitalization
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown	(4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
	28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
	29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOP - VARIABLES 30 THROUGH 37 AF	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given 32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported, HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 +n up through 30 days = 60)	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death 36. 3rd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
(00) Not fatal (96) Fatal - ruled disease (99) Unknown	
ARE ALL APPLICABLE MEDICAL RECORD NO [] UPDATE CANDIDATE?	OS INCLUDED WITH INITIAL SUBMISSION? YES [] NO [V] YES []

Form Approved O.M.B. No. 2127-0021

National Highway Traffic Safety Administration

PEDESTRIAN INJURY FORM

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

61<u>5</u> P

3. Pedestrian Number

0 1

2. Case Number - Stratum

5 p 4.

4. Blank


INJURY DATA

Record below the actual injuries sustained by this pedestrian in **CHRONOLOGICAL** order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

	Source		Type of	AIS-90 Specific					Injury Source	Direct/		Type	
	of Injury Data	Body Region	Anatomic Structure	Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Confidence Level	Indirect Injury	Striking Profile	Of Damage	Damage Depth
1st	5. 2	6. <u>8</u>	7. <u>9</u>	8. <u>0</u> <u>4</u>	9. <u>0</u> 2	- _{10.} <u>/</u>	11.2	12. 70 0	13. 1	14.	15. 2	- _{16.} <u>2</u>	-,,2_
2nd	18. 3	197	20. <u>9</u>	₂₁ , <u>0</u> <u>2</u>	- _{22.} <u>0</u> 2	_ 23. <u></u>	24. 🛴	_{25.} <u>94</u> 7	26. /	27.	28. 🥏	29.	30.0
3rd	31. <u>Z</u>	_{32.} _7	33. <u>Z</u>	34. <u>D</u> 2	/ _{35.} <u>0</u> 2	-36. <u>/</u>	37. <u> </u>	38. <u>947</u>) 39. <u>/</u>	40./_	41. <u>D</u>	42. <u>U</u>	43.0_
4th	44	45,	46	47	48	49	50	51	52	53	54	55	56
5th	57	58	59	60	61	62	63	64	65	66	67	68	69
6th	70	71	72	73	74	75	76	77	78	79	80	81	82
7th	83	84	85	86	87	88	89	90	91	92	93	94	95
8th	96	97	98	99	100	101	102	103	104	105	106	107	108
9th	109	110	111,	112	113	114	115	116	117	118	119	120	121
Oth	122	123	124	125	126	127	128	129	130	131	132	133	134

PEDESTRIAN INJURY DATA AIS-90 Injury Type of Specific Source Direct/ Type Source of Injury Body Anatomic Anatomic Level of A.I.S. Injury Confidence Indirect Striking Of Damage Data Region Structure Structure Injury Severity Aspect Source Level Injury Profile Damage Depth 11th ___ 12th ___ 13th ___ 14th ___ 15th ___ 16th ___ 17th ___ 18th ___ 19th ___ 20th ___ 21st ___ 22nd ___ 23rd ___ 24th _ 25th ___

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



INJURY SOURCE CONFIDENCE LEVEL TYPE OF DAMAGE **SOURCE OF INJURY DATA** Certain Injury not from vehicle contact **OFFICIAL** Probable No damage/contact (1) Autopsy records with or without hospital/ (3) Possible Scratch (Scuff, Cloth Transfer, Smear) medical records Unknown Dent Hospital/medical records other than (4)Large deformation **DIRECT/INDIRECT INJURY** emergency room (e.g., discharge (5) Cracked, fractured, shattered summary) Direct contact injury (6) Separated from vehicle Indirect contact injury Emergency room records only (including Noncontact injury Noncontact injury associated X-rays or other lab reports) Other specify: (8) Injured, unknown source Private physician, walk-in or emergency Unknown STRIKING PROFILE **DAMAGE DEPTH** Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) Injury not from vehicle contact UNOFFICIAL (1) No residual damage (5) Lav coroner report Surface only damage Crush depth >0 to 2 centimeters Crush depth >2 to 5 centimeters Rounded (contoured) (6) E.M.S. personnel Rounded edge (7) Interviewee Sharp edge Other (specify): (5) (8) Other source (specify): Crush depth > 5 to 10 centimeters Other specify: (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION Abbreviated Injury Scale **Body Region Specific Anatomic Structure** Cervical Thoracic Whole Area (02) Skin - Abrasion (04) Skin - Contusion (04) Minor injury Head Face (2) Moderate injury Serious injury (06) Lumbar (3) Neck (06) Skin - Laceration Vessels, Nerves, Organs, Bones, Joints Severe injury (4)Thorax are assigned consecutive two digit numbers beginning with 02 Abdomen (08) Skin - Avulsion (5) Critical injury Maximum (untreatable) (6) Spine (10) Amputation (6) Injured, unknown severity **Upper Extremity** (20) Burn (7)Lower Extremity (30) Crush Level of Injury (8) Degloving Injury - NFS Aspect Unspecified (40)Specific injuries (50)are assigned consecutive Type of Anatomic Structure Trauma, other than mechanical two-digit numbers Right beginning with 02. Left Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness Bilateral Whole Area (3) To the extent possible, within the Central (2) Vessels organizational framework of the AIS, 00 Anterior (3) Nerves is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic (10) Concussion (6) (7) Posterior Superior Organs (includes muscles/ ligaments) Skeletal (includes joints) (5)Inferior Head - LOC structure. 99 is assigned to any injury NFS as to lesion or severity. (9) Unknown Whole region (9) Skin **INJURY SOURCE FRONT** Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 748 Other pillar (specify): 793 Right rear wheel /tire 703 Hood edge and/or trim 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 751 Right side door handle 706 Headlight 752 Right side mirror fixed housing 707 Retractable headlight door (Open/Closed) Undercarriage components 753 Right side folding mirror 708 Turn signal/parking lights 800 Front crossmember 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 718 Other front or add on object 755 Right side glazing rearward of B pillar 802 Oil pan (specify): 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 759 Unknown right side component 807 Muffler 721 Front antenna 722 A1 pillar 808 Floor pan 723 A2 pillar Back Components 760 Rear (back) bumper 809 Fuel tank 724 B pillar 810 Rear suspension 818 Other undercarriage component 725 C pillar 761 Tailgate (specify): 762 Hatchback, vertical surface 726 D pillar 819 Unknown undercarriage component 728 Other pillar 768 Other back component (specify): (specify): Accessories 729 Left side roof rail 769 Unknown back component 820 Air scoop, deflector 730 Left side door surface 821 Cellular or CB radio antenna 731 Left side door handle Top Components 822 Emergency lights or bar 732 Left side mirror fixed housing 770 Hood surface 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar 824 Luggage, ski, or bike rack component 825 Cargo (specify):_ 735 Left side glazing rearward of B pillar 772 Front fender top surface 736 Left side back fender or quarter panel 826 Spare tire 773 Cowl area 827 Spotlight 774 Wiper blade & mountings 737 Rear antenna 775 Windshield glazing 828 Other accessory (specify):_ 738 Other left side object (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground 948 Other object (specify): Right Side Components 779 Rear header 949 Unknown object in environment 740 Front fender side surface 780 Hatchback 959 Unknown object on contacting vehicle 741 Front antenna 781 Rear trunk lid 742 A1 pillar 788 Other top component (specify): _ 997 Noncontact injury source

789 Unknown top component

999 Unknown injury source

743 A2 pillar

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

Yes

unavailable.)

Blood Alcohol Level (mg/dl)

BAL =

Glasgow Coma Scale Score

GCSS = 15

Units of Blood Given

Units = ____


Arterial Blood Gases


Ph = __._

PO₂= ____

PCO₂

HCO₃







National Accident Sampling System-Crashworthiness Data System: Pedestrian Injury Form

OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)







U.S. Department of Transportation

(0) No specimen test given
(1) Drug not found in specimen
(2) Drug found in specimen
(specify):
(3) Specimen test given, results

unknown or not obtained

(8) No driver present

(9) Unknown

lational Highway Traffic Safety Administration	PEDESTRIAN GENE	RAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTE
1. Primary Sampling Unit Num	her 82	OFFICIAL RECORDS
2. Case Number - Stratum	6 J S P	9. Police Reported Travel Speed
3. Vehicle Number	_0 _1	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above
VEHICLE IDENT	IFICATION	(999) Unknown
4. Vehicle Model Year Code the last two digits of (99) Unknown	the model year	mph X 1.6093 = kmph 10. Speed Limit
5. Vehicle Make (Specify): Applicable codes are found	<u>3</u>	(000) No statutory limit Code posted or statutory speed limit in kmph (999) Unknown mph X 1.6093 = kmph
NASS PCDS Data Collection Editing Manual. (99) Unknown		11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present
6. Vehicle Model (specify) Applicable codes are found	1 2 g g	(7) Not reported (8) No driver present (9) Unknown
NASS PCDS Data Collection Editing Manual. (999) Unknown		12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused
7. Body Type Note: Applicable codes may the back of this page.		(96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Numb	er	Source:
Left justify; Slash zeros and No VIN—Code all zeros Unknown—Code all nines	11 12 13 14 15 16 17 letter Z (Ø and Z)	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown 14. Other Drug Specimen Test Result
		For Driver

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown Box 24536 = 1240 kgs	18. Impact Speed Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source: 16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown [bs X .4536 =,kgs]	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	PRECRASH DATA 21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

22 /	Critical Precrash Event		(92) Redeleveliet on other name at a in an alice
	This Vehicle Loss of Control Due To:		(83) Pedalcyclist or other nonmotorist in roadway
			(specify):
	(01) Blow out or flat tire		(84) Pedalcyclist or other nonmotorist approaching
	(02) Stalled engine		roadway (specify):
1	(03) Disabling vehicle failure (e.g., wheel fell off)		(85) Pedalcyclist or other nonmotorist—unknown
	(specify):		location (specify):
((04) Non-disabling vehicle problem (e.g., hood flew		Object or Animal
	up) (specify):		(87) Animal in roadway
((05) Poor road conditions (puddle, pot hole, ice, etc.)	1	(88) Animal approaching roadway
	(specify):		(89) Animal—unknown location
	(06) Traveling too fast for conditions		(90) Object in roadway
" ((08) Other cause of control loss (specify):		(91) Object approaching roadway
	(OÒ) H-1		(92) Object—unknown location
	(09) Unknown cause of control loss		(98) Other critical precrash event (specify):
	This Vehicle Traveling		(00)
	(10) Over the lane line on left side of travel lane	İ	(99) Unknown
	(11) Over the lane line on right side of travel lane	١,,	
	(12) Off the edge of the road on the left side		Attempted Avoidance Maneuver
	(13) Off the edge of the road on the right side		(00) No driver present
	14) End departure	ı	(01) No avoidance actions
	(15) Turning left at intersection		(02) Braking (no lockup)
	16) Turning right at intersection		(03) Braking (lockup)
	17) Crossing over (passing through) intersection		(04) Braking (lockup unknown)
	(19) Unknown travel direction	1	(02) Braking (no lockup) (03) Braking (lockup) (04) Braking (lockup unknown) (05) Releasing brakes
	Other Motor Vehicle In Lane		(06) Steering left
	(50) Stopped	1	(07) Steering right
((51) Traveling in same direction with lower speed		(08) Braking and steering left
,	(i.e., lower steady speed or decelerating)		(09) Braking and steering right
	(52) Traveling in same direction with higher speed		(10) Accelerating
	(53) Traveling in opposite direction (54) In crossover		(11) Accelerating and steering left
	(55) Backing		(12) Accelerating and steering right
	59) Unknown travel direction of other motor vehicle		(98) Other action (specify):(99) Unknown
,	in lane		(33) GIRIOWII
,	Other Motor Vehicle Encroaching Into Lane	25.	Precrash Stability After Avoidance Maneuver
	60) From adjacent lane (same direction) – over left		(0) No driver present
,	lane line	1	(1) No avoidance maneuver
1	61) From adjacent lane (same direction)—over right		(2) Tracking
,	lane line		(3) Skidding longitudinally—rotation less than 30
1	62) From opposite direction—over left lane line		degrees
	63) From opposite direction—over right lane line	1	(4) Skidding laterally—clockwise rotation
	64) From parking lane	ı	(5) Skidding laterally—counterclockwise rotation
	65) From crossing street, turning into same direction		(8) Other vehicle loss-of-control (specify):
	66) From crossing street, across path		(0) D
	67) From crossing street, turning into opposite		(9) Precrash stability unknown
•	direction	26	Precrash Directional Consequences of
ı	68) From crossing street, intended path not known		Avoidance Maneuver (Corrective Action)
	70) From driveway, turning into same direction		(0) No driver present
	71) From driveway, across path		(1) No avoidance maneuver
	72) From driveway, turning into opposite direction		(2) Vehicle stayed in travel lane where avoidance
	73) From driveway, intended path not known		maneuver was initiated
	74) From entrance to limited access highway		(3) Vehicle stayed on roadway but left travel lane
	78) Encroachment by other vehicle—details		where avoidance maneuver was initiated
•	unknown		(4) Vehicle stayed on roadway, not known if left
F	Pedestrian or Pedalcyclist, or Other Nonmotorist		travel lane where avoidance maneuver was
	80) Pedestrian in roadway		initiated
	81) Pedestrian approaching roadway		(5) Vehicle departed roadway
	82) Pedestrian—unknown location		(6) Avoidance maneuver initiated off roadway
•			(9) Directional consequences unknown

	ENVIRON	MEN	NTAL DATA
27.	Relation to Junction	<u>n</u>	33. Roadway Surface Condition
	(0) Non-junction		(1) Dry
	(1) Interchange area		(2) Wet (3) Snow and slush
	Non-Interchange		(4) Ice
	(2) Intersection (3) Intersection-related	l	(5) Sand, dirt or oil(8) Other (specify):
	(4) Drive, alley access related	ŀ	(9) Unknown
	(5) Other non-interchange (specify):		\sim
	(6) Unknown type of non-interchange		34. Traffic Control Device
	(9) Unknown if interchange		(0) No traffic control(s)
	1	ľ	 Trafficway traffic control signal (not RR crossing)
28.	Trafficway Flow	_	crossing,
	(1) Not physically divided (two way traffic)(2) Divided trafficway - median strip without		Regulatory or School Zone Sign (Not RR Crossing)
	(2) Divided trafficway - median strip without positive barrier	ŀ	(2) Stop sign (3) Yield sign
	(3) Divided trafficway - median strip with		(4) School zone sign
	positive barrier (4) One way trafficway		(5) Other sign (specify):
	(9) Unknown		(6) Unknown sign
	\mathcal{O}		(7) Warning sign (not RR crossing)
29.	Number of Travel Lanes		(8) Miscellaneous/other controls including RR controls (specify):
	(1) One	-	· · ·
	(2) Two (3) Three		(9) Unknown
	(4) Four		
	(5) Five	3	35. Traffic Control Device Functioning
	(6) Six (7) Seven or more		(0) No traffic control (1) Not Functioning
	(9) Unknown		(2) Functioning
	\sim		(9) Unknown
30.	Roadway Alignment		
	(1) Straight	_ 3	36. Light Conditions
	(2) Curve right (3) Curve left		(1) Daylight (2) Dark
	(9) Unknown		(3) Dark, but lighted
			(4) Dawn
31.	Roadway Profile		(5) Dusk (9) Unknown
	(1) Level	_	1
	(2) Uphill Grade (>2%) (3) Downhill Grade (>2%)	- 13	37. Atmospheric Conditions
	(4) Hillcrest	'	(1) No adverse atmospheric related driving
	(5) Sag (9) Unknown	-	conditions
	(9) Unknown		(2) Rain (3) Sleet
			(4) Snow
32.	Roadway Surface Type (1) Concrete	\sim	(5) Fog
	(2) Bituminous (asphalt)		(6) Rain and fog (7) Sleet and fog
	(3) Brick or Block		(8) Other (e.g., smog, smoke, blowing sand or
	(4) Slag, gravel or stone (5) Dirt		dust, etc.) (specify): (9) Unknown
	(8) Other (specify):		(o) Onkilowii
	(9) Unknown		

82-615

1740m

17 Y o M 7 o "

f = 0, 65

POI to 1=RP = 1.4m - 5,9 ft PRT = 1 Sec


 $L = /V + \frac{V^2}{(2)(0.65^-)(32.2)}$

0,0 24V2 +/V-6=0

-1 + V112-14)(0,024)(-6)

3,048

v= 10.6 fPS = 7.2 mph = 11.7 KPh



PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

1. Primary Sampling Unit Number

2. Case Number - Stratum

3. Vehicle Number

VEHICLE IDENTIFICATION

VIN 1 HGCB765

Model Year

Vehicle Make (specify):

Vehicle Model (specify):

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

cm

cm

cm

cm

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

cm

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact


cm cm

cm

cm cm

cm






NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

	PEDESTRIAN SIDE CONTACT WORK SHEE	Τ						
PEV06	Hood Material							
PEV08	Hood Length		cm					
PEV09	Hood Width-Forward Opening		cm					
PEV10	Hood Width-Midway		cm					
PEV11	Hood Width Rear Opening		cm					
VERTICAL MEASUREMENTS								
PEV26	Ground Clearance		cm					
PEV27	Side Bumper-Bottom Height		cm					
PEV28	Side Bumper-Top Height		cm					
PEV29	Centerline of Wheel		cm					
PEV30	Top of Tire		cm					
PEV31	Top of Wheel Well Opening		cm					
PEV32	Bottom of A-Pillar at Windshield		cm					
PEV33	Top of A-Pillar at Windshield		cm					
PEV34	Top of Side View Mirror		cm					
	LATERAL MEASUREMENTS							
PEV35	C _L to A-Pillar at Bottom of Windshield		cm					
PEV36	C _L to A-Pillar at Top of Windshield		cm					
PEV37	C _L to Maximum Side View Mirror Protrusion		cm					
WRAP DISTANCES								
PEV38	Ground to Side/Top Transition		cm					
PEV39	Ground to Hood Edge		cm					
PEV40	Ground to Centerline of Hood (ORIGIN)		cm					
PEV41	Ground to Head Contact		cm					

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: ____ cm

	1271	771
Wheelbase	$\frac{107}{1000}$! inches	$\times 2.54 = \bigcirc
Overall Length	$\frac{185}{2}$ inches	x 2.54 = 4 10 cm
Maximum Width	$-\sqrt{2}$ inches	$x 2.54 = \underbrace{1}_{2} \underbrace{2}_{3} cm$
Curb Weight	2 + 3 = 2 = 2 pounds	\times .4536 = 1 , 2 4 6 kg
Average Track	-582 inches	$\times 2.54 = 100$ cm
Front Overhang	inches	x 2.54 = cm
Rear Overhang	inches	x 2.54 = cm
Undeformed End Width	inches	x 2.54 = cm
Engine Size: cyl./displ	cc	$\times .001 = \underline{22}L$
	CID	x .0164 = L
	INJURY SOURCE	
700 Front bumper 701 Front lower valance/spoiler 702 Front grille 703 Hood edge and/or trim 704 Hood ornament (fixed) 705 Hood ornament (spring loaded) 706 Headlight 707 Retractable headlight door (Open/Closed) 708 Turn signal/parking lights 718 Other front or add on object (specify):	744 B pillar 745 C pillar 746 D pillar 748 Other pillar (specify):	790 Left front wheel / tire 791 Right front wheel / tire 792 Left rear wheel / tire 793 Right rear wheel / tire 798 Other wheel / tire (specify): 799 Unknown wheel / tire Undercarriage components 800 Front cross member 801 Steering assembly/Front suspension 802 Oil pan 803 Exhaust system pipe 804 Transmission 805 Drive shaft 806 Catalytic converter 807 Muffler 808 Floor pan 809 Fuel tank 810 Rear suspension 818 Other undercarriage component (specify): 819 Unknown undercarriage component
739 Left side door surface 731 Left side door handle 732 Left side mirror fixed housing 733 Left side folding mirror 734 Left side glazing forward of B pillar 735 Left side glazing rearward of B pillar 736 Left side back fender or quarter panel 737 Rear antenna 738 Other left side object (specify): 739 Unknown left side component Right Side Components 740 Front fender side surface 741 Front antenna 742 A1 pillar	Top Components 770 Hood surface 771 Hood surface reinforced by under hood component 772 Front fender top surface 773 Cowl area 774 Wiper blade & mountings 775 Windshield glazing 776 Front header 777 Roof surface 778 Backlight glazing 779 Rear header 780 Hatchback 781 Rear trunk lid 788 Other top component (specify):	820 Air scoop, deflector 821 Cellular or CB radio antenna 822 Emergency lights or bar 823 Fog lights 824 Luggage, ski, or bike rack 825 Cargo (specify): 826 Spare tire 827 Spotlight 828 Other accessory (specify): Other Object or Vehicle in Environment 947 Ground 948 Other object (specify): 949 Unknown object in environment 959 Unknown object on contacting vehicle

ORIGINAL SPECIFICATIONS


	POINTS OF PEDESTRIAN CONTACT PEDESTRIAN CONTACT WORKSHEET									
	CONTACT	COMPONENT	J= 162	LATERAL	CRUSH	(CIBMONKS)	261	COMPLETE LEVEL OF	95915995	
	ID LABEL	CONTACTED	LOCATION (X)	LOCATION (Y)	IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)	SEQUENCE #	
7	7	Bunkas	130	85,	0	(D)ra	Pants Frank	1 2 3 9	1	
	V	, ,	110	-43	0	\ f	Selano	$\sqrt{1/2}$ 3 9	1	
	K	Aprillight	97	-42		Uppe	Shares	2 3 9	3	
1	M	10-0-50A	-91	-63	0	يم]۱۱	Cleoned	1 2 3 8	9	
13	K	Brugano	(11	-73	9	PHON	Smeare	(1)2 3 9	3	
	\mathcal{D}	v v	195	- 35	<u>Q</u>	7.9	Clean	\1/2 1 9	3	
	4	Ferder	58	-+3	Q	Paroto	- LI	3 9	7	
\	-8	Gunger	55	-8+	Q	0 kg?	Sman/Strant		5	
	6	Fonder	53	-88	0	ree (a swipestr	2)3 9		
								1 2 3 9		
	. ()		<u> </u>	. 11		,	001	1 2 3 9		
7	e/X_	m Ju	107 / V	mt U	minug.	W/SMe	nad Belan	1 2 3 9		
		Ω	0,	nat i	Daru		0-4	he we		
		COO	ske	0.		mente	L bito mai	1 2 3 9		
		300	-3/KE	CA,			-	1 2 3 9		
								1 2 3 9		
								1 2 3 9		
								1 2 3 9		
								1 2 3 9		
								1 2 3 9		
								1 2 3 9		
								1 2 3 9		
								1 2 3 9		
								1 2 3 9		


POINTS OF PEDESTRIAN CONTACT CHRONOLOGICAL ORDER OF CONTACTS									
CONTACT #	COMPONENT Contacted Code	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)		
1 β	100	111	-13	O.	L-leg	Smeet	2 3 9		
2		Δ	-			(1 2 3 9		
3 🗸	9,00						1 2 3 9		
4							1 2 3 9		
5							1 2 3 9		
6							1 2 3 S		
7							1 2 3 9		
8							1 2 3 8		
9							1 2 3 9		
10							1 2 2 9		
11							1 2 3 9		
12							1 2 3 9		
13							1 2 3 9		
14							1 2 3 9		
15							1 2 3 9		
16							1 2 3 9		
17							1 2 3 9		
18							1 2 3 9		
19							1 2 3 9		
20							1 2 3 9		
21							1 2 3 9		
22							1 2 3 9		
23							1 2 3 9		
24							1 2 3 9		
25							1 2 3 9		

VEHICLE DIMENSIONS	11 Hood Width Poor Opening
A 7 (11. Hood Width Rear Opening Code to the
4. Original Wheelbase Code to the	nearest centimeter
nearest centimeter	(210) 210 centimeters or more
(999) Unknown	(999) Unknown
(67 1 inches V 2 E4 = 0000000000000000000000000000000000	inches X 2.54 = centimeters
$467 \cdot 1$ inches X 2.54 = centimeters	12. Hood/Fender Vertical/Lateral Crush
5. Original Average Track Width	Pedestrian Vertical/Lateral Crush (1997)
Code to the nearest centimeter	(0) Not damaged
(185) 185 centimeters or more	(1) Surface scratching only, no residual crush(2) Minor crush (1-3 centimeters)
(999) Unknown	(3) Moderate crush (4-7 centimeters)
$\frac{582}{2} \text{ inches } \times 2.54 = 142 \text{ centimeters}$	(4) Severe crush (>7 centimeters)
centimeters	(8) Damage present, unknown if damage is from
<i>'</i> 2'	pedestrian impact (9) Unknown
6. Hood Material (1) Plastic	
(1) Plastic (2) Fiberglass	13. Windshield Contact Damage
(3) Steel	From Pedestrian Contact (0) Not contacted by pedestrian
(4) Aluminum	(1) Contacted by pedestrian - not damaged
(5) Stainless Steel (8) Other (specify):	(2) Contacted by pedestrian - damaged
(9) Unknown	(3) Unknown if contacted by pedestrian - not damaged
	(4) Unknown if contacted by pedestrian -
7. Hood Original	damaged
Equipment Manufacturer (OEM) (1) OEM factory installed hood	(9) Unknown if contacted by pedestrian -
(2) OEM replacement	unknown if damaged
(3) Non-OEM replacement	FRONT CONTACT DAMAGE
(3) Non-OEM replacement (9) Unknown	FRONT CONTACT DAMAGE
(9) Unknown 8. Hood Length	FRONT CONTACT DAMAGE Front Vertical Measurements
(9) Unknown 8. Hood Length Code to the	Front Vertical Measurements 14. Front Bumper Cover Material
(9) Unknown 8. Hood Length	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact
(9) Unknown 8. Hood Length Code to the nearest centimeter	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic
(9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact
(9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify):
(9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =centimeter 9. Hood Width Forward Opening	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
(9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =centimeter 9. Hood Width Forward Opening Code to the	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify):
(9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =centimeter 9. Hood Width Forward Opening Code to the nearest centimeter	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact
(9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =centimeter 9. Hood Width Forward Opening Code to the	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel
(9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum
(9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):
(9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 =centimeters 2. Centimeters 1. 1. Code	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
(9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 =centimeters (210) 210 centimeters or more (999) Unknown Code to the	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
(9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 =centimeters 10. Hood Width Midway Code to the nearest centimeter	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):
(9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 =centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter
(9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown Inches X 2.54 =centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown Inches X 2.54 =centimeters (210) 210 centimeters or more (999) Unknown Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact
(9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 =centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter
(9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown Inches X 2.54 =centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown Inches X 2.54 =centimeters (210) 210 centimeters or more (999) Unknown Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more

20	Contaction of M/hank	(100)	Side Lateral Measurements	
29.	Centerline of Wheel Code to the	ンソン		
	nearest centimeter			\mathbf{O}
	(000) No side contact		35. Centerline to A-Pillar	
	(150) 150 centimeters or more		at Bottom of Windshield	
	(999) Unknown		(000) No side contact	
	(000) Chikhowh		Code to the	
	inches X 2.54 =	centimeters	nearest centimeter	
`		0011111101010	(250) 250 centimeters or more	
l		000	(999) Unknown	
30	Top of Tire	000		
.00.	Code to the		inches X 2.54 = centimete	ers
	nearest centimeter			_
	(000) No side contact		C_{ij}	O(1)
	(200) 200 centimeters or more		36. Centerline to A-Pillar)
	(999) Unknown		at Top of Windshield	
	(222, 2111112111		Code to the	
	inches X 2.54 =	centimeters	nearest centimeter	
			(000) No side contact	
		000	(250) 250 centimeters or more	
31.	Top of Wheel Well Opening	(1000)	(999) Unknown	
• · ·	Code to the			
	nearest centimeter		inches X 2.54 = centimete	er .
	(000) No side contact			_
	(250) 250 centimeters or more			\mathcal{C}
	(999) Unknown		37. Centerline to Maximum Side	_ <u> </u>
	(222, 2		View Mirror Protrusion	
	inches X 2.54 =	centimeters	Code to the	
		and	nearest centimeter	
32.	Bottom of A-Pillar at Windshield		(000) No side contact	
	Code to the		(300) 300 centimeters or more	
	nearest centimeter		(999) Unknown	
	(000) No side contact			
	(250) 250 centimeters or more		inches X 2.54 = centimete	ər
	(999) Unknown			
			Side Wrap Distance Measurements	
	inches X 2.54 =	centimeters		,00000000000000000000000000000000000000
		0 -3 -5		
		MAC	38. Ground to Side/Top Transition) (^)
33.	Top of A-Pillar at Windshield	UUUU	Code to the	
	Code to the		nearest centimeter	
	nearest centimeter		(000) No side contact	
1	(000) No side contact		(400) 400 centimeters or more	
	(300) 300 centimeters or more		(999) Unknown	
	(999) Unknown			
			inches X 2.54 = centimete	ers
ł	inches X 2.54 =	centimeters		<i>d</i> ~
ŀ		~ > > >		ッヘー
		(NC)	39. Ground to Hood Edge	J
34.	Top of Side View Mirror	イプロ	Code to the	
	Code to the	- .	nearest centimeter	
	nearest centimeter		(000) No side contact	
	(000) No side contact		(500) 500 centimeters or more	
	(300) 300 centimeters or more		(999) Unknown	
	(999) Unknown			
			inches X 2.54 = centimete	ers
	inches X 2.54 =	centimeters		

40.	Ground to Centerline of Hood Code to the nearest centimeter (000) No side contact (700) 700 centimeters or more (999) Unknown	<u> </u>		
•41.	Ground to Head Contact Code to the nearest centimeter (000) No side contact (800) 800 centimeters or more (998) No head contact (999) Unknown	Centimeters C		
	inches X 2.54 =	centimeters		
		·		





POINTS OF PEDESTRIAN CONTACT -- PEDESTRIAN # 1

PEDESTRIAN CONTACT WORKSHEET PAGE

CONTACT I D LABEL	COMPONENT CONTACTED (CODE or OBJECT)	LONGITUDINAL	LATERAL LOCATION	CRUSH IN CM	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT
7	Ruper	1-32	-38	0	Lagoho	fants Stocako	3 9
M	Herolyton	1-65	-45	98	Japan Jean	Shewy (2 3 9
P	Bruken	1-40	-33		(D) Leg	Snamed	2 3 9
R	Sile Pench	MES	-23	0	Panto	stocales / norm	2 3 9
L	File Ferly	93	-88	90	Feetles	news took	1)2 3 9
					,		1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
					·		1 2 3 9
		• .					1 2 3 9
		-					1 2 3 9
							1 2 3 9



82615P00010012 710.010000000000103F72000

82615P00010021 10.0 0000000001711785109414606811014051311030909600142009715 1010000000003

82615P00010131 10.0 0000000038904021270011222

82615P00010231 10.0 00000000037902021194711000 82615P00010331 10.0 00000000037902021194711000

82615P01000041 10.0 0000000009237032041HGCB7651NA 99900009600124000001

21120180011101231210011

PSU82 CASE 615P

CURRENT VERSION: 10.0

ERROR SUMMARY SCREEN PEDESTRIAN STUDY

/97

	JMBER JLLAR	 NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	0	0	Υ
Pedestrian Assessment	ŏ	Õ	ŏ	Ý
Pedestrian Injury	Ō	Ó	O	Y
Pedestrian General Vehicle	0	0	0	Υ
Pedestrian Exterior Vehicle	e ()	О	0	Υ
Total Inter Errors		0	o	
Total Case Errors	o	o	0	