



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



PSU 90

CASE NO. 6354

TYPE OF ACCIDENT MOTOR VEILLE PEDESTION DIAGONALLY

DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.) AT The Time of This Pedestrian Accident The Roadway was wet and RATHING. This Accident occurred on A divided : Highway. A previous accident had occurred on The interstate. The vehicle involved in This Accident did NOT CONTACT. ANY OTHER Vehicles involved in previous

#2. Pedestrian# was Run ning across The East Bound and in Lane 12. Pedestrian# was Run ning across The East Bound Traffic Lanes IN A Northerly direction. Vehicle #1 driver applied her Brakes and STRUCK TRE PEDESTRIAN WITH THE FRONT LEFT. The PEDESTRIAN WAS KNOCKED TO THE LEFT OF THE Vehicle #1, and came to Rest in the center median crassy Area. Vehicle #1 skidded in a counterclock wise direction and came to Rest are To Pedestrian Beat 12. ION AND come to REST OFF THE READWAY. AT FINAL REST VEHICLE #1 WAS headed in a southerly direction.

	B. PEDESTRIAN PROFILE											
Pedestrian			Treatment/		Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)							
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source					
01	16	Female	TRANSPORTED HOSPITALIZED	Lower Extremity	Skeletal	3	Bumper					

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity

		C. VEI	HICLE PROFIL	E -			
	Class		Most Severe Damage Based on Vehicle Inspection				
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description			
01	FULL SIZE	FORD LTD CROWN VICTORY	FRONT	Broken Head Lamp Broken Gaill Broken Fiber GLASS (Hood Edge)			
	L	1					


ACCIDENT COLLISION DIAGRAM



J.S. Department of Transportation

ACCIDENT COLLISION DIAGRAM

NATIONAL ACCIDENT SAMPLING SYSTEMNational Highway Traffic Safety PEDESTRIAN CRASH DATA STUDYAdministration NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY National Highway Traffic Safety Administration U No. <u>90</u> se Number-Stratum <u>635</u> p PSU No. 90 Case Number-Stratum 635 P æ Ð 00 Conssy (P ARREA لإلأيا Access ROAD RP Ó 4



U.S. Department of Transportation

ACCIDENT COLLISION DIAGRAM

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY National Highway Traffic Safety Administration Indicate PSU No. Case Number - Stratum (P North 7.2

U.S. Department of Transportation National Highway Traffic Safety

Administration

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number 9)	(Case Number	-Stratum <u>6 3 5 P</u>
PEDESTRIAN ACCIDENT CO	LLISION DATA C	OLLECTION: /L		SCALED DIAGRAM
document reference point and reference line relative to physical features	Surface Type	BIT/ASP	hALT: no	rth arrow placed on diagram
documentation of all accident induced physical evidence including (if applicable):	Surface Conditio	<u>ve</u>		ade measurements for all applicable adways
a). vehicle skid marks	Coefficient of Fri			aled representations of the physical plant cluding:
b) pedestrian contacts with ground or object		eren Burtharia Burtharia	a)	all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane
b) pedestrian contacts with ground or peed.	Grade (v/h) Mea	surement		markings, medians, pavement markings, parked vehicles, poles, signs, etc.)
c) vehicle/pedestrian point of impact (PQI)	a) at impa	d		all traffic controls (e.g., lights, signs)
d) location of pedestrian separation point from vehicle	b) between final-res		pe	aled representations of the vehicle and destrian at pre-impact, impact, and final st based upon either:
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Trave	H Direction Novi	h a)	physical evidence, or
documentation of the physical plant including:	Vehicle Travel D	irection <u>EAS1</u>	b)	reconstructed accident dynamics
all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings; medians, pavement markings, parked vehicles; poles.	Number of Trave	Lanes		
signs, etc.)				
b) all traffic controls (e.g., lights, signs)			64630	NA BOLD
Reference Point: Sian + Pol	<u> </u>	Reference Line:	HS 100	and heady rage
		OFROA	dway-	und/Rough Edge MAIN LANES
Item		Distance and Di		Distance and Direction
		from Reference	Point	from Reference Line
DRGIN (SIGN+F	ole)	0.0		2.5~ North
PedestriAN#1 P.	0.1	36.5m	EAGT	2,5m South
Vehicle#1 Plate		36,5m	EAST	25 msouth
PedesTriAN #1 F.R	, P.	37.0~	EASI	215 m North
Vehicle #1 F.R.P.		42.0m E	A-51/	13.0m South
		/		
			··	
			-	

ltem ,	Distance and Direction from Reference Point	Distance and Direction from Reference Line
	·	٠,
.		
	•	
	·	
		· ·

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1.	Primary	Sampling	Unit	Number
٠.	1 1111111111111111111111111111111111111	Camping	01111	

2. Case Number - Stratum

IDENTIFICATION

3. Number of General Vehicle Forms Submitted

4. Date of Accident (Month, Day, Year)



5. Time of Accident

1412

Code reported military time of accident.

NOTE: Midnight = 2400Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. SS15 Administrative Use

0

7. ✓ SS16 Pedestrian Crash Data Study

1

8. SS17 Impact Fires

0

SS18

0

10. SS19 _____

0

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

<u>0 1</u>

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are <u>not</u> pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

_	PEDESTRIAN ACCIDENT EVENTS											
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage						
12. <u>0 1</u>	13. <u>0 1</u>	14. <u>0</u> <u>4</u>	15. <u>F</u>	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>						

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (\leq 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation National Highway Traffic Safety

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM
PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 10x Pedestrian's Weight Code actual weight to the nearest kilogram. 2. Case Number - Stratum (999) Unknown ____ pounds X .4536 = ___ _ kilograms 3. Pedestrian Number 0 1 PEDESTRIAN'S CHARACTERISTICS PEDESTRIAN'S PRE-AVOIDANCE ACTIONS 11. Pedestrian Attitude 4. Pedestrian's Age Code actual age at time of accident. (1) Standing (00) Less than one year old (specify by month): (2) Crouching (3) Kneeling (97) 97 years and older (4) Bending at waist (99) Unknown (8) Other (specify): (9) Unknown 5. Pedestrian's Sex 12. Pedestrian Motion (1) Male (2) Female - not reported pregnant (0) Not moving (3) Female - pregnant-1st trimester (1st-3rd month) (1) Walking slowly (4) Female - pregnant-2nd trimester (4th-6th month) (2) Walking rapidly (5) Female - pregnant-3rd trimester (7th-9th month) (3) Running or jogging (6) Female - pregnant-term unknown (4) Hopping (9) Unknown (5) Skipping (6) Jumping 6. Pedestrian's Overall Height (7) Falling/stumbling or rising Code actual height to the nearest (8) Other (specify):_____ centimeter. (9) Unknown (999) Unknown 13. Pedestrian's Action Relative to Vehicle inches X 2.54 = ___ _ __ centimeters (00) Stopped (01) Crossing road, straight 7. Pedestrian's Height - Ground to Knee (02) Crossing road, diagonally Code to the nearest (03) Moving in road, with traffic centimeter. (04) Moving in road, against traffic (999) Unknown (05) Off road, approaching road ____ inches X 2.54 = ___ centimeters (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway 8. Pedestrian's Height - Ground to Hip (09) Off road, moving along driveway Code to the nearest (98) Other (specify): centimeter. (99) Unknown (999) Unknown inches X 2.54 = ____ centimeters 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to 9. Pedestrian's Height - Ground to Shoulder 9 9 9 Avoidance Actions Facing vehicle Code to the nearest (2)Facing away centimeter. (3) Left side to vehicle (999) Unknown (4) Right side to vehicle inches X 2.54 = ____ centimeters (8) Other (specify): Unknown (9)

15. Pedestrian's First Avoidance Actions (00) No avoidance actions (01) Stopped (02) Accelerated pace (03) Ran away (along vehicle path) (04) Jumped (05) Turned toward vehicle (06) Turned away from vehicle (07) Dove or fell away Used hand(s) to: (11) Vault corner of vehicle (12) Vault onto vehicle (13) Brace against vehicle (14) Crouched and braced hands against vehicle (98) Other (specify):	18. Pedestrian's Arm Orientation at Initial Impact (01) At sides (02) Folded across chest (03) Hands clasped behind back (04) Hands on hips (05) Hands in pockets One or both arms: (06) Extended upward (07) Extended to side (08) Extended forward bracing (09) Extended, holding object (briefcase, suitcase, etc.) (10) Holding object (young child, grocery bag, etc.) in arm(s) (11) Holding object (young child, grocery bag, etc.) on shoulder(s) or head (98) Other (specify): (99) Unknown
PEDESTRIAN'S ORIENTATION AT IMPACT 16. Pedestrian's Head Orientation at Initial Impact (1) To front (2) To left (3) To right (4) Up (5) Down (8) Other (specify): (9) Unknown 17. Pedestrian's Body (Chest) Orientation at Initial Impact (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown	19. Pedestrian's Leg Orientation at Initial Impact (01) Together (02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart- forward leg unknown (06) Left foot off the ground (07) Right foot off the ground (08) Both feet off the ground (08) Other (specify): (99) Unknown 20. Vehicle/Pedestrian's Interaction (01) Carried by vehicle, wrapped position (02) Carried by vehicle, slid to windshield (03) Carried by vehicle position unknown (04) Passed over vehicle top (05) Thrown straight forward (06) Thrown forward and left of vehicle (07) Thrown forward and right of vehicle (08) Knocked to pavement, forward (09) Knocked to pavement, right of vehicle (10) Knocked to pavement, run over or dragged by vehicle (11) Knocked to left (corner impacts only) (13) Shunted to left (corner impacts only) (14) Bumped or pushed aside (15) Snagged, dragged by vehicle (17) Foot or legs run over (98) Other (specify): (99) Unknown

OFFICIAL RECORDS		INJURY CONSEQUENCES
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 	7 2	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown (6) Died prior to accident
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given		(9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present	- 1	Nonfatal (3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify):
 (7) Not reported (9) Unknown 24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown 	<u>o</u> _	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOP-VARIABLES 30 THROUGH 37 AF	RECOMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (3) Yes - blood given (3) Unknown if blood given (30) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported, HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORD NO[] UPDATE CANDIDATE?	YES[]

U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

90

3. Pedestrian Number

0 1

2. Case Number - Stratum

6 35 P

4. Blank


INJURY DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

			AIS-90						Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. <u>2</u>	6. <u>8</u>	7.5	8. <u>/ 8</u>	9. <u>/ 4</u>	10	11/	12. 700	13. <u>/</u>	14. <u>/</u>	15. 2	16	17.2
2nd	18. 3	19. 8	20. <u>4</u>	21. <u>0</u> 2	22. 0 >	23. <u>/</u>	24.2	25. <u>703</u>	26	27	28. 3	29.5	30. <u>8</u>
3rd	31. <u>-</u> _	32	33.	34	35	36	37	38	39	40	41	42	43
4th	44	45	46	47	48	49	50	51	52	53	54	55	56
5th	57	58	59	60	61	62.	63	64	65. <u> </u>	66	67	68	69.
6th	70	71	72	73	74	75	76,	77	78	79.	80	81,	82
7th	83	84	85	**************************************	87	88	89	90	91	92	93	94	95
8th	96	97	98	99	100.	101	102	103	104	105	106	107	108
9th	109	110	111	112	113.	114	115	116	117	118	119	120	121
10th	122	123	124	125	126	- 127	128	129	130	131	132	133	134

PEDESTRIAN INJURY DATA													
	Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
				deservice Parities deserviced Systematics									
11th											 		—
12th)								· 		—
13th	*.										_		
14th				, <u>111-</u> 1 454 444						<u> </u>	·		 -
15th													
1901											:		
16th													
							-		 111. - 11				_
1 <i>7</i> th													
													_
18th													
19th										.4 e ⁻¹ . 4 4 <u>1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 </u>	. <u> </u>		
20th													
21st		<u>. 41</u>											
22nd							_					_	
23rd					· 	_				_			—
24th			-										—
25th	_		<u>-</u>					<u></u>	<u></u>		<u> </u>		

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



Unknown Dent (2) Hospital/medical records other than (4)Large deformation DIRECT/INDIRECT INJURY emergency room (e.g., discharge (5) Cracked, fractured, shattered summary) Direct contact injury Separated from vehicle (6) Indirect contact injury (3) Emergency room records only (including Noncontact injury (3) Noncontact injury (7) Injured, unknown source associated X-rays or other lab reports) Other specify: (8) (4) Private physician, walk-in or emergency Unknown clinic STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) UNOFFICIAL (0) Injury not from vehicle contact (5) Lay coroner report (1) No residual damage Rounded (contoured) (2) Surface only damage (6) E.M.S. personnel Crush depth > 0 to 2 centimeters Crush depth > 2 to 5 centimeters (4) (5) Rounded edge (3) Interviewee (4) Sharp edge Other (specify): (8) Other source (specify): (5) Crush depth > 5 to 10 centimeters Other specify:_ (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region** Specific Anatomic Structure Spine (02) Cervical (04) Thoracic Abbreviated Injury Scale Head Whole Area Minor injury (2) (02) Skin - Abrasion (04) Skin - Contusion (06) Lumbar Face (2) Moderate injury Neck Serious injury (3) Skin - Laceration Thorax Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit Severe injury Critical injury (4) (5) Abdomen (08) Skin - Avulsion (5) (6) Spine (10) Amputation numbers beginning with 02 Maximum (untreatable) Upper Extremity (20) Burn Injured, unknown severity (30)Crush Lower Extremity Level of Injury (40) Degloving (50) Injury - NFS (90) Trauma, other than mechanical (9) Unspecified **Aspect** Specific injuries assigned are Type of Anatomic Structure two-digit consecutive numbers Right beginning with 02. (2)Left Whole Area Head - LOC (02) Length of LOC Bilateral To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic Vessels (4) (5) Central Anterior (04, 06, 08) Level of Consciousness Organs (includes muscles/ (4)(10) Concussion (6) Posterior ligaments) Superior Skeletal (includes joints) (8) Inferior (6) Head - LOC structure. 99 is assigned to any injury Unknown Skin NFS as to lesion or severity. Whole region **INJURY SOURCE** FRONT Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 791 Right front wheel / tire 701 Front lower valance/spoiler 745 C pillar 702 Front grille 746 D pillar 792 Left rear wheel / tire 748 Other pillar (specify): 703 Hood edge and/or trim 793 Right rear wheel /tire 749 Right side roof rail 704 Hood ornament (fixed) 798 Other wheel / tire (specify): __ 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify): 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission 758 Other right side object Left Side Components 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 759 Unknown right side component 721 Front antenna 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar **Back Components** 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component <u>Accessories</u> 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle Top Components 821 Cellular or CB radio antenna 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar component 824 Luggage, ski, or bike rack 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):_ 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper-blade & mountings 827 Spotlight 775 Windshield glazing 828 Other accessory (specify): 738 Other left side object (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground 779 Rear header Right Side Components 948 Other object (specify): 780 Hatchback 740 Front fender side surface 949 Unknown object in environment 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting vehicle 742 A1 pillar 788 Other top component (specify): ___ 997 Noncontact injury source 743 A2 pillar 789 Unknown top component 999 Unknown injury source

INJURY SOURCE CONFIDENCE LEVEL

Certain Probable

Possible

121

TYPE OF DAMAGE

No damage/contact

(0) Injury not from vehicle contact

Scratch (Scuff, Cloth Transfer, Smear)

SOURCE OF INJURY DATA

medical records

(1) Autopsy records with or without hospital/

OFFICIAL

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

__ ^{Yes} unavailable.)

Blood Alcohol Level

(mg/dl) _

BAL = ____

Glasgow Coma Scale Score

GCSS = 15

Units of Blood Given

Units =


Arterial Blood Gases


Ph = __._.

PO. =

PCO₂ 2,851814.3,

нсо,







Page

National Accident Sampling System-Crashworthiness Data System: Pedestrian Injury Form

OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1	Primary Sampling Unit Number 9 ()	OFFICIAL RECORDS
	2	-	$\alpha \alpha \alpha$
2.	Case Number - Stratum 6 2 2	<u> </u>	9. Police Reported Travel Speed 9 9 9
3,	Vehicle Number O VEHICLE IDENTIFICATION	1	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown
	VEHICLE IDENTIFICATION		
4.	Vehicle Model Year Code the last two digits of the model year (99) Unknown	2	mph X 1.6093 =kmph 10. Speed Limit
5.	Vehicle Make (specify): Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual.	2-	Code posted or statutory speed limit in kmph (999) Unknown Zomph x 1.6093 = //3 kmph
	(99) Ünknown		 11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present
6.	Vehicle Model (specify) LTD CROWN VICTORY Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown	2	(9) Unknown 12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused
	Body Type Note: Applicable codes may be found on the back of this page.		 (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
	Vehicle Identification Number		Source: PAR
7	EACP14FXLX 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 1 Left justify; Slash zeros and letter Z (0 and Z) No VIN-Code all zeros Unknown-Code all nines	,	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
			14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (\$ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)</p>
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):_____
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest	18. Impact Speed Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source: 16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown bs X.4536 =, kgs	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
	PRECRASH DATA
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position
STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	(08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

adolia Adolacii damping dydicii diadiiwoliinicss Di	ra Oystein. Fedestriali General Verilole Form
23. Critical Precrash Event This Vobiolo / con of Control Due To:	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off) (specify):	(85) Pedalcyclist or other nonmotorist—unknown location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(O2) Braking (no lockup)
(16) Turning right at intersection	(03) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle	(99) Unknown
in lane	
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction)—over left	(0) No driver present
lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction) - over right	(2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30 degrees
(62) From opposite direction—over left lane line	(4) Skidding laterally—clockwise rotation
(63) From opposite direction—over right lane line	(5) Skidding laterally—counterclockwise rotation
(64) From parking lane	(8) Other vehicle loss-of-control (specify):
(65) From crossing street, turning into same direction	(a) a succession and a succession (appeally).
(66) From crossing street, across path	(9) Precrash stability unknown
(67) From crossing street, turning into opposite	
direction	26. Precrash Directional Consequences of <u>5</u>
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(O) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(73) From driveway, intended path not known	maneuver was initiated (3) Vehicle stayed on roadway but left travel lane
(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane where avoidance maneuver was initiated
(78) Encroachment by other vehicle—details	(4) Vehicle stayed on roadway, not known if left
unknown	travel lane where avoidance maneuver was
Pedestrian or Pedalcyclist, or Other Nonmotorist	initiated
(80) Pedestrian in roadway	(5) Vehicle departed roadway
(81) Pedestrian approaching roadway	(6) Avoidance maneuver initiated off roadway
(82) Pedestrian—unknown location	(9) Directional consequences unknown

	ENVIRO	NME	NTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	0	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
28.	 (6) Unknown type of non-interchange (9) Unknown if interchange Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown 	2	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing) Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): 70 mph Speed Zone Sign (6) Unknown sign (7) Warning sign (not RR crossing)
29.	Number of Travel Lanes (1) One (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown	Z	(8) Miscellaneous/other controls including RR controls (specify): (9) Unknown 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown	\ <u>\</u>	36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk (9) Unknown
	(1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown Roadway Surface Type (1) Concrete	2	37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog
	 (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify): (9) Unknown 		(8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown

PEDESTRIAN EXTERIOR VEHICLE FORM

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Vehicle Number

2. Case Number - Stratum

VEHICLE IDENTIFICATION

VIN 2 FACP 7 4 FX LX

Model Year 90

Vehicle Make (specify): Ford

Vehicle Model (specify): CROWN VICTOR

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06	Hood	Material
-------	------	----------

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

STEEL

cm

cm /

PLASTIC

STEEL

VERTICAL MEASUREMENTS

PEV16	Front	Bumper-Bottom	Height
		Dampor Doctor	

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

cm

cm

cm

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22-Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact

cm


cm

cm

cm

cm

VEHICLE DAMAGE SKETCH



Fri-Right

Plastic Near

Hood Eage

ICNOCKED OUT

HEADLAMP

ICNOCKED

OUT

SEUPPING

SCYNTCHING

Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

88cm 17

	PEDESTRIAN SIDE CONTACT WORK SHEE	T							
PFV06	Hood Material								
	Hood Length		cm /						
	Hood Width-Forward Opening		cm						
	Hood Width-Midway								
	Hood Width-Rear Opening		ćm						
FEVII	nood width-near Opening	 /	cm						
	VERTICAL MEASUREMENTS								
PEV26	Ground Clearance		cm						
PEV27	Side Bumper-Bottom Height		cm						
PEV28	Side Bumper-Top Height		cm						
PEV29	Centerline of Wheel		cm						
PEV30	Top of Tire		cm ·						
PEV31	Top of Wheel Well Opening		cm						
PEV32	Bottom of A-Pillar at Windshield		[∌] ‱ cm						
PEV33	Top of A-Pillar at Windshield		cm						
PEV34	Top of Side View Mirror		cm						
LATERAL MEASUREMENTS									
PEV35	C _L to A-Pillar at Bottom of Windshield		cm						
PEV36	C _L to A-Pillar at Top of Windshield		cm						
PEV37	C _L to Maximum Side View Mirror Protrusion		cm						
	WRAP DISTANCES								
DE\/38	Ground to Sigle/Top Transition								
			cm						
	Ground to Hood Edge		om 						
	Ground to Centerline of Hood (ORIGIN)		cm						
PEV41	Ground to Head Contact		cm						
	·								

ORIGINAL SPECIFICATIONS

Wheelbase	1143 inches	x 2.54 =	290 cm
Overall Length	211.0 inches	x 2.54 =	<u>536</u> cm
Maximum Width	<u>077.5</u> inches		<u> 197</u> cm
Curb Weight Q	3821 pounds	x .4536 =	1.733 kg
Average Track	$\underline{\mathcal{O}}$ $\underline{\mathcal{G}}$ $\underline{\mathcal{J}}$ $\underline{\mathcal{O}}$ inches		160 cm
Front Overhang	0 411 inches	x 2.54 =	<u> 107</u> cm
Rear Overhang	0.54.3 inches	x 2.54 =	<u>/ 3 8</u> cm
Undeformed End Width	070.0 inches		
Engine Size: cyl./displ.			5.0 L
	305 CID	x .0164 =	50L

INJURY SOURCE

744 B pillar 745 C pillar 746 D pillar

FRONT
700 Front pumper
701 Front lower valance/spoiler
702 Front grille
703 Hood edge and/or trim
704 Hood ornament (fixed)
705 Hood ornament (spring loaded)
706 Headlight
707 Retractable headlight door (Open/Closed)
708 Turn signal/parking lights
718 Other front or add on object
(specify):
719 Unknown front object
Left Side Components
720 Front fender side surface
721 Front antenna
722 A1 pillar
723 A2 pillar
724 B pillar
725 C pillar
726 D pillar
728 Other pillar
(specify):
729 Left side roof rail
730 Left side door surface
731 Left side door handle
732 Left side mirror fixed housing
733 Left side folding mirror
734 Left side glazing forward of B pillar
735 Left side glazing rearward of B pillar 736 Left side back fender or quarter panel
737 Rear antenna
738 Other left side object
(specify):
739 Unknown left side component
Right Side Components
740 Front fender side surface
741 Front antenna

742 A1 pillar

743 A2 pillar


748 Other pillar (specify):
749 Right side roof rail
750 Right side door surface
751 Right side door handle
752 Right side mirror fixed housing
753 Right side folding mirror
754 Right side glazing forward of B pillar
755 Right side glazing rearward of B pillar
756 Rear antenna
757 Rear fender or quarter panel
758 Other right side object
(specify):
759 Unknown right side component
Back Components
760 Rear (back) bumper
761 Tailgate
762 Hatchback, vertical surface
768 Other back component
(specify):
769 Unknown back component
Top Components
770 Hood surface
771 Hood surface reinforced by under hood
component
772 Front fender top surface
773 Cowl area
774 Wiper blade & mountings
775 Windshield glazing
776 Front header
777 Roof surface
778 Backlight glazing
779 Rear header
780 Hatchback
781 Rear trunk lid
788 Other top component (specify):
789 Unknown top component


MATE 1	
	s / tires
	Left front wheel / tire
	Right front wheel / tire
	Left rear wheel / tire
	Right rear wheel /tire
	Other wheel / tire (specify):
799	Unknown wheel / tire
Underc	arriage components
800	Front cross member
801	Steering assembly/Front suspension
802	Oil pan
803	Exhaust system pipe
804	Transmission
805	Drive shaft
806	Catalytic converter
807	Muffler
808	Floor pan
809	Fuel tank
810	Rear suspension
818	Other undercarriage component
	(specify):
819	Unknown undercarriage component
Access	<u>ories</u>
820	Air scoop, deflector
821	Cellular or CB radio antenna
822	Emergency lights or bar
823	Fog lights
824	Luggage, ski, or bike rack
825	Cargo (specify):
826	Spare tire
827	Spotlight
828	Other accessory (specify):
Other C	biect or Vehicle in Environment
	Ground
948	Other object (specify):
	Unknown object in environment
959	Unknown object on contacting vehicle
007	

997 Noncontact injury source

999 Unknown injury source

VEHICLE DAMAGE SKETCH





NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: <u>LRQ</u> cm



	POINTS OF PEDESTRIAN CONTACT PEDESTRIAN CONTACT WORKSHEET								
CONTACT COMPONENT LONGITUDINAL ID CONTACTED LOCATION LABEL (X)		LOCATION (X)	LATERAL CRUSH LOCATION IN (Y) CENTIMETERS		SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	SEQUENCE	
F	Bumper Grill HoodElge	+126	-597	-0	Le 95	Smidges Broken	1 3 9	1	
K	GriLL	+90	-60	0	14.9	Broken	D 2 3 €	2	
H	How delge	+85	-20	0	Hip	Broken	2 3 9	2	
							1 2 3 9		
				***************************************			1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
		333333333333333333333333333333333333333					1 2 3 9		
							1 2 3 9		
						•	1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 8		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
		-					1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		

POINTS OF PEDESTRIAN CONTACT BEST AVAILABLE COPY							
CHRONOLOGICAL ORDER OF CONTACTS BEST AVAILABLE COPY							
CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)
1 F	700	+126	-59	0	1.08	Smilyo Brikentic	7 2 3 9
2.4	703	185	-60	Shakerad	Hip	Buskentie	0233
3							1 2 3 9
4 5							1 2 3 9
8 7							1 2 3 9
8 9							1 2 3 9
\$0 11							1-2-13
t2							1 2 3 9
13							1 2 3 9
15							1 2 3 9
16							1. Z 3 \$
19						•	1 2 3 9
20							1 2 3 9
21							1 2 3 9
23 24							1 2 3 9 1 2 3 8
25							1 2 3 9

Original Wheelbase 290 11. Hood Width Rear OpeningCode to the	ーセル
0.1-1-14/h-alhaaa	
nearest centimeter / /	<u></u>
Code to the (210) 210 centimeters or more	
nearest centimeter (999) Unknown	
inches X 2.54 = centimeters inches X 2.54 = centimet	∍rs
	From
Original Average Track Width / 6 C	From
Code to the (0) Not damaged	
nearest centimeter (1) Surface scratching only, no residual cre	ısh
(185) 185 Certifileters of filore (2) Minor crush (1-3 centimeters)	
(3) Moderate crush (4-7 centimeters)	
inches X 2.54 = centimeters (4) Severe crush (>7 centimeters)	
——————————————————————————————————————	from
pedestrian impact	
Hood Material (9) Unknown	
(1) Plastic 13 Windshield Contact Damage	0
(2) Fiberglass From Pedestrian Contact	<u></u>
(3) Steel (0) Not contacted by pedestrian	
(4) Aluminum (1) Contacted by pedestrian - not damages	i
(2) Contacted by pedestrian - damaged	
(8) Other (specify): (3) Unknown if contacted by pedestrian	not
damaged	
the control of the co	ın -
Hood Original (4) Unknown if contacted by pedestric	
Favinment Measufacturer (OEM) damaged	
Equipment Manufacturer (OEM) (1) OEM factory installed hood damaged (9) Unknown if contacted by pedestric	ın -
Equipment Manufacturer (OEM) (1) OEM factory installed hood (2) OEM replacement damaged (9) Unknown if contacted by pedestric unknown if damaged	ın -
Equipment Manufacturer (OEM) (1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement	in -
damaged (9) Unknown if contacted by pedestria unknown if damaged (9) FRONT CONTACT DAMAGE	ın -
damaged (1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown FRONT CONTACT DAMAGE	an -
damaged (1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown FRONT CONTACT DAMAGE Hood Length Code to the	an -
damaged (9) Unknown if contacted by pedestria unknown if damaged (9) Unknown if damaged (9) Unknown if damaged FRONT CONTACT DAMAGE From Vertical Measurements 14. Front Bumper Cover Material	ın -
damaged (9) Unknown if contacted by pedestria unknown if damaged (9) Unknown if damaged FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact	эn -
damaged (9) Unknown if contacted by pedestria unknown if damaged (9) Unknown if damaged FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact	an -
damaged (9) Unknown if contacted by pedestria unknown if damaged (9) Unknown if damaged (9) Unknown if damaged (9) Unknown if damaged FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Bubber	an -
damaged (9) Unknown if contacted by pedestria unknown if damaged (9) Unknown if damaged (9) Unknown if damaged FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass	an -
damaged (9) Unknown if contacted by pedestria unknown if damaged (9) Unknown if damaged (1) OEM replacement (2) OEM replacement (3) Non-OEM replacement (4) Unknown FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (1) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): 1 6 n @	an -
damaged (9) Unknown if contacted by pedestria unknown if damaged (9) Unknown if damaged (9) Unknown if damaged (9) Unknown if damaged FRONT CONTACT DAMAGE FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): 16 ne (9) Unknown Code to the unknown if contacted by pedestria unknown if damaged (9) Unknown if contacted by pedestria unknown if damaged (9) Unknown if contacted by pedestria unknown if damaged (9) Unknown if contacted by pedestria unknown if damaged (9) Unknown if contacted by pedestria unknown if damaged (9) Unknown if contacted by pedestria unknown if damaged (9) Unknown if contacted by pedestria unknown if damaged (9) Unknown if contacted by pedestria	an -
damaged (9) Unknown if contacted by pedestria unknown if damaged (9) Unknown if damaged (1) OEM replacement (1) OEM replacement (2) Unknown Hood Length Code to the nearest centimeter (1) 180 centimeters or more (1) 180 centimeters or more (2) Unknown Length Code to the nearest centimeter (1) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): 181 Ellie (9) Unknown 15. Front Bumper Reinforcement Material	an ·
damaged (9) Unknown if contacted by pedestria unknown if damaged (9) Unknown if damaged (1) OEM replacement (2) OEM replacement (3) Non-OEM replacement (4) Unknown Hood Length Code to the nearest centimeter (180) 180 centimeters or more (180) Unknown Code to the nearest centimeter (180) Width Forward Opening Code to the nearest centimeter (2) Fiberglass (3) Rubber (4) Other (specify): 16 NW (9) Unknown 15. Front Bumper Reinforcement Material (15) No front contact (17) Unknown 15. Front Bumper Reinforcement Material (18) No front contact (19) Unknown 15. Front Bumper Reinforcement Material (18) No front contact	
damaged (9) Unknown if contacted by pedestria unknown if damaged (9) Unknown	
damaged (9) Unknown if contacted by pedestria unknown if damaged (9) Unknown	an - ↓
damaged (9) Unknown if contacted by pedestria unknown if damaged (9) Unknown	an -
damaged (9) Unknown if contacted by pedestria unknown if damaged (9) Unknown if damaged (9) Unknown if damaged (9) Unknown if damaged FRONT CONTACT DAMAGE 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): 19 N Le (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (8) Unknown (9) Unknown 15. Front Bumper Reinforcement Material (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown	an -
damaged (9) Unknown if contacted by pedestria (1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown Hood Length Code to the nearest centimeter (180) 180 centimeters or more (1999) Unknown Lood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (1999) Unknown Lood Width Midway Code to the Code to the Nearest centimeter (210) 210 centimeters or more (210) Unknown Lood Width Midway Code to the Code to th	<u>\</u>
damaged (9) Unknown if contacted by pedestria (1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown Linches X 2.54 =	<u>\</u>
damaged (9) Unknown if contacted by pedestria unknown if damaged (9) Unknown if damaged (9) Unknown if damaged (9) Unknown if contacted by pedestria unknown if damaged (9) Unknown if damaged (9) Unknown if damaged (9) Unknown if damaged (9) Unknown if contacted by pedestria unknown if damaged (9) Unknown if damaged (9) Unknown if contacted by pedestria unknown if damaged (9) Unknown if contacted by pedestria unknown if damaged (9) Unknown if contacted by pedestria unknown if damaged (9) Unknown if contacted by pedestria unknown if damaged (9) Unknown if contacted by pedestria unknown if damaged (9) Unknown if contacted by pedestria unknown if damaged (9) Unknown if contacted by pedestria unknown if damaged (9) Unknown if contacted by pedestria unknown if damaged (9) Unknown if contacted by pedestria unknown if damaged (9) Unknown if contacted by pedestria unknown if damaged (9) Unknown if contacted by pedestria unknown if damaged (9) Unknown if contacted by pedestria unknown if damaged (9) Unknown if contacted by pedestria unknown if damaged (9) Unknown if contacted by pedestria unknown if damaged (9) Unknown if contacted by pedestria unknown if damaged (9) Unknown if contacted by pedestria unknown if contacted in unknown if contac	<u>\</u>
damaged (9) Unknown if contacted by pedestrial unknown if damaged (9) Unknown if damaged (9) Unknown if damaged (9) Unknown if contacted by pedestrial unknown if damaged (9) Unknown if damaged (9) Unknown if damaged (9) Unknown if contacted by pedestrial unknown if damaged (9) Unknown if damaged (9) Unknown if contacted by pedestrial unknown if damaged (9) Unknown if damaged (9) Unknown if contacted by pedestrial unknown if damaged (9) Unknown if damaged (9) Unknown if contacted by pedestrial unknown if damaged (9) Unknown if contacted by pedestrial unknown if damaged (9) Unknown if damaged (9) Unknown if contacted by pedestrial unknown if damaged (9) Unknown if damaged (9) Unknown if contacted by pedestrial unknown if damaged (9) Unknown if damaged (9) Unknown if damaged (9) Unknown if contacted by pedestrial unknown if contacted by pedestrial unknown if damaged (9) Unknown if damaged (9) Unknown if contacted by pedestrial unknown if contacted by pedestrial unknown if damaged (9) Unknown if contacted by pedestrial unknown if damaged (9) Unknown	<u></u>
damaged (9) Unknown if contacted by pedestrial unknown if contacted by pedestrial unknown if damaged (9) Unknown if damaged (9) Unknown if damaged (9) Unknown if contacted by pedestrial unknown if damaged (9) Unknown if damaged (9) Unknown if damaged (9) Unknown if contacted by pedestrial unknown if damaged (9) Unknown if damaged (9) Unknown if contacted by pedestrial unknown if damaged (9) Unknown if contacted by pedestrial unknown if damaged (9) Unknown if contacted by pedestrial unknown if damaged (9) Unknown if contacted by pedestrial unknown if damaged (9) Unknown if contacted by pedestrial unknown if damaged (9) Unknown if contacted by pedestrial unknown if damaged (9) Unknown if contacted by pedestrial unknown if contacted in unknown if contacted by pedestrial unknown if contact in unknown if contacted by pedestrial unknown in unknown in unknown if contacted by pedestrial unknown in unknown in unknown in unknown in unknown if	<u></u>
damaged (9) Unknown if contacted by pedestria (1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown Hood Length Code to the nearest centimeter (180) 180 centimeters or more (1999) Unknown Code to the nearest centimeter (210) 210 centimeters or more (1999) Unknown Code to the nearest centimeter (210) 210 centimeters or more (1999) Unknown Code to the nearest centimeter (210) 210 centimeters or more (1999) Unknown Code to the nearest centimeter (210) 210 centimeters or more (210) 210 centimeters or more	<u>\</u>
damaged (9) Unknown if contacted by pedestrial unknown if contacted by pedestrial unknown if damaged (9) Unknown if damaged (9) Unknown if damaged (10) DEM replacement (11) OEM replacement (12) OEM replacement (13) Non-OEM replacement (14) Unknown if damaged (15) Unknown if damaged (15) Unknown if contacted by pedestrial unknown if damaged (15) Unknown if damaged (15) Unknown if contacted by pedestrial unknown if damaged (15) Unknown if damaged (15) Unknown if contacted by pedestrial unknown if damaged (15) Unknown if damaged (15) Unknown if contacted by pedestrial unknown if damaged (15) Unknown if damaged (15) Unknown if damaged (15) Unknown if contacted by pedestrial unknown if contacted by pedestrial unknown if damaged (15) Unknown if damaged (15) Unknown if contacted by pedestrial unknown if damaged (16) Unknown if damaged (17) Unknown if damaged (18) Unknown if contacted by pedestrial unknown if contacted by pedestrial unknown if contacted by pedestrial unknown if damaged (18) Unknown if damaged (18) Unknown if contacted by pedestrial unknown if damaged (18) Unknown if damaged (19) Unknown if damaged (18) Unknown if damaged (19) Unknown if damaged (19) Unknown if damaged (19) Unknown if damaged (10) No front contact	<u></u>

17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown
inches X 2.54 = centimete	
18. Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown
inches X 2.54 = centimete	
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
inches X 2.54 = centimeter	s inches X 2.54 = centimeters
Front Wrap Distance Weasurements	SIDE CONTACT DAMAGE
	Side Vertical Measurements
20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeter	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more
Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeter	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 =centimeters 27. Side Bumper-Bottom HeightCode to the nearest centimeter (000) No side contact (150) 150 centimeters or more
Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 =centimeters 27. Side Bumper-Bottom HeightCode to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknowninches X 2.54 =centimeters
Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknowninches X 2.54 =centimeter 21. Ground to Front/Top Transition Point	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown

1		\circ		Side Lateral Measureme	onto
29.	Centerline of Wheel	000		SWE Lateral Hearing and	AILS
	Code to the		İ		
	nearest centimeter		1		
İ			35.	Centerline to A-Pillar	000
	(000) No side contact			at Bottom of Windshield	
ļ	(150) 150 centimeters or more				
	(999) Unknown		((000) No side contact	
	(353) CHRIGANI		-	Code to the	
			-	nearest centimeter	
	inches X 2.54 =	centimeters	1 ,		
		-		(250) 250 centimeters or more	
l			1 ((999) Unknown	
		$\sim \sim \sim$,	
30.	Top of Tire	000		!L V 9 E4	
,	Code to the		-	inches X 2.54 =	centimeters
l	nearest centimeter				
•					
ļ	(000) No side contact		36 (Centerline to A-Pillar	000
	(200) 200 centimeters or more		1		222
	(999) Unknown			at Top of Windshield	
	1000, 0			Code to the	
			-	nearest centimeter	
	inches X 2.54 =	centimeters	1,		•
		_	1	(000) No side contact	
			((250) 250 centimeters or more	
		Ω	1 1	(999) Unknown	
31.	Top of Wheel Well Opening	000	,	,000, Grikriottii	
	Code to the	_			
	nearest centimeter		_	inches X 2.54 =	centimeter
					_
	(000) No side contact		1		
	(250) 250 centimeters or more		1 , ,	- "	~ ~ ~
	(999) Unknown	,	3/. (Centerline to Maximum Side	000
	(555) CHRISTIII	!	1 1	View Mirror Protrusion	
		Į		Code to the	
	inches X 2.54 =	centimeters	-		*
				nearest centimeter	
32	Bottom of A-Pillar at Windshield	000	(000) No side contact	
٥٧.			1	300) 300 centimeters or more	
	Code to the	Ţ		999) Unknown	
	nearest centimeter	t t	1	999) Onknown	
	(000) No side contact	ſ			
		!	1	inches X 2.54 =	centimeter
	(250) 250 centimeters or more	!	-		
	(999) Unknown	1	L		
		ı		Principal Company (1981)	
	inches X 2.54 =			Side Wrap Distance Measure	ements
	inches \ 2.54 =	_ centimeters			
		ļ	1		_
		~ !	38 6	Ground to Side/Top Transition	000
33.	Top of A-Pillar at Windshield	000	30.		
.	•			Code to the	
	Code to the	J	ł	nearest centimeter	
	nearest centimeter		1 (000) No side contact	
	(000) No side contact		1		
	(300) 300 centimeters or more	J	1	400) 400 centimeters or more	
		1	(5	999) Unknown	
	(999) Unknown	1		•	
		J		:b-o V 2 E4	
	inches X 2.54 =	centimeters	-	inches X 2.54 =	centimeters
		- Centimeters]		
		1			
			39 6	Ground to Hood Edge	000
34.	Top of Side View Mirror	000	33. 3		222
•		<u> </u>	l _	Code to the	
•	Code to the	1	1	nearest centimeter	
	nearest centimeter	i	1 (000) No side contact	
	(000) No side contact	1			
	(300) 300 centimeters or more	j		500) 500 centimeters or more	
		Ī	()	999) Unknown	
	(999) Unknown	1	ł		
		.	1	inches X 2.54 =	castimators
	inches X 2.54 =	centimeters	-	· INCIES A 2.57	— Celiffinerers
•		- "	i		
		l	ĺ		
		ł	ĺ		
			i		

				
(000) (700) (999)	nd to Centerline of Hood Code to the nearest centimeter No side contact 700 centimeters or more Unknown			-
(000) (800) (998)	nd to Head Contact Code to the nearest centimeter No side contact 800 centimeters or more No head contact Unknown	000		
	inches X 2.54 =	_ centimeters		
			•	
•				

Fral

90635P0000001199999.040000000000114120100001

9500000000

000000000000000 01

90635P0001001233339.041000000000104F72000

90635P00010021 9.04 0000000001629999999999999999306040979670231039715

2010000000002

90635P00010131 9.04 00000000028518143170011222

90635P00010231 9.04 0000000038902021270311358

9.04 000000009012016042FACP74FXLX

69341680025502211220012

90635P01000051 9.04 0000000002901603113015815916000410300530821310308722923

0000000000000

PSU90 CASE 635P

CURRENT VERSION: 9.04

ERROR SUMMARY SCREEN PEDESTRIAN STUDY

97

•	UMBER OF OLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	0	0	Y
Pedestrian Assessment	Ō	O	0	Υ
Pedestrian Injury	O	0	0	Υ
Pedestrian General Vehicle	0	0	0	Υ
Pedestrian Exterior Vehicl		o	0	Υ
Total Inter Errors		0	0	
Total Case Errors	O	o	0	