



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 82

CASE NO. 644 P

TYPE OF ACCIDENT CAR STRAIGHT/PEDESTRIAN RUNNING

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

> Vehicle #1 was southbound in lane 1 of 4 lanes divided from an 8-lane major arterial. A pedestrian was crossing westbound and had to cross three cement dividing barriers which separate the through lanes and exit lanes. The pedestrian ran after crossing the last barrier and crossed lane 2 into lane 1 when the front of Vehicle #1 struck the right side of the pedestrian. Driver was aware of pedestrian and honked his horn, but then at impact braked to final rest and the pedestrian flipped off the right fender and landed near the west curb and sidewalk.

B. PEDESTRIAN PROFILE										
Pedestrian			Treatment/	tment/ Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)						
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source			
01	38	Female	Treated & released	upper Extremity	skeletal	ì	ground			

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity

C. VEHICLE PROFILE									
Class		Most Severe Damage Based on Vehicle Inspection							
of Vehicle	Year/Make/Model	Damage Plane	Damage Description						
Subcompact	91/Honda/Civic CRX	Front	Minor dents, scuffs, streaks						
	of Vehicle	Class of Year/Make/Model Vehicle	Class of Year/Make/Model Damage Plane						

DO NOT SANITIZE THIS FORM




ACCIDENT COLLISION DIAGRAM U.S. Department of Transportation National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMI PEDESTRIAN CRASH Indicate PSU No. Case Number - Stratum North orthound' To Tunnel Δ Reference Line Cuke Reference Pt. Light Pole **⊕**← TREE Final Root Pedestri LURB-



U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Administration			120201111/11 01111011 0	77.77.01001
Primary Sampling Unit Number		Case N	lumber-Stratum 6	上上
PEDESTRIAN ACCIDENT COL	LISION DATA C	OLLECTION A	SCALED DIAGRAM	
document reference point and reference line relative to physical features	Surface Type	Concrete	* north arrow placed on diagram	
documentation of all accident induced physical evidence including (if applicable):	Surface Condition	, 0	* grade measurements for all ap roadways	plicable
a) vehicle skid marks	Coefficient of Frid	tion <u>.60 - 7</u> 0.	 scaled representations of the p including: 	hysical plant
b) pedestrian contacts with ground or object	Grade (v/h) Mea:	surement +5/	 all road/roadway delineatic crosswalks, curb/edge line markings, medians, pavem parked vehicles, poles, sig 	s, lane ent markings,
c) vehicle/pedestrian point of impact (POI)	a) at impa	d	b) all traffic controls (e.g., ligh	its, signs)
d) location of pedestrian separation point from vehicle	b) between final res	n impact and	 scaled representations of the v pedestrian at pre-impact, impa- rest based upon either: 	ehicle and ct, and final
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Trave	Direction West	a) physical evidence, or	
documentation of the physical plant including:	Vehicle Travel D	irection South	b) reconstructed accident dyr	namics
all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)	Number of Trave	Lanes 4		
b) all traffic controls (e.g., lights, signs)				
Reference Point: Light ITU	Stoca	Reference Line:	Jee on Long	
Item		Distance and Direction from Reference Point		
Approximal Pont	of Infi	d 687		
Fral Rest Ped-Blo	od Stai	41,c a	Q	
Front of VI Final	[10.95		
7				
				-





National Highway Traffic Safety Administration

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1.	Primary	Sampling	Unit	Number
----	---------	----------	------	--------

Case Number - Stratum

IDENTIFICATION

3. Number of General Vehicle Forms Submitted

4. Date of Accident (Month, Day, Year)



5. Time of Accident

Code reported military time of accident.

NOTE: Midnight = 2400

Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. SS15 Administrative Use

7. _____SS16 Pedestrian Crash Data Study 1

8. ___SS17 Impact Fires

SS18 0

10. SS19

NUMBER OF EVENTS

Number of Recorded Events in This Accident

<u>0 1</u>

0

0

0

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS									
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage			
12. <u>0</u> <u>1</u>	13. <u>0 1</u>	14.	15. <u>F</u>	16. <u>7 2</u>	17. <u>0 0</u>	18. <u> 0 </u>			

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

Form Approved

PEDESTRIAN ASSESSMENT FORM O.M.B. No. 2127-0021 U.S. Department of Transportation NATIONAL ACCIDENT SAMPLING SYSTEM National Highway Traffic Safety PEDESTRIAN CRASH DATA STUDY Administration 1. Primary Sampling Unit Number 10. Pedestrian's Weight Code actual weight to the nearest kilogram. 2. Case Number - Stratum (999) Unknown pounds X .4536 = ____ kilograms 3. Pedestrian Number PEDESTRIAN'S CHARACTERISTICS PEDESTRIAN'S PRE-AVOIDANCE ACTIONS 11. Pedestrian Attitude 4. Pedestrian's Age Code actual age at time of accident. (1) Standing (00) Less than one year old (specify by month): (2) Crouching (3) Kneeling (97) 97 years and older (4) Bending at waist (99) Unknown (8) Other (specify):____ (9) Unknown 5. Pedestrian's Sex 12. Pedestrian Motion (1) Male (0) Not moving (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (1) Walking slowly (4) Female - pregnant-2nd trimester (4th-6th month) (2) Walking rapidly (5) Female - pregnant-3rd trimester (7th-9th month) (3) Running or jogging (6) Female - pregnant-term unknown (4) Hopping (9) Unknown (5) Skipping (6) Jumping 6. Pedestrian's Overall Height (7) Falling/stumbling or rising Code actual height to the nearest (8) Other (specify): centimeter. (9) Unknown (999) Unknown inches X 2.54 = ____ centimeters 13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight 7. Pedestrian's Height - Ground to Knee (02) Crossing road, diagonally Code to the nearest (03) Moving in road, with traffic centimeter. (04) Moving in road, against traffic (999) Unknown (05) Off road, approaching road inches X 2.54 = ____ centimeters (06) Off road, going away from road (07) Off road, moving parallel

8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter.

(999) Unknown

____ inches X 2.54 = ___ __ centimeters

9. Pedestrian's Height - Ground to Shoulder Code to the nearest centimeter.

(999) Unknown

inches X 2.54 = ____ centimeters

14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions

(08) Off road, crossing driveway

(98) Other (specify): _____

(09) Off road, moving along driveway

(1) Facing vehicle

(99) Unknown

- Facing away (2)
- Left side to vehicle (3)
- Right side to vehicle (4)
- Other (specify): (8)
- Unknown

PEDESTRIAN'S AVOIDANCE ACTIONS	10. 5. 1. 1. 1. 1. 1. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2.
	18. Pedestrian's Arm Orientation
a A	at Initial Impact
45 5 1 1 1 5 1 4 1 1 4 1 1 4 1 1	(01) At sides
15. Pedestrian's First Avoidance Actions	(02) Folded across chest
(00) No avoidance actions	(03) Hands clasped behind back
(01) Stopped	(04) Hands on hips
(02) Accelerated pace	(05) Hands in pockets
(03) Ran away (along vehicle path)	
(04) Jumped	One or both arms:
(05) Turned toward vehicle	(06) Extended upward
(06) Turned away from vehicle	(07) Extended to side
(07) Dove or fell away	(08) Extended forward bracing
	(09) Extended, holding object
Used hand(s) to :	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against vehicle	bag, etc.) on shoulder(s) or head
(98) Other (specify):	(98) Other (specify):
(99) Unknown	(99) Unknown
, ,	
	19. Pedestrian's Leg Orientation
	at Initial Impact
PEDESTRIAN'S ORIENTATION AT IMPACT	(01) Together
FEDESTRIAN S ORIENTATION AT IMIT ACT	(02) Apart-laterally
	(03) Apart-right leg forward
	(04) Apart-left leg forward
16 Redestries's Head Orientation	(05) Apart- forward leg unknown
16. Pedestrian's Head Orientation	(06) Left foot off the ground
at Initial Impact	(07) Right foot off the ground
(1) To front	(08) Both feet off the ground
(2) To left	(98) Other (specify):
(3) To right	(99) Unknown
(4) Up (5) Down	
(8) Other (specify):	20. Vehicle/Pedestrian's Interaction
(9) Unknown	(01) Carried by vehicle, wrapped position
(9) Olikilowii	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
17. Pedestrian's Body (Chest) Orientation	(03) Carried by vehicle, position unknown (04) Passed over vehicle top (05) Thrown straight forward (06) Thrown forward and left of vehicle
at Initial Impact	(05) Thrown straight forward
(1) Facing vehicle	(00) Thrown forward and fore of Comole
(2) Facing away	(07) Thrown forward and right of vehicle
(3) Left side to vehicle	(08) Knocked to pavement, forward
(4) Right side to vehicle	(09) Knocked to pavement, left of vehicle
(8) Other (specify):	(10) Knocked to pavement, right of vehicle
(9) Unknown	(11) Knocked to pavement, run over or
'	dragged by vehicle
	(12) Shunted to left (corner impacts only)
	(12) Shunted to left (corner impacts only) (13) Shunted to right (corner impacts only)
	(14) Buttiped of pusited aside
	(10)
	(16) Snagged, dragged by vehicle
	(17) Foot or legs run over (98) Other (specify):
	(99) Unknown
	(35) Chilliann

lational Accident Sampling System-Crash	Worthiness Da	ta System. Fedestrian Assessment i Onn	rayes
OFFICIAL RECORDS		INJURY CONSEQUENCES	
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 		 25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown 	2
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given Source:	40	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify): Nonfatal (3) Hospitalization (4) Transported and released	<u></u>
 23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown 	P	(5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown	1
 24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): Drug (3) Specimen test given, results unknown or not obtained (9) Unknown 	_	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown	<u></u>
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown) 77
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown	7

STOP - VARIABLES 30 THROUGH 37 AR	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given 32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported , HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORD NO [] UPDATE CANDIDATE?	YES []

Administration

U.S. Department of Transportation National Highway Traffic Safety

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

<u>28</u>

3. Pedestrian Number

0 1

2. Case Number - Stratum

4. Blank


INJURY DATA


Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

	Source		Type of	AIS-90 Specific					Injury Source	Direct/		Туре	
	of Injury Data	Body Region	Anatomic Structure	Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Confidence Level	Indirect Injury	Striking Profile	Of Damage	Damage Depth
ist	5. <u>7</u>	6. <u>8</u>	7. <u>9</u>	8. <u>04</u>	<u>, 02</u>	-10. <u>/</u>	11/_	12.718	13. <u>/</u>	14. /	15. 2	16. 3	3
2nd	18. 7	19.7	20. 7	21.0_4	22. 0.2		24. <u>/</u>	25. <u>770</u>	26. /	27	28. 2	_{29.} <u>3</u>	30. <u> </u>
3rd	31. <u>7</u>	322	33. <u> </u>	340_2	35. <u>0</u> 3	∠ _{36.} <u>/</u>	37. <u>/</u>	зв. <u>774</u>	39. <u>/</u>	40. <u>/</u>	41.4	42. <u>3</u>	43.
4th	44. 3	45. <u>/</u>	469	47.0_2	48. <u>O 2</u>	-49. <u>/</u>	50	51. <u>773</u>	52	53. <u>/</u>	₅₄ . <u>2</u>	55. 2	56. <u> </u>
5th	57. <u>3</u>	58. <u>/</u>	59	60. <u>9</u> <u>4</u>	61. <u>0</u> 2	-62. <u>/</u>	63./_	64. <u>7 7 3</u>	65. 🖊	66./	672	6в. <u>2</u>	69.2
6th	70. 2	71.2	_{72.} <u>5</u>	73. <u>2.4</u>	74. <u>0 4</u>	75. <u>/</u>	78. <u>2</u>	77. <u>9 4</u>	78. <u> </u>	79.]	80. 💇	81. <u>D</u>	82. 💆
7th	83. 7	₈₄ . <u>7</u>	85. 2	86. <u>0</u> 2	87. <u>0</u> 2	- _{88.} <u>/</u>	89	-90. <u>94</u>	7 91	92	93. 🔾	94. 0	95. <u>O</u>
8th	96. 7	97. 7	98.9	99. <u>5</u>	100. <u>O</u>	<u>ا</u> 101. <u>/</u>	102	103. 947	_ 104/	105	106	107. <u>O</u>	108. —
9th	109	110	111	112	113	_ 114	115	116	. 117	118	119	120	121
10th	122	123	124	125	126	_ 127	128	129	_ 130	131	132	133	134

					PEDES	STRIA	N INJI	JRY DAT	ΓΑ				
	Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th			-								-		_
12th		_	_						—		_	_	_
13th	_	_				_	_		_	_	—	—	_
14th	—		_				_			_	—	_	_
15th		_	—			_	_			_	_	_	_
16th	_	_	_			_			—				—
17th	_	_	_				-		_	_	_	—	_
18th		<u></u>	_			_			_	_	—	—	—
19th	-		—										-
20th	-	-	-						_	—	-	—	-
21st		-	—			_	-		_	—	_	_	-
22nd		_				—	—			—	—	_	—
23rd			_				-		_	—	-	_	
24th 25th		_				_	_			_	—		_

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





Certain Probable No damage/contact (1) Autopsy records with or without hospital/ Possible Scratch (Scuff, Cloth Transfer, Smear) medical records (9) Unknown Dent (3) Hospital/medical records other than Large deformation emergency room (e.g., discharge **DIRECT/INDIRECT INJURY** Cracked, fractured, shattered summary) Direct contact injury Separated from vehicle Emergency room records only (including (2) Indirect contact injury (7) Noncontact injury Noncontact injury associated X-rays or other lab reports) (8) Other specify: Injured, unknown source Private physician, walk-in or emergency Unknown clinic STRIKING PROFILE **DAMAGE DEPTH** Injury not from vehicle contact Flat-Narrow (<15 centimeters) Injury not from vehicle contact UNOFFICIAL Flat-Wide (≥ 15 centimeters) Rounded (contoured) No residual damage (5) Lav coroner report Surface only damage (6) E.M.S. personnel (2) Crush depth >0 to 2 centimeters Crush depth >2 to 5 centimeters Crush depth >5 to 10 centimeters Rounded edge (3) (7) Interviewee Sharp edge Other (specify): (4) (8) Other source (specify): (5) Other specify: (8) (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region Specific Anatomic Structure** Abbreviated Injury Scale Spine (02) Cervical (04) Thoracic (06) Lumbar Whole Area (02) Skin - Abrasion (04) Skin - Contusion Minor injury Head Moderate injury Face (3) Neck Serious injury (06) Skin - Laceration (08) Skin - Avulsion (10) Amputation Thorax (4) Vessels, Nerves, Organs, Bones, Joints Severe injury (5) Abdomen are assigned consecutive two digit numbers beginning with 02 (5)Critical injury Maximum (untreatable) Spine (6) (6)**Upper Extremity** (20) Burn Injured, unknown severity (30) Crush (40) Degloving (50) Injury - NFS (90) Trauma, other than mechanical (8) **Lower Extremity** Level of Injury **Aspect** (9) Unspecified Specific injuries assigned are Type of Anatomic Structure consecutive two-digit Right beginning with 02. Left Bilateral Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness Whole Area (3) To the extent possible, within the organizational framework of the AIS, 00 Central Vessels (2) Anterior (3) Nerves is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury Organs (includes muscles/ (10) Concussion (6) (7) **Posterior** ligaments) Superior (5) Skeletal (includes joints) Inferior Head - LOC Unknown Skin NFS as to lesion or severity. Whole region **INJURY SOURCE FRONT** Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 793 Right rear wheel /tire 703 Hood edge and/or trim 748 Other pillar (specify): 798 Other wheel / tire (specify): 704 Hood ornament (fixed) 749 Right side roof rail 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 755 Right side glazing rearward of B pillar 802 Oil pan 803 Exhaust system pipe 756 Rear antenna 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar Back Components 760 Rear (back) bumper 809 Fuel tank 724 B pillar 810 Rear suspension 761 Tailgate 818 Other undercarriage component 725 C pillar 762 Hatchback, vertical surface (snacify): 726 D pillar 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component **Accessories** 730 Left side door surface 820 Air scoop, deflector 821 Cellular or CB radio antenna 731 Left side door handle Top Components 732 Left side mirror fixed housing 822 Emergency lights or bar 770 Hood surface 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar 824 Luggage, ski, or bike rack component 825 Cargo (specify):_ 772 Front fender top surface 735 Left side glazing rearward of B pillar 826 Spare tire 736 Left side back fender or quarter panel 773 Cowl area 774 Wiper blade & mountings 827 Spotlight 737 Rear antenna 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):_ 776 Front header (specify): 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground 948 Other object (specify): Right Side Components 779 Rear header 949 Unknown object in environment 740 Front fender side surface 780 Hatchback 959 Unknown object on contacting vehicle 741 Front antenna 781 Rear trunk lid 788 Other top component (specify): _ 997 Noncontact injury source 742 A1 pillar 999 Unknown injury source 789 Unknown top component

INJURY SOURCE CONFIDENCE LEVEL

TYPE OF DAMAGE (0) Injury not from vehicle contact

SOURCE OF INJURY DATA

743 A2 pillar

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

Blood Alcohol Level (mg/dl)

unavailable.)

Glasgow Coma Scale Score


$$GCSS = 15$$

Units of Blood Given

Units =


Arterial Blood Gases






OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)








U.S. Department of Transportation **National Highway Traffic Safety** Administration

PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

(999) Unknown

- 1. Primary Sampling Unit Number
- 2. Case Number Stratum



3. Vehicle Number

1	

VEHICLE IDENTIFICATION

- 4. Vehicle Model Year Code the last two digits of the model year (99) Unknown
- 5. Vehicle Make (specify):



Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (99) Unknown

6. Vehicle Model (specify LINC



Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown

- 7. Body Type Note: Applicable codes may be found on the back of this page.
- 8. Vehicle Identification Number

HS Form 0435J (Rev. 8/95)



Left justify; Slash zeros and letter Z (Ø and Z) No VIN-Code all zeros Unknown-Code all nines

OFFICIAL RECORDS

9. Police Reported Travel Speed Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above

___ mph X 1.6093 = ___ kmph

10. Speed Limit (000) No statutory limit Code posted or statutory speed limit in kmph (999) Unknown

35 mph X 1.6093 = ___ _ kmph

- 11. Police Reported Alcohol Presence For Driver
 - (0) No alcohol present
 - (1) Yes alcohol present
 - (7) Not reported
 - (8) No driver present (9) Unknown
- 12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit - 0.xx)

(95) Test refused

(96) None given

- (97) AC (Alcohol Content) test performed, results unknown
- (98) No driver present
- (99) Unknown)

Source:

- 13. Police Reported Other Drug Presence For Driver
 - (0) No other drug(s) present
 - (1) Yes other drug(s) present
 - (7) Not reported
 - (8) No driver present
 - (9) Unknown
- 14. Other Drug Specimen Test Result For Driver
 - (0) No specimen test given
 - (1) Drug not found in specimen
 - (2) Drug found in specimen (specify):_
 - (3) Specimen test given, results unknown or not obtained
 - (8) No driver present
 - (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest	18. Impact Speed (+) 0 5 5
10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown	Nearest kmph
-196 lbs x .4536 = $\sqrt{392}$ kgs	(NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source:	 19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph
16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms	(3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown
(450) 4,500 kilograms or more (999) Unknown	20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation
Had Bike Kack and one pike	(3) Driver/witness/police estimates
m H.B.	PRECRASH DATA
17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right
STOP VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	 (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

23. Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	
(04) Non-disabling vehicle problem (e.g., hood flew	location (specify):
up) (specify):	
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(87) Animal in roadway
(specify):	(88) Animal approaching roadway
(06) Traveling too fast for conditions	(89) Animal—unknown location
(08) Other cause of control loss (specify):	(90) Object in roadway
(our other cause of control loss (spectry):	(91) Object approaching roadway
(OO) Unknown course of a set all	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	(b)'
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(02) Braking (no lockup) \sim ,
(16) Turning right at intersection	(03) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	24. Attempted Avoidance Maneuver (00) No driver present (01) No avoidance actions (02) Braking (no lockup) (03) Braking (lockup) (04) Braking (lockup unknown) (05) Releasing brakes (06) Steering left (07) Steering right (08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle	(99) Unknown
in lane	(33) Olikilowii
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction) — over left	(0) No driver present
lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction)—over right	(2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30
	degrees
(62) From opposite direction—over left lane line	(4) Skidding laterally—clockwise rotation
(63) From opposite direction—over right lane line	(5) Skidding laterally—counterclockwise rotation
(64) From parking lane	(8) Other vehicle loss-of-control (specify):
(65) From crossing street, turning into same direction	
(66) From crossing street, across path	(9) Precrash stability unknown
(67) From crossing street, turning into opposite	1
direction	26. Precrash Directional Consequences of
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(0) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(73) From driveway, intended path not known	maneuver was initiated
(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane
(78) Encroachment by other vehicle—details	where avoidance maneuver was initiated
unknown	(4) Vehicle stayed on roadway, not known if left
Pedestrian or Pedalcyclist, or Other Nonmotorist	travel lane where avoidance maneuver was
(80) Pedestrian in roadway	initiated
(81) Pedestrian approaching roadway	(5) Vehicle departed roadway
(82) Pedestrian—unknown location	(6) Avoidance maneuver initiated off roadway
	(9) Directional consequences unknown

	ENVIRONMENTAL DATA							
77	Dals	ation to Junction	(17)			,		
۷1.	(0)	ation to Junction Non-junction	#			dway Surface Condition	L	
	(1)	Interchange area	`		(1) (2)	Dry Wet	,	
		_			(3)	Snow and slush		
		-Interchange			(4)	Ice		
	(2)	Intersection			(5)	Sand, dirt or oil		
		Intersection-related Drive, alley access related				Other (specify):		
		Other non-interchange (specify):			(9)	Unknown		
				j		σ	7	
	(6)	Unknown type of non-interchange				fic Control Device	ク	
	(9)	Unknown if interchange				No traffic control(s)	_	
					(1)	Trafficway traffic control signal (not RR crossing)		
28.	Traf	ficway Flow	7			crossing		
	(1)	Not physically divided (two way traffic)			Reg	ulatory or School Zone Sign (Not RR Crossin	a)	
	(2)	Divided trafficway - median strip without	, •	ł	(2)	Stop sign	<i>3</i> ·	
	/31	positive barrier	j		(3)	Yield sign		
	(3)	Divided trafficway - median strip with positive barrier	,			School zone sign		
	(4)	One way trafficway	,		(5)	Other sign (specify):		
		Unknown	ŀ		(6)	Unknown sign		
			} '		(7)	Warning sign (not RR crossing)		
20	Alexand		4		(8)	Miscellaneous/other controls including RR		
		nber of Travel Lanes One				controls (specify):		
		Two	. !		(9)	Unknown		
	(3)	Three	!		(5,	Ulkilowii	-	
		Four	ľ				(
		Five	ļ			fic Control Device Functioning	<u>/</u>	
	(6) (7)	Six Seven or more	1			No traffic control		
		Unknown	!		(1) (2)	Not Functioning Functioning		
	(0,	Official Control of the Control of t			(2) (9)	Unknown		
					ι . ,	• • • • • • • • • • • • • • • • • • •		
		dway Alignment					l	
		Straight Curve right	,			t Conditions	L	
		Curve left	1		(1) (2)	Daylight Dark		
		Unknown	,			Dark, but lighted		
			_			Dawn		
24	7		71		(5)	Dusk		
		dway Profile Level	2	((9)	Unknown		
		Uphill Grade (>2%)	J			1		
	(3)	Downhill Grade (>2%)	1	37. /	Atm.	ospheric Conditions		
		Hillcrest	J			No adverse atmospheric related driving		
		Sag	J	ļ .		conditions		
	(9)	Unknown	J					
			1			Sleet Snow		
		lway Surface Type	1 1	l .		Fog		
	(1)	Concrete		((6)	Rain and fog		
		Bituminous (asphalt)	J			Sleet and fog		
		Brick or Block	1	((8)	Other (e.g., smog, smoke, blowing sand or		
		Slag, gravel or stone Dirt		1	9)	dust, etc.) (specify):		
		Other (specify):		•	91	Clikilowii		
1	(9)	Unknown	1					
			1					




U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

2. Case Number - Stratum



3. Vehicle Number

VEHICLE IDENTIFICATION

Model Year

Vehicle Make (specify):

Vehicle Model (specify):

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

cm

cm

cm

cm

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

cm cm cm cm

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield


PEV25 Ground to Head Contact

cm cm cm cm

cm


cm


VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:





NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axies (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of structions, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

	PEDESTRIAN SIDE CONTACT WORK SHEET						
PEV06	Hood Material						
PEV08	Hood Length						
PEV09	Hood Width-Forward Opening						
PEV10	Hood Width-Midway						
PEV11	Hood Width-Rear Opening						
VERTICAL MEASUREMENTS							
PEV26	Ground Clearance						
PEV27	Side Bumper-Bottom Height						
PEV28	Side Bumper-Top Height						
PEV29	Centerline of Wheel						
PEV30	Top of Tire						
PEV31	Top of Wheel Well Opening						
PEV32	Bottom of A-Pillar at Windshield						
PEV33	Top of A-Pillar at Windshield						
PEV34	Top of Side View Mirror						
	LATERAL MEASUREMENTS						
PEV35	C _L to A-Pillar at Bottom of Windshield						
PEV36	C _L to A-Pillar at Top of Windshield						
PEV37	C _L to Maximum Side View Mirror Protrusion						
	NADAD DICTANCES						
	WRAP DISTANCES						
PEV38	Ground to Side/Top Transition						
PEV39	Ground to Hood Edge						
PEV40	Ground to Centerline of Hood (ORIGIN)						
PEV41	Ground to Head Contact						

VEHICLE DAMAGE SKETCH

NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

ORIGINAL SPECIFICATIONS inches $\times 2.54$ Wheelbase Overall Length inches $\times 2.54$ inches $\times 2.54$ Maximum Width pounds x . 4536 =Curb Weight inches $\times 2.54$ Average Track Front Overhang inches $\times 2.54$ CM Rear Overhang inches $\times 2.54$ CM Undeformed Fnd Width inches $\times 2.54$ Engine Size: cyl./displ. ___ __ __ x .001 x .0164 =CID **INJURY SOURCE** FRONT Wheels / tires 744 B pillar 790 Left front wheel / tire 700 Front bumper 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 746 D pillar 792 Left rear wheel / tire 702 Front grille 748 Other pillar (specify):___ 793 Right rear wheel /tire 703 Hood edge and/or trim 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): _ 750 Right side door surface 799 Unknown wheel / tire 705 Hood ornament (spring loaded) 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front cross member 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 718 Other front or add on object (specify):_ 755 Right side glazing rearward of B pillar 802 Oil pan 803 Exhaust system pipe 719 Unknown front object 756 Rear antenna 757 Rear fender or quarter panel 804 Transmission 805 Drive shaft 758 Other right side object Left Side Components 806 Catalytic converter 720 Front fender side surface (specify): _ 759 Unknown right side component 807 Muffler 721 Front antenna 808 Floor pan 722 A1 pillar 809 Fuel tank 723 A2 pillar Back Components 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 762 Hatchback, vertical surface (specify): 726 D pillar 768 Other back component 819 Unknown undercarriage component 728 Other pillar (specify): _ (specify): 769 Unknown back component 729 Left side roof rail **Accessories** 820 Air scoop, deflector 730 Left side door surface 821 Cellular or CB radio antenna Top Components 731 Left side door handle 822 Emergency lights or bar 732 Left side mirror fixed housing 770 Hood surface 823 Fog lights 771 Hood surface reinforced by under hood 733 Left side folding mirror 824 Luggage, ski, or bike rack 734 Left side glazing forward of B pillar component 772 Front fender top surface 825 Cargo (specify):____ 735 Left side glazing rearward of B pillar 826 Spare tire 736 Left side back fender or quarter panel 773 Cowl area 774 Wiper blade & mountings 827 Spotlight 737 Rear antenna 828 Other accessory (specify):___ 738 Other left side object 775 Windshield glazing 776 Front header (specify): _ 777 Roof surface Other Object or Vehicle in Environment 739 Unknown left side component 947 Ground 778 Backlight glazing 948 Other object (specify):_ 779 Rear header Right Side Components 949 Unknown object in environment 780 Hatchback 740 Front fender side surface 959 Unknown object on contacting vehicle 741 Front antenna 781 Rear trunk lid 997 Noncontact injury source 788 Other top component (specify): ___ 742 A1 pillar 743 A2 pillar 999 Unknown injury source 789 Unknown top component

	POINTS OF PEDESTRIAN CONTACT PEDESTRIAN CONTACT WORKSHEET								
		4=136	FEDES!	RIAN CONTA	ici wukkshi	₹ ₽ 1			
CONTACT ID Label	COMPONENT CONTACTED	LONGITUDINAL LOCATION	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Girele)	SEQUENCE #	
A	Lionorda	104	-9	041	Rhen	Scuffe / Broker	2 3 9	١	
Ð	,	96	- 11	06	N n (12 17	∂ 2 3 ¶		
E	Bumpa	90	55	Q	Bhoe	seufo Print	7 3 9	2	
K	HOPLE	71	73	951	upper Les	Dont	3 2.2.1	3)	
	Hoop	58 (-11 to +10	Q	10 Hilp	smen/smag	Ø 2 3 9	4	
G	Hood	44	, 7 0	0	leg	Strucks	<u>)</u> 219	III (
14	Hood	50	65	0	gnes	5mall 3mudge	1 (2) 3 9	3	
N	Book	ţ	4	041	BATE.	5mol Ripple	(1)2 3 9	φ	
M	17	4	50	051	Zhoulde	Swearpy	2 3 9	6	
ρ	No 0N	5	ور م	941	ALM?	Small Last	①2 3 ¥		
1	M. D	-7	47	Q	Sher	smear conved	R 2 3 9	7	
R	1600	-13	56	Ø	0	'	1 2 3 8	Э.	
S	Coul	-37	59	Ø	Head	Smears. Pls	1 2 3 9	8	
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
					_		1 2 3 9		
						•	1 2 3 9		
***************************************							1 2 3 9		
							1 2 3 8		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		

POINTS OF PEDESTRIAN CONTACT -- PEDESTRIAN # 1

PEDESTRIAN CONTACT WORKSHEET PAGE

CONTACT I D LABEL	COMPONENT CONTACTED (CODE or OBJECT)	LONGITUDINAL	LATERAL LOCATION	CRUSH IN CM	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT
A	sian Blots	40-37	-9		Blen	\$ scull Pants	2 3 9
	17 %	1-40	+ 11		~ J.	Stouk Rento	2 3 9
E	Brupes	I-46	55		Q She	south him	\bigcirc 2 3 9
X	Hood Edge	4-65	-13	04	Derb U	on Riving.	4 2 3 9
<u></u>	1200	32	(-7)+o(+10)		Dley "	Semi circle Speak	2 3 9
4	Asso	47	20		100	Speak	1 2 3 9
77	4004	50	65	,	Schoe	Smudge Snall	1 2 3 9
7	Hood	17	44	٥٤١	DOPM	small dents scratch	1 2 3 9
\mathcal{M}	11000	4	50	n 12	U 11 " \	scuff area	1 2 3 9
R	Yord	S	72	0<1	Small Doch	21 Up Ban	1 2 3 9
1	405/	+	42	D	Shoulke	Names smudge	1 2 3 9
	1.000	-17	56	<u> </u>	Am	Coure streak	1 2 3 9
>	Coll	₹ -39	59		7 7 7 7 7 7	swews swyls	1 2 3 9
					Aero	V 1000000000000000000000000000000000000	1 2 3 9
							1 2 3 9
							1 2 3 9
					· · · · · · · · · · · · · · · · · · ·		1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
				· · · · · · · · · · · · · · · · · · ·			1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
						<u> </u>	1 2 3 9

POINTS OF PEDESTRIAN CONTACT CHRONOLOGICAL ORDER OF CONTACTS

CONTACT	COMPONENT CONTACTED	LONGITUDINAL LOCATION	LATERAL LOCATION	CRUSH IN	EN OF GONTACTS	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF
1 A	CODE	(X)	m	CENTIMETERS	F. 125	Benja	(Circle)
	718	104	-9	0-1	_	Berlitorted Thistorted	2 3 9
2 //1	770	Ч	50	<u>4</u> /	P. Shoulder	Distocada	Ø2 1 9
3 S	774	-37	59	41	R. eye	send F	19239
• \$	713	-37	53	9	2 2	5) (Q239
5 S	773	-37	59	0	1 Head	Sc-38	2 3 9
6			+ ,	,	/		1 2 3 9
7	bion	9 ca	ntee	15			1 2 3 9
							1 2 3 9
9 3							1 2 3 9
10							1 2 3 9
11							1 2 3 9
12							1 2 3 9
13							1 2 3 9
14							1 2 3 9
15							1 2 3 9
16							1 2 3 9
17						,	1 2 3 9
18							1 2 3 9
19							1 2 3 9
20							1 2 3 9
21							1 2 3 9
22							1 2 3 8
23							1 2 3 9
24							1 2 3 9
25							1 2 3 9

VEHICLE DIMENSIONS	
4. Original Wheelbase Code to the nearest centimeter (999) Unknown	11. Hood Width Rear Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown
5. Original Average Track Width Code to the nearest centimeter (185) 185 centimeters or more (999) Unknown inches X 2.54 =	12. Hood/Fender Vertical/Lateral Crush From Pedestrian (0) Not damaged (1) Surface scratching only, no residual crush (2) Minor crush (1-3 centimeters) (3) Moderate crush (4-7 centimeters) (4) Severe crush (>7 centimeters) (8) Damage present, unknown if damage is from pedestrian impact
6. Hood Material (1) Plastic (2) Fiberglass (3) Steel (4) Aluminum (5) Stainless Steel (8) Other (specify): (9) Unknown 7. Hood Original Equipment Manufacturer (OEM) (1) OEM factory installed hood	pedestrian impact (9) Unknown 13. Windshield Contact Damage From Pedestrian Contact (0) Not contacted by pedestrian (1) Contacted by pedestrian - not damaged (2) Contacted by pedestrian - damaged (3) Unknown if contacted by pedestrian - not damaged (4) Unknown if contacted by pedestrian - damaged (9) Unknown if contacted by pedestrian - unknown if damaged
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic
	(2) Fiberglass
9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters	(3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):
9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	(4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel

17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown
18. Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
Front Wrap Distance Measurements	SIDE CONTACT DAMAGE Side Vertical Measurements
20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
21. Ground to Front/Top Transition Point Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeters	27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
22. Ground to Rear Hood Opening Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown inches X 2.54 = centimeters	28. Side Bumper-Top Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters

	Side Lateral Measurements
29. Centerline of Wheel	
Code to the	200
nearest centimeter (000) No side contact	35. Centerline to A-Pillar
(150) 150 centimeters or more	at Bottom of Windshield
	(000) No side contact
(999) Unknown	Code to the
	nearest centimeter
inches X 2.54 = centimeters	(250) 250 centimeters or more
	(999) Unknown
20. Tan of Tire	, = = = , =
30. Top of Tire	inches X 2.54 = centimeters
Code to the	
nearest centimeter	\bigcirc
(000) No side contact	36. Centerline to A-Pillar
(200) 200 centimeters or more	at Top of Windshield
(999) Unknown	Code to the
	nearest centimeter
inches X 2.54 = centimeters	(000) No side contact
	(250) 250 centimeters or more
	(999) Unknown
31. Top of Wheel Well Opening	(888) Chikhowh
Code to the	inches X 2.54 = centimeter
nearest centimeter	
(000) No side contact	<i>⊘</i> → 78
(250) 250 centimeters or more	37. Centerline to Maximum Side
(999) Unknown	View Mirror Protrusion
	Code to the
inches X 2.54 = centimeters	nearest centimeter
	(000) No side contact
32. Bottom of A-Pillar at Windshield	(300) 300 centimeters or more
Code to the	(999) Unknown
nearest centimeter	
(000) No side contact	inches X 2.54 = centimeter
(250) 250 centimeters or more	
(999) Unknown	
inches X 2.54 = centimeters	Side Wrap Distance Measurements
inclies X 2.34 certimeters	^ ~
	38 Ground to Side/Top Transition
33. Top of A-Pillar at Windshield	38. Glodid to Side/Top Transition
Code to the	Code to the
nearest centimeter	nearest centimeter
(000) No side contact	(000) No side contact
(300) 300 centimeters or more	(400) 400 centimeters or more
(999) Unknown	(999) Unknown
(000)	inches V 2 E4 contimeters
inches X 2.54 = centimeters	inches X 2.54 =centimeters
	39. Ground to Hood Edge
34. Top of Side View Mirror	Code to the
Code to the	nearest centimeter
nearest centimeter	(000) No side contact
(000) No side contact	(500) 500 centimeters or more
(300) 300 centimeters or more	(999) Unknown
(999) Unknown	(SSS) STRITOWN
	inches X 2.54 = centimeters
inches X 2.54 = centimeters	

40. Ground to Centerline of Hood	<u>2000</u>	
Code to the		
nearest centimeter		
(000) No side contact		
(700) 700 centimeters or more		
(999) Unknown		
inches X 2.54 =	centimeters	
41. Ground to Head Contact	(70)	
Code to the		
nearest centimeter		
(000) No side contact		
(800) 800 centimeters or more		
(998) No head contact		
(999) Unknown		
inches X 2.54 =	oontimata	
inches X 2.54 =	centimeters	



82644F00000011 0000000000000000 01 82644F00010012 969.0010000000000101F72000 82644P00010021 9.00 000000003821654708713507513014003410040209602241009715 1010000000008 82644P00010131 9.00 00000000078904021171811233 82644P00010231 9.00 00000000077904021177011233 82644P00010331 9.00 00000000072902021177411433 9.00 00000000031902021177311222 82644P00010431 82644P00010531 9.00 00000000031904021177311222 82644P00010631 9.00 00000000037524041294711000 82644P00010731 9.00 00000000077902021194711000 82644P00010831 9.00 00000000077902021194711000 9.00 000000000913703103JHMED8353M3 99905609600089002005 82644P01000041 52110180022203412110011 82644P01000051 9.00 000000002301453109213513914121310390480551106307015716

PSU82 CASE 644P

00000000000000

CURRENT VERSION: 9.00

ERROR SUMMARY SCREEN PEDESTRIAN STUDY



	MBER OF DLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	0	0	· · · · · · · · · · · · · · · · · · ·
Pedestrian Assessment	Ö	Ö	Ô	Ÿ
Pedestrian Injury	0	Ó	Ö	Y
Pedestrian General Vehicle	0	0	0	Y
Pedestrian Exterior Vehicle	• 0	0	0	Υ
Total Inter Errors		0	0	
Total Case Errors	o	o	0	