



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



PEDESTRIAN CASE SUMMARY

NATIONAL ACCIDENT SAMPLING SYSTEM
PEDESTRIAN CRASH DATA STUDY

CASE NO. 604 P PSU 72

TYPE OF ACCIDENT Car / Pedestrian / crossing road diagonal

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include a three lar any personal identifiers.)

Vehicle one traveling eastbound in the first lane of undivident roadway. Pedestrian was crossing roadway diagonally heading NE. The front of vehicle one contacted pedestrian on her left side. The pedestrian was through forward and to the left of vehicle one, and come to rest 1.9 in past the vehicle one came to rest just past the point of impacts

B. PEDESTRIAN PROFILE									
Pedestrian Treatment/ Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)									
No.	Age	Sex	Mortality	·		AIS	Injury Source		
01	15	F	Hospitalized	Lower	Skelete1	3	Bumper		


Body Region	Type of Anatomic Structure
Head	Whole Area
Face	Vessels
Throat	Nerves
Chest	Organs
Abdomen/Pelvis	Skeletal
Spine	Head-LOC
Upper Extremity	Skin-Burn
Lower Extremity	Skin-Other
External	Skiil-Ottlei


Abbreviated Injury Scale

- (1) Minor injury (2) Moderate injury
- (3) Serious injury (4) Severe injury
- (5) Critical injury
- (6) Maximum (untreatable)
- (7) Injured, unknown severity

Class		C. VEH		Most Severe Damage	
of Vehicle	Ye	ar/Make/Model	Damage Plane	Damage Description	
compact	93	Ford Tempo	Front	Minor:	
	Vehicle	of Ye.	Class of Year/Make/Model Vehicle	Class of Year/Make/Model Damage Vehicle Plane	Class of Year/Make/Model Damage Damage Vehicle Plane Description

DO NOT SANITIZE THIS FORM







PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

National Highway Traffic Safety NATIONAL ACCIDENT SAMPLING SYSTEM Administration PEDESTRIAN CRASH DATA STUDY Primary Sampling Unit Number 1 Case Number-Stratum 6 p 4 P PEDESTRIAN ACCIDENT COLLISION DATA COLLECTION SCALED DIAGRAM bi+ document reference point and reference line Surface Type north arrow placed on diagram relative to physical features documentation of all accident induced physical **Surface Condition** grade measurements for all applicable evidence including (if applicable): roadways . 65 Coefficient of Friction scaled representations of the physical plant vehicle skid marks NIK including: all road/roadway delineation (e.g., pedestrian contacts with ground or object > crosswalks, curb/edge lines, lane b) markings, medians, pavement markings, Grade (v/h) Measurement parked vehicles, poles, signs, etc.) C) vehicle/pedestrian point of impact (POI) at impact b) all traffic controls (e.g., lights, signs) b) between impact and d) scaled representations of the vehicle and location of pedestrian separation point from final rest pedestrian at pre-impact, impact, and final rest based upon either: final resting points (FRP) for pedestrian and Pedestrian Travel Direction a) physical evidence, or documentation of the physical plant including: Vehicle Travel Direction reconstructed accident dynamics all road/roadway delineation (e.g. crosswalks; curb/edge lines, lane markings; medigns, pavement markings; parked vehicles, poles. **Number of Travel Lanes** signs, etc.) b) all traffic controls (e.g., lights, signs) 5. 2000 Reference Point: curl Reference Line: Corner Distance and Direction Distance and Direction Item from Reference Point from Reference Line 1.1m N Cross wolk 1.7 m

ltem	Distance and Direction from Reference Point	Distance and Direction from Reference Line

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

. F	Primary Sampling Unit Number	72

Case Number - Stratum

<u>6 Φ 4</u> P

IDENTIFICATION

3. Number of General Vehicle **Forms Submitted**

4. Date of Accident (Month, Day, Year)



5. Time of Accident

0720

Code reported military time of accident.

NOTE: Midnight = 2400

Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

SS15 Administrative Use

0

1

7. __✓ SS16 Pedestrian Crash Data Study

0 8. ___SS17 Impact Fires

0 **SS18**

0 10. SS19

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

0 1

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

		PEDESTRIAN	ACCIDEN	FEVENTS		
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
12. <u>0</u> <u>1</u>	13. <u>0</u> <u>1</u>	14. Ø 2	15. <u>F</u>	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

	Primary Sampling Unit Number 72 Case Number - Stratum 6 94 P	10. Pedestrian's Weight Code actual weight to the nearest kilogram. (999) Unknown
3. F	Pedestrian Number 0 1	pounds X .4536 = kilograms
	PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
()	Pedestrian's Age Code actual age at time of accident. Do) Less than one year old (specify by month): 97) 97 years and older Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
6. P	Pedestrian's Sex 1) Male 2) Female - not reported pregnant 3) Female - pregnant-1st trimester (1st-3rd month) 4) Female - pregnant-2nd trimester (4th-6th month) 5) Female - pregnant-3rd trimester (7th-9th month) 6) Female - pregnant-term unknown 9) Unknown Pedestrian's Overall Height Code actual height to the nearest entimeter. 999) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify):
(S	redestrian's Height - Ground to Knee redestrian'	13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel
O	edestrian's Height - Ground to Hip dode to the nearest entimeter. 999) Unknown inches X 2.54 = centimeters	(08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify): (99) Unknown 14. Pedestrian's Body (Chest) Orientation
a	edestrian's Height - Ground to Shoulder 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify):

PEDESTRIAN'S AVOIDANCE ACTIONS	
PEDESTRIAN S AVOIDANCE ACTIONS	18. Pedestrian's Arm Orientation
	at Initial Impact
	(01) At sides
15. Pedestrian's First Avoidance Actions	(02) Folded across chest
(00) No avoidance actions	(03) Hands clasped behind back
(01) Stopped	(04) Hands on hips
` ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	
(02) Accelerated pace	(05) Hands in pockets
(03) Ran away (along vehicle path)	(05) Hands in pockets A had a bac One or both arms: (06) Extended upward
(04) Jumped	One or both arms:
(05) Turned toward vehicle	(06) Extended upward
(06) Turned away from vehicle	(07) Extended to side
(07) Dove or fell away	(08) Extended forward bracing
(07) Dove or len away	
	(09) Extended, holding object
Used hand(s) to :	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against vehicle	bag, etc.) on shoulder(s) or head
(98) Other (specify):	(98) Other (specify):
(99) Unknown	(99) Unknown
	19. Pedestrian's Leg Orientation
	at Initial Impact
PEDESTRIAN'S ORIENTATION AT IMPACT	(01) Together
	(02) Apart-laterally
	(03) Apart-right leg forward
	(04) Apart-left leg forward
40 50 1 11 10 10 11	(05) Apart- forward leg unknown
16. Pedestrian's Head Orientation	(06) Left foot off the ground
at Initial Impact	
(1) To front	(07) Right foot off the ground
(2) To left	(08) Both feet off the ground
(3) To right	(98) Other (specify):
(4) Up	(99) Unknown O $ $
	-1
(5) Down	20. Vehicle/Pedestrian's Interaction
(8) Other (specify):	(01) Carried by vehicle, wrapped position
(9) Unknown	
	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
17. Pedestrian's Body (Chest) Orientation	(04) Passed over vehicle top
at Initial Impact	(05) Thrown straight forward
	(06) Thrown forward and left of vehicle
(1) Facing vehicle	(07) Thrown forward and right of vehicle
(2) Facing away	(08) Knocked to pavement, forward
(3) Left side to vehicle	
(4) Right side to vehicle	(09) Knocked to pavement, left of vehicle
(8) Other (specify):	(10) Knocked to pavement, right of vehicle
(9) Unknown	(11) Knocked to pavement, run over or
(6) 5.11.11.507.1	dragged by vehicle
	(12) Shunted to left (corner impacts only)
	(13) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside
	(15) Snagged, rotated
	(16) Snagged, dragged by vehicle
	(17) Foot or legs run over
	(98) Other (specify):
	(99) Unknown

OFFICIAL RECORDS		INJURY CONSEQUENCES
21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown	\$	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
 22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown '(99) Unknown if test given 	96	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source: PAR	_	Nonfatal (3) Hospitalization
 23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown 	7	(4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	<u>ф</u>	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown A three of less through
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOP - VARIABLES 30 THROUGH 37 AR	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (32) Yes - blood given (34) (35) (36) ABGs not measured or reported (35) (36) ABGs reported, HCO3 (36) ABGs reported, HCO3 (36) ABGs reported, HCO3 (36) ABGs reported, HCO3 (37) Injured, details unknown (37) Injured, details unknown (39) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (36) Fatal - ruled disease (39) Unknown	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORD NO [] UPDATE CANDIDATE?	YES [1]

Form Approved O.M.B. No. 2127-0021 NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN INJURY FORM

PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

2. Case Number - Stratum

3. Pedestrian Number

4. Blank

INJURY DATA


Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90					Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
.1st	5. <u>6</u>	6. <u>8</u>	7. <u>5</u>	8. <u>7</u> 4	9. <mark>2 2</mark>	- _{10.} <u>3</u>	11	12.700	<u>)</u> 13. <u> </u>	14	15. 2	16. 2-	17.2-
2nd	18.6_	19. <u>8</u>	20. 5	21. <u>/ 6</u>	22. <u>/</u> 0	23. Z	24.	25. <u>70</u>	<u>3</u> 26	27	28	- ₂₉	30. <u>_</u>
3rd	31. <u>6</u>	32. <u>8</u>	33. <u>5</u>	34. <u>3</u> 4	35. <u>2</u> Z	-36. <u>3</u>	37. 2	38. <u>700</u>	2 39	40	41. 2	- 42.2—	43. 2
4th	44. <u>6</u>	45. 8	46.5	47. / 6	48. 1 8	² 49. <u>2</u>	50.2	51. 7 0	<u>0</u> 52. <u>/</u>	53. <u>/</u>	542	55. 2	56.2
5th	57. 7	58	59. <u>9</u>	60.04	61. 0 2	- _{62.} <u>/</u>	63. <u>/</u>	64.94	65. /	66. <u>/</u>	67. <u>Ó</u>	68.℃	69. <u>Ö</u>
6th	70. 1	717	72	73. <u>0</u> 4	74. 0 2	75	76. <u>2</u>	- _{77.} 94	7 78.	79. <u>/</u>	80. <u>Ö</u>	81. <u>O</u>	_{82.} U_
7th	83. <u>7</u>	84.2	85. 7	86.04	87. <u>0</u> 2	- _{88.} /_	89. <u>8</u>	90. <u>947</u>	7 91. <u>/</u>	92. <u>/</u>	93. <u>Č</u>	94. <u>O</u>	95. <u>O</u>
8th	96. 7	97. <u>Y</u>	98. 7	99. <u>0</u>	100. <u>0</u> <u>2</u>	101. <u>L</u>	102. 8	103. 9 4	<u>7</u> 104. <u>(</u>	105	1060	2107 <u>0</u>	169
9th	109	110	111	112	113	114	115	118	117	118	119	120	121
10th	.122	.123	124	125	126.	127	128	129	130	131	132	133	134

				PEDES	TRIAN IN.	JUNT DAT	A			-	
Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Dami Dep
11th		<u> </u>					_		_		_
12th										_	
13th											
14th										_	
15th											
16th											
· · · · ·											
17th											
	-										
18th									_		
					# 19 (19 12년) - 19 (19 12년) - 19 (19 12년)						
19th			-		- 144개 (프랑. - 147개 (함:						
20th									111 1 - 1.		
21st		_					_	!	_	_	
22nd	_	_					_	_	<u>-</u> -		_
23rd										_	
					는 이번 중요한다. 그리지 않았다고 하다						
24th											
25th											

Marketine and the second of th

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



(1) (2) Certain Probable **OFFICIAL** No damage/contact (1) Autopsy records with or without hospital/ Possible Scratch (Scuff, Cloth Transfer, Smear) medical records (9) Unknown (3) Dent (2) Hospital/medical records other than Large deformation (4) **DIRECT/INDIRECT INJURY** emergency room (e.g., discharge Cracked, fractured, shattered Separated from vehicle (5) Direct contact injury Indirect contact injury summary) (3) Emergency room records only (including (2) Noncontact injury Noncontact injury associated X-rays or other lab reports) Other specify: Injured, unknown source Private physician, walk-in or emergency clinic STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (> 15 centimeters) Injury not from vehicle contact UNOFFICIAL (1) No residual damage (5) Lay coroner report Surface only damage Crush depth >0 to 2 centimeters (6) E.M.S. personnel (3) (4) Rounded (contoured) Rounded edge (7) Interviewee Crush depth > 2 to 5 centimeters Sharp edge (8) Other source (specify): Crush depth > 5 to 10 centimeters Other (specify): Other specify:_ (9) Police (9) Unknown (9) Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region Specific Anatomic Structure** Abbreviated Injury Scale Spine (02) Cervical (04) Thoracic Whole Area (02) Skin - Abrasion (04) Skin - Contusion (1)Minor injury Lumbar Moderate injury Face (3) Serious injury (3) Neck Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit Thorax (06) Skin - Laceration (4) Severe injury (5) Critical injury (08) Skin - Avulsion (5) Abdomen (10) Amputation numbers beginning with 02 Maximum (untreatable) (6) Spine Upper Extremity Injured, unknown severity (20) Burn (7)Level of Injury Lower Extremity (30) Crush **Aspect** (40) Degloving Injury - NFS Unspecified (50) injuries assigned consecutive two-digit beginning with 02. Right Left Type of Anatomic Structure (90) Trauma, other than mechanical numbers (3) (4) (5) Bilateral Head - LOC Whole Area To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity. (02) Length of LOC (04, 06, 08) Level of Consciousness Central Vessels Anterior (3) (6) (7) Posterior (4) Organs (includes muscles/ (10) Concussion Superior ligaments) Skeletal (includes joints) (8)Inferior (9) Unknown Head - LOC Whole region Skin **INJURY SOURCE** Wheels / tires **FRONT** 790 Left front wheel / tire 744 B pillar 700 Front bumper 791 Right front wheel / tire 701 Front lower valance/spoiler 745 C pillar 746 D pillar 792 Left rear wheel / tire 702 Front grille 703 Hood edge and/or trim 748 Other pillar (specify):_ 793 Right rear wheel /tire 749 Right side roof rail 798 Other wheel / tire (specify): 704 Hood ornament (fixed) 799 Unknown wheel / tire 750 Right side door surface 705 Hood ornament (spring loaded) 751 Right side door handle 706 Headlight 752 Right side mirror fixed housing 707 Retractable headlight door (Open/Closed) Undercarriage components 753 Right side folding mirror 708 Turn signal/parking lights 800 Front crossmember 801 Steering assembly/Front suspension 718 Other front or add on object 754 Right side glazing forward of B pillar 802 Oil pan 755 Right side glazing rearward of B pillar (specify):_ 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission 805 Drive shaft Left Side Components 758 Other right side object 806 Catalytic converter (specify): 720 Front fender side surface 807 Muffler 759 Unknown right side component 721 Front antenna 808 Floor pan 722 A1 pillar 809 Fuel tank 723 A2 pillar Back Components 810 Rear suspension 760 Rear (back) bumper 724 B pillar 818 Other undercarriage component 761 Tailgate 725 C pillar 762 Hatchback, vertical surface (specify): 726 D pillar 819 Unknown undercarriage component 768 Other back component 728 Other pillar (specify): (specify): 769 Unknown back component 729 Left side roof rail Accessories 820 Air scoop, deflector 730 Left side door surface Top Components 821 Cellular or CB radio antenna 731 Left side door handle 770 Hood surface 822 Emergency lights or bar 732 Left side mirror fixed housing 771 Hood surface reinforced by under hood 823 Fog lights 733 Left side folding mirror 824 Luggage, ski, or bike rack component 734 Left side glazing forward of B pillar 825 Cargo (specify):_ 772 Front fender top surface 735 Left side glazing rearward of B pillar 773 Cowl area 826 Spare tire 736 Left side back fender or quarter panel 827 Spotlight 774 Wiper blade & mountings 737 Rear antenna 775 Windshield glazing 828 Other accessory (specify):_ 738 Other left side object 776 Front header (specify): 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment

778 Backlight glazing

788 Other top component (specify):

789 Unknown top component

779 Rear header

781 Rear trunk lid

780 Hatchback

INJURY SOURCE CONFIDENCE LEVEL

SOURCE OF INJURY DATA

Right Side Components

741 Front antenna

742 A1 pillar

743 A2 pillar

740 Front fender side surface

TYPE OF DAMAGE

948 Other object (specify):

997 Noncontact injury source

999 Unknown injury source

949 Unknown object in environment

959 Unknown object on contacting vehicle

Injury not from vehicle contact

OFFICIAL INJURY DATA - SKELETAL INJURIES

Restrained?

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

Yes

Blood Alcohol Level (mg/dl)


Glasgow Coma Scale Score


$$gcss = \sqrt{5}$$

Units of Blood Given

Arterial Blood Gases









OFFICIAL INJURY DATA -INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

77	OFFICIAL RECORDS
1. Primary Sampling Unit Number 72	aau
2. Case Number - Stratum 6 4 P	9. Police Reported Travel Speed 9. 9. Police Reported Travel Speed
3. Vehicle Number O 1 VEHICLE IDENTIFICATION	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown 5. Vehicle Make (specify):	mph X 1.6093 =kmph 10. Speed Limit (000) No statutory limit Code posted or statutory speed limit in kmph (999) Unknown
Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (99) Unknown 6. Vehicle Model (specify):	3\$\psi\$ mph X 1.6093 = \frac{4}{6} \cdot 2\$ kmph 11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present
Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown	(9) Unknown 12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given
Note: Applicable codes may be found on the back of this page.	(97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number	Source: PAR 7
\(\frac{7}{1} \) \(\frac{F}{2} \) \(\frac{A}{3} \) \(\frac{P}{4} \) \(\frac{7}{5} \) \(\frac{6}{6} \) \(\frac{X}{8} \) \(\frac{9}{10} \) \(\frac{11}{11} \) \(\frac{12}{13} \) \(\frac{14}{15} \) \(\frac{16}{15} \) \(\frac{17}{15} \) \(\frac{15}{10} \) \(1	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronço II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Čab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)</p>
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):_____
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown 2_6	18. Impact Speed Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source:	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
	PRECRASH DATA
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

ational Addition Camping Cyclem Classifications Date	- Cyclonic Colocinal Control Control Control
23. Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(O1) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(O3) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(O2) Braking (no lockup)
(16) Turning right at intersection	(O3) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle	(99) Unknown
in lane	7
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction)—over left	(0) No driver present
lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction)—over right	(2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30
(62) From opposite direction—over left lane line	degrees
(63) From opposite direction—over right lane line	(4) Skidding laterally—clockwise rotation
(64) From parking lane	(5) Skidding laterally—counterclockwise rotation
(65) From crossing street, turning into same direction	(8) Other vehicle loss-of-control (specify):
(66) From crossing street, across path	(0)
(67) From crossing street, turning into opposite	(9) Precrash stability unknown
direction	26 Broanch Divertional Company of
(68) From crossing street, intended path not known	26. Precrash Directional Consequences of Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(0) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, across path (72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(72) From driveway, turning into opposite direction (73) From driveway, intended path not known	maneuver was initiated
(73) From driveway, intended path not known (74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane
(74) From entrance to limited access nighway (78) Encroachment by other vehicle—details	where avoidance maneuver was initiated
•	(4) Vehicle stayed on roadway, not known if left
unknown Redestrien or Redelevalist, or Other Normaterist	travel lane where avoidance maneuver was
Pedestrian or Pedalcyclist, or Other Nonmotorist	initiated
(80) Pedestrian in roadway	(5) Vehicle departed roadway
(81) Pedestrian approaching roadway (82) Pedestrian—unknown location	(6) Avoidance maneuver initiated off roadway
(02) redestrian—unknown location	(9) Directional consequences unknown

	ENVIRO	NME	NTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	2	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
28.	 (6) Unknown type of non-interchange (9) Unknown if interchange Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown 	1	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing) Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign (7) Warning sign (not RR crossing)
29.	Number of Travel Lanes (1) One (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown	3	(8) Miscellaneous/other controls including RR controls (specify): (9) Unknown 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown		36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk
31.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown	1	(9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet (4) Snow
32.	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify): (9) Unknown	2	(5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown

<u>*</u> !	
	96
	72 - 604
	93 Tenpo 1570 F
!	?
	27 YOF " pp Lip
	20 mp L Ry 21/6-1 forcor-
	Lower Ex LUR TIBIL
	19 R J=, 6./~
	Jogg: 7/ 1 /
	bullpulk -and free
	J=RP+0 POI -5 milios = 16,4 f+
	f = 0, 6
	$V = \sqrt{25 + g}$
	$= \mathcal{H}_{(3)}(11.4)(0.6)(32.2)$
	=25+PS=17mph=27,4 KPL
	28 19 1

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

١.	Primary	Sampling	Unit	Number

72

3. Vehicle Number

0 1

2. Case Number - Stratum

6 **4** P

VEHICLE IDENTIFICATION

VIN 2 FAPP36X9PB

Model Year 9 3

Vehicle Make (specify): For J

Vehicle Model (specify): Tempo

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length

cm

PEV09 Hood Width-Forward Opening

cm

PEV10 Hood Width-Midway

cm

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

Meta

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

cm

PEV18 Forward Hood Opening

cm

PEV19 Front Bumper Lead

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

cm

PEV22 Ground to Rear Hood Opening

cm cm

PEV23 Ground to Base of Windshield PEV24 Ground to Top of Windshield

cm

cm

PEV25 Ground to Head Contact

VEHICLE DAMAGE SKETCH

NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: $153 \, \mathrm{cm}$

		PEDESTRIAN SIDE CONTACT WORK SHEET	
	PEV06	Hood Material	
	PEV08	Hood Length	cm
	PEV09	Hood Width-Forward Opening	cm
	PEV10	Hood Width-Midway	cm
	PEV11	Hood Width-Rear Opening	cm
		VERTICAL MEASUREMENTS	
	PEV26	Ground Clearance	cm
	PEV27	Side Bumper-Bottom Height	cm
	PEV28	Side Bumper-Top Height	cm
	PEV29	Centerline of Wheel	cm
	PEV30		cm
	PEV31	Top of Wheel Well Opening	cm
	PEV32	Bottom of A-Pillar at Windshield	cm
	PEV33	Top of A-Pillar at Windshield	cm
	PEV34	Top of Side View Mirror	cm
		LATERAL MEASUREMENTS	
	PEV35	C _L to A-Pillar at Bottom of Windshield	cn
		C _L to A-Pillar at Top of Windshield	cn
		C _L to Maximum Side View Mirror Protrusion	cn
		WRAP DISTANCES	
	PEV38	Ground to Side/Top Transition	cn
	PEV39	Ground to Hood Edge	cn
	PEV40	Ground to Centerline of Hood (ORIGIN)	cn
	PEV41	Ground to Head Contact	cn
П			

ORIGINAL SPECIFICATIONS

Whee1base	999	inches	x 2.54 =	254 cm
Overall Length	177.0	inches	x 2.54 =	449 cm 450
Maximum Width	68_3	inches	x 2.54 =	$\frac{1}{1}$ $\frac{7}{3}$ cm
Curb Weight	2.600	pounds	x .4536 =	. <u>1, 1 7 9</u> kg
Average Track	_ 56.2	inches	x 2.54 =	. <u>143</u> cm
Front Overhang	<u> </u>	inches	x 2.54 =	= <u>216</u> cm
Rear Overhang	197.	inches	x 2.54 =	<u> 271</u> cm
Undeformed End Width		inches	x 2.54 =	cm
Engine Size: cyl./displ.	4041	СС	x .001 =	<u>23</u> L
		CID	x .0164 =	<u> </u>


	INJURY SOURCE	
FRONT		Wheels / tires
700 Front bumper	744 B pillar	790 Left front wheel / tire
701 Front lower valance/spoiler	745 C pillar	791 Right front wheel / tire
702 Front grille	746 D pillar	792 Left rear wheel / tire
703 Hood edge and/or trim	748 Other pillar (specify):	793 Right rear wheel /tire
704 Hood ornament (fixed)	749 Right side roof rail	798 Other wheel / tire (specify):
705 Hood ornament (spring loaded)	750 Right side door surface	799 Unknown wheel / tire
706 Headlight	751 Right side door handle	
707 Retractable headlight door (Open/Closed)	752 Right side mirror fixed housing	Undercarriage components
708 Turn signal/parking lights	753 Right side folding mirror	800 Front cross member
718 Other front or add on object	754 Right side glazing forward of B pillar	801 Steering assembly/Front suspense
(specify):	755 Right side glazing rearward of B pillar	802 Oil pan
719 Unknown front object	756 Rear antenna	803 Exhaust system pipe
•	757 Rear fender or quarter panel	804 Transmission
Left Side Components	758 Other right side object	805 Drive shaft
720 Front fender side surface	(specify):	806 Catalytic converter
721 Front antenna	759 Unknown right side component	807 Muffler
722 A1 pillar	-	808 Floor pan
723 A2 pillar	Back Components	809 Fuel tank
724 B pillar	760 Rear (back) bumper	810 Rear suspension
725 C pillar	761 Tailgate	818 Other undercarriage compone
726 D pillar	762 Hatchback, vertical surface	(specify):
728 Other pillar	768 Other back component	819 Unknown undercarriage comp
(specify):	(specify):	
729 Left side roof rail	769 Unknown back component	<u>Accessories</u>
730 Left side door surface		820 Air scoop, deflector
731 Left side door handle	Top Components	821 Cellular or CB radio antenna
732 Left side mirror fixed housing	770 Hood surface	822 Emergency lights or bar
733 Left side folding mirror	771 Hood surface reinforced by under hood	823 Fog lights
734 Left side glazing forward of B pillar	component	824 Luggage, ski, or bike rack
735 Left side glazing rearward of B pillar	772 Front fender top surface	825 Cargo (specify):
736 Left side back fender or quarter panel	773 Cowl area	826 Spare tire
737 Rear antenna	774 Wiper blade & mountings	827 Spotlight
738 Other left side object	775 Windshield glazing	828 Other accessory (specify):
(specify):	776 Front header	
739 Unknown left side component	777 Roof surface	Other Object or Vehicle in Environme
	778 Backlight glazing	947 Ground
Right Side Components	779 Rear header	948 Other object (specify):
740 Front fender side surface	780 Hatchback	949 Unknown object in environme
741 Front antenna	781 Rear trunk lid	959 Unknown object on contacting
742 A1 pillar	788 Other top component (specify):	997 Noncontact injury source
743 A2 pillar	789 Unknown top component	999 Unknown injury source

/ tire el / tire tire /tire e (specify): _ / tire nts ber ly/Front suspension pipe age component carriage component ctor dio antenna

in Environment ecify):_

in environment on contacting vehicle ry source

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

Page 5

					RIAN CONTA			
			PEDEST	RIAN CONTA	CT WORKSHI	ET		
CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)	SEQUENCE #
A	under bumper	1 133-	36-45	/	18.9	swiped clean	2 3 9	1
B	Front Dumper	(103 th 1113	49-50	`	leq	swiped clean	1)2 3 4	2
C	front bumper	4103 to	64-75	,	leg	swiped clean	2 3 9	3
D		¥iii	-73	1	unK	Screpe	1 2 10	4
E	heodlight	479 to .83	47-64	1	torso	swiped clean	2 3 9	5
F	hood,	60 to 170	46-60	2	chest	dent	O2 1 1	6
G	hood t	43 6 473	30-50	/	pody	longitudinal Scratches	O 2 3 9	7
H	Fr. Let	25 /38	-75	1	UNK	swiped mark	1 2 (0)	8
J	hood	45 to \$5\$	-17	1	Unk	poss. transfor	1 2 3	7
K	frt let	Z9-33	67-72	1	UNK	Does transt	1 2 3 🕦	9
1		127 10/33	-6ф	1	unic	tinty merje	1 2 3 9	8
2	hood	440 6-47	\$5-6¢	1	Cap of	11. 1	1.20	9
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 8	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
						,	1 2 3 9	

-57--

					RIAN CONTACT		
			CHRONO	LOGICAL ORI	ERIOF CONTACTS	1	
CONTACT #	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)
(A)	700	108	~38 ~45	0	R. lug	Smulse (print)	O 2 3 9
24	700	108	-38	0	*11	• •	02011
3 C	700	108	-68ca7	, O	(L)les	11 7	2 3 9
•0	700	108	-68		Lyles	* **	Out :
5							1 2 3 9
6							1 22 3 9
7							1 2 3 9
ŧ							1: 2: 3:1
9							1 2 3 9
10			41				10.22.7.9
11			Pre	Inneir	3		1 2 3 9
12							10.20.3.9
13							1 2 3 9
14							1 2 3 9
15							1 2 3 9
18							1 2 3 9
17							1 2 3 8
19		-					1 2 3 9
20							12 2 3 3
21							1 2 3 9
22							1 2 3 9
23							1 2 3 9
24							1 - 22 3 - 6
25							1 - 2 - 3 9

VEHICLE DIMENSIONS	11. Hood Width Rear Opening Code to the
4. Original Wheelbase 2 5 4	nearest centimeter
Code to the	(210) 210 centimeters or more
nearest centimeter	(999) Unknown
(999) Unknown	. 7
$\underline{999}.\underline{9}$ inches X 2.54 = $\underline{759}$ centimeters	
5. Original Average Track Width 143	12. Hood/Fender Vertical/Lateral Crush From Pedestrian
Code to the	(0) Not damaged
nearest centimeter	(1) Surface scratching only, no residual crush
(185) 185 centimeters or more	(2) Minor crush (1-3 centimeters)
(999) Unknown	(3) Moderate crush (4-7 centimeters)
56.2 inches $\times 2.54 = 143$ centimeters	(4) Severe crush (>7 centimeters)
Certimeters	(8) Damage present, unknown if damage is from
2	pedestrian impact (9) Unknown
6. Hood Material <u>3</u>	(9) Olikilowii
(1) Plastic	13. Windshield Contact Damage
(2) Fiberglass	From Pedestrian Contact
(3) Steel (4) Aluminum	(O) Not contacted by pedestrian
(5) Stainless Steel	(1) Contacted by pedestrian - not damaged
(8) Other (specify):	(2) Contacted by pedestrian - damaged
(9) Unknown	(3) Unknown if contacted by pedestrian - not damaged
1	(4) Unknown if contacted by pedestrian -
7. Hood Original	damaged
Equipment Manufacturer (OEM)	(9) Unknown if contacted by pedestrian -
(1) OEM factory installed hood (2) OEM replacement	unknown if damaged
(3) Non-OEM replacement	
(9) Unknown	FRONT CONTACT DAMACE
• •	FRONT CONTACT DAMAGE
8. Hood Length <u>\$\psi\$ 9 7</u>	Front Vertical Measurements
8. Hood Length	Front Vertical Measurements
8. Hood Length	Front Vertical Measurements 14. Front Bumper Cover Material
8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact
8. Hood Length	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass
8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 38. I inches X 2.54 = Q 7 centimeter	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify):
8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 38. 1 inches X 2.54 = \$\phi q 7\$ centimeter 9. Hood Width Forward Opening 12.5	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 38. I inches X 2.54 = Ф97 centimeter 9. Hood Width Forward Opening Code to the	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify):
8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 38. I inches X 2.54 = \$\phi q 7\$ centimeter 9. Hood Width Forward Opening Code to the nearest centimeter	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown
8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 38. I inches X 2.54 = 99.7 centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel
8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 38. I inches X 2.54 = \$\Phi q 7\$ centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum
8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 38. I inches X 2.54 = 99.7 centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 38. I inches X 2.54 = 997 centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 49.7 inches X 2.54 = 12.5 centimeters	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):
8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 38. I inches X 2.54 = \$\phi q 7\$ centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 49. 2 inches X 2.54 = \$125\$ centimeters 10. Hood Width Midway 129	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 38. I inches X 2.54 = \$\overline{9}\) 7 centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 49. 2 inches X 2.54 = \$\overline{1}\) 25 centimeters 10. Hood Width Midway Code to the	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height
8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 38. I inches X 2.54 = \$\phi q 7\$ centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 49. 2 inches X 2.54 = \$125\$ centimeters 10. Hood Width Midway 129	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the
8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 38. 1 inches X 2.54 = \$\overline{9}\overline{7}\$ centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 49.7 centimeters (210) 210 centimeters or more (999) Unknown 12.5 centimeters 10. Hood Width Midway Code to the nearest centimeter	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter
8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 38. I inches X 2.54 = \$\phi 9 7\$ centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 49. 2 inches X 2.54 = \$\frac{1}{2}\$ 5 centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact
8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 38. 1 inches X 2.54 = 99.7 centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 49.7 inches X 2.54 = 12.5 centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter
8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 38. I inches X 2.54 = \$\phi 9 7\$ centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 49. 2 inches X 2.54 = \$\frac{1}{2}\$ centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more

	A
17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown 10. p inches X 2.54 = 5 centimeters 18. Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown 10. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (999) Unknown	23. Ground to Base of Windshield
3	inches X 2.54 = centimeters
	SIDE CONTACT DAMAGE
Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
Front Wrap Distance Measurements	
Front Wrap Distance Measurements	SIDE CONTACT DAMAGE Side Vertical Measurements
20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown 3 7 inches X 2.54 = 8 centimeters 21. Ground to Front/Top Transition Point	

29.	Centerline of Wheel Code to the	Side Lateral Measurements
	nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters	35. Centerline to A-Pillar at Bottom of Windshield (000) No side contact Code to the nearest centimeter (250) 250 centimeters or more (999) Unknown
30.	Top of Tire Code to the nearest centimeter	inches X 2.54 = centimeters
	(000) No side contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters	36. Centerline to A-Pillar at Top of Windshield Code to the nearest centimeter
31.	Top of Wheel Well Opening $\phi \phi \phi$	(000) No side contact (250) 250 centimeters or more (999) Unknown
	nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown	37. Centerline to Maximum Side View Mirror Protrusion
32.	Bottom of A-Pillar at Windshield O Code to the	Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown
	nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown	inches X 2.54 = centimeter
	inches X 2.54 = centimeters	Side Wrap Distance Measurements
33.	Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown
	inches X 2.54 = centimeters	inches X 2.54 = centimeters
34.	Top of Side View Mirror Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown
	inches X 2.54 = centimeters	inches X 2.54 = centimeters
		· · · · · · · · · · · · · · · · · · ·

C n (000) N (700) 7	to Centerline of Hood code to the earest centimeter lo side contact OO centimeters or more Jnknown	φφφ		
	inches X 2.54 =	centimeters		
(000) N (800) 8 (998) N	to Head Contact Code to the learest centimeter Io side contact IOO centimeters or more Io head contact Unknown	ΦΦΦ		
	inches X 2.54 =	centimeters		
-				



72604P000100120 969.0010000000000102F72000

72604P00010021 9.00 000000000152999999999999913023001301040109670332999715 9010000000008

 72604P00010131
 9.00
 00000000068534223170011222

 72604P00010231
 9.00
 00000000068516102170011222

 72604P00010331
 9.00
 00000000068534223270011222

 72604P00010431
 9.00
 00000000068516102270011222

 72604P00010531
 9.00
 00000000078904021194711000

 72604P00010631
 9.00
 00000000077904021294711000

 72604P00010731
 9.00
 00000000072904021894711000

72604P00010831 9.00 00000000072906021894711000

72604P01000041 9.00 0000000009312015042FAPP36X9PB 9990480967011800000282110180082221311211211

72604P01000051 9 (

1 INTER ERRORS

OHTO241 2 If GLASGOW SCORE PAS30 equals 03-15, then at least one HTO242 SOURCE OF DATA PIJO5(n) should equal 1-3.

PSU72 CASE 604P ERROR SUMMARY SCREEN
PEDESTRIAN STUDY

/96

CURRENT VERSION: 9.00

	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
				V
Pedestrian Accident	0	O	0	Y
Podostrian Assessment	•	Ō	O	Υ
Pedestrian Injury	0	O	0	Υ
Pedestrian General Vehicl	e O	0	0	Υ
Pedestrian Exterior Vehic	le O	O	0	Υ
Total Inter Errors		0	# #	
Total Case Errors	o	0	1.	