

ORG6407

ORG6407



Mercedes-Benz

Mercedes-Benz USA, LLC
A Daimler Company

December 15, 2010

National Highway Traffic Safety Administration
Attention: VIN Coordinator - W43-488
1200 New Jersey Avenue, SE
West Building
Washington, DC 20590

Subject: Part 565.7 (c), VIN Reporting Requirements

To Whom It May Concern:

Mercedes-Benz USA, LLC hereby submits FINBAL revised VIN deciphering information for model year 2011 Mercedes-Benz and Maybach vehicles, pursuant to the requirements set forth in 49 CFR Part 565.7(c).

Changes to the previous submission are made in 'red' where additional vehicles with different engines were added, or deleted since these models were not offered. A correction on page 7 of the VIN decoder was also made.

If you have any questions please don't hesitate to contact Dan Selke, of my staff, at 201-573-2616 (Daniel.Selke@mbusa.com).

Sincerely,

R. Thomas Brunner
Department Manager
Vehicle Compliance & Analysis
Engineering Services

cc: Dr. Peter Schramm (MCG)
VIN submission File

Mercedes-Benz USA, LLC
One Mercedes Drive
P.O. Box 350
Montvale, NJ 07645-0350
Phone (201) 573-0600
Fax (201) 573-0117
www.MBUSA.com

Mercedes-Benz, and Maybach Vehicle Identification Number Attributes for Model Year 2011 (December 15, 2010) – Page 1 of 8

| WMI | First 4 Characters of Second VIN Section | Line | Make | Series | Body Type | Engine Type |
|-----|--|-----------------|---------------|--------------|----------------------|-------------------------------------|
| WDB | SK7B | 230 (SL-Class) | Mercedes-Benz | SL550 | 2-door Convertible | 5.5 Liter, V-Type 8 cyl., Gasoline |
| WDB | SK7A | 230 (SL-Class) | Mercedes-Benz | SL63 AMG | 2-door Convertible | 6.2 Liter, V-Type 8 cyl., Gasoline |
| WDB | SK7K | 230 (SL-Class) | Mercedes-Benz | SL65 AMG | 2-door Convertible | 6.0 Liter, V-Type 12 cyl., Gasoline |
| WDB | WK5E | 171 (SLK-Class) | Mercedes-Benz | SLK300 | 2-door Convertible | 3.0 Liter, V-Type 6 cyl., Gasoline |
| WDB | WK5J | 171 (SLK-Class) | Mercedes-Benz | SLK350 | 2-door Convertible | 3.5 Liter, V-Type 6 cyl., Gasoline |
| WDB | WK7D | 171 (SLK-Class) | Mercedes-Benz | SLK55 AMG | 2-door Convertible | 5.5 Liter, V-Type 8 cyl., Gasoline |
| WDD | HF2E | 212 (E-Class) | Mercedes-Benz | E350 BLUETEC | 4-door Sedan | 3.0 Liter, V-Type 6 cyl., Diesel |
| WDD | HF5G | 212 (E-Class) | Mercedes-Benz | E350 | 4-door Sedan | 3.5 Liter, V-Type 6 cyl., Gasoline |
| WDD | HF8H | 212 (E-Class) | Mercedes-Benz | E350 | 4-door Sedan 4-MATIC | 3.5 Liter, V-Type 6 cyl., Gasoline |
| WDD | HH8H | 212 (E-Class) | Mercedes-Benz | E350 | 4-door Wagon 4-MATIC | 3.5 Liter, V-Type 6 cyl., Gasoline |
| WDD | HF7C | 212 (E-Class) | Mercedes-Benz | E550 | 4-door Sedan | 5.5 Liter, V-Type 8 cyl., Gasoline |
| WDD | HF9A | 212 (E-Class) | Mercedes-Benz | E550 | 4-door Sedan 4-MATIC | 5.5 Liter, V-Type 8 cyl., Gasoline |
| WDD | HF7H | 212 (E-Class) | Mercedes-Benz | E63 AMG | 4-door Sedan | 6.2 Liter, V-Type 8 cyl., Gasoline |
| WDD | DJ7C | 219 (CLS-Class) | Mercedes-Benz | CLS550 | 4-door Coupe | 5.5 Liter, V-Type 8 cyl., Gasoline |
| WDD | DJ7H | 219 (CLS-Class) | Mercedes-Benz | CLS63 AMG | 4-door Coupe | 6.2 Liter, V-Type 8 cyl., Gasoline |
| WDD | GF5E | 204 (C-Class) | Mercedes-Benz | C300 | 4-door Sedan | 3.0 Liter, V-Type 6 cyl., Gasoline |
| WDD | GF8B | 204 (C-Class) | Mercedes-Benz | C300 | 4-door Sedan 4-MATIC | 3.0 Liter, V-Type 6 cyl., Gasoline |
| WDD | GF5G | 204 (C-Class) | Mercedes-Benz | C350 | 4-door Sedan | 3.5 Liter, V-Type 6 cyl., Gasoline |
| WDD | GF7H | 204 (C-Class) | Mercedes-Benz | C63 AMG | 4-Door Sedan | 6.2 Liter, V-Type 8 cyl., Gasoline |
| WDD | FH8G | 245 (B-Class) | Mercedes-Benz | Fuel Cell | 4-Door Sedan | Fuel Cell; Compressed Hydrogen |

Mercedes-Benz and Maybach Vehicle Identification Number Attributes for Model Year 2011 – Page 2 of 8

| WMI | First 4 Characters of Second VIN Section | Line | Make | Series | Body Type | Engine Type |
|----------------|--|--------------------------|--------------------------|-------------------------|---------------------------------|---|
| WDD | KJ5G | 207 (E-Class) | Mercedes-Benz | E350 | 2-door Coupe | 3.5 Liter, V-Type 6 cyl., Gasoline |
| WDD | KJ7C | 207 (E-Class) | Mercedes-Benz | E550 | 2-door Coupe | 5.5 Liter, V-Type 8 cyl., Gasoline |
| WDD | KK5G | 207 (E-Class) | Mercedes-Benz | E350 | 2-door Cabriolet | 3.5 Liter, V-Type 6 cyl., Gasoline |
| WDD | KK7C | 207 (E-Class) | Mercedes-Benz | E550 | 2-door Cabriolet | 5.5 Liter, V-Type 8 cyl., Gasoline |
| WDD | EJ9E | 216 (CL-Class) | Mercedes-Benz | CL550 | 2-door Coupe 4-MATIC | 5.5 Liter, V-Type 8 cyl., Gasoline |
| WDD | EJ7E | 216 (CL-Class) | Mercedes-Benz | CL63 AMG | 2-door Coupe | 6.2 Liter, V-Type 8 cyl., Gasoline |
| WDD | EJ7G | 216 (CL-Class) | Mercedes-Benz | CL600 Bi-T | 2-door Coupe | 5.5 Liter, V-Type 12 cyl., Gasoline |
| WDD | EJ7K | 216 (CL-Class) | Mercedes-Benz | CL65 AMG | 2-door Coupe | 6.0 Liter, V-Type 12 cyl., Gasoline |
| WDD | NG9F | 221 (S-Class) | Mercedes-Benz | S400 Hybrid | 4-door Sedan | 3.5 Liter, V-Type 6 cyl., Gasoline, Hybrid |
| WDD | NG8D | 221 (S-Class) | Mercedes-Benz | S350 BLUETEC | 4-door Sedan 4-MATIC | 3.5 Liter, V-Type 6 cyl., Diesel |
| WDD | NG7D | 221 (S-Class) | Mercedes-Benz | S550 | 4-door Sedan | 5.5 Liter, V-Type 8 cyl., Gasoline |
| WDD | NG7B | 221 (S-Class) | Mercedes-Benz | S550 | 4-door Sedan | 5.5 Liter, V-Type 8 cyl., Gasoline |
| WDD | NG9E | 221 (S-Class) | Mercedes-Benz | S550 | 4-door Sedan 4-MATIC | 5.5 Liter, V-Type 8 cyl., Gasoline |
| WDD | NG8G | 221 (S-Class) | Mercedes-Benz | S550 | 4-door Sedan 4-MATIC | 5.5 Liter, V-Type 8 cyl., Gasoline |
| WDD | NG7G | 221 (S-Class) | Mercedes-Benz | S600 Bi-T | 4-door Sedan | 5.5 Liter, V-Type 12 cyl., Gasoline |
| WDD | NG7E | 221 (S-Class) | Mercedes-Benz | S63 AMG | 4-door Sedan | 6.2 Liter, V-Type 8 cyl., Gasoline |
| WDD | NG7K | 221 (S-Class) | Mercedes-Benz | S65 AMG | 4-door Sedan | 6.0 Liter, V-Type 12 cyl., Gasoline |
| WDD | RJ7H | 197 (SLS-Class) | Mercedes-Benz | SLS AMG | 2-door Coupe | 6.2 Liter, V-Type 12 cyl., Gasoline |
| WDB | VF7J | 240 (Maybach) | Maybach | 57 | 4-door Sedan | 5.5 Liter, V-Type 12 cyl., Gasoline |
| WDB | VF7H | 240 (Maybach) | Maybach | 57S | 4-door Sedan | 6.0 Liter, V-Type 12 cyl., Gasoline |
| WDB | VG7J | 240 (Maybach) | Maybach | 62 | 4-door Sedan | 5.5 Liter, V-Type 12 cyl., Gasoline |
| WDB | VG7H | 240 (Maybach) | Maybach | 62S | 4-door Sedan | 6.0 Liter, V-Type 12 cyl., Gasoline |
| WDB | VG7K | 240 (Maybach) | Maybach | 62S <i>Landaulet</i> | 4-door Sedan | 6.0 Liter, V-Type 12 cyl., Gasoline |

Mercedes-Benz and Maybach Vehicle Identification Number Attributes for Model Year 2011 – Page 3 of 8

| Fifth Character of Second VIN Section | Restraint Systems and their location |
|---------------------------------------|--|
| <i>A</i> *) | Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 st row) and type 2 seat belts with load limiters and pretensioners for driver and front passenger. |
| <i>B</i> **) | Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 st and 2 nd row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with load limiters and pretensioners. |
| <i>C</i> ***) | Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 st and 2 nd row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with pretensioners. Seat belts for front passengers are additionally equipped with load limiters. |
| <i>D</i> | Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 st and 2 nd row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with load limiters. Seat belts for front passengers are additionally equipped with pretensioners. |
| <i>E</i> | Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 st , 2 nd and 3 rd row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with load limiters and pretensioners. |
| <i>F</i> | Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 st row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with load limiters and pretensioners. |

*) Lines 171; 230; 451, 197

**) Lines 204; 207 (212 Coupe); 212; 216; 219; 221; 240

**) Line 207 (Cabriolet)

Plant Designation Codes for WDB: **A, B, C, D** = Sindelfingen; **E** = Juiz de Fora (Brazil); **F, G, H** = Bremen

Plant Designation Codes for WDD: **A, B, C, D** = Sindelfingen; **F,G,H** = Bremen; **J, K** = Rastatt; **R, S** = East London (South Africa)

4-MATIC = All Wheel Drive

Mercedes-Benz and Maybach Vehicle Identification Number Attributes for Model Year 2011 – Page 4 of 8

| WMI | First 4 Characters of Second VIN Section | Line | Series | Make | Body Type | Engine Type | Gross Vehicle Weight Rating |
|-----|--|----------------|---------------|---------------|--------------------|--|---|
| 4JG | BB2F | 164 (M-Class) | ML320 BLUETEC | Mercedes-Benz | 4-door MPV 4-MATIC | 3.0 Liter, V-Type 6 cyl., Diesel | Class E = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs) |
| 4JG | BB8G | 164 (M-Class) | ML350 | Mercedes-Benz | 4-door MPV 4-MATIC | 3.5 Liter, V-Type 6 cyl., Gasoline | Class E = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs) |
| 4JG | BB5G | 164 (M-Class) | ML350 | Mercedes-Benz | 4-door MPV | 3.5 Liter, V-Type 6 cyl., Gasoline | Class E = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs) |
| 4JG | BB9F | 164 (M-Class) | ML450 Hybrid | Mercedes-Benz | 4-door MPV 4-MATIC | 3.5 Liter, V-Type 6 cyl., Gasoline, Hybrid | Class E = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs) |
| 4JG | BB7C | 164 (M-Class) | ML550 | Mercedes-Benz | 4-door MPV 4-MATIC | 5.5 Liter, V-Type 8 cyl., Gasoline | Class E = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs) |
| 4JG | BB7H | 164 (M-Class) | ML63 AMG | Mercedes-Benz | 4-door MPV 4-MATIC | 6.2 Liter, V-Type 8 cyl., Gasoline | Class E = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs) |
| 4JG | CB2F | 251 (R-Class) | R320 BLUETEC | Mercedes-Benz | 4-door MPV 4-MATIC | 3.0 Liter, V-Type 6 cyl., Diesel | Class E = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs) |
| 4JG | CB6F | 251 (R-Class) | R350 | Mercedes-Benz | 4-door MPV 4-MATIC | 3.5 Liter, V-Type 6 cyl., Gasoline | Class E = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs) |
| 4JG | BF2F | 164 (GL-Class) | GL320 BLUETEC | Mercedes-Benz | 4-door MPV 4-MATIC | 3.0 Liter, V-Type 6 cyl., Diesel | Class E = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs) |
| 4JG | BF7B | 164 (GL-Class) | GL450 | Mercedes-Benz | 4-door MPV 4-MATIC | 4.6 Liter, V-Type 8 cyl., Gasoline | Class E = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs) |
| 4JG | BF8G | 164 (GL-Class) | GL550 | Mercedes-Benz | 4-door MPV 4-MATIC | 5.5 Liter, V-Type 8 cyl., Gasoline | Class E = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs) |
| WDC | YC3H | 463 (G-Class) | G550 | Mercedes-Benz | 4-door MPV 4-MATIC | 5.5 Liter, V-Type 8 cyl., Gasoline | Standard equipment: Class E = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs) Option "armored vehicle": Class H = greater than 4082 kg to 4536 kg (9001 lbs to 10000 lbs) |

Mercedes-Benz and Maybach Vehicle Identification Number Attributes for Model Year 2011 – Page 5 of 8

| WMI | First 4 Characters of Second VIN Section | Line | Series | Make | Body Type | Engine Type | Gross Vehicle Weight Rating |
|-----|--|------------------|---------|---------------|--------------------|------------------------------------|---|
| WDC | YC7B | 463 (G-Class) | G55 AMG | Mercedes-Benz | 4-door MPV 4-MATIC | 5.5 Liter, V-Type 8 cyl., Gasoline | Standard equipment: Class E = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs) Option "armored vehicle": Class H = greater than 4082 kg to 4536 kg (9001 lbs to 10000 lbs) |
| WDC | GG5G | X204 (GLK-Class) | GLK350 | Mercedes-Benz | 4-door MPV | 3.5 Liter, V-Type 6 cyl., Gasoline | Class D = greater than 2268 kg to 2722 kg (5001 lbs to 6000 lbs) |
| WDC | GG8H | X204 (GLK-Class) | GLK350 | Mercedes-Benz | 4-door MPV 4-MATIC | 3.5 Liter, V-Type 6 cyl., Gasoline | Class D = greater than 2268 kg to 2722 kg (5001 lbs to 6000 lbs) |

| Fifth Character of Second VIN Section | Restraint Systems and their location |
|---------------------------------------|--|
| A | Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 st row) and type 2 seat belts with load limiters and pretensioners for driver and front passenger. |
| B*) | Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 st and 2 nd row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with load limiters and pretensioners. |
| C | Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 st and 2 nd row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with pretensioners. Seat belts for front passengers are additionally equipped with load limiters. |
| D | Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 st and 2 nd row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with load limiters. Seat belts for front passengers are additionally equipped with pretensioners. |
| E**) | Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 st , 2 nd and 3 rd row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with load limiters and pretensioners. |
| F | Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 st row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with load limiters and pretensioners. |

*) Lines: 164 (M-class); X164 (GL-class with two seating rows); 251 (R-class with two seating rows); 463 (G-class); X204 (GLK-Class)

***) Lines: X164 (GL-class with three seating rows); 251 (R-class with three seating rows)

Plant Designation Code for 4JG: (ML-; GL-; and R-Class): A = Vance (USA, AL)

Plant Designation Code for WDC: (GLK-; and G-Class): F = Bremen; X = Graz (Austria)

4-MATIC = All Wheel Drive

VIN Explanation

Model Year 2011 S550 VIN

WDD NG9E B 6 B A 000000

Manufacturer's Code

Model Type

Restraint System

Check Digit

Registration Year

Plant Codes (WDB):

- A,B,C,D = Sindelfingen
- E = Juiz De Fora (Brazil)
- F,G,H = Bremen
- T = Osnabruek

Plant Code (WDC):

- X = Graz (Austria)
- F = Bremen


Plant Codes (WDD):

- A = Sindelfingen
- F,G,H = Bremen
- J = Rastatt
- M = Woking (UK) – SLR McLaren
- R, S = East London (South Africa)

Plant Code (4JG):


- A = Vance, Alabama (US)

Sequential Serial Number (6 digits)



Chassis Explanation

MY11 S550 chassis no. corresponding to VIN WDDNG9EB6AA000000 WDD 221 194 1 A 000000



***Baumuster codes:**

- | | | | | | | | |
|----------|---------------|-----------|---------|----------|---------------|-----------|---------------------|
| 164 = M | 204 = C | 219 = CLS | 251 = R | 212 = E | 230 = SL | 171 = SLK | 197 = SLS |
| 164 = GL | 207 = E coupe | 221 = S | 463 = G | 216 = CL | 240 = Maybach | 204 = GLK | 245 = B (Fuel Cell) |