

ORG6449

ORG6449

General
Motors
LLC

2012

This Vehicle Identification Numbering Standard is in
compliance with Federal Motor Vehicle Safety Regulation
565

Vehicle
Identification
Numbering
Standard

January 2011



Table of Contents

Purpose.....	iii
Maintenance & Operating Responsibilities.....	iii
Organization and Description of VIN Positions.....	iv
Check Digit.....	vi
World Make/Manufacturer Identifier	1
Restraint System – All Vehicles	2
Passenger Car Vehicle Identification Numbering System	3
Passenger Car Body Style Descriptions	4
Passenger Car Engine Table.....	5
Passenger Car Plant Codes	6
Buick Passenger Car	7
Cadillac Passenger Car.....	8
Chevrolet Passenger Car	9
Opel Passenger Car	12
Light Duty Trucks, MPV & Incomplete Vehicle Identification Numbering System	13
Gross Vehicle Weight Rating (GVWR)/Brake System/Body Style.....	14
Light Duty Truck and MPV Body Style Description Table	15
Light Duty Truck/MPV Engine Table.....	16
Light Duty Truck/MPV Plant Codes	17
Buick MPV	18
Cadillac MPV	19
Chevrolet Truck/MPV.....	21
GMC Truck/MPV	24
Saab.....	27



Purpose

The purpose of this standard is to define the uniform composition of Vehicle Identification Numbers (VIN) applied to GM vehicles marketed in the United States, U.S. Territories and Canada. This GM Standard has been promulgated in compliance with U.S. Federal Motor Vehicle Safety Regulation Part 565 (FMVSR 565) administered by the National Highway Traffic Safety Administration (NHTSA) and with Canada Motor Vehicle Safety Standard 115 (CMVSS 115) administered by Transport Canada.

Certain vehicles manufactured by GM for titling and registration elsewhere in the world may have other requirements with which they must comply, thus precluding the use of this VIN Standard. However, the VIN described herein does comply with the vehicle identification numbering standard of the International Standards Organization (ISO), and should be acceptable in many countries around the world.

Maintenance & Operating Responsibilities

Responsibility for updating the code tables contained herein has been established, and is shown on each table. As information or revisions to existing tables become known, the updated tables of codes for the coming model years(s) should be submitted by the authorized activity to North American Product Engineering, Mail Code 480-210-2G1 30001 Van Dyke Ave, Warren MI 48090-9020. Product Engineering has responsibility for publication and dissemination of the updated hardcopy model year tables of VIN data throughout General Motors.

A copy of the updated materials is sent to Global Regulations and Certification Center (GRCC), which has responsibility for review and approval of the coding tables specified. The GRCC has the responsibility for submitting these tables of VIN data, and any revisions thereto, to the National Highway Traffic Safety Administration (NHTSA) at least 60 days prior to the use of those data in the assignment of VINs to GM saleable vehicles.

Requests for any changes or refinements to the information content (not coding tables) of these Standards shall be directed to Label, Literature & VIN Engineering. The revision request must provide a comprehensive explanation for the requested change. Labels, Literature & VIN Engineering reviews revision requests and make appropriate modifications before issuing revised pages to the Standards. Upon approval of proposed revisions by involved Divisions and Staffs, revisions to the Standards are incorporated into the text of revised pages are distributed and posted to the Labels, Literature & VIN website.

The Engine RPO and corresponding VIN Codes for Passenger Cars, Light-Duty Trucks (LDT), and Multi-Passenger Vehicles (MPV) that are published in this standard are also updated in the Production Order Management Systems (POMS) and the Integrated Scheduling Project (ISP) by Labels, Literature & VIN Engineering.

Labels and Literature VIN DREs of GM regions will be responsible for distribution of this Standard to persons or activities of their Unit or Region who are affected by or have a need for this information.

The code* definitions contained in the tables of interpretive data that follow provide for translation of the characters comprising any GM VIN, while at the same time they provide the information needed to compose the correct VIN for a GM vehicle. The tables of interpretive data are organized in Sections, and are described as follows:

*Only Arabic numerals and English alphabetic capital letters are permitted in GM VINs. However, I, O (oh), and Q, and special characters are not allowed as stated in FMVSR 565 and/or ISO Standards.



Organization and Description of VIN Positions

VIN Positions 1~3

Positions 1~3 in the VIN are designated for the World Make/Manufacturer Identifiers (WMI). WMIs are assigned to General Motors by the Society of Automotive Engineers (SAE). This indicates the country of origin, the make/manufacturer, and type/brand of vehicle.

Toyota (NUMMI), Suzuki (CAMI), Isuzu, and Saab provide the National Highway Traffic Safety Administration (NHTSA) with the VIN coding tables in compliance with 49 CFR part 565 on an annual basis. VIN information contained in these standards for vehicles built by the above manufacturer's, is for reference purpose only.

For a complete list of the WMIs General Motors has, see the World Make/Manufacturer Identifier (WMI) section on page 1.

VIN Position 4 – Passenger Car

Position 4 designates the vehicle line. This is most commonly, but not always, the same as the book number. In the instance a book number has two characters, the second character is used to indicate the vehicle line.

VIN Position 4 – MPV, Light Duty Truck & Incomplete Vehicles

Position 4 designates the Gross Weight Vehicle Rating (GVWR), brake system and body style.

A complete chart of the GVRW, brake system, and body style can be found on page 12. A complete chart of body style descriptions can also be found on page 13.

VIN Position 5 – Passenger Car

Position 5 designates the car series. This includes the various trim levels and badges for a vehicle line.

VIN Position 5 – MPV, Light Duty Truck & Incomplete Vehicles

Position 5 designates the chassis of the vehicle. If a vehicle is equipped with either two wheel drive or four wheel drive, the 5th position will reflect which drive train is installed on the vehicle. Some vehicles however will have a 5th position similar to that of a passenger car, where the book number is used. In the instance the book number has two characters, the second character is used to indicate the vehicle chassis.

VIN Position 6 – Passenger Car

Position 6 designates the body styles for each vehicle.

VIN Position 6 - MPV, Light Duty Truck & Incomplete Vehicles

Position 6 designates the series of the vehicle. Like position 5 for passenger car, this includes the various trim levels and badges for a vehicle line.

VIN Position 7

Position 7 is an alpha only character, which designates the restraint system used in the vehicle.

VIN Position 8

Position 8 is an alpha/numeric character which designates the engine used in the vehicle.

North American Product Development

General Motors LLC

Vehicle Identification Numbering Standard



VIN Position 9

Position 9 designates the Check Digit. The Check Digit is an alpha/numeric character which is calculated by the composition of the VIN.

See the Check Digit section for an explanation on the calculation of the check digit, and an example.

VIN Position 10

Position 10 designates the model year of the vehicle.

VIN Position 11

Position 11 designates the plant code the vehicle was built.

VIN Positions 12~17

Positions 12~17 is the sequence number, which is a consecutive 6 digit number starting each new model year with 100001.



Check Digit

A check digit shall be provided as part of each vehicle identification number. The check digit shall occupy the ninth position in the vehicle identification number and appear as part of the number on the vehicle and on any documents containing the vehicle identification number.

The check digit is determined by carrying out the mathematical computation as follows:

- (1) Assign to each number in the vehicle identification number its actual mathematical value, and assign to each letter the value specified in the table below.

Table 1: Alpha Numeric Conversion Factor

A=1	J=1	T=3
B=2	K=2	U=4
C=3	L=3	V=5
D=4	M=4	W=6
E=5	N=5	X=7
F=6	P=7	Y=8
G=7	R=9	Z=9
H=8	S=2	

- (2) Multiply the assigned value for each position in the vehicle identification number by the weight factor specified in the following table.

Table 2: Position and Weight Factor

1st	8	10th	9
2nd	7	11th	8
3rd	6	12th	7
4th	5	13th	6
5th	4	14th	5
6th	3	15th	4
7th	2	16th	3
8th	10	17th	2
9th	0		

- (3) Add the resulting products and divide the total by 11.
- (4) The remainder is the check digit, which will be inserted in the ninth position. If the remainder is 0-9, the check digit is that numeric value; if the remainder is 10, the check digit is X.

Check Digit (continued)

EXAMPLE:

VIN Position	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
VIN Example	1	G	2	N	G	1	2	E	X	2	M	9	2	3	4	5	6
ASSIGNED VALUE	1	7	2	5	7	1	2	5	X	2	4	9	2	3	4	5	6
MULTIPLY BY WEIGHT FACTOR	x	x	x	x	x	x	x	x	X	x	x	x	x	x	x	x	x
	8	7	6	5	4	3	2	10	X	9	8	7	6	5	4	3	2
ADD PRODUCTS	8+49 +12+25+28 +3+4+50 X +18+32+63+12+15+16+15+12 = 362																
DIVIDE BY 11	362/11 = 32 + 10/11, remainder = 10																
Therefore CHECK DIGIT is:	X (It will appear as the character in the 9th position of the VIN)																

Table 3: Ninth Position Check Digit Values

Fractional Remainder	0	1/11	2/11	3/11	4/11	5/11	6/11	7/11	8/11	9/11	10/11
Decimal Equivalent Remainder	0	0.091	0.182	0.273	0.364	0.455	0.545	0.636	0.727	0.818	0.909
Check Digit	0	1	2	3	4	5	6	7	8	9	X

World Make/Manufacturer Identifier (WMI)**Table 4: World Make/Manufacturer Identifier tables**

US	Canada	Mexico	Other	Make	Comments
Passenger Car					
1G1	2G1	3G1	KL1, 6G1	Chevrolet	GM Korea Company (KL1), Holden (6G1)
1G4	2G4	---	---	Buick	
1G6	---	---	---	Cadillac	
1G0	---	---	---	Opel	
Light Duty Truck (LDT)					
1GC	---	3GC	---	Chevrolet	
1GT	---	3GT	---	GMC	
---	---	3GG	---	Cadillac	
Multi Passenger Vehicle (MPV)					
5GA	---	---	---	Buick	
1GY	---	3GY	---	Cadillac	
1GN	2GN	3GN	KL1	Chevrolet	GM Korea Company (KL1)
1GK	2GK	3GK	---	GMC	
---	---	3G0	---	Saab	
Incomplete Vehicles					
1GB	---	3GB	---	Chevrolet	
1GD	---	3GD	---	GMC	
---	---	---	---	Cadillac	
Bus					
1GA	---	---	---	Chevrolet	
1GJ	---	---	---	GMC	





Restraint System - All Vehicles

Table 5: Restraint System Chart

Code	Restraint System Description
A:	Active Manual Belts, Airbag Delete
B:	Active Manual Belts, Airbag-Driver only - Front
C:	Active Manual Belts, Airbag-Driver & Passenger-Front (1 st row)
D:	Active Manual Belts, Airbags-Driver & Passenger-Front (1 st row), & Front Seat Side (1 st row)
E:	Active Manual Belts, Airbags-Driver & Passenger-Front (1 st row), Front Seat Side (1 st row), Roof Side (all seating rows)
F:	Active Manual Belts, Airbag - Driver & Passenger - Front (1st row) and Roof Side (All seating rows for vehicles with 3 or fewer seating rows; 1st, 2nd and 3rd row for vehicles with 4 or more seating rows)
G:	Active Manual Belts, Airbags-Driver & Passenger-Front (1 st row) and Rear Seat Side (2 nd row), Roof Side (all seating rows)
H:	Active Manual Belts, Airbag - Driver only - Front, Roof Side (All seating rows for vehicles with 3 or fewer seating rows; 1st, 2nd and 3rd row for vehicles with 4 or more seating rows)
R:	Active Manual Belts, Airbags-Driver & Passenger-Front (1 st row), Front Seat Side (1 st row), Roof Side (all seating rows) & Knee (1st row)
S:	Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Knee (1st row)
U:	Active Manual Belts, Airbags-Driver & Passenger - Front (1st row), Front Seat Side (1st row), Front Roof Side (1st row), Knee



Passenger Car Vehicle Identification Numbering System



**Passenger Car Body Style Descriptions****Table 6: Passenger Car Body Style Descriptions**

VIN Code	Body Style Descriptions
1	27 - Coupe, 2 - Door, Notchback
	37 - Coupe, 2 - Door, Notchback
	47 - Coupe, 2 - Door, Notchback Special
	57 - Coupe, 2 - Door, Notchback Special
2	07 - Coupe, 2 - Door, Plain Back
	08 - Sedan, 2 - Door, Plain Back, H/Back
	77 - Coupe, 2 - Door, Plain Back, H/Back
	87 - Coupe, 2 - Door, Plain Back, Special
3	67 - Coupe, 2 - Door, Convertible
5	19 - Sedan, 4 - Door, 6 Window, Notchback
	69 - Sedan, 4 - Door, 4 Window, Notchback
6	26 - All Purpose Window 4 Dr, Liftgate
	48 - Sedan, 4 - Door, 4 Window, H/Back
	68 - Sedan, 4 - Door, 6 Window, Plain Back, (H/Back)
7	06 - MPV, 4 - Door, High Roof Monocab (Opel products)
8	35 - Station Wagon, 4 - Door
9	75 - Station Wagon, 4 Door High Roof Monocab

Passenger Car Engine Table

Table 7: Passenger Car Engines for GMNA

Code	RPO	Book Code(s)	Description
A:	OPEN		Reserved
B:	OPEN		Reserved
C:	LUJ	P	ENGINE GAS, 4 CYL, L4, 1.4L, MFI, DOHC, TURBO HO, ALUM GME
D:	OPEN		Reserved
E:	LS7	Y	ENGINE GAS, 8 CYL, 7.0L, SFI, ALUM
F:	LXT	RT	ENGINE GAS, 4 CYL, 1.6L, MFI, DOHC, 80KW
G:	OPEN		Reserved
H:	LUW	J, P	ENGINE GAS/ETHANOL, 4 CYL, 1.8L, MFI, 103KW, DOHC, E85
J:	L99	8E	ENGINE GAS, 8 CYL, 6.2L, SFI, ALUM
K:	LEA	0G, 7L, P	ENGINE FLEXIBLE FUEL, (GAS/ALC), 4 CYL, 2.4L, SIDI, DOHC ALUM, HO
L:	OPEN		Reserved
M:	LAF		ENGINE GAS, 4 CYL, 2.4L, SIDI, DOHC, VVT, ALUM
N:	OPEN		Reserved
P:	LSA	8E, D	ENGINE GAS, 8 CYL, 6.2L, SFI, ER, ALUM, INTR CLR SC
R:	LUK	0G	ENGINE GAS, 4 CYL, 2.4L, DI, ALUM, DOHC, BAS, ECOTEC
S:	OPEN		OPEN
T:	LS9	Y	ENGINE GAS, 8 CYL, 6.2L, SFI, ALUM, HO, INTER CLR SC
U:	LE9	3Z	ENGINE FLEXIBLE FUEL, (GAS/ALC), 4 CYL, 2.4L, MFI, DOHC ALUM, HO
V:	LHU	0G	ENGINE FLEXIBLE FUEL (GAS/ETHANOL), 2.0L, SIDI, L4, DOHC TURBO, ALUM
W:	LS3	8E, Y	ENGINE GAS, 8 CYL, 6.2L, SFI, ALUM, HO
X:	OPEN		Reserved
Y:	OPEN		OPEN
Z:	OPEN		OPEN
0:	LE5	3Z	ENGINE GAS, 4 CYL, 2.4L, MFI, ALUM, DOHC, HO ECOTEC
1:	LMT	C	ENGINE GAS, 4 CYL, L4, 1.0L, MFI, DOHC, IRON, GMDAT
2:	L77	8E	ENGINE FLEXIBLE FUEL, (GAS/ETHANOL), 8 CYL, 6.0L, SFI ALUM, AFM
3:	OPEN		Reserved
4:	LUU	R	ENGINE FLEXIBLE FUEL, (GAS/ALC), 4 CYL, 1.4L, MFI, DOHC E-FLEX, FAM 0
5:	LFW	D, N	ENGINE GAS, 6 CYL, 3.0L, SIDI, DOHC, VVT, E85 MAX, ALUM
6:	OPEN		OPEN
7:	LY7	3Z	ENGINE GAS, 6 CYL, 3.6L, SFI, V6, ALUM, 60 DEGREES
8:	OPEN		OPEN
9:	OPEN		OPEN

*Engines listed as flexible fuel do not indicate the vehicle is equipped for flexible fuel



Passenger Car Plant Codes

Table 8: Passenger Car Plant CodesWhen VIN position 1 is "1" or "4" (U.S.A.):

F:	Fairfax II	KS	GMNA
U:	Detroit Hamtramck	MI	GMNA
0:	Lansing - Grand River	MI	GMNA
4:	Orion	MI	GMNA
5:	Bowling Green	KY	GMNA
7:	Lordstown	OH	GMNA
X:	Non Production/Non-Saleable Build		GMNA

When VIN position 1 is "2" (Canada):

1:	Oshawa #2 (OST)	ON	GMNA
6:	CAMI	ON	GMNA
9:	Oshawa #1 (OSH)	ON	GMNA

When VIN position 1 is "3" (Mexico):

S:	Ramos Arizpe	Mexico	GMNA
L:	San Luis Potosi	Mexico	GMNA

When VIN position 1 is "6" (Australia):

L:	Elizabeth	SA	Holden
----	-----------	----	--------

When VIN position 1 is "K" (S. Korea):

B:	Bupyeong	S. Korea	GMDAT
C:	Changwon	S. Korea	GMDAT
K:	Kunsan	S. Korea	GMDAT

When VIN position 1 is "L" (SGM)

0:	Shanghai	China	Shanghai GM
----	----------	-------	-------------

When VIN position 1 is "W" (Opel)

1:	Ruesselsheim	Germ.	Opel
5:	Antwerp	Belguim	Opel



TYPICAL VIN	1	G	4	G	A	5	E	R	X	C	U	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
	WMI			↓	↓	↓	↓	↓	↓	↓	↓	SEQUENCE NUMBER					
	VEHICLE LINE											PLANT LOCATION					
	SERIES			↓	↓	↓	↓	↓	↓	↓	↓	MODEL YEAR					
	BODY TYPE											CHECK DIGIT					
				↓	↓	↓	↓	↓	↓	↓	↓	ENGINE TYPE					
												RESTRAINT SYSTEM					

5: 69 - Sedan, 4 - Door, 4 Window, Notchback

7. RESTRAINT SYSTEM

- E:** Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)
- G:** Active Manual Belts, Airbags-Driver & Passenger-Front (1st row) and Rear Seat Side (2nd row), Roof Side (all seating rows)
- S:** Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Knee (1st row)

B. ENGINE TYPE	
H:	LUW - ENGINE GAS/ETHANOL, 4 CYL, 1.8L, MFI, 103KW, DOHC, E85
K:	LEA - ENGINE FLEXIBLE FUEL, (GAS/ALC), 4 CYL, 2.4L, SIDI, DOHC ALUM, HO
R:	LUK - ENGINE GAS, 4 CYL, 2.4L, DI, ALUM, DOHC, BAS, ECOTEC
V:	LHU - ENGINE FLEXIBLE FUEL (GAS/ETHANOL), 2.0L, SIDI, I4, DOHC TURBO, ALUM
3:	LFX - ENGINE GAS, 6 CYL, 3.6L, SIDI, DOHC, VVT, E85 MAX, ALUM GM

0~9. X - Calculated by POMS

10: MODEL YEAR			
C: 2012	D: 2013	E: 2014	F: 2015

11: PLANT LOCATION

When VIN position 1 is "1" or 4" (USA):


F: Fairfax II	4: Orion
----------------------	-----------------

When VIN position 1 is "2" (Canada):

9: Oshawa #1

12 - 17: SEQUENCE NUMBER
Consecutive 6 digit number, number starting each new model year with 100001

Cadillac Passenger Car



1 3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
1: United States
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
6: Cadillac Passenger Car

4-5: VEHICLE LINE/SERIES

- D A:** Cadillac CTS Base (RWD)
- D B:** Cadillac CTS Base w/Navigation (RWD)
- D C:** Cadillac CTS Base (AWD)
- D D:** Cadillac CTS Base w/Navigation (AWD)
- D E:** Cadillac CTS Luxury (RWD)
- D F:** Cadillac CTS Luxury w/Navigation (RWD)
- D G:** Cadillac CTS Luxury (AWD)
- D H:** Cadillac CTS Luxury w/Navigation (AWD)
- D J:** Cadillac CTS Performance (RWD)
- D K:** Cadillac CTS Performance w/Navigation (RWD)
- D L:** Cadillac CTS Performance (AWD)
- D M:** Cadillac CTS Performance w/Navigation (AWD)
- D P:** Cadillac CTS Premium w/Navigation (RWD)
- D S:** Cadillac CTS Premium w/Navigation (AWD)
- D T:** Cadillac CTS – RHD
- D V:** Cadillac CTS – V
- D 2:** Cadillac CTS Sport (RWD)
- D 3:** Cadillac CTS Sport w/Navigation (RWD)
- D 4:** Cadillac CTS Sport (AWD)
- D 5:** Cadillac CTS Sport w/Navigation (AWD)
- D 9:** Cadillac CTS (Export - Non US, Non Canada)

6: BODY STYLE

- 1: 47 - Coupe, 2 - Door, Notchback Special
5: 69 - Sedan, 4 - Door, 4 Window, Notchback
8: 35 - Station Wagon, 4 - Door

7: RESTRAINT SYSTEM

- E: Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)**

8: ENGINE TYPE

- | | |
|-----------|--|
| P: | LSA - ENGINE GAS, 8 CYL, 6.2L, SFI, ER, ALUM, INTR CLR SC |
| 3: | LFX - ENGINE GAS, 6 CYL, 3.6L, SIDI, DOHC, VVT, E85 MAX,
ALUM GM ALUM, HO |
| 5: | LFW - ENGINE GAS, 6 CYL, 3.0L, SIDI, DOHC, VVT, E85 MAX,
ALUM |

9: CHECK DIGIT

- 0~9, X - Calculated by POMS

10: MODEL YEAR

- | C: 2012 | D: 2013 | E: 2014 | F: 2015 |
|---------|---------|---------|---------|
|---------|---------|---------|---------|


11: PLANT LOCATION

- When VIN position 1 is "1" or "4" (USA):**
- 0:** Lansing - Grand River

12-17: SEQUENCE NUMBER

- Consecutive 6 digit number, number starting each new model year with 100001

Chevrolet Passenger Car



1. 3. WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)	
1: Region of Build	Valid Combinations
1: United States	1G1
2: Canada	2G1
3: Mexico	3G1
6: Australia	6G1
K: Korea	KL1
2: Manufacturer	
G: General Motors	
L: GM Korea Company	
3: Vehicle Brand/Type	
1: Chevrolet Passenger Car	

1-5. VEHICLE LINE/SERIES	
C	D: Chevrolet Spark Base (Non US, Non Canada)
C	J: Chevrolet Spark LS (Non US, Non Canada)
C	M: Chevrolet Spark LT (Non US, Non Canada)
F	A: Chevrolet Camaro LS (Automatic)
F	B: Chevrolet Camaro LT (Automatic)
F	C: Chevrolet Camaro LT2 (Automatic)
F	E: Chevrolet Camaro LS (Manual)
F	F: Chevrolet Camaro LT (Manual)
F	G: Chevrolet Camaro LT2 (Manual)
F	J: Chevrolet Camaro SS (Automatic)
F	K: Chevrolet Camaro 2SS (Automatic)
F	S: Chevrolet Camaro SS (Manual)
F	T: Chevrolet Camaro 2SS (Manual)
F	9: Chevrolet Camaro (Export - Non US, Non Canada)
J	A: Sonic LS (Automatic)
J	B: Sonic LS (Manual)
J	C: Sonic LT (Automatic)
J	D: Sonic LT (Manual)
J	E: Sonic LTZ (Automatic)
J	F: Sonic LTZ (Manual)
M	K: Chevrolet Caprice Police Vehicle
P	A: Cruze 1LS (Automatic - Canada only)
P	B: Cruze 1LS (Manual-Canada Only)

4. VEHICLE LINE/SERIES (Continued)	
P	C: Cruze 2LS (Automatic)
P	D: Cruze 2LS (Manual)
P	E: Cruze 1FL (Automatic)
P	F: Cruze 1LT (Automatic)
P	G: Cruze 2LT (Automatic)
P	H: Cruze LTZ (Automatic)
P	J: Cruze Eco (Automatic)
P	K: Cruze Eco (Manual)
P	L: Cruze 1LT (Manual)
P	M: Cruze 2LT (Manual)
R	A: Chevrolet Volt Standard ,w/o Leather, w/o Navigation
R	B: Chevrolet Volt Premium ,w/Leather, w/o Navigation
R	C: Chevrolet Volt Standard ,w/o Leather, w/Navigation
R	D: Chevrolet Volt Premium, w/Leather, w/Navigation
R	9: Chevrolet Volt (Export - Non US, Non Canada)
T	A: Aveo Base (Non US, Non Canada)
T	B: Aveo Midlevel (Non US, Non Canada)
T	C: Aveo Uplevel (Non US, Non Canada)
W	A: Chevrolet Impala LS (1LS)
W	B: Chevrolet Impala LT (1LT)
W	C: Chevrolet Impala LTZ
W	D: Chevrolet Impala Police Cruiser
W	E: Chevrolet Impala Taxi
W	F: Chevrolet Impala LS (1FL)
W	G: Chevrolet Impala LT (2FL)
W	9: Chevrolet Impala (Export - Non US, Non Canada)
Y	A: Chevrolet Corvette Standard 1LT (Manual)
Y	B: Chevrolet Corvette Preferred 2LT (Manual)
Y	C: Chevrolet Corvette Premium 3LT (Manual)
Y	D: Chevrolet Corvette Custom 4LT (Manual)
Y	E: Chevrolet Corvette Standard 1LT (Automatic)
Y	F: Chevrolet Corvette Preferred 2LT (Automatic)
Y	G: Chevrolet Corvette Premium 3LT (Automatic)
Y	H: Chevrolet Corvette Custom 4LT (Automatic)
Y	J: Chevrolet Corvette Z06 Standard 1LZ (Manual)
Y	K: Chevrolet Corvette Z06 Premium 2LZ (Manual)



Chevrolet Passenger Car - (Continued)

4-5 VEHICLE LINE/SERIES (Continued)

Y L: Chevrolet Corvette Z06 Custom 3LZ (Manual)
Y M: Chevrolet Corvette ZR1 Standard 1ZR (Manual)
Y N: Chevrolet Corvette ZR1 Custom 3ZR (Manual)
Y P: Chevrolet Corvette Grand Sport 1LT (Manual)
Y R: Chevrolet Corvette Grand Sport 2LT (Manual)
Y S: Chevrolet Corvette Grand Sport 3LT (Manual)
Y T: Chevrolet Corvette Grand Sport 4LT (Manual)
Y U: Chevrolet Corvette Grand Sport 1LT (Automatic)
Y V: Chevrolet Corvette Grand Sport 2LT (Automatic)
Y W: Chevrolet Corvette Grand Sport 3LT (Automatic)
Y X: Chevrolet Corvette Grand Sport 4LT (Automatic)
Y 9: Chevrolet Corvette (Export - Non US, Non Canada)
Z A: Chevrolet Malibu Fleet Vehicle
Z B: Chevrolet Malibu LS
Z C: Chevrolet Malibu 1LT
Z D: Chevrolet Malibu 2LT
Z E: Chevrolet Malibu LTZ
Z 9: Chevrolet Malibu (Export - Non US, Non Canada)

6. BODY STYLE

1: 37 - Coupe, 2 - Door, Notchback
2: 07 - Coupe, 2 - Door, Plain Back
2: 87 - Coupe, 2 - Door, Plain Back, Special
3: 67 - Coupe, 2 - Door, Convertible
5: 19 - Sedan, 4 - Door, 6 Window, Notchback
5: 69 - Sedan, 4 - Door, 4 Window, Notchback
6: 48 - Sedan, 4 - Door, 4 Window, Hatchback
6: 68 - Sedan, 4 - Door, 6 Window, Plain Back, (H/Back)

7. RESTRAINT SYSTEM

A: Active Manual Belts, Airbag Delete
B: Active Manual Belts, Airbag-Driver only - Front
C: Active Manual Belts, Airbag-Driver & Passenger-Front (1st row)
D: Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), & Front Seat Side (1st row)
E: Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)
R: Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows) & Knee (1st row)
S: Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Knee (1st row)
U: Active Manual Belts, Airbags-Driver & Passenger - Front (1st row), Front Seat Side (1st row), Front Roof Side (1st row), Knee

8. ENGINE TYPE

A: LDE - ENGINE GAS, 4 CYL, 1.6L, MFI, DOHC, VVT, VARIABLE CAMSHAF T PHASING, VARIABLE INTAKE MODULE
B: LUV - ENGINE GAS, 4 CYL, 1.4L, MFI, DOHC, TURBO, VVT, ALUM, GME E85 MAX
C: LUJ - ENGINE GAS, 4 CYL, L4, 1.4L, MFI, DOHC, TURBO HO, ALUM GME
D: LMU - ENGINE GAS, 4 CYL, L4, 1.2L, MFI, DOHC, GMDAT
E: LS7 - ENGINE GAS, 8 CYL, 7.0L, SFI, ALUM
F: LXT - ENGINE GAS, 4 CYL, 1.6L, MFI, DOHC, 80KW
G: LWE - ENGINE GAS, 4 CYL, 1.8L, MFI, DOHC, VVT, 103 KW, GME
H: LUW - ENGINE GAS/ETHANOL, 4 CYL, 1.8L, MFI, 103KW, DOHC, E85
J: L99 - ENGINE GAS, 8 CYL, 6.2L, SFI, ALUM
L: LLW - ENGINE DIESEL, 4 CYL, L4, 2.0L, CRI, SOHC, TURBO, 110 KW
M: LAF - ENGINE GAS, 4 CYL, 2.4L, SIDI, DOHC, VVT, ALUM
N: LNP - ENGINE DIESEL, 4 CYL, L4, 2.0L, CRI, DOHC, TURBO, 120 KW
P: LSA - ENGINE GAS, 8 CYL, 6.2L, SFI, ER, ALUM, INTR CLR SC
T: LS9 - ENGINE GAS, 8 CYL, 6.2L, SFI, ALUM, HO, INTER CLR SC
U ENGINE FLEXIBLE FUEL, (GAS/ALC), 4 CYL, 2.4L, MFI, DOHC ALUM, HO
W: LS3 - ENGINE GAS, 8 CYL, 6.2L, SFI, ALUM, HO
0: ENGINE GAS, 4 CYL, 2.4L, MFI, ALUM, DOHC, HO ECOTEC
2: L77 - ENGINE FLEXIBLE FUEL, (GAS/ETHANOL), 8 CYL, 6.0L, SFI ALUM, AFM
3: LFX - ENGINE GAS, 6 CYL, 3.6L, SIDI, DOHC, VVT, E85 MAX, ALUM GM ALUM, HO
4: LUU - ENGINE FLEXIBLE FUEL, (GAS/ALC), 4 CYL, 1.4L, MFI, DOHC E-FLEX, FAM 0
7: LY7 - ENGINE GAS, 6 CYL, 3.6L, SFI, V6, ALUM, 60 DEGREES



Chevrolet Passenger Car - (Continued)

9. CHECK DIGIT

0~9, X - Calculated by POMS

11. PLANT LOCATION

When VIN position 1 is "1" or "4" (USA):

F: Fairfax II 7: Lordstown
U: Detroit Hamtramack 4: Orion
5: Bowling Green

When VIN position 1 is "2" (Canada):

9: Oshawa #1 (OSH) 1: Oshawa #2 (OST)

When VIN position 1 is "3" (Mexico):

L: San Luis Potosi

When VIN position 1 is "6" (Australia):

L: Elizabeth

10. MODEL YEAR


C: 2012 D: 2013 E: 2014 F: 2015

12-17. SEQUENCE NUMBER

Consecutive 6 digit number, number starting each new model year with 100001



Opel Passenger Car



1-3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
1: United States
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
0: Opel Passenger Car

4-5: VEHICLE LINE/SERIES

R 8: Opel Ampera

6: BODY STYLE

6: 68 - Sedan, 4 -Door, 6 Window, Plain Back, (H/Back)

7: RESTRAINT SYSTEM

E: Active Manual Belts, Airbags-Driver & Passenger-Front
(1st row), Front Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

4: LUU - ENGINE FLEXIBLE FUEL, (GAS/ALC), 4 CYL, 1.4L, MFI,
DOHC E-FLEX, FAM 0

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

C: 2012 **D:** 2013 **E:** 2014 **F:** 2015

11: PLANT LOCATION

When VIN position 1 is "1" or "4" (USA):



U: Detroit Hamtramck

12-17: SEQUENCE NUMBER

Consecutive 6 digit number, number starting each new model year with 100001



Light Duty Trucks, MPV & Incomplete Vehicle Identification Numbering System



Gross Vehicle Weight Rating (GVWR)/Brake System/Body Style**Table 11: GVWR/Brake System/Body Style Chart**

GVW (Lbs)	Brake System	Body Style						
		26	05/06	36	03	43	53	75
Class A: 0-3,000	Hydraulic							
Class B: 3,001-4,000	Hydraulic							
Class C: 4,001-5,000	Hydraulic	A			C	D	E	7
Class D: 5,001-6,000	Hydraulic	F			G	H	J	
Class E: 6,001-7,000	Hydraulic	K	L	M	N	P	R	
Class F: 7,001-8,000	Hydraulic		S	T		U	V	
Class G: 8,001-9,000	Hydraulic		W		Y			
Class H: 9,001-10,000	Hydraulic		Z		0	1	2	
Class 3: 10,001-14,000	Hydraulic				3	4	5	
Class 4: 14,001-16,000	Hydraulic				6			
Class 5: 16,001-19,500	Hydraulic							
Class 6: 19,501-26,000	Hydraulic							

Light Duty Truck and MPV Body Style Description Table**Table 12: Body Style Description Table**

Body Style Code	Description	Vehicles
03	Commercial Special and RV Cutaway, Two (2) Door Cab pick-up, Motor Home Chassis	Chevrolet Express Commercial and RV Cutaway, GMC Savana Vans/cutaway chassis, Chevy Silverado & Colorado pickups, GMC Sierra & Canyon pickups
05	Cargo Van	Chevy Express Van, GMC Savana Van
06	Four (4) Door Cab/Utility	Tahoe, Suburban, Express passenger Van, Yukon, Yukon XL, Savana Passenger Van, Cadillac Escalade/Escalade ESV, Hummer H2/H3
26	Four (4) Door Cab/Utility	HHR Panel Van, Equinox, Traverse, Acadia, Enclave, Outlook, Vue, Terrain, SRX
36	Sport Utility Truck	Avalanche, Escalade EXT
43	Four (4) Door Crew Cab/Utility	Silverado, Colorado, Sierra, Canyon, H3T
53	Extended Cab	Silverado, Sierra, Colorado, Canyon
75	Station Wagon, 4 door, high roof, monocab	Orlando

Light Duty Truck/MPV Engine Table

Table 13: Light Duty Truck/ MPV Engine Table

Code	RPO	Book Code(s)	Description
A:	L20	1, 8	ENGINE GAS, 8 CYL, 4.8L, SFI, E85 MAX, IRON
B:	LC8	8	ENGINE FLEXIBLE FUEL, (CNG/LPG), 8 CYL, V8, 6.0L, SFI, GE N1, GMNA
C:	L4J	N	ENGINE DIESEL, 4 CYL, 2.0L, I4, DI, INTER CLR TWIN TURBO DOHC, FAM B/C, 138 KW
D:	LLT	17	ENGINE GAS, 6 CYL, 3.6L, SIDI
E:	LLR	12	ENGINE GAS, 5 CYL, 3.7L, MFI, L5, ALUM, VVT, DOHC
F:	L94	1	ENGINE FLEXIBLE FUEL, (GAS/ALC), 8 CYL, 6.2L, SFI, ALUM CYL DEACTIVATION
G:	L96	1, 8	ENGINE FLEXIBLE FUEL, (GAS/ETHANOL), 8 CYL, 6.0L, SFI IRON
H:	OPEN		OPEN
J:	LZ1	1	ENGINE FLEXIBLE FUEL (GAS/ETHANOL), 8 CYL, 6.0L, SFI LIVC, DOD, ALUM
K:	LEA	7L	ENGINE FLEXIBLE FUEL, (GAS/ALC), 4 CYL, 2.4L, SIDI, DOHC ALUM, HO
L:	LGH	1, 8	ENGIN
M:	LAF		ENGINE GAS, 4 CYL, 2.4L, SIDI, DOHC, VVT, ALUM, GM
N:	OPEN		OPEN
P:	LH9	12	ENGINE GAS, 8 CYL, 5.3L, SFI, E85 MAX, ALUM
R:	OPEN		OPEN
S:	OPEN		OPEN
T:	OPEN		OPEN
U:	OPEN		OPEN
V:	OPEN		OPEN
W:	OPEN		OPEN
X:	LU3	1, 8	ENGINE GAS, 6 CYL, 4.3L, MFI, V6, 90 DEG
Y:	OPEN		OPEN
Z:	OPEN		OPEN
0:	LMG	1	ENGINE FLEXIBLE FUEL, (GAS/ALC), 8 CYL, 5.3L, SFI, V8, OHV, CYL DEACTIVATION, IRON
1:	OPEN		OPEN
2:	L9H	1	ENGINE FLEXIBLE FUEL, (GAS/ALC), 8 CYL, 6.2L, SFI, ALUM
3:	OPEN		Reserved
4:	LMF	8	ENGINE FLEXIBLE FUEL, (GAS/ALC), 8 CYL, 5.3L, SFI, V8 OHV, IRON
5:	LFW	7L, N	ENGINE GAS, 6 CYL, 3.0L, SIDI, DOHC, VVT, E85 MAX, ALUM
6:	LAU	N	ENGINE GAS, 6 CYL, 2.8L, SFI, DOHC, TURBO, HO
7:	LC9	1	ENGINE FLEXIBLE FUEL, (GAS/ALC), 8 CYL, 5.3L SFI, ALUM CYL, DEACTIVATION
8:	LML	1	ENGINE DIESEL, 8 CYL, 6.6L, PTI, V8, TURBO, DURAMAX
9:	LLV	12	ENGINE GAS, 4 CYL, 2.9L, MFI, L4, VVT, DOHC

*Engines listed as flexible fuel do not indicate the vehicle is equipped for flexible fuel



Light Duty Truck/MPV Plant Codes

Table 14: Light Duty Truck/MPV Plant Codes

When VIN position 1 is "1", "4" or "5" (U.S.A.):

F:	Flint	MI	GMNA
J:	Lansing - Delta Township	MI	GMNA
R:	Arlington	TX	GMNA
X:	Non Production/Non-Saleable Build		GMNA
Z:	Fort Wayne	IN	GMNA
1:	Wentzville	MO	GMNA

When VIN position 1 is "2" (Canada):

1:	Oshawa #2 (OST)	ON	GMNA
6:	CAMI	ON	GMNA

When VIN position 1 is "3" (Mexico):


G:	Silao	MEX	GMNA
S:	Ramos Arizpe	MEX	GMNA

When VIN position 1 is "K" (S. Korea):

K:	Kunsan	S. Korea	GMDAT
-----------	--------	----------	-------



Buick MPV



1-3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)		
1: Region of Build	5: United States	
2: Manufacturer	G: General Motors	
3: Vehicle Brand/Type	A: Buick MPV	

4: GVWR/BRAKE SYSTEM/BODY STYLE		
GVW (Lbs)	Brake System	Body Style
Class E: 6,001-7,000	Hydraulic	26 K

5-6: CHASSIS/SERIES	
R	A: Buick Enclave Base (FWD)
R	B: Buick Enclave Convenience Package (FWD)
R	C: Buick Enclave Leather Package (FWD)
R	D: Buick Enclave Premium Package (FWD)
R	7: Buick Enclave FWD (Export - Non US, Non Canada)
V	A: Buick Enclave Base (AWD)
V	B: Buick Enclave Convenience Package (AWD)
V	C: Buick Enclave Leather Package (AWD)
V	D: Buick Enclave Premium Package (AWD)
V	7: Buick Enclave AWD (Export - Non US, Non Canada)

7: RESTRAINT SYSTEM
E: Active manual belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row), Roof Side (All seating rows)


8: ENGINE TYPE
D: LLT - ENGINE GAS, 6 CYL, 3.6L, SIDI

9: CHECK DIGIT
0~9, X - Calculated by POMS

10: MODEL YEAR
C: 2012 D: 2013 E: 2014 F: 2015

11: PLANT LOCATION
When VIN position 1 is "1", "4" or "5" (USA): J: Lansing - Delta Township

12-17: SEQUENCE NUMBER
Consecutive 6 digit number, number starting each new model year with 100001

**Cadillac Light Duty Truck/MPV**

1 - 3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)		
1: Region of Build	Valid Combinations	
1: United States	1G	Y
3: Mexico	3G	Y
2: Manufacturer	3GG	
G: General Motors		
3: Vehicle Brand/Type		
G: Cadillac Truck		
Y: Cadillac MPV		

4: GVWR/BRAKE SYSTEM/BODY STYLE				
GVW (Lbs)	Brake System	Body Style		
		26	06	36
Class D: 5,001-6,000	Hydraulic	F		
Class E: 6,001-7,000	Hydraulic		L	M
Class F: 7,001-8,000	Hydraulic		S	T
Class G: 8,001-9,000	Hydraulic		W	

5 - 6: CHASSIS/SERIES	
3	A: 4x2, Cadillac Escalade Base
3	B: 4x2, Cadillac Escalade Luxury Collection
3	C: 4x2, Cadillac Escalade Premium Collection
3	D: 4x2, Cadillac Escalade Platinum Collection
3	E: 4x2, Cadillac Escalade Hybrid
3	F: 4x2, Cadillac Escalade Platinum Hybrid
3	G: 4x2, Cadillac Escalade ESV Base
3	H: 4x2, Cadillac Escalade ESV Luxury Collection
3	J: 4x2, Cadillac Escalade ESV Premium Collection
3	K: 4x2, Cadillac Escalade ESV Platinum Collection
3	L: 4x2, Cadillac Escalade EXT Base
3	M: 4x2, Cadillac Escalade EXT Luxury Collection
3	N: 4x2, Cadillac Escalade EXT Premium Collection
3	7: 4x2, Cadillac Escalade (Export - Non US, Non Canada)
3	8: 4x2, Cadillac Escalade ESV (Export - Non US, Non Canada)
3	9: 4x2, Cadillac Escalade EXT (Export - Non US, Non Canada)
4	A: 4x4, Cadillac Escalade Base

5 - 6: CHASSIS/SERIES - (Continued)	
4	B: 4x4, Cadillac Escalade Luxury Collection
4	C: 4x4, Cadillac Escalade Premium Collection
4	D: 4x4, Cadillac Escalade Platinum Collection
4	E: 4x4, Cadillac Escalade Hybrid
4	F: 4x4, Cadillac Escalade Platinum Hybrid
4	G: 4x4, Cadillac Escalade ESV Base
4	H: 4x4, Cadillac Escalade ESV Luxury Collection
4	J: 4x4, Cadillac Escalade ESV Premium Collection
4	K: 4x4, Cadillac Escalade ESV Platinum Collection
4	L: 4x4, Cadillac Escalade EXT Base
4	M: 4x4, Cadillac Escalade EXT Luxury Collection
4	N: 4x4, Cadillac Escalade EXT Premium Collection
4	7: 4x4, Cadillac Escalade (Export - Non US, Non Canada)
4	8: 4x4, Cadillac Escalade ESV (Export - Non US, Non Canada)
4	9: 4x4, Cadillac Escalade EXT (Export - Non US, Non Canada)
N	A: Cadillac SRX Luxury (FWD)
N	B: Cadillac SRX Performance (FWD)
N	C: Cadillac SRX Premium (FWD)
N	D: Cadillac SRX Luxury (AWD)
N	E: Cadillac SRX Performance (AWD)
N	F: Cadillac SRX Premium (AWD)
N	G: Cadillac SRX Base (FWD)
N	H: Cadillac SRX Base (AWD)
N	J: Cadillac SRX Performance Turbo (AWD)
N	K: Cadillac SRX Premium Turbo (AWD)
N	9: Cadillac SRX (Export - Non US, Non Canada)

**Cadillac Light Duty Truck/MPV (Continued)****7. RESTRAINT SYSTEM**

- C:** Active Manual Belts, Airbag - Driver & Passenger - Front (1st row)
- D:** Active manual belts, Airbags - Driver & Passenger - Front (1st row), Front Seat Side (1st row)
- E:** Active manual belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row), Roof Side (All seating rows)
- F:** Active Manual Belts, Airbag - Driver & Passenger - Front (1st row) and Roof Side (All seating rows for vehicles with 3 or fewer seating rows; 1st, 2nd and 3rd row for vehicles with 4 or more seating rows)

8. ENGINE TYPE

- C:** ENGINE DIESEL, 4 CYL, 2.0L, L4, DI, INTER CLR TWIN TURBO DOHC, FAM B/C, 138 KW
- F:** L94 - ENGINE FLEXIBLE FUEL, (GAS/ALC), 8 CYL, 6.2L, SFI, ALUM CYL DEACTIVATION
- G:** L96 - ENGINE FLEXIBLE FUEL, (GAS/ETHANOL), 8 CYL, 6.0L, SFI IRON
- J:** LZ1 - ENGINE FLEXIBLE FUEL (GAS/ETHANOL), 8 CYL, 6.0L, SFI LIVC, DOD, ALUM
- O:** LMG - ENGINE FLEXIBLE FUEL, (GAS/ALC), 8 CYL, 5.3L, SFI, V8, OHV, CYL DEACTIVATION, IRON
- 3:** LFX - ENGINE GAS, 6 CYL, 3.6L, SIDI, DOHC, VVT, E85 MAX, ALUM GM ALUM, HO
- 5:** ENGINE GAS, 6 CYL, 3.0L, SIDI, DOHC, VVT, E85 MAX, ALUM
- 7:** LC9 - ENGINE FLEXIBLE FUEL, (GAS/ALC), 8 CYL, 5.3L SFI, ALUM CYL, DEACTIVATION

9. CHECK DIGIT

0~9, X - Calculated by POMS

10. MODEL YEAR**C:** 2012 **D:** 2013 **E:** 2014 **F:** 2015**11. PLANT LOCATION**

When VIN position 1 is "1", "4" or "5" (USA):

R: Arlington


When VIN position 1 is "3" (Mexico):

G: Silao**S:** Ramos Arizpe**12 - 17. SEQUENCE NUMBER**

Consecutive 6 digit number, number starting each new model year with 100001



Chevrolet Light Duty Truck/MPV



1-3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)			
1: Region of Build	Valid Combinations		
1: United States	1GA	2GN	
2: Canada	1GB	3GC	
3: Mexico	1GC	3GN	
K: Korea	1GN	3GB	
2: Manufacturer	KL1		
G: General Motors			
L: GM Korea Company			
3: Vehicle Brand/Type			
A: Chevrolet Bus	N:	Chevrolet MPV	
B: Chevrolet Incomplete Truck	1:	Chevrolet MPV	
C: Chevrolet Truck			

4: GVWR/BRAKE SYSTEM/BODY STYLE								
GVW (Lbs)/ Brake System		Body Style						
		26	05/06	36	03	43	53	75
Class B: 3,001-4,000	Hyd.							
Class C: 4,001-5,000	Hyd.	A			C	D	E	7
Class D: 5,001-6,000	Hyd.	F			G	H	J	
Class E: 6,001-7,000	Hyd.	K	L	M	N	P	R	
Class F: 7,001-8,000	Hyd.		S	T		U	V	
Class G: 8,001-9,000	Hyd.		W		Y			
Class H: 9,001-10,000	Hyd.		Z		0	1	2	
Class 3: 10,001-14,000	Hyd.				3	4	5	
Class 4: 14,001-16,000	Hvd.				6			

Note: 'Hyd' denotes hydraulic brake system. See page 14 for complete chart

5-6: CHASSIS/SERIES	
C A:	4x2, ½ ton Chevrolet Tahoe LS
C B:	4x2, ½ ton Chevrolet Tahoe LT
C C:	4x2, ½ ton Chevrolet Tahoe LTZ
C D:	4x2, ½ ton Chevrolet Tahoe Hybrid
C E:	4x2, ½ ton Chevrolet Avalanche LS
C F:	4x2, ½ ton Chevrolet Avalanche LT
C G:	4x2, ½ ton Chevrolet Avalanche LTZ
C H:	4x2, ½ ton Chevrolet Suburban LS

5-6: CHASSIS/SERIES (Continued)	
C J:	4x2, ½ ton Chevrolet Suburban LT
C K:	4x2, ½ ton Chevrolet Suburban LTZ
C L:	4x2, ¾ ton Chevrolet Suburban LS
C M:	4x2, ¾ ton Chevrolet Suburban LT
C P:	4x2, 1500 Chevrolet Silverado Work Truck/Fleet/Base
C R:	4x2, 1500 Chevrolet Silverado LS
C S:	4x2, 1500 Chevrolet Silverado LT
C T:	4x2, 1500 Chevrolet Silverado LTZ
C U:	4x2, 1500 Chevrolet Silverado Hybrid
C V:	4x2, 2500 Chevrolet Silverado Work Truck/Fleet/Base/LS
C X:	4x2, 2500 Chevrolet Silverado LT
C Y:	4x2, 2500 Chevrolet Silverado LTZ
C Z:	4x2, 3500 Chevrolet Silverado Work Truck/Fleet/Base/LS
C 0:	4x2, 3500 Chevrolet Silverado LT
C 1:	4x2, 3500 Chevrolet Silverado LTZ
C 2:	4x2, 1500 Chevrolet Tahoe Police Vehicle
C 3:	4x2, ½ ton Chevrolet Avalanche FL
C 4:	4x2, ½ ton Chevrolet Tahoe FL
C 5:	4x2, Chevrolet Suburban FL
C 6:	4x2, Chevrolet Tahoe (Export - Non US, Non Canada)
C 7:	4x2, Chevrolet Avalanche (Export - Non US, Non Canada)
C 8:	4x2, Chevrolet Suburban (Export - Non US, Non Canada)
C 9:	4x2, Chevrolet Silverado (Export - Non US, Non Canada)
K A:	4x4, ½ ton Chevrolet Tahoe LS
K B:	4x4, ½ ton Chevrolet Tahoe LT
K C:	4x4, ½ ton Chevrolet Tahoe LTZ
K D:	4x4, ½ ton Chevrolet Tahoe Hybrid
K E:	4x4, ½ ton Chevrolet Avalanche LS
K F:	4x4, ½ ton Chevrolet Avalanche LT
K G:	4x4, ½ ton Chevrolet Avalanche LTZ
K H:	4x4, ½ ton Chevrolet Suburban LS
K J:	4x4, ½ ton Chevrolet Suburban LT
K K:	4x4, ½ ton Chevrolet Suburban LTZ
K L:	4x4, ¾ ton Chevrolet Suburban LS
K M:	4x4, ¾ ton Chevrolet Suburban LT
K P:	4x4, 1500 Chevrolet Silverado Work Truck/Fleet/Base

**Chevrolet Light Duty Truck/MPV - (Continued)****5 - 6: CHASSIS/SERIES (Continued)**

K R: 4x4, 1500 Chevrolet Silverado LS
K S: 4x4, 1500 Chevrolet Silverado LT
K T: 4x4, 1500 Chevrolet Silverado LTZ
K U: 4x4, 1500 Chevrolet Silverado Hybrid
K V: 4x4, 2500 Chevrolet Silverado Work Truck/Fleet/Base/LS
K X: 4x4, 2500 Chevrolet Silverado LT
K Y: 4x4, 2500 Chevrolet Silverado LTZ
K Z: 4x4, 3500 Chevrolet Silverado Work Truck/Fleet/Base/LS
K 0: 4x4, 3500 Chevrolet Silverado LT
K 1: 4x4, 3500 Chevrolet Silverado LTZ
K 2: 4x4, 1500 Chevrolet Tahoe Police Vehicle
K 3: 4x4, ½ ton Chevrolet Avalanche FL
K 4: 4x4, ½ ton Chevrolet Tahoe FL
K 5: 4x4, Chevrolet Suburban FL
K 6: 4x4, Chevrolet Tahoe (Export - Non US, Non Canada)
K 7: 4x4, Chevrolet Avalanche (Export - Non US, Non Canada)
K 8: 4x4, Chevrolet Suburban (Export - Non US, Non Canada)
K 9: 4x4, Chevrolet Silverado (Export - Non US, Non Canada)

G A: 4x2, Chevrolet Express 1500 Cargo
G B: 4x2, Chevrolet Express 1500 Passenger LS
G C: 4x2, Chevrolet Express 1500 Passenger LT
G D: 4x2, Chevrolet Express 1500 Conversion 3LT
G F: 4x2, Chevrolet Express 2500 Cargo
G G: 4x2, Chevrolet Express 2500 Cargo Ext
G H: 4x2, Chevrolet Express 2500 Paratransit
G J: 4x2, Chevrolet Express 2500 Paratransit Ext
G K: 4x2, Chevrolet Express 2500 Conversion 3LT
G L: 4x2, Chevrolet Express 2500 Conversion Ext 3LT
G P: 4x2, Chevrolet Express 2500 Passenger LS
G R: 4x2, Chevrolet Express 2500 Passenger LT
G S: 4x2, Chevrolet Express 2500 Mobility
G T: 4x2, Chevrolet Express 3500 Cargo
G U: 4x2, Chevrolet Express 3500 Cargo EXT
G V: 4x2, Chevrolet Express 3500 Paratransit
G W: 4x2, Chevrolet Express 3500 Paratransit EXT
G X: 4x2, Chevrolet Express 3500 Passenger LS
G Y: 4x2, Chevrolet Express 3500 Passenger LT
G Z: 4x2, Chevrolet Express 3500 Passenger LS EXT
G 1: 4x2, Chevrolet Express 3500 Passenger LT EXT
G 2: 4x2, Chevrolet Express 3500 Cutaway 139" Wheelbase
G 3: 4x2, Chevrolet Express 3500 Cutaway 159" Wheelbase
G 4: 4x2, Chevrolet Express 3500 Cutaway 177" Wheelbase
G 5: 4x2, Chevrolet Express 4500 Cutaway 159" Wheelbase
G 9: 4x2, Chevrolet Express (Export - Non US, Non Canada)
H A: 4x4, Chevrolet Express 1500 Cargo
H B: 4x4, Chevrolet Express 1500 Passenger LS
H C: 4x4, Chevrolet Express 1500 Passenger LT
H D: 4x4, Chevrolet Express 1500 Conversion 3LT

5 - 6: CHASSIS/SERIES (Continued)

H 9: 4x4, Chevrolet Express (Export - Non US, Non Canada)
L B: Chevrolet Equinox LS (FWD)
L C: Chevrolet Equinox LS (AWD)
L D: Chevrolet Equinox 1LT (FWD)
L E: Chevrolet Equinox 1LT (AWD)
L P: Chevrolet Equinox 2LT (FWD)
L N: Chevrolet Equinox 2LT (AWD)
L F: Chevrolet Equinox LTZ (FWD)
L G: Chevrolet Equinox LTZ (AWD)
L 1: Chevrolet Captiva Sport 1LS (FWD)
L 2: Chevrolet Captiva Sport 2LS (FWD)
L 3: Chevrolet Captiva Sport 1LT (FWD)
L 4: Chevrolet Captiva Sport 2LT (AWD)
L 7: Chevrolet Captiva (Export - Non US, Non Canada)
L 9: Chevrolet Equinox (Export - Non US, Non Canada)
P 1: Chevrolet Orlando LS (Canada Only)
P 2: Chevrolet Orlando LT (Canada Only)
P 3: Chevrolet Orlando LTZ (Canada Only)
R E: Chevrolet Traverse LS (FWD)
R F: Chevrolet Traverse LS w/Connectivity Package (FWD)
R G: Chevrolet Traverse LT (FWD)
R J: Chevrolet Traverse 2LT (FWD)
R L: Chevrolet Traverse LTZ (FWD)
R 8: Chevrolet Traverse FWD (Export - Non US, Non Canada)
V E: Chevrolet Traverse LS (AWD)
V F: Chevrolet Traverse LS w/Connectivity Package (AWD)
V G: Chevrolet Traverse LT (AWD)
V J: Chevrolet Traverse 2LT (AWD)
V L: Chevrolet Traverse LTZ AWD
V 8: Chevrolet Traverse AWD (Export - Non US, Non Canada)
S B: 4x2, Chevrolet Colorado Work Truck
S C: 4x2, Chevrolet Colorado 1LT
S D: 4x2, Chevrolet Colorado 2LT
S E: 4x2, Chevrolet Colorado 3LT
S 9: 4x2, Chevrolet Colorado (Export - Non US, Non Canada)
T B: 4x4, Chevrolet Colorado Work Truck
T C: 4x4, Chevrolet Colorado 1LT
T D: 4x4, Chevrolet Colorado 2LT
T E: 4x4, Chevrolet Colorado 3LT
T 9: 4x4, Chevrolet Colorado (Export - Non US, Non Canada)

**Chevrolet Light Duty Truck/MPV - (Continued)****7. RESTRAINT SYSTEM**

- B:** Active Manual Belts, Airbag - Driver only - Front
C: Active Manual Belts, Airbag - Driver & Passenger - Front (1st row)
D: Active manual belts, Airbags - Driver & Passenger - Front (1st row), Front Seat Side (1st row)
E: Active manual belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row), Roof Side (All seating rows)
F: Active Manual Belts, Airbag - Driver & Passenger - Front (1st row) and Roof Side (All seating rows for vehicles with 3 or fewer seating rows; 1st, 2nd and 3rd row for vehicles with 4 or more seating rows)
H: Active Manual Belts, Airbag - Driver only - Front, Roof Side (All seating rows for vehicles with 3 or fewer seating rows; 1st, 2nd and 3rd row for vehicles with 4 or more seating rows)

8. ENGINE TYPE

- A:** L20 - ENGINE GAS, 8 CYL, 4.8L, SFI, E85 MAX, IRON
B: LC8 - ENGINE FLEXIBLE FUEL, (CNG/LPG), 8 CYL, V8, 6.0L, SFI, GE N1, GMNA
D: LLT - ENGINE GAS, 6 CYL, 3.6L, SIDI
E: LLR - ENGINE GAS, 5 CYL, 3.7L, MFI, L5, ALUM, VVT, DOHC
F: L94 - ENGINE FLEXIBLE FUEL, (GAS/ALC), 8 CYL, 6.2L, SFI, ALUM CYL DEACTIVATION
G: L96 - ENGINE FLEXIBLE FUEL, (GAS/ETHANOL), 8 CYL, 6.0L, SFI IRON
J: LZ1 - ENGINE FLEXIBLE FUEL (GAS/ETHANOL), 8 CYL, 6.0L, SFI LIVC, DOD, ALUM
K: LEA - ENGINE FLEXIBLE FUEL, (GAS/ALC), 4 CYL, 2.4L, SIDI, DOHC ALUM, HO
L: LGH - ENGINE DIESEL, 8 CYL, 6.6L, DI, V8, TURBO, DURAMAX
M: LAF - ENGINE GAS, 4 CYL, 2.4L, SIDI, DOHC, VVT, ALUM, GM
P: LH9 - ENGINE GAS, 8 CYL, 5.3L, SFI, E85 MAX, ALUM
X: LU3 - ENGINE GAS, 6 CYL, 4.3L, MFI, V6, 90 DEG
0: LMG - ENGINE FLEXIBLE FUEL, (GAS/ALC), 8 CYL, 5.3L, SFI, V8, OHV, CYL DEACTIVATION, IRON
2: L9H - ENGINE FLEXIBLE FUEL, (GAS/ALC), 8 CYL, 6.2L, SFI, ALUM
4: LMF - ENGINE FLEXIBLE FUEL, (GAS/ALC), 8 CYL, 5.3L, SFI, V8 OHV, IRON
5: LFW - ENGINE GAS, 6 CYL, 3.0L, SIDI, DOHC, VVT, E85 MAX, ALUM
7: LC9 - ENGINE FLEXIBLE FUEL, (GAS/ALC), 8 CYL, 5.3L SFI, ALUM CYL, DEACTIVATION
8: LML - ENGINE DIESEL, 8 CYL, 6.6L, PTI, V8, TURBO, DURAMAX
9: LLV - ENGINE GAS, 4 CYL, 2.9L, MFI, L4, VVT, DOHC

9. CHECK DIGIT

0~9, X - Calculated by POMS

10. MODEL YEAR**C:** 2012 **D:** 2013 **E:** 2014 **F:** 2015**11. PLANT LOCATION**

When VIN position 1 is "1", "4" or "5" (USA):

F: Flint **Z:** Fort Wayne
J: Lansing - Delta Township **1:** Wentzville
R: Arlington

When VIN position 1 is "2" (Canada):

6: CAMI **1:** Oshawa #2 (OST)

When VIN position 1 is "3" (Mexico):


G: Silao **S:** Ramos Arizpe

When VIN position 1 is "K" (S. Korea):

K: Kunsan**12. 17. SEQUENCE NUMBER**

Consecutive 6 digit number, number starting each new model year with 100001

GMC Light Duty Truck/MPV



1-3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)			
1: Region of Build	Valid Combinations		
1: United States	1GD	2GK	
2: Canada	1GJ	3GT	
3: Mexico	1GT	3GD	
2: Manufacturer	1GK		
G: General Motors			
3: Vehicle Brand/Type			
D: GMC Incomplete Truck	K: GMC MPV		
J: GMC Bus	T: GMC Truck		

4: GVWR/BRAKE SYSTEM/BODY STYLE							
GVW (Lbs)/ Brake System		Body Style					
		26	05/06	36	03	43	53
Class C: 4,001-5,000	Hyd.	A			C	D	E
Class D: 5,001-6,000	Hyd.	F			G	H	J
Class E: 6,001-7,000	Hyd.	K	L	M	N	P	R
Class F: 7,001-8,000	Hyd.		S	T		U	V
Class G: 8,001-9,000	Hyd.		W		Y		
Class H: 9,001-10,000	Hyd.		Z		0	1	2
Class 3: 10,001-14,000	Hyd.				3	4	5
Class 4: 14,001-16,000	Hyd.				6		

Note: 'Hyd' denotes hydraulic brake system. See page 14 for complete chart

5-6: CHASSIS/SERIES	
1	A: 4x2, ½ ton GMC Yukon SLE
1	B: 4x2, ½ ton GMC Yukon FLT
1	C: 4x2, ½ ton GMC Yukon SLT
1	D: 4x2, ½ ton GMC Yukon SLT (SLT2)
1	E: 4x2, ½ ton GMC Yukon Denali
1	F: 4x2, ½ ton GMC Yukon Hybrid
1	G: 4x2, ½ ton GMC Yukon Denali Hybrid
1	H: 4x2, ½ ton GMC Yukon XL SLE
1	J: 4x2, ½ ton GMC Yukon XL FLT
1	K: 4x2, ½ ton GMC Yukon XL SLT
1	L: 4x2, ½ ton GMC Yukon XL SLT (SLT2)
1	M: 4x2, ½ ton GMC Yukon XL Denali

5-6: CHASSIS/SERIES (Continued)	
1	N: 4x2, ¾ ton GMC Yukon XL SLE
1	P: 4x2, ¾ ton GMC Yukon XL FLT
1	R: 4x2, ¾ ton GMC Yukon XL SLT
1	S: 4x2, ¾ ton GMC Yukon XL SLT (SLT2)
1	T: 4x2, 1500 GMC Sierra Work Truck/Fleet/Base
1	U: 4x2, 1500 GMC Sierra SL
1	V: 4x2, 1500 GMC Sierra SLE
1	W: 4x2, 1500 GMC Sierra SLT
1	X: 4x2, 1500 GMC Sierra Denali
1	Y: 4x2, 1500 GMC Sierra Hybrid
1	Z: 4x2, 2500 GMC Sierra Work Truck/Fleet/Base
1	0: 4x2, 2500 GMC Sierra SLE
1	1: 4x2, 2500 GMC Sierra SLT
1	2: 4x2, 3500 GMC Sierra Work Truck/Fleet/Base
1	3: 4x2, 3500 GMC Sierra SLE
1	4: 4x2, 3500 GMC Sierra SLT
1	5: 4x2, 2500 GMC Sierra Denali
1	6: 4x2, 3500 GMC Sierra Denali
1	7: 4x2, GMC Yukon (Export - Non US, Non Canada)
1	8: 4x2, GMC Yukon XL (Export - Non US, Non Canada)
1	9: 4x2, GMC Sierra (Export - Non US, Non Canada)
2	A: 4x4, ½ ton GMC Yukon SLE
2	B: 4x4, ½ ton GMC Yukon FLT
2	C: 4x4, ½ ton GMC Yukon SLT
2	D: 4x4, ½ ton GMC Yukon SLT (SLT 2)
2	E: 4x4, ½ ton GMC Yukon Denali
2	F: 4x4, ½ ton GMC Yukon Hybrid
2	G: 4x4, ½ ton GMC Yukon Denali Hybrid
2	H: 4x4, ½ ton GMC Yukon XL SLE
2	J: 4x4, ½ ton GMC Yukon XL FLT
2	K: 4x4, ½ ton GMC Yukon XL SLT
2	L: 4x4, ½ ton GMC Yukon XL SLT (SLT2)
2	M: 4x4, ½ ton GMC Yukon XL Denali
2	N: 4x4, ¾ ton GMC Yukon XL SLE
2	P: 4x4, ¾ ton GMC Yukon XL FLT
2	R: 4x4, ¾ ton GMC Yukon XL SLT

**GMC Light Duty Truck/MPV - (Continued)****5 6 CHASSIS/SERIES (Continued)**

2	S:	4x4, ¾ ton GMC Yukon XL SLT (SLT2)
2	T:	4x4, 1500 GMC Sierra Work Truck/Fleet/Base
2	U:	4x4, 1500 GMC Sierra SL
2	V:	4x4, 1500 GMC Sierra SLE
2	W:	4x4, 1500 GMC Sierra SLT
2	X:	4x4, 1500 GMC Sierra Denali
2	Y:	4x4, 1500 GMC Sierra Hybrid
2	Z:	4x4, 2500 GMC Sierra Work Truck/Fleet/Base
2	0:	4x4, 2500 GMC Sierra SLE
2	1:	4x4, 2500 GMC Sierra SLT
2	2:	4x4, 3500 GMC Sierra Work Truck/Fleet/Base
2	3:	4x4, 3500 GMC Sierra SLE
2	4:	4x4, 3500 GMC Sierra SLT
2	5:	4x4, 2500 GMC Sierra Denali
2	6:	4x4, 3500 GMC Sierra Denali
2	7:	4x4, GMC Yukon (Export - Non US, Non Canada)
2	8:	4x4, GMC Yukon XL (Export - Non US, Non Canada)
2	9:	4x4, GMC Sierra (Export - Non US, Non Canada)
7	A:	4x2, GMC Savana 1500 Cargo
7	B:	4x2, GMC Savana 1500 Passenger LS
7	C:	4x2, GMC Savana 1500 Passenger LT
7	D:	4x2, GMC Savana 1500 Conversion 3LT
7	F:	4x2, GMC Savana 2500 Cargo
7	G:	4x2, GMC Savana 2500 Cargo Ext
7	H:	4x2, GMC Savana 2500 Paratransit
7	J:	4x2, GMC Savana 2500 Paratransit Ext
7	K:	4x2, GMC Savana 2500 Conversion 3LT
7	L:	4x2, GMC Savana 2500 Conversion Ext 3LT
7	P:	4x2, GMC Savana 2500 Passenger LS
7	R:	4x2, GMC Savana 2500 Passenger LT
7	S:	4x2, GMC Savana 2500 Mobility
7	T:	4x2, GMC Savana 3500 Cargo
7	U:	4x2, GMC Savana 3500 Cargo EXT
7	V:	4x2, GMC Savana 3500 Paratransit
7	W:	4x2, GMC Savana 3500 Paratransit EXT
7	X:	4x2, GMC Savana 3500 Passenger LS
7	Y:	4x2, GMC Savana 3500 Passenger LT
7	Z:	4x2, GMC Savana 3500 Passenger LS EXT
7	1:	4x2, GMC Savana 3500 Passenger LT EXT
7	2:	4x2, GMC Savana 3500 Cutaway 139" Wheelbase
7	3:	4x2, GMC Savana 3500 Cutaway 159" Wheelbase
7	4:	4x2, GMC Savana 3500 Cutaway 177" Wheelbase
7	5:	4x2, GMC Savana 4500 Cutaway 159" Wheelbase
7	9:	4x2, GMC Savana (Export - Non US, Non Canada)
8	A:	4x4, GMC Savana 1500 Cargo
8	B:	4x4, GMC Savana 1500 Passenger LS
8	C:	4x4, GMC Savana 1500 Passenger LT
8	D:	4x4, GMC Savana 1500 Conversion 3LT


5 6 CHASSIS/SERIES (Continued)

8	9:	4x4, GMC Savana (Export - Non US, Non Canada)
5	L:	4x2, GMC Canyon Work Truck,
5	M:	4x2, GMC Canyon SLE
5	N:	4x2, GMC Canyon SLT
5	9:	4x2, GMC Canyon (Export - Non US, Non Canada)
6	L:	4x4, GMC Canyon Work Truck
6	M:	4x4, GMC Canyon SLE
6	N:	4x4, GMC Canyon SLT
6	9:	4x4, GMC Canyon (Export - Non US, Non Canada)
R	N:	GMC Acadia SLE 1 (FWD)
R	P:	GMC Acadia SLE 2 (FWD)
R	R:	GMC Acadia SLT 1 (FWD)
R	S:	GMC Acadia SLT 2 (FWD)
R	T:	GMC Acadia Denali (FWD)
R	9:	GMC Acadia FWD (Export - Non US, Non Canada)
V	N:	GMC Acadia SLE 1 (AWD)
V	P:	GMC Acadia SLE 2 (AWD)
V	R:	GMC Acadia SLT 1 (AWD)
V	S:	GMC Acadia SLT 2 (AWD)
V	T:	GMC Acadia Denali (AWD)
V	9:	GMC Acadia AWD (Export - Non US, Non Canada)
L	M:	GMC Terrain SLE 1 (FWD)
L	R:	GMC Terrain SLE 1 (AWD)
L	S:	GMC Terrain SLE 2 (FWD)
L	T:	GMC Terrain SLE 2 (AWD)
L	U:	GMC Terrain SLT 1 (FWD)
L	V:	GMC Terrain SLT 1 (AWD)
L	W:	GMC Terrain SLT 2 (FWD)
L	X:	GMC Terrain SLT 2 (AWD)
L	8:	GMC Terrain (Export - Non US, Non Canada)

7: RESTRAINT SYSTEM

B:	Active Manual Belts, Airbag - Driver only - Front
C:	Active Manual Belts, Airbag - Driver & Passenger - Front (1st row)
D:	Active manual belts, Airbags - Driver & Passenger - Front (1st row), Front Seat Side (1st row)
E:	Active manual belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row), Roof Side (All seating rows)
F:	Active Manual Belts, Airbag - Driver & Passenger - Front (1st row) and Roof Side (All seating rows for vehicles with 3 or fewer seating rows; 1st, 2nd and 3rd row for vehicles with 4 or more seating rows)
H:	Active Manual Belts, Airbag - Driver only - Front, Roof Side (All seating rows for vehicles with 3 or fewer seating rows; 1st, 2nd and 3rd row for vehicles with 4 or more seating rows)

SAAB 9-4x



1-3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
3: Mexico
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
0: Saab MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)	Brake System	Body Style
		26
Class D: 5,001-6,000	Hydraulic	F

5-6: CHASSIS/SERIES

- N P:** Saab 9-4x FWD
N R: Saab 9-4x AWD
N S: Saab 9-4x Premium FWD
N T: Saab 9-4x Premium AWD
N U: Saab 9-4x Aero

7: RESTRAINT SYSTEM

- E:** Active manual belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row), Roof Side (All seating rows)

8: ENGINE TYPE

- C:** L4J - ENGINE DIESEL, 4 CYL, 2.0L, L4, DI, INTER CLR TWIN TURBO DOHC, FAM B/C, 138 KW
3: LFX - ENGINE GAS, 6 CYL, 3.6L, SIDI, DOHC, VVT, E85 MAX, ALUM GM ALUM, HO
5: LFW - ENGINE GAS, 6 CYL, 3.0L, SIDI, DOHC, VVT, E85 MAX, ALUM
6: LAU - ENGINE GAS, 6 CYL, 2.8L, SFI, DOHC, TURBO, HO

9: CHECK DIGIT

- 0~9, X - Calculated by POMS

10: MODEL YEAR

- C:** 2012 **D:** 2013 **E:** 2014 **F:** 2015

11: PLANT LOCATION

- When VIN position 1 is "3" (Mexico):**
S: Ramos Arizpe

12-17: SEQUENCE NUMBER

- Consecutive 6 digit number, number starting each new model year with 100001