

ORG7326

ORG7326



PART 565 "VIN DECIPHERING SUBMISSION 2012"

FIRST SECTION
POSITION 1, 2 AND 3.

The Society of Automotive Engineers Inc. assigned to **North American Trailer S.A. de C.V.** the following characters.

3 N 9

SECOND SECTION
POSITION 4, 5, 6, 7 AND 8.

The Position **4** makes reference to the **Make**:

N North American Trailer, S.A. de C.V.

The Position **5** makes reference to the **Type of Trailer**:

- 1** Gooseneck
- 2** Kingpin
- 3** Fifth Wheel
- 4** Ball type Pull

The Position **6** makes reference to the **Length**:

- | | |
|-----------------------|-----------------------|
| A 20 feet long | G 40 feet long |
| B 22 feet long | H 42 feet long |
| C 25 feet long | J 45 feet long |
| D 30 feet long | K 48 feet long |
| E 35 feet long | L 50 feet long |
| F 38 feet long | M 53 feet long |



The Position **7** makes reference to the **Body Type**:

- | | | | |
|----------|---------------------|----------|------------------------|
| A | Flatbed Trailer | G | Dump Trailer |
| B | Drop Deck Trailer | H | Tank Trailer |
| C | Double Drop Trailer | J | Pneumatic Tank Trailer |
| D | Lowboy Trailer | K | Utility Trailer |
| E | Converter Dolly | L | Reefer |
| F | Dry Van Trailer | | |

The Position **8** makes reference to the **Axle Configuration**:

- | | |
|----------|--------------------------------------|
| 1 | Single axle with Spring Suspension |
| 2 | Single axle with Air Ride Suspension |
| 3 | Two Axles with Spring Suspension |
| 4 | Two Axles with Air Ride Suspension |
| 5 | Three Axles with Spring Suspension |
| 6 | Three Axles with Air Ride Suspension |
| 7 | Four Axles with Spring Suspension |
| 8 | Four Axles with Air Ride Suspension |
| 9 | Five Axles with Air Ride Suspension |



THIRD SECTION
POSITION 9.

The Position **9** is the Check Digit and follow is an example:

"A Semi-Trailer, make by North American Trailer, type of trailer Kingpin, body type Lowboy, 48' long, three axles with Air Ride Suspension, Model 2012"

3 N 9 WMI. Assigned by SAE

N Make

2 Type of Trailer

K Length

D Body Type

6 Axle Configuration

0 **Check Digit**

2 Year Model

M Plant of Manufacture

0 0 5 WMI. Assigned by SAE

0 0 1 Sequentially Assigned

NIV.- 3 N 9 N 2 K D 6 0 2 M 0 0 5 0 0 1

FORTH SECTION
POSITION 10 TO 17.

The Position **10** makes reference to the Year Model:

2 Year Model 2012

3 Year Model 2013

The Position **11** makes reference to the Plant of Manufacture:

M Monterrey, Nuevo León, México.

The Position **12, 13** and **14** assigned by SAE:

0 0 5 Production less than 500 units a year.

The Position **15, 16** and **17** makes reference to the Sequence of Fabrication:

0 0 1 Sequence of Fabrication.